

**Table S1.** Primer sequences used in quantitative real-time PCR

Gene	Forward primer (5'-3')	Reverse primer (5'-3')
<b>Mouse</b>		
GAPDH	GTATGACTCCACTCACGGCAAA	GGTGTGGCTCCTGGAAGATG
aP2	CATGGCCAAGCCCAACAT	CGCCCAGTTTGAAGGAAATC
C/EBP $\alpha$	AGGTGCTGGAGTTGACCAGT	CAGCCTAGAGATCCAGCGAC
PPAR $\gamma$	CGCTGATGCACTGCCTATGA	AGAGGTCCACAGAGCTGATTCC
SREBP-1c	AGAGGGTGAGCCTGACAA	CCTCTGCAATTTCCAGAT
FAS	CTGAGATCCCAGCACTTCTTGA	GCCTCCGAAGCCAAATGAG
<b>Human</b>		
$\beta$ -actin	CCACCATGTACCCTGGCATT	CGGACTCGTCATACTCCTGC
p21	TTCTCCACCTAGACTGTAA	GCACCTGCTGTATATTCA
p53	GTGTGGAGTATTTGGATGAC	ATGTAGTTGTAGTGGATGGT
c-Fos	TCACCCGCAGACTCCTTCTC	GTGGGAATGAAGTTGGCACTG