


Core/Shell Pigments with Polyaniline Shell: Optical and Physical–Technical Properties

Tatyana A. Pugacheva ¹, Georgiy V. Malkov ¹, Alexander A. Ilyin ², Eugene A. Indeikin ² and Vladimir G. Kurbatov ^{1,2,*}


¹ Institute for Problems of Chemical Physics of the Russian Academy of Sciences (IPCP RAS), Academician Semenov Avenue 1, 142432 Chernogolovka, Russia; sinichka.71@yandex.ru (T.A.P.); gmalkov@mail.ru (G.V.M.)

² , Department of Chemical Technology of Organic Coatings, Yaroslavl State Technical University, Moscow Avenue 88, 150023 Yaroslavl, Russia; 471562@mail.ru (A.A.I.); eugene.indeikin@ya.ru (E.A.I.)


* Correspondence: kurbatovvg@list.ru; Tel.: +7-(49652)-2-77-10




(a)




(b)



(c)



(d)



(e)

Figure S1. FTIR spectrum of different core/shell pigments and PANi (a) bentonite-based core/shell pigment; (b) kaolin-based core/shell pigment; (c) muscovite-based core/shell pigment; (d) talc-based core/shell pigment; (e) PANi doped with sulfuric acid.