

Supplementary Table S1. Answers to questionnaire questions

Questions	N (%)
Contact with raw/marinated fish?	
No	8 (3.09%)
Yes	251 (96.9%)
If yes to question 1, intake as food?	
No	12 (4.63%)
Yes	247 (95.4%)
Food: estimated frequency of consumption last year?	
at least once a year	44 (17.7%)
at least once a month	204 (82.3%)
If yes to question 1, skin contact?	
No	18 (7.11%)
Yes	235 (92.9%)
Skin contact: estimated frequency last year?	
at least once a year	33 (13.7%)
at least once a month	208 (86.3%)
Do you use gloves when handling fish at home?	
Never	233 (90.0%)
Occasionally	17 (6.56%)
Always	9 (3.47%)
Have you ever had occupations that brought you into direct contact with fish or fish derivatives?	
No	238 (91.9%)
Yes	21 (8.11%)
Which is your current work activity?	
Housewife or unemployed person	95 (36.7%)
more	46 (17.8%)
Clerk or Worker	44 (17.0%)
Catering	13 (5.02%)
Students or Health Care	61 (23.6%)
Have you ever had allergic symptoms?	
No	3 (1.16%)
Yes	256 (98.8%)
asthma (1):	
No	236 (91.1%)
Yes	23 (8.88%)
rhinitis (2):	
No	187 (72.2%)
Yes	72 (27.8%)
conjunctivitis (3):	
No	251 (96.9%)
Yes	8 (3.09%)
brief urticaria (4):	
No	143 (55.2%)
Yes	116 (44.8%)
urticaria > 6 months (5):	
No	227 (87.6%)
Yes	32 (12.4%)

angioedema (6):	
No	203 (78.4%)
Yes	56 (21.6%)
other cutaneous (7):	
No	227 (87.6%)
Yes	32 (12.4%)
anaphylaxis (8):	
No	254 (98.1%)
Yes	5 (1.93%)
Which is the frequency of symptoms in the last year?	
<10 times	126 (49.0%)
10-30 times	74 (28.8%)
> 30 times	57 (22.2%)
If yes, how long have you had the allergy (years)?	
Mean (SD)	10.2 (10.7)
Have you ever been diagnosed with chronic gastrointestinal diseases (Crohn's disease, ulcerative rectocolitis, indeterminate colitis)?	
No	257 (99.2%)
Yes	2 (0.77%)
Any presence of one the following symptoms?	
No	28 (10.8%)
Yes	231 (89.2%)
Diarrhoea:	
No	163 (62.9%)
Yes	96 (37.1%)
Abdominal pain:	
No	128 (49.4%)
Yes	131 (50.6%)
Melena:	
No	241 (93.1%)
Yes	18 (6.95%)
Nausea:	
No	144 (55.6%)
Yes	115 (44.4%)
Constipation:	
No	119 (45.9%)
Yes	140 (54.1%)
Fever:	
No	193 (74.5%)
Yes	66 (25.5%)
Ematemesis:	
No	255 (98.5%)
Yes	4 (1.54%)
Vomiting:	
No	203 (78.4%)
Yes	56 (21.6%)
Which is the frequency of symptoms in the last year?	
<10 times	133 (57.8%)

10-30 times	77 (33.5%)
> 30 times	20 (8.70%)
Have you ever carried out a parasitological stool test?	
No	178 (68.7%)
Yes	81 (31.3%)
How often do you eat red or processed meat (cooked ham, ham, bresaola, salami, mortadella, bacon, sausages, cotechino, frankfurters)?	
less than twice a month	45 (17.4%)
at least twice a month	214 (82.6%)
How often do you eat smoked food (bacon, Prague ham, bacon, or other smoked meat)?	
less than twice a month	161 (62.2%)
at least twice a month	98 (37.8%)
How often do you drink alcohol (beer, wine)?	
less than twice a month	188 (72.6%)
at least twice a month	71 (27.4%)
How often do you drink spirits?	
less than twice a month	219 (84.6%)
at least twice a month	40 (15.4%)
Do you currently smoke (cigarettes or tobacco, cigars, electronic cigarettes)?	
No	192 (74.1%)
SI	67 (25.9%)
If No, have you smoked in the past?	
I have smoked IN THE PAST, now I have stopped	62 (38.0%)
I have never smoked	101 (62.0%)
If YES, at what age did you start smoking?	
Mean (SD)	16.8 (3.93)
If YES, at what age did you stop?	
Mean (SD)	31.3 (13.3)
SD = Standard Deviation	

Supplementary Table S2. Univariate comparison of study variables and positivity to specific Anisakis IgE and BAT.

Total (%)		Anisakis kUA/l<0.1 n. (%)	Anisakis kUA/l≥0.1 n. (%)	OR [IC95%]	p-value	BAT <15% n. (%)	BAT ≥15% n. (%)	OR [IC95%]	p-value
	N=259 (100)	N=211	N=48			N=247	N=12		
Age media (SD)	40.8 (20.5)	39.4 (19.6)	46.6 (23.2)	1.02 [1.01;1.03]	0.030	40.1 (20.4)	54.3 (19.2)	1.04 [1.00;1.07]	0.024
Sex									
Male	88 (34.0)	61 (28.9)	27 (56.2)	Ref.	Ref.	81 (32.8)	7 (58.3)	Ref.	Ref.
Female	171 (66.0)	150 (71.1)	21 (43.8)	0.32 [0.17;0.61]	<0.001	166 (67.2)	5 (41.7)	0.35 [0.10;1.17]	0.087
Anisakis (kUA/l ≥0.1)									
Negative	211 (81.5)				-	211 (85.4)	0 (0.0)	Ref.	Ref.
Positive	48 (18.5)				-	36 (14.6)	12 (100.0)	∞	<0.001
Ascaris (kUA/l ≥0.1)									
Negative	222 (85.7)	211 (100.0)	11 (22.9)	Ref.	Ref.	220 (89.1)	2 (16.7)	Ref.	Ref.
Positive	37 (14.3)	0 (0.0)	37 (77.1)	∞	<0.001	27 (10.9)	10 (83.3)	37.5 [9.1;277.0]	<0.001
Tropomyosin (kUA/l ≥0.1)									
Negative	249 (96.1)	211 (100.0)	38 (79.2)	Ref.	Ref.	241 (97.6)	8 (66.7)	Ref.	Ref.
Positive	10 (3.9)	0 (0.0)	10 (20.8)	∞	<0.001	6 (2.4)	4 (33.3)	19.5 [4.11;86.2]	<0.001
Education level:									
Primary	43 (16.6)	31 (14.3)	12 (25.0)	Ref.	Ref.	40 (16.2)	3 (25.0)	Ref.	Ref.
Lower secondary education.	94 (36.3)	77 (36.5)	17 (35.4)	0.57 [0.24;1.37]	0.205	90 (36.4)	4 (33.3)	0.59 [0.12;3.32]	0.522
Upper secondary education	95 (36.7)	81 (38.4)	14 (29.2)	0.45 [0.18;1.10]	0.079	92 (37.2)	3 (25.0)	0.44 [0.07;2.64]	0.350
Degree	27 (10.4)	22 (10.4)	5 (10.4)	0.60 [0.17;1.90]	0.394	25 (10.1)	2 (16.7)	1.09 [0.12;7.63]	0.932
Area of Residence:									
Inland area	47 (18.1)	38 (18.0)	9 (18.8)	Ref.	Ref.	45 (18.2)	2 (16.7)	Ref.	Ref.
Marine area	80 (30.9)	69 (32.7)	11 (22.9)	0.67 [0.25;1.83]	0.432	76 (30.8)	4 (33.3)	1.14 [0.20;9.55]	0.884
Urban area (Palermo - Catania - Messina)	132 (51.0)	104 (49.3)	28 (58.3)	1.13 [0.50;2.75]	0.783	126 (51.0)	6 (50.0)	1.02 [0.22;7.95]	0.979

Total (%)		Anisakis kUA/l<0.1 n. (%)	Anisakis kUA/l≥0.1 n. (%)	OR [IC95%]	p-value	BAT <15% n. (%)	BAT ≥15% n. (%)	OR [IC95%]	p-value
How many years have you had your current residence?									
Less than 10 years	26 (10.0)	23(10.9)	3 (6.2)	Ref.	Ref.	24 (9.7)	2 (16.7)	Ref.	Ref.
More than 10 years	233 (90.0)	188 (89.1)	45 (93.8)	1.76 [0.57;7.97]	0.352	223 (90.3)	10 (83.3)	0.51 [0.12;3.81]	0.451
Question 1: Contact with raw/marinated fish?									
No	8 (3.1)	6(2.8)	2(4.2)	Ref.	Ref.	7 (2.8)	1 (8.3)	Ref.	Ref.
Yes	251 (96.9)	205 (97.2)	46 (95.8)	0.64 [0.14;4.99]	0.623	240 (97.2)	11 (91.7)	0.29 [0.04;7.92]	0.367
If yes to question 1 , intake as food?									
No	12 (4.6)	5(2.4)	7(14.6)	Ref.	Ref.	9 (3.6)	3 (25.0)	Ref.	Ref.
Yes	247 (95.4)	206 (97.6)	41 (85.4)	0.14 [0.04;0.49]	0.002	238 (96.4)	9 (75.0)	0.11 [0.03;0.61]	0.014
Food: estimated frequency of consumption last year: (3 missing values)									
at least once a year	44 (17.7)	35(17.0)	9 (21.4)	Ref.	Ref.	40 (16.7)	4 (44.4)	Ref.	Ref.
at least once a month	204 (82.3)	171 (83.0)	33 (78.6)	0.74 [0.34;1.79]	0.493	199 (83.3)	5 (55.6)	0.25 [0.05;1.33]	0.055
If yes to question 1, skin contact?									
No	18 (7.11)	10 (4.9)	8 (16.7)	Ref.	Ref.	15 (6.2)	3 (25.0)	Ref.	Ref.
Yes	235 (92.9)	195 (95.1)	40 (83.3)	0.16 [0.09;0.72]	0.011	226 (93.8)	9 (75.0)	0.20 [0.05;0.99]	0.044
Skin contact: estimated frequency last year:									
at least once a year	33 (13.7)	28 (14.1)	5 (11.6)	Ref.	Ref.	31 (13.4)	2 (20.0)	Ref.	Ref.
at least once a year	208 (86.3)	170 (85.9)	38 (88.4)	1.22 [0.47;3.86]	0.696	200 (86.6)	8 (80.0)	0.62 [0.12-6.27]	0.631
Do you use gloves when handling fish at home?									
Never	233 (90.0)	191 (90.5)	42 (87.5)	Ref.	Ref.	223 (90.3)	10 (83.4)	Ref.	Ref.
Occasionally	17 (6.56)	13 (6.2)	4 (8.3)	1.43 [0.38;4.34]	0.566	16 (6.4)	1 (8.3)	1.56 [0.06;9.12]	0.713
Always	9 (3.47)	7 (3.3)	2 (4.2)	1.36 [0.18;6.07]	0.722	8 (3.2)	1 (8.3)	3.07 [0.11;20.0]	0.404
Have you ever had occupations that brought you into direct contact with fish or fish derivatives?									

Total (%)		Anisakis kUA/l<0.1 n. (%)	Anisakis kUA/l≥0.1 n. (%)	OR [IC95%]	p-value	BAT <15% n. (%)	BAT ≥15% n. (%)	OR [IC95%]	p-value
No	238 (91.9)	195 (92.4)	43 (89.6)	Ref.	Ref.	227 (91.9)	11 (91.7)	Ref.	Ref.
Yes	21 (8.1)	16 (7.6)	5 (10.4)	1.44 [0.44;3.96]	0.515	20 (8.1)	1 (8.3)	1.16 [0.05;6.54]	0.898
Describe your current work activity:									
Housewife or unemployed person	95 (36.7)	78 (37.0)	17 (35.4)	Ref.	Ref.	89 (36.0)	6 (50.0)	Ref.	Ref.
other	46 (17.8)	39 (18.5)	7 (14.6)	0.83 [0.30;2.13]	0.711	45 (18.2)	1 (8.3)	0.37 [0.01;2.34]	0.329
Clerk or Worker	44 (17.0)	32 (15.2)	12 (25.0)	1.72 [0.72;4.02]	0.219	42 (17.0)	2 (16.7)	0.74 [0.09;3.50]	0.724
Catering	13 (5.0)	10 (4.7)	3 (6.2)	1.41 [0.28;5.34]	0.644	11 (4.45)	2 (16.7)	2.77 [0.33;14.4]	0.301
Students or Health Care	61 (23.6)	52 (24.6)	9 (18.8)	0.80 [0.32;1.91]	0.622	60 (24.3)	1 (8.3)	0.28 [0.01;1.74]	0.193
Have you ever had allergic symptoms?									
No	3 (1.2)	2 (0.9)	1 (2.1)	Ref.	Ref.	3 (1.2)	0 (0.0)	Ref.	Ref.
Yes	256 (98.8)	209 (99.1)	47 (97.9)	0.42 [0.03;13.50]	0.550	244 (98.8)	12 (100)	+∞ [0.02;+ ∞]	1.000
asthma:									
No	236 (91.1)	194 (91.9)	42 (87.5)	Ref.	Ref.	225 (91.1)	11 (91.7)	Ref.	Ref.
Yes	23 (8.9)	21 (8.1)	6 (12.5)	1.65 [0.56;4.28]	0.343	22 (8.9)	1 (8.33)	1.04 [0.04;5.85]	0.970
rhinitis:									
No	187 (72.2)	150 (71.1)	37 (77.1)	Ref.	Ref.	177 (71.7)	10 (83.3)	Ref.	Ref.
Yes	72 (27.8)	61 (28.9)	11 (22.9)	0.74 [0.34;1.51]	0.413	70 (28.3)	2 (16.7)	0.54 [0.07;2.14]	0.411
conjunctivitis:									
No	251 (96.9)	206 (97.6)	45 (93.8)	Ref.	Ref.	239 (96.8)	12 (100)	Ref.	Ref.
Yes	8 (3.1)	5 (2.4)	3 (6.2)	2.78 [0.52;12.3]	0.210	8 (3.24)	0 (0.0)	0.00 [0.0;13.19]	1.000
brief urticaria:									
No	143 (55.2)	117 (55.5)	26 (54.2)	Ref.	Ref.	137 (55.5)	6 (50.0)	Ref.	Ref.
Yes	116 (44.8)	94 (44.5)	8 (45.8)	1.05 [0.56;1.98]	0.871	110 (44.5)	6 (50.0)	1.24 [0.37;4.19]	0.718
urticaria > 6 months:									
No	227 (87.6)	186 (88.2)	41 (85.4)	Ref.	Ref.	215 (87.0)	12 (100)	Ref.	Ref.
Yes	32 (12.4)	25 (11.8)	7 (14.6)	1.29 [0.48;3.06]	0.596	32 (13.0)	0 (0.0)	0.00 [0.00;2.56]	0.372
angioedema:									

Total (%)		Anisakis kUA/l<0.1 n. (%)	Anisakis kUA/l≥0.1 n. (%)	OR [IC95%]	p-value	BAT <15% n. (%)	BAT ≥15% n. (%)	OR [IC95%]	p-value
No	203 (78.4)	165 (78.2)	38 (79.2)	Ref.	Ref.	192 (77.7)	11 (91.7)	Ref.	Ref.
Yes	56 (21.6)	46(21.8)	10 (20.8)	0.95 [0.42;2.00]	0.903	55 (22.3)	1 (8.3)	0.36 [0.01;1.93]	0.275
other cutaneous:									
No	227 (87.6)	187 (88.6)	40 (83.3)	Ref.	Ref.	218 (88.3)	9 (75.0)	Ref.	Ref.
Yes	32 (12.4)	24 (11.4)	8 (16.7)	1.57 [0.62;3.65]	0.327	29 (11.7)	3 (25.0)	2.57 [0.52;9.41]	0.220
anaphylaxis:									
No	254 (98.1)	206 (97.6)	48 (100)	Ref.	Ref.	242 (98.0)	12 (100)	Ref.	Ref.
Yes	5 (1.9)	5 (2.4)	0 (0.0)	0.00 [0.00;4.8]	0.588	5 (2.02)	0 (0.0)	0.00 [0.0;24.34]	1.000
Frequency of symptoms/last year									
<10 times	126 (49.0)	102 (48.6)	24 (51.1)	Ref.	Ref.	119 (48.6)	7 (58.3)	Ref.	Ref.
> 30 times	57 (22.2)	49 (23.3)	8 (17.0)	0.70 [0.28;1.63]	0.422	54 (22.0)	3 (25.0)	0.97 [0.19;3.74]	0.967
10-30 times	74 (28.8)	59 (28.1)	15 (31.9)	1.08 [0.52;2.22]	0.829	72 (29.4)	2 (16.7)	0.50 [0.07;2.19]	0.380
If yes, how long have you had the allergy (years)?									
Mean (SD)	10.2 (10.7)	9.80 (10.1)	12.0 (13.0)	1.02 [0.99;1.05]	0.218	9.89 (10.3)	16.2 (16.7)	1.04 [1.00;1.09]	0.055
Have you ever been diagnosed with chronic gastrointestinal diseases (Crohn's disease, ulcerative rectocolitis, indeterminate colitis)?									
No	257 (99.2)	209 (99.1)	48 (100)	Ref.	Ref.	245 (99.2)	12 (100)	Ref.	Ref.
Yes	2 (0.8)	2 (0.9)	0 (0.0)	0.00 [0.00;23.55]	1.000	2 (0.81)	0 (0.0)	0.00 [0.0;113.5]	1.000
Presence of the following symptoms: diarrhoea, abdominal pain, melena, nausea, constipation, fever, haematemesis or vomiting									
No	28 (10.8)	24 (11.4)	4 (8.3)	Ref.	Ref.	28 (11.3)	0 (0.0)	Ref.	Ref.
Yes	231 (89.2)	187 (88.6)	44 (91.7)	1.37 [0.49;4.97]	0.572	219 (88.7)	12 (100)	+∞ [0.33;+∞]	0.373
Diarrhoea:									
No	163 (62.9)	130 (61.6)	33 (68.8)	Ref.	Ref.	156 (63.2)	7 (58.3)	Ref.	Ref.
Yes	96 (37.1)	81 (38.4)	15 (31.2)	0.73 [0.37;1.42]	0.363	91 (36.8)	5 (41.7)	1.23 [0.35;4.07]	0.733

Total (%)		Anisakis kUA/l<0.1 n. (%)	Anisakis kUA/l≥0.1 n. (%)	OR [IC95%]	p-value	BAT <15% n. (%)	BAT ≥15% n. (%)	OR [IC95%]	p-value
Abdominal pain:									
No	128 (49.4)	104 (49.3)	24 (50.0)	Ref.	Ref.	123 (49.8)	5 (41.7)	Ref.	Ref.
Yes	131 (50.6)	107 (50.7)	24(50.0)	0.97 [0.52;1.83]	0.930	124 (50.2)	7 (58.3)	1.38 [0.42;4.90]	0.600
Melena:									
No	241 (93.1)	198 (93.8)	43 (89.6)	Ref.	Ref.	229 (92.7)	12 (100)	Ref.	Ref.
Yes	18 (6.9)	13 (6.16)	5 (10.4)	1.80 [0.54;5.11]	0.316	18 (7.29)	0 (0.0)	0.00 [0.00;5.03]	1.000
Nausea:									
No	144 (55.6)	114 (54.0)	30 (62.5)	Ref.	Ref.	138 (55.9)	6 (50.0)	Ref.	Ref.
Yes	115 (44.4)	97 (46.0)	18 (37.5)	0.71 [0.36;1.34]	0.292	109 (44.1)	6 (50.0)	1.26 [0.38;4.25]	0.697
Constipation:									
No	119 (45.9)	99 (46.9)	20 (41.7)	Ref.	Ref.	115 (46.6)	4 (33.3)	Ref.	Ref.
Yes	140 (54.1)	112 (53.1)	28 (58.3)	1.23 [0.66;2.36]	0.517	132 (53.4)	8 (66.7)	1.71 [0.51;6.77]	0.392
Fever:									
No	193 (74.5)	154 (73.0)	39 (81.2)	Ref.	Ref.	184 (74.5)	9 (75.0)	Ref.	Ref.
Yes	66 (25.5)	57 (27.0)	9 (18.8)	0.63 [0.27;1.34]	0.240	63 (25.5)	3 (25.0)	1.01 [0.21;3.57]	0.994
Ematemesi:									
No	255 (98.5)	207 (98.1)	48 (100)	Ref.	Ref.	243 (98.4)	12 (100)	Ref.	Ref.
Yes	4 (1.54)	4 (1.9)	0 (0.0)	0.00 [0.00;17.41]	1.000	4 (1.62)	0 (0.00)	0.00 [0.0;33.48]	1.000
Vomiting:									
No	203 (78.4)	169 (80.1)	34 (70.8)	Ref.	Ref.	196 (79.4)	7 (58.3)	Ref.	Ref.
Yes	56 (21.6)	42 (19.9)	14 (29.2)	1.66 [0.80;3.34]	0.172	51 (20.6)	5 (41.7)	2.75 [0.76;9.20]	0.116
Frequency of symptoms/last year									
<10 times	133 (57.8)	102 (54.8)	31 (70.4)	Ref.	Ref.	124 (56.9)	9 (75.0)	Ref.	Ref.
10-30 times	77 (33.5)	69 (37.1)	8 (18.2)	0.39 [0.16;0.86]	0.019	76 (34.9)	1 (8.3)	0.20 [0.01;1.14]	0.075
> 30 times	20 (8.7)	15 (8.1)	5 (11.4)	1.12 [0.33;3.18]	0.848	18 (8.26)	2 (16.7)	1.60 [0.21;7.06]	0.594
Have you ever carried out a parasitological stool test?									
No	178 (68.7)	151 (71.6)	27 (56.2)	Ref.	Ref.	171 (69.2)	7 (58.3)	Ref.	Ref.
Yes	81 (31.3)	60 (28.4)	21 (43.8)	1.95 [1.02;3.73]	0.045	76 (30.8)	5 (41.7)	1.62 [0.45;5.35]	0.441

Total (%)		Anisakis kUA/l<0.1 n. (%)	Anisakis kUA/l≥0.1 n. (%)	OR [IC95%]	p-value	BAT <15% n. (%)	BAT ≥15% n. (%)	OR [IC95%]	p-value
How often do you eat red or processed meat (cooked ham, ham, bresaola, salami, mortadella, bacon, sausages, cotechino, frankfurters)?									
less than twice a month	45 (17.4)	34 (16.1)	11 (22.9)	Ref.	Ref.	42 (17.0)	3 (25.0)	Ref.	Ref.
at least twice a month	214 (82.6)	177 (83.9)	37 (77.1)	0.64 [0.30;1.44]	0.273	205 (83.0)	9 (75.0)	0.60 [0.17;2.92]	0.483
How often do you eat smoked food (bacon, Prague ham, bacon, or other smoked meat)?									
less than twice a month	161 (62.2)	134 (63.5)	27 (56.2)	Ref.	Ref.	155 (62.8)	6 (50.0)	Ref.	Ref.
at least twice a month	98 (37.8)	77 (36.5)	21 (43.8)	1.35 [0.71;2.56]	0.355	92 (37.2)	6 (50.0)	1.68 [0.50;5.66]	0.392
How often do you drink alcohol? (beer, wine):									
less than twice a month	188 (72.6)	157 (74.4)	31 (64.6)	Ref.	Ref.	182 (73.7)	6 (50.0)	Ref.	Ref.
at least twice a month	71 (27.4)	54 (25.6)	17 (35.4)	1.60 [0.80;3.10]	0.179	65 (26.3)	6 (50.0)	2.79 [0.82;9.44]	0.097
How often do you drink spirits?									
less than twice a month	219 (84.6)	175 (82.9)	44 (91.7)	Ref.	Ref.	210 (85.0)	9 (75.0)	Ref.	Ref.
at least twice a month	40 (15.4)	36 (17.1)	4 (8.3)	0.46 [0.13;1.23]	0.128	37 (15.0)	3 (25.0)	1.95 [0.40;7.03]	0.373
Do you currently smoke (cigarettes or tobacco, cigars, electronic cigarettes)?									
No	192 (74.1)	157 (74.4)	35 (72.9)	Ref.	Ref.	184 (74.5)	8 (66.7)	Ref.	Ref.
Yes	67 (25.9)	54 (25.6)	13 (27.1)	1.09 [0.52;2.17]	0.821	63 (25.5)	4 (33.3)	1.48 [0.37;4.99]	0.548
If No, have you smoked in the past?									
I have smoked IN THE PAST, now I have stopped	62 (38.0)	50 (37.9)	12 (38.7)	Ref.	Ref.	59 (38.1)	3 (37.5)	Ref.	Ref.
I have never smoked	101 (62.0)	82 (62.1)	19 (61.3)	0.96 [0.43;2.21]	0.926	96 (61.9)	5 (62.5)	1.01 [0.23;5.37]	0.995

Total (%)		Anisakis kUA/l<0.1 n. (%)	Anisakis kUA/l≥0.1 n. (%)	OR [IC95%]	p-value	BAT <15% n. (%)	BAT ≥15% n. (%)	OR [IC95%]	p-value
If YES, at what age did you start smoking?									
Mean (SD)	16.8 (3.93)	16.8 (4.25)	17.2 (2.04)	1.03 [0.87;1.22]	0.745	16.8 (3.99)	16.7 (3.21)	0.99 [0.74;1.33]	0.938
If YES, at what age did you stop?									
Mean (SD)	31.3 (13.3)	31.0 (13.70)	32.8 (11.9)	1.01 [0.96;1.06]	0.677	31.5 (13.3)	27.3 (17.2)	0.97 [0.88;1.08]	0.596
SD = Standard Deviation									