

Water Uptake as a Crucial Factor on the Properties of Cryogels of Gelatine Cross-Linked by Dextran Dialdehyde

Natalia Volkova ^{1,2} and Dmitriy Berillo ^{1,3,*}

¹ Department of Biotechnology, Lund University, P.O. Box 124, 22 100 Lund, Sweden;
natalia.volkova@ftf.lth.se

² Department of Solid State Physics, Lund University, Box 118, 221 00 Lund, Sweden

³ Department of Pharmaceutical and Toxicological Chemistry, Pharmacognosy and Botany School of Pharmacy, Asfendiyarov Kazakh National Medical University, Almaty 050000, Kazakhstan

* Correspondence: berillo.d@kaznmu.kz




Figure S1. TGA analysis of Gel-DDA 3:1 cryogel.





Figure S2. TGA analysis of Gel-DDA 1:1 cryogels different batches.




Figure S3. TGA analysis of Gel-GA 6:1 cryogel.




Figure S4. DSC analysis of Gel-DDA 1:1 cryogel after treatment with 100% RH and drying.




Figure S5. DSC analysis of Gel-DDA 3:1 cryogel after treatment with 100% RH and drying.




Figure S6. DSC analysis of Gel-DDA 2:1 cryogel 3 heating/cooling cycles.