

Supplementary Materials

Facile Fabrication of NIR-Responsive Alginate/CMC Hydrogels Derived through IEDDA Click Chemistry for Photothermal–Photodynamic Anti-Tumor Therapy

Ali Rizwan ¹, Israr Ali ¹, Sung-Han Jo ², Trung Thang Vu ¹, Yeong-Soon Gal ³, Yong Hyun Kim ^{1,4}, Sang-Hyug Park ^{2,*} and Kwon Taek Lim ^{4,5,*}

¹ Department of Smart Green Technology Engineering, Pukyong National University, Busan 48513, Republic of Korea; arizwan92@outlook.com (A.R.); israrchem@gmail.com (I.A.); vutrongthang29@gmail.com (T.T.V.); yhkim113@pknu.ac.kr (Y.H.K.)

² Industry 4.0 Convergence Bionics Engineering, Pukyong National University, Busan 48513, Republic of Korea; josunghan91@gmail.com

³ Department of Fire Safety, Kyungil University, Gyeongsan 38428, Republic of Korea; ysgal@kiu.ac.kr

⁴ Major of Display Semiconductor Engineering, Pukyong National University, Busan 48513, Republic of Korea

⁵ Institute of Display Semiconductor Technology, Pukyong National University, Busan 48513, Republic of Korea

* Correspondence: shpark1@pknu.ac.kr (S.-H.P.); ktlim@pknu.ac.kr (K.T.L.); Tel.: +82-51-629-6406 (K.T.L.)




Figure S1. Photographic images of fabricated hydrogels derived from bio-conjugated polysaccharide.



Figure S2. Photothermal effect of NIR irradiation on hydrogels.