

Figure 1. Allelic distribution of marker CSF1PO for the populations of Norway ($N = 19156$), Somalia ($N = 1598$) and Spain ($N = 2500$).




Figure 2. Allelic distribution of marker D1S1656 for the populations of Norway ($N = 3472$), Somalia ($N = 488$) and Spain ($N = 2500$).




Figure 3. Allelic distribution of marker D2S441 for the populations of Norway ($N = 3472$), Somalia ($N = 488$) and Spain ($N = 2500$).




Figure 4. Allelic distribution of marker D3S1358 for the populations of Norway ($N = 19172$), Somalia ($N = 1598$) and Spain ($N = 2500$).




Figure 5. Allelic distribution of marker D21S11 for the populations of Norway ($N = 19170$), Somalia ($N = 1598$) and Spain ($N = 2500$).




Figure 6. Allelic distribution of marker FGA for the populations of Norway ($N = 19164$), Somalia ($N = 1598$) and Spain ($N = 2500$).




Figure 7. Allelic distribution of marker SE33 for the populations of Norway ($N = 6318$), Somalia ($N = 1348$) and Spain ($N = 2500$).




Figure 8. Allelic distribution of marker TH01 for the populations of Norway (N = 19172), Somalia (N = 1598) and Spain (N = 2500).




Figure 9. Allelic distribution of marker TPOX for the populations of Norway (N = 19162), Somalia (N = 1596) and Spain (N = 2500).




Figure 10. Allelic distribution of marker VWA for the populations of Norway (N = 19170), Somalia (N = 1597) and Spain (N = 2500).