SUPPLEMENTAL FILE S2: SUPPLEMENTAL TABLES

Table S1. Perceived Susceptibility to Fentanyl Exposure and Use Risks (N=206)

PERCEIVED SUSCEPTIBILITY	**Mean (SD)**
Overall Perceived Susceptibility Scale Score	1.93 (0.57)
Perceived Susceptibility Items	***n (%)***
Fentanyl overdoses are common in my community.	
Strongly disagree	21 (11.2)
Disagree	77 (41.0)
Neutral	37 (19.7)
Agree	41 (12.0)
Strongly agree	12 (6.4)
I will likely overdose on fentanyl in my lifetime.	
Strongly disagree	163 (79.1)
Disagree	41 (19.9)
Neutral	1 (0.5)
Agree	1 (0.5)
Strongly agree	0 (0.0)
I know where to purchase fentanyl.	
Strongly disagree	146 (71.6)
Disagree	43 (21.2)
Neutral	2 (1.0)
Agree	9 (4.4)
Strongly agree	4 (2.0)
I have friends or family who use fentanyl.	
Strongly disagree	128 (65)
Disagree	46 (23.4)
Neutral	11 (5.6)
Agree	10 (5.1)
Strongly agree	2 (1.0)
I know someone who has overdoses from fentanyl.	
Strongly disagree	134 (65.7)
Disagree	35 (17.2)
Neutral	3 (1.5)
Agree	15 (17.4)
Strongly agree	17 (8.3)
I have unknowingly or knowingly used fentanyl before.	
Strongly disagree	165 (80.5)
Disagree	30 (14.6)
Neutral	4 (2.0)

SUPPLEMENTAL FILE S2: SUPPLEMENTAL TABLES

Agree	5 (2.4)
Strongly agree	1 (0.5)
I do not have to worry about overdosing on fentanyl.	
Strongly disagree	6 (3.0)
Disagree	17 (8.6)
Neutral	27 (13.7)
Agree	54 (27.4)
Strongly agree	93 (47.2)
Even if I use fentanyl, I will not overdose.	
Strongly disagree	71 (38.2)
Disagree	45 (24.2)
Neutral	55 (29.6)
Agree	10 (5.4)
Strongly agree	5 (2.7)

Table S2. Perceived Severity of Fentanyl Exposure and Use Risks (N=206)

PERCEIVED SEVERITY	**Mean (SD)**
Overall Perceived Severity Scale Score	4.63 (0.38)
Perceived Severity Items	**n (%)**
Fentanyl can cause a non-fatal overdose.	
Strongly disagree	4 (2.2)
Disagree	11 (5.9)
Neutral	17 (9.1)
Agree	80 (43.0)
Strongly agree	74 (39.8)
Fentanyl can cause a fatal overdose.	
Strongly disagree	0 (0.0)
Disagree	0 (0.0)
Neutral	1 (0.5)
Agree	34 (16.5)
Strongly agree	166 (82.6)
Fentanyl can cause serious harm.	
Strongly disagree	0 (0.0)
Disagree	0 (0.0)
Neutral	0 (0.0)
Agree	34 (17.0)
Strongly agree	166 (83.0)
Using fentanyl can lead to a drug abuse problem.	

SUPPLEMENTAL FILE S2: SUPPLEMENTAL TABLES

Strongly disagree	0 (0.0)
Disagree	0 (0.0)
Neutral	0 (0.0)
Agree	42 (21.1)
Strongly agree	157 (78.9)
Using fentanyl can cause skin infections.	
Strongly disagree	1 (0.9)
Disagree	6 (5.5)
Neutral	43 (39.1)
Agree	25 (22.7)
Strongly agree	35 (31.8)
Fentanyl is highly addictive.	
Strongly disagree	0 (0.0)
Disagree	0 (0.0)
Neutral	3 (1.5)
Agree	59 (30.3)
Strongly agree	133 (68.2)
Using fentanyl can lead to problems holding down a job.	
Strongly disagree	1 (0.5)
Disagree	0 (0.0)
Neutral	4 (2.0)
Agree	44 (21.9)
Strongly agree	152 (75.6)
Using fentanyl can lead to problems with friends or family.	
Strongly disagree	1 (0.5)
Disagree	0 (0.0)
Neutral	3 (1.5)
Agree	43 (21.3)
Strongly agree	155 (75.2)
Using fentanyl can lead to legal problems.	
Strongly disagree	1 (0.5)
Disagree	0 (0.0)
Neutral	1 (0.5)
Agree	48 (24.0)
Strongly agree	150 (75.0)
Using fentanyl can lead to money problems.	
Strongly disagree	1 (0.5)
Disagree	0 (0.0)
Neutral	2 (1.0)
Agree	44 (21.9)
Strongly agree	154 (76.6)

SUPPLEMENTAL FILE S2: SUPPLEMENTAL TABLES

Table S3. Perceived Benefits of FTS (N=206)

PERCEIVED BENEFITS	Mean (SD)
Overall Perceived Benefits Score	4.14 (0.84)
Perceived Benefits Items	**n (%)**
Be a useful tool in combating the opioid epidemic	
Strongly disagree	1 (0.5)
Disagree	8 (4.0)
Neutral	21 (10.4)
Agree	86 (42.8)
Strongly agree	85 (42.3)
Reduce the risk of overdose	
Strongly disagree	1 (0.5)
Disagree	8 (4.0)
Neutral	16 (8.0)
Agree	74 (36.8)
Strongly agree	102 (50.7)
Save lives	
Strongly disagree	0 (0.0)
Disagree	4 (2.0)
Neutral	12 (5.9)
Agree	69 (34.0)
Strongly agree	118 (58.1)
Lead to positive changes in a person's drug use	
Strongly disagree	5 (2.5)
Disagree	15 (7.6)
Neutral	55 (27.8)
Agree	68 (34.3)
Strongly agree	55 (27.8)
Support recovery from drug addiction	
Strongly disagree	6 (3.0)
Disagree	23 (11.7)
Neutral	69 (35.0)
Agree	56 (28.5)
Strongly agree	43 (21.8)
Improve safety for people who use drugs	
Strongly disagree	1 (0.5)
Disagree	3 (1.5)
Neutral	18 (8.9)
Agree	65 (32.0)

SUPPLEMENTAL FILE S2: SUPPLEMENTAL TABLES

Strongly agree	116 (57.1)
Improve safety of law enforcement officers	
Strongly disagree	0 (0.0)
Disagree	4 (2.0)
Neutral	14 (7.0)
Agree	67 (33.7)
Strongly agree	114 (57.3)
Make a positive impact in my community	
Strongly disagree	0 (0.0)
Disagree	7 (3.6)
Neutral	44 (22.3)
Agree	84 (42.6)
Strongly agree	62 (31.5)
Help reduce opioid-related overdoses in my community	
Strongly disagree	0 (0.0)
Disagree	5 (2.5)
Neutral	29 (14.9)
Agree	77 (39.5)
Strongly agree	84 (43.1)

Table S4. Comfort Using and Accessing FTS (N=206)

COMFORT	**MEAN (SD)**
Overall Comfort Scale Score	3.55 (0.87)
Comfort Items	**n (%)**
I feel comfortable recommending FTS to friends and/or family	
Strongly disagree	15 (7.5)
Disagree	36 (7.5)
Neutral	40 (19.9)
Agree	80 (39.8)
Strongly agree	30 (14.9)

SUPPLEMENTAL FILE S2: SUPPLEMENTAL TABLES

I have a trusted healthcare professional I feel comfortable asking about FTS	
Strongly disagree	20 (9.9)
Disagree	43 (21.2)
Neutral	35 (17.2)
Agree	57 (28.1)
Strongly agree	48 (23.6)
I feel comfortable asking my doctor about FTS	
Strongly disagree	21 (10.4)
Disagree	33 (16.4)
Neutral	34 (16.9)
Agree	62 (30.8)
Strongly agree	51 (25.4)
I feel comfortable asking my local pharmacist about FTS	
Strongly disagree	22 (10.8)
Disagree	51 (25.0)
Neutral	29 (14.2)
Agree	61 (29.9)
Strongly agree	41 (20.1)
I have a trusted individual in my community I feel comfortable asking about FTS	
Strongly disagree	24 (12)
Disagree	53 (26.5)
Neutral	37 (18.5)
Agree	53 (26.5)
Strongly agree	33 (16.5)
I trust my doctor's ability to provide information on FTS	
Strongly disagree	4 (2.0)
Disagree	17 (8.5)
Neutral	32 (16.0)
Agree	76 (38.0)
Strongly agree	71 (35.5)

SUPPLEMENTAL FILE S2: SUPPLEMENTAL TABLES

I trust my pharmacist's ability to provide information on FTS.	
Strongly disagree	4 (2.0)
Disagree	22 (10.9)
Neutral	40 (19.8)
Agree	74 (36.6)
Strongly agree	62 (30.7)
I would not feel embarrassed when asking for FTS.	
Strongly disagree	29 (14.3)
Disagree	55 (27.1)
Neutral	32 (15.8)
Agree	54 (26.6)
Strongly agree	33 (16.3)
I trust the FTS results.	
Strongly disagree	3 (1.5)
Disagree	8 (4.1)
Neutral	50 (25.5)
Agree	97 (49.5)
Strongly agree	38 (19.4)
I would feel comfortable purchasing FTS in-person in a pharmacy	
Strongly disagree	18 (8.9)
Disagree	40 (19.8)
Neutral	33 (16.3)
Agree	68 (33.7)
Strongly agree	43 (21.3)
I would feel comfortable purchasing FTS from an online retailer like Amazon	
Strongly disagree	5 (2.5)
Disagree	25 (12.4)
Neutral	27 (13.4)
Agree	67 (33.2)
Strongly agree	78 (38.6)

I would feel comfortable obtaining FTS from my doctor's office	
Strongly disagree	10 (5.0)
Disagree	36 (17.8)
Neutral	27 (13.4)
Agree	65 (32.2)
Strongly agree	64 (31.7)
I would feel comfortable obtaining FTS from a hospital emergency room	
Strongly disagree	11 (5.4)
Disagree	26 (12.7)
Neutral	27 (13.2)
Agree	74 (36.3)
Strongly agree	66 (32.4)
I would feel comfortable obtaining FTS from a local public health department	
Strongly disagree	8 (3.9)
Disagree	25 (12.3)
Neutral	32 (15.8)
Agree	74 (36.5)
Strongly agree	64 (31.5)
I would feel comfortable obtaining FTS from a drug addiction recovery center	
Strongly disagree	15 (7.4)
Disagree	25 (12.3)
Neutral	30 (14.7)
Agree	72 (35.3)
Strongly agree	62 (30.4)

Table S5. Confidence in Ability to Use and Access FTS (N=206)

CONFIDENCE	MEAN (SD)

SUPPLEMENTAL FILE S2: SUPPLEMENTAL TABLES

Overall Confidence Scale Score	3.67 (0.69)
Confidence Items	**n (%)**
I feel confident in my ability to use FTS.	
Strongly disagree	17 (8.5)
Disagree	48 (24.0)
Neutral	34 (17.0)
Agree	73 (36.5)
Strongly agree	28 (14.0)
I feel confident in my ability to find more information about FTS	
Strongly disagree	4 (2.0)
Disagree	14 (6.9)
Neutral	15 (7.4)
Agree	71 (34.8)
Strongly agree	100 (49.0)
I know where to purchase FTS.	
Strongly disagree	42 (21.2)
Disagree	62 (31.3)
Neutral	39 (19.7)
Agree	41 (20.7)
Strongly agree	14 (7.1)
I feel confident in my ability to find locations where FTS is sold.	
Strongly disagree	9 (4.5)
Disagree	21 (10.4)
Neutral	36 (17.8)
Agree	91 (45.0)
Strongly agree	45 (22.3)

SUPPLEMENTAL FILE S2: SUPPLEMENTAL TABLES

If my local pharmacy sold FTS, I would be able to purchase it from them.	
Strongly disagree	4 (2.0)
Disagree	5 (2.6)
Neutral	26 (13.3)
Agree	87 (44.4)
Strongly agree	74 (37.8)
I would be able to find online retailers where FTS is sold.	
Strongly disagree	2 (1.0)
Disagree	5 (2.5)
Neutral	25 (12.6)
Agree	77 (38.7)
Strongly agree	90 (45.2)
I would be able to use FTS successfully without prior training or reading the box.	
Strongly disagree	51 (25.9)
Disagree	66 (33.5)
Neutral	44 (22.3)
Agree	21 (10.7)
Strongly agree	15 (7.6)
I would be able to look up FTS videos on YouTube or social media to help me understand how to use FTS.	
Strongly disagree	3 (1.5)
Disagree	2 (1.0)
Neutral	16 (7.8)
Agree	84 (41.2)
Strongly agree	99 (48.5)
I feel confident with my ability to decipher the FTS result.	
Strongly disagree	7 (3.5)
Disagree	17 (8.5)
Neutral	29 (14.6)
Agree	86 (43.2)
Strongly agree	60 (30.2)

I know how to proceed after I get results from FTS.	
Strongly disagree	13 (6.8)
Disagree	29 (15.1)
Neutral	48 (25.0)
Agree	66 (34.4)
Strongly agree	36 (18.8)

Table S6. FTS Utilization Intentions (N=206)

INTENTION	**MEAN (SD)**
Intention to Use FTS Average Scale Score	2.78 (0.94)
INTENTION ITEMS	***n* (%)**
I intend to obtain FTS in the next 3 months.	
Strongly disagree	116 (57.4)
Disagree	63 (31.2)
Neutral	15 (7.4)
Agree	7 (3.5)
Strongly agree	1 (0.5)
I would recommend FTS to others who might be at risk.	
Strongly disagree	21 (10.3)
Disagree	9 (4.4)
Neutral	33 (16.2)
Agree	72 (35.3)
Strongly agree	69 (33.88)
I am likely to use FTS if they are available to me.	
Strongly disagree	84 (41.4)
Disagree	46 (22.7)
Neutral	55 (27.1)
Agree	15 (7.4)
Strongly agree	3 (1.5)
I am willing to seek out FTS from free community resources.	
Strongly disagree	47 (23.4)
Disagree	29 (14.4)
Neutral	51 (25.4)
Agree	54 (26.9)
Strongly agree	20 (10)

SUPPLEMENTAL FILE S2: SUPPLEMENTAL TABLES

I am willing to pay for FTS if necessary.	
Strongly disagree	36 (17.6)
Disagree	21 (10.2)
Neutral	40 (19.5)
Agree	78 (38)
Strongly agree	30 (14.6)
I am willing to try FTS.	
Strongly disagree	33 (16.2)
Disagree	23 (11.3)
Neutral	52 (25.5)
Agree	70 (34.3)
Strongly agree	26 (12.7)