

Supplementary Material

Table S1. Descriptive Overview of Knowledge on COVID-19 and Prevention Measures n = 648.

	N (%)
Ever heard of Coronavirus/COVID-19 (n=648)	
Yes	648 (100)
No	0 (0)
Main sources of information (multiple answers)* (n = 648)	
TV	369 (56.9)
Radio	572 (88.3)
Other people/community	288 (44.4)
Social Media/internet	52 (8.0)
Phone messages	41 (6.3)
Hospital	35 (5.4)
Church	18 (2.8)
Other	51 (7.9)
Known symptoms (multiple answers) (n = 648)	
Cough	605 (93.4)
Fever	603 (93.1)
Runny or stuffy nose	588 (91.0)
Shortness of breath	581 (89.7)
Headaches	507 (78.5)
Sore throat	504 (77.8)
Muscle body aches	405 (62.7)
Fatigue	397 (61.4)
Loss of taste or smell (n = 647)	331 (51.2)
Diarrhea	152 (23.5)
Knows there is no drug or vaccine** (n = 648)	
Correct answer	568 (87.7)
No correct answer/don't know	80 (12.3)
Knows incubation period (n = 648)	
Correct answer: up to 14 days	545 (84.1)
No correct answer/don't know	102 (16.8)
Know how to protect myself from infection (n = 648)	
Not at all/To a small extent	163 (25.2)
To a large extent/Very much so	485 (74.8)
Avoiding an infection is (n = 648)	
Extremely difficult/Somewhat difficult	102 (15.7)
Somewhat easy/Extremely easy	546 (84.3)
I follow the recommendations (n = 648)	
Not at all/To a small extent	99 (15.3)
To a larger extent/Very much so	549 (84.7)
Prevention measures taken since start of the epidemic	
Hand washing (n = 646)	
Never/Rarely	60 (9.3)
Sometimes	225 (34.8)
Often	361 (55.9)
Avoiding touching own face (n = 648)	
Never/Rarely	137 (21.1)
Sometimes	275 (42.4)
Often	236 (36.4)

Use disinfectants (n = 648)	
Never/Rarely	251 (38.7)
Sometimes	188 (29.0)
Often	209 (32.3)
Staying home when sick (n = 648)	
Never/Rarely	88 (13.6)
Sometimes	242 (37.4)
Often	318 (49.1)
Covering when sneezing/coughing (n = 646)	
Never/Rarely	54 (8.4)
Sometimes	234 (36.2)
Often	358 (55.4)
Wearing face masks (n = 648)	
Never/Rarely	53 (8.2)
Sometimes	204 (31.5)
Often	391 (60.3)
Physical distancing 2m to others (n = 648)	
Never/Rarely	126 (19.4)
Sometimes	297 (45.8)
Often	225 (34.7)
Staying home (n = 648)	
Never/Rarely	107 (16.5)
Sometimes	282 (43.5)
Often	259 (40.0)
Disinfecting surfaces (n = 648)	
Never/Rarely	311 (48.1)
Sometimes	222 (34.3)
Often	114 (17.6)
Disinfecting mobile phones (n = 644)	
Never/Rarely	470 (73.0)
Sometimes	115 (17.9)
Often	59 (9.2)
Not seeing family and friends for me is... (n = 648)	
Impossible/Hard	261 (40.3)
Not very hard/No problem	387 (59.7)

* Question was asked as "How have you heard of Corona?" as an open-ended question; ** as of June-September 2020.

Table S2. Descriptive overview of behavioral aspects and psychosocial impact of the pandemic n = 648.

Behavioral Adaptions	N (%)
Bought food supplies (n = 647)	
I already did that/I plan to do that	540 (83.5)
I don't plan to do that	107 (16.5)
Avoided people from other countries like China or Europe (n = 648)	
I already did that/ I plan to do that	599 (92.4)
I don't plan to do that	49 (7.6)
Exercised less (n = 647)	
I already did that/ Likely I'll do that	313 (48.4)
Unlikely I'll do that	334 (51.6)
Drank more alcohol (n = 648)	
I already did that/Likely I'll do that	72 (11.1)
Unlikely I'll do that	576 (88.9)

Ate more unhealthy (n = 648) I already did that/ Likely I'll do that Unlikely I'll do that	145 (22.4) 503 (77.6)
Asked family/friends not to visit (n = 644) I already did that/I plan to do that I don't plan to do that	334 (51.9) 310 (48.1)
Bought PPE (n = 648) I already did that/I plan to do that I don't plan to do that	581 (89.7) 67 (10.3)
Avoided going to health facility (n = 647) I already did that/I plan to do that I don't plan to do that	40 (6.2) 607 (93.8)
Pandemic affecting pregnancy care	
Could not access healthcare/ANC, or was denied care (n = 644)	87 (13.5)
Changed facility/plans where to deliver the baby (n = 645)	8 (1.2)
Lacking access to information or medical supplies (n = 647)	8 (1.2)
Currently having worries about...	
Losing someone beloved (n = 648) worrying a lot to some extent/ not at all	588 (90.7) 60 (9.3)
Current pregnancy (n = 648) worrying a lot to some extent/ not at all	565 (87.2) 83 (12.8)
Health system overload (n = 648) worrying a lot to some extent/ not at all	528 (81.5) 120 (18.5)
Own mental health (n = 648) worrying a lot to some extent/ not at all	456 (70.4) 192 (29.6)
Own physical health (n = 648) worrying a lot to some extent/ not at all	480 (74.2) 167 (25.8)
Liberty of movement (n = 647) worrying a lot to some extent/ not at all	329 (50.9) 318 (49.1)
Economic recession (n = 647) worrying a lot to some extent/ not at all	313 (48.4) 334 (51.6)
Restricted access to food (n=647) worrying a lot to some extent/ not at all	342 (52.9) 305 (47.1)
Unable to pay bills (n = 648) worrying a lot to some extent/ not at all	332 (51.2) 316 (48.8)
Unable to visit dependents (n = 648) worrying a lot to some extent/ not at all	277 (42.7) 371 (57.3)
Having to defend social decisions (n = 648) worrying a lot	246 (38.0)

to some extent/ not at all	402 (62.0)
Unemployment (n = 648) worrying a lot	389 (60.0)
to some extent/ not at all	259 (40.0)
Small companies running out of business (n = 648) worrying a lot	310 (47.8)
to some extent/ not at all	338 (52.2)
Loved ones health (n = 646) worrying a lot	486 (75.2)
to some extent/ not at all	160 (24.8)




Figure S1: SARS-CoV-2 related knowledge in pregnant women.