

Table S1: Full search strategy

Set	Database (PubMed/Medline)
	("Dietary Fibers"[All Fields] OR "Fibers"[Title] OR "Fiber"[Title] OR "fibre"[Title] OR "fibres"[Title] OR "Wheat Bran"[Title/Abstract] OR "Wheat Brans"[Title/Abstract] OR "Roughage"[Title/Abstract] OR "Roughages"[Title/Abstract] OR "grain"[Title/Abstract] OR "grains"[All Fields] OR "Bread"[MeSH Terms] OR "Edible Grain"[MeSH Terms] OR "Fruit"[MeSH Terms] OR "Vegetables"[MeSH Terms] OR "cereal"[Title/Abstract] OR "cereals"[Title/Abstract]) AND ("Pancreatic Neoplasms"[MeSH Terms] OR ((("Pancreas"[Title/Abstract] OR "pancreatic"[Title/Abstract]) AND ("Cancer"[Title/Abstract] OR "tumor"[Title/Abstract] OR "neoplasm"[Title/Abstract] OR "cancers"[Title/Abstract] OR "tumors"[Title/Abstract] OR "neoplasms"[Title/Abstract])))
Set	Database (SCOPUS)
	((TITLE-ABS-KEY (dietary)) AND (fiber OR fibre OR fibers OR fibres OR "Wheat Bran" OR "Wheat Brans" OR grain OR grains OR cereal OR cereals)) AND ((TITLE-ABS-KEY (pancreas OR pancreatic)) AND (TITLE-ABS-KEY (cancer OR neoplasm)))

Table S2. Detailed description of inclusion/exclusion criteria, based on PECOS (Population, Exposure, Comparison, Outcomes and Study design)

Search strategy	Details
<i>Inclusion criteria</i>	P: adult population (female and male) I: questionnaire/interview measuring dietary fibre intake C: the highest vs the lowest intake O: risk of pancreatic cancer (if any) S: primary observational studies (cohort, case-control, cross-sectional)
<i>Exclusion criteria</i>	P: infants, children and adolescents I: no assessment of dietary intake O: other outcomes not related to pancreatic cancer risk S: not original papers (opinion paper, review article, commentary, letter, article without quantitative data, book chapter)
<i>Language filter</i>	English
<i>Time filter</i>	No filter (from inception)
<i>Database</i>	PubMed/Medline; Scopus

Table S3. Reasons for exclusion after full-text assessment.

Author year [Ref]	Number of studies	Reasons for exclusion
Silverman, 1998 [27]; Jarosz, 2012 [28]	2	Data not extractable
Chatenoud, 1998 [29]; La Vecchia, 2003 [30]; Schacht, 2021 [31]	3	Whole grain without specifying dietary fiber
Zheng, 1993 [32]	1	Fruits and vegetables without specifying dietary fiber
Fraser, 1999 [33]; Ghorbani, 2015 [34]	2	Dietary patterns or cooking methods without specifying dietary fiber

Table S4. Quality assessment of the included studies, using the Newcastle-Ottawa Scale (NOS).

Author, year [Ref]	Selection				Comparability		Outcome/Exposure^			Total score
	Item 1	Item 2	Item 3	Item 4	Item 5a	Item 5b	Item 6	Item 7	Item 8	
Baghurst, 1991 [35]	*	*	*	*	-	*	-	*	-	6
Bidoli, 2012 [36]	*	-	-	*	*	*	-	*	*	6
Bueno de Mesquita, 1991 [37]	-	*	*	*	*	*	-	*	-	6
Chan, 2007 [38]	*	*	*	*	*	*	*	*	*	9
Ghadirian, 1991 [39]	*	-	*	*	*	*	-	*	-	6
Gordon-Dseagu, 2017 [40]	*	*	*	*	-	*	*	*	*	8
Howe, 1990 [42]	*	*	*	*	-	*	-	*	-	6
Howe, 1992 [41]	-	-	*	*	-	*	-	*	-	4
Jansen, 2011 [43]	*	*	-	*	*	*	*	*	-	7
Ji, 1995 [44]	*	*	*	*	*	*	-	*	-	7
Kalapothaki, 1993 [45]	*	*	-	*	*	*	-	*	-	6
Koulouris, 2019 [46]	*	*	*	*	*	*	*	*	*	9
Lin, 2005 [47]	*	*	*	*	*	*	-	*	*	8
Lyon, 1993 [48]	*	*	*	*	*	*	-	*	-	7
Stolzenberg-Solomon, 2002 [50]	*	*	*	*	*	*	*	*	*	9
Stolzenberg-Solomon, 2005 [49]	*	*	*	*	-	-	*	*	*	7
Zatonski, 1991 [51]	*	*	*	*	-	*	*	*	-	7
Zhang, 2009 [52]	*	*	*	*	-	*	-	*	*	7

^ Based on study design: for case-control the NOS assesses the exposure, for cross-sectional and cohort studies the outcome.

* Each star represents a high-quality criterion accomplished by the study.