

Questionnaire

S1 No.	Demographic Details	
1.	Age Group	a. Less than 20 b. 20-29 years c. 30-39 years d. 40-49 years e. >50 years
2.	Gender	a. Male b. Female
3.	Duration of practice	a. <5 years b. 5-15 years c. >15 years
4.	City of practice	
5.	Occupation	General Dentist Dental Specialist a. Oral medicine b. Pedodontics c. Periodontics d. Prosthodontics e. Restorative dentistry f. Oral Surgery g. Oral Pathology Dental Student a. Pre-clinical course b. Clinical course c. Interns d. Post-graduate and above
6.	Organization	a. Private sector b. Public sector c. University Clinics
7.	Educational status	a. BDS b. MDS c. Doctoral (PhD)
8.	Training taken (Infection control)	a. Yes b. No
9.	Training taken (COVID-19)	a. Yes b. No

10. Nationality		
Sl No.	Knowledge Questions	
1.	Which of the following is the best way to prevent COVID-19?	a. Washing hands b. Wearing mask c. Using gloves d. Using disinfectant
2.	In which the following case is the virus alive more?	a. Steel and metal surfaces b. Body skin c. Clothing surface d. Water
3.	Which ones are the main symptoms of COVID-19?	a. The feeling of pain or constant pressure in the chest b. Difficulty in breathing or shortness of breath c. Bruising of the lips or face d. Confusion and irritability as a new event e. Loss of sense of taste or smell f. Gastrointestinal symptoms such as diarrhea and vomiting
4.	What is the most definitive diagnostic procedure of COVID-19?	a. Chest CT b. Ultrasound c. PCR d. Urine sample
5.	When should the N95 mask's valve be closed?	a. During inhaling b. During exhaling c. both states
6.	What is the best and most effective way to disinfect surfaces in dental offices and clinics?	a. Disinfectants with alcohol 70% b. Quaternary ammonium c. Sodium hypochlorite with a concentration below 0.5%
7.	In case of a lack of facilities, which of the following cases is necessary to reduce the transmission of coronavirus?	a. Long-sleeve and waterproof cover b. Surgical cap and gloves c. FFP2 or N95 standard mask or their equivalent d. Eye care equipment (shield or safety glasses)
8.	Which group of patients do you think should avoid coming to the dental offices during the	a. Children b. Elderly c. Breastfeeding and pregnant women

	corona pandemic, except during emergencies?	d. People with systemic problems
9.	Rate of spread of which disease is the highest?	a. COVID19 b. H1N1 c. Measles d. HIV
10.	Which one has the most effective role in reducing the prevalence of corona?	a. Social distancing b. Cleansing the surface c. Airway protection d. Disinfecting the nasal passage by normal saline
11.	What is the main route of the contagion of the SARS-COV2 virus?	a. Blood b. Breathing c. Oral-fecal d. Skin contact
12.	What is the appropriate distance between people to prevent the contagion of COVID-19?	a. At least 1 meter b. At least 3 meters c. At least 2 meters d. People should not have contact
13.	What is the best kind of gloves for resistance against coronavirus?	a. Latex b. Vinyl c. Nitrile d. Nylon
14.	In general, for how long are the N95 and FFP2 filter masks useful?	a. 1 hour b. 8 hours c. 24 hours d. One week
15.	Is it necessary to use any pre procedural mouthwash while treating patients during COVID- 19?	a. Yes b. No c. I don't know d. Please specify the name of the mouthwash.....
16.	Is it necessary to use a protective shield while treating patients?	a. Yes b. No c. I don't know
17.	Is it necessary to wash our hands before wearing gloves?	a. Yes b. No c. I don't know
18.	How long do you take to wash your hands?	a. I don't wash hands before wearing gloves b. Less than 2 minutes c. 2-5 minutes

		d. 5 minutes or more
19.	How often do you change mouth masks?	a. After every patient b. When mask is damaged c. After every session d. When mask is dampened
Sl No.	Preparedness Questions	
1.	Personal protection measures	a. Social distancing (avoid personal contact) b. Hand hygiene (washing hands more often) c. Use face mask (cover nose) d. Avoid travel to infected area or country e. Avoid visiting wet markets, raw and under cooked animal products f. Use different chopping board and knives for raw meat and other food g. Avoid purchasing things made in china h. Avoid vegetarian food i. Don't know
2.	Treatment available for COVID-19	a. No treatment/vaccine till date b. Supportive treatment c. Just keep yourself safe d. Vaccination e. Don't know
3.	Preparedness to fight against COVID-19	a. Avoiding mass gathering and traveling to suspected area b. Using hand sanitizer, face mask, home cleaning materials recent days c. Spending 20 s thoroughly for washing hands now a days d. Maintaining food hygiene e. Stored food items and basic required things in home as its lockdown f. Ready to visit hospital immediately if needed
4.	Do you need more information about prevention of COVID 19?	a. Yes b. No
5.	In terms of infection control, how did/should you prepare yourself to deal with COVID-19 infection	a. Check adequate supplies of goggles, masks, and gowns on hand for emergencies.

		<ul style="list-style-type: none"> b. Links to or contact External Resource Centers for COVID-19 (Coronavirus) (CDC, WHO etc.). c. Check patient care equipment, including portable ventilators. d. Recommendations for infection control to help biomedical and clinical engineers. e. Check alternative suppliers of certain personal protective equipment. f. Prepared the list to supply chain professionals. g. Do not need any preparation. h. I don't know.
6.	Dentist should provide adequate training to their staff to promote many levels of screening and preventive measures.	<ul style="list-style-type: none"> a. Agree b. Disagree c. Do not know
7.	What precautions should the dental practitioners take when treating COVID-19-positive patients?	<ul style="list-style-type: none"> a. Airborne infection isolation rooms (AIIRs) should be reserved for patients b. Air from these rooms should be extracted directly by high-efficiency particulate air (HEPA) filter c. Pre-procedural mouth rinse with 0.2% povidone iodine d. Extra-oral imaging should be preferred to intra-oral imaging e. Rubber dam should be used to minimize splatter generation f. Minimize the use of ultrasonic instruments, high-speed handpieces, and 3-way syringes.
8.	Do you know whom to contact if you have an unprotected exposure to a known or suspected COVID-19 patient?	<ul style="list-style-type: none"> a. Yes b. No
9.	Do you know what to do if you have signs or symptoms suspected of COVID-19 infection?	<ul style="list-style-type: none"> a. Yes b. No
10.	During COVID-19 pandemic, how do you recap the needle after use?	<ul style="list-style-type: none"> a. One handed recapping b. Two handed recapping c. I do not recap a used needle

11.	How many needle-stick injuries have you had since COVID-19 pandemic?	a. 1–5 b. 6–10 c. > 10 d. Not applicable
12.	During COVID-19 pandemic, is it advised to encourage the wound to bleed as the initial action following sharp injury?	a. Yes b. No c. Don't know
13.	During COVID-19 pandemic, what actions do you most commonly take following a needle stick or sharp injury in the clinic?	a. Ignore and continue Replace gloves b. replace needle c. Inform nurse/supervisor d. Follow each step of college policy
14.	Are you aware of your college sharps policy and procedures?	a. Fully aware of policy and procedures b. Aware policy exists but unaware of procedures c. Unaware of policy or procedures