

**Supplementary Table S3.** Recommendations concerning the mode of delivery and companions on the labor for mothers with confirmed and/or suspected COVID-19.

Author and date of publication	Mode of delivery determined by obstetric indications	CS for severely ill patients	VD is preferred/ no contraindication to VD	Postpone/ delay delivery (if maternal and fetal conditions allow it)	COVID-19 is not an indication for preterm delivery	Use a mask throughout labor (mother)	Water births are contraindicated	Availability of support/companions during the labor	Limited/resstricted visitation on labor and delivery	Screen visitors on the labor and delivery unit	Use of a mask by companions	Use of hands wash by companions	Support via video
Non-country specific													
Liang, 03-2020 [99]	+												
Poon, 04-2020 [36]	+	+											
Stephens, 04-2020 [58]	+							+	+	+			
Asadi, 04-2020	+	+											
Donders, 04-2020 [24]	+		+					+	+				
Narang, 05-2020 [37]	+	+						+	+	+			
Abdollahpour, 05-2020 [25]		+	+					+	+				

TrapaniJúnior 06-2020 [26]		+		+		+			+		+			+		+
Trevisanuto 06-2020 [62]	+															
Lavizzari 06-2020 [57]	+								+		+		+			
Ashokka 07-2020 [38]	+		+													
Goyal 07-2020 [39]	+		+						+		+		+		+	+
Api 07-2020 [52]	+						+									
Ryan 08-2020 [102]	+								+							
Mascarenhas 08-2020 [27]	+		+		+			+		+		+		+		+
Czeresnia 09-2020 [28]					+		+			+						
Krupa 09-2020 [51]	+						+			+						
Góes 10-2020 [29]	+				+				+							
Barrero-Castillero 12-2021 [75]	+															
Kotlar 01-2021 [61]	+								+		+		+			



Singh 11-2020 [34]	+	+	+
Cavicchiolo 04-2021 [59]	+		+ +
Giusti 04-2021 [44]	+	+	+ + +
Nigeria			
Okunade 07-2020 [45]	+	+	+ +
Poland			
Kalinka 01-2021 [46]	+	+	+ + + +
Wszolek 04-2021 [55]	+		+ + + +
Russia			
Ignatko 05-2020 [47]	+	+	+ + + + + +
Saudi Arabia			
Faden 08-2020 [35]	+	+	+
Spain			
López 06-2020 [56]	+		+ + + +
Turkey			
Erdeve	+	+	

