

Diagnostic Clinic Survey

Codebook ▾

Data Dictionary Codebook

08-08-2019 10:23am

#	Variable / Field Name	Field Label <i>Field Note</i>	Field Attributes (Field Type, Validation, Choices, Calculations, etc.)																					
Instrument: Diagnostic Clinic Survey (diagnostic_clinic_survey)																								
1	record_id	Record ID	text																					
2	consent	By selecting the AGREE button below, I confirm that I have read and understood the information package. I would like to give my consent and participate in the survey.	radio, Required <table border="1"><tr><td>1</td><td>Agree (continue to survey)</td></tr><tr><td>2</td><td>No, I would not like to participate.</td></tr></table> Custom alignment: LH	1	Agree (continue to survey)	2	No, I would not like to participate.																	
1	Agree (continue to survey)																							
2	No, I would not like to participate.																							
3	clinic_name Show the field ONLY if: [consent] = '1'	What is the name of your clinic?	notes																					
4	client_agerange Show the field ONLY if: [consent] = '1'	What is the age range of clients seen in your clinic? Select all that apply.	checkbox <table border="1"><tr><td>1</td><td>client_agerange__1</td><td>0-5</td></tr><tr><td>2</td><td>client_agerange__2</td><td>6-12</td></tr><tr><td>3</td><td>client_agerange__3</td><td>13-17</td></tr><tr><td>4</td><td>client_agerange__4</td><td>18+</td></tr></table>	1	client_agerange__1	0-5	2	client_agerange__2	6-12	3	client_agerange__3	13-17	4	client_agerange__4	18+									
1	client_agerange__1	0-5																						
2	client_agerange__2	6-12																						
3	client_agerange__3	13-17																						
4	client_agerange__4	18+																						
5	demo_setting Show the field ONLY if: [consent] = '1'	What type of clinic is it?	checkbox <table border="1"><tr><td>1</td><td>demo_setting__1</td><td>Hospital</td></tr><tr><td>2</td><td>demo_setting__2</td><td>Community agency</td></tr><tr><td>3</td><td>demo_setting__3</td><td>University</td></tr><tr><td>4</td><td>demo_setting__4</td><td>Private practice</td></tr><tr><td>5</td><td>demo_setting__5</td><td>Other</td></tr></table>	1	demo_setting__1	Hospital	2	demo_setting__2	Community agency	3	demo_setting__3	University	4	demo_setting__4	Private practice	5	demo_setting__5	Other						
1	demo_setting__1	Hospital																						
2	demo_setting__2	Community agency																						
3	demo_setting__3	University																						
4	demo_setting__4	Private practice																						
5	demo_setting__5	Other																						
6	demo_settingother Show the field ONLY if: [demo_setting(5)] = '1'	If other, please specify	notes Custom alignment: RH																					
7	demo_disciplines Show the field ONLY if: [consent] = '1'	What disciplines provide services in your clinic?	checkbox <table border="1"><tr><td>1</td><td>demo_disciplines__1</td><td>Paediatricians</td></tr><tr><td>2</td><td>demo_disciplines__2</td><td>Speech-Language Pathologists</td></tr><tr><td>3</td><td>demo_disciplines__3</td><td>Psychologists</td></tr><tr><td>4</td><td>demo_disciplines__4</td><td>Neuropsychologists</td></tr><tr><td>5</td><td>demo_disciplines__5</td><td>Occupational Therapists</td></tr><tr><td>6</td><td>demo_disciplines__6</td><td>Social Workers</td></tr><tr><td>7</td><td>demo_disciplines__7</td><td>Other</td></tr></table>	1	demo_disciplines__1	Paediatricians	2	demo_disciplines__2	Speech-Language Pathologists	3	demo_disciplines__3	Psychologists	4	demo_disciplines__4	Neuropsychologists	5	demo_disciplines__5	Occupational Therapists	6	demo_disciplines__6	Social Workers	7	demo_disciplines__7	Other
1	demo_disciplines__1	Paediatricians																						
2	demo_disciplines__2	Speech-Language Pathologists																						
3	demo_disciplines__3	Psychologists																						
4	demo_disciplines__4	Neuropsychologists																						
5	demo_disciplines__5	Occupational Therapists																						
6	demo_disciplines__6	Social Workers																						
7	demo_disciplines__7	Other																						
8	demo_disciplinesothers Show the field ONLY if: [demo_disciplines(7)] = '1'	If other, please specify	notes Custom alignment: RH																					
9	clinic_country Show the field ONLY if: [consent] = '1'	What country is the clinic in?	text																					
10	diag_peryear Show the field ONLY if: [consent] = '1'	How many FASD assessments does your clinic perform per year?	text Custom alignment: RH																					
11	waitlist Show the field ONLY if: [consent] = '1'	Does your clinic have a waitlist for FASD assessment?	yesno <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RH	1	Yes	0	No																	
1	Yes																							
0	No																							

12	waitlist_length Show the field ONLY if: [waitlist] = '1'	Approximately how long do clients have to wait for an assessment?	text Custom alignment: RH																																													
13	clinic_diagnostic Show the field ONLY if: [consent] = '1'	What diagnostic criteria does your clinic use to make a FASD diagnosis? Please select all the apply.	checkbox, Required <table border="1"> <tr> <td>1</td> <td>clinic_diagnostic__1</td> <td>Australian Guide to FASD Diagnosis (Bower & Elliott, 2016)</td> </tr> <tr> <td>2</td> <td>clinic_diagnostic__2</td> <td>Canadian Diagnostic Guideline (Chudley et al., 2005)</td> </tr> <tr> <td>3</td> <td>clinic_diagnostic__3</td> <td>Revised Canadian Diagnostic Guideline (Cook et al., 2016)</td> </tr> <tr> <td>4</td> <td>clinic_diagnostic__4</td> <td>United States Institute of Medicine Criteria (Hoyme et al., 2005)</td> </tr> <tr> <td>5</td> <td>clinic_diagnostic__5</td> <td>4-Digit Diagnostic Code (Astley, 2004)</td> </tr> <tr> <td>6</td> <td>clinic_diagnostic__6</td> <td>Centers for Disease Control and Prevention (Fetal Alcohol Syndrome: Guidelines for Referral and Diagnosis, 2004)</td> </tr> <tr> <td>7</td> <td>clinic_diagnostic__7</td> <td>Emory Clinic Diagnostic Guidelines</td> </tr> <tr> <td>8</td> <td>clinic_diagnostic__8</td> <td>Other</td> </tr> </table>	1	clinic_diagnostic__1	Australian Guide to FASD Diagnosis (Bower & Elliott, 2016)	2	clinic_diagnostic__2	Canadian Diagnostic Guideline (Chudley et al., 2005)	3	clinic_diagnostic__3	Revised Canadian Diagnostic Guideline (Cook et al., 2016)	4	clinic_diagnostic__4	United States Institute of Medicine Criteria (Hoyme et al., 2005)	5	clinic_diagnostic__5	4-Digit Diagnostic Code (Astley, 2004)	6	clinic_diagnostic__6	Centers for Disease Control and Prevention (Fetal Alcohol Syndrome: Guidelines for Referral and Diagnosis, 2004)	7	clinic_diagnostic__7	Emory Clinic Diagnostic Guidelines	8	clinic_diagnostic__8	Other																					
1	clinic_diagnostic__1	Australian Guide to FASD Diagnosis (Bower & Elliott, 2016)																																														
2	clinic_diagnostic__2	Canadian Diagnostic Guideline (Chudley et al., 2005)																																														
3	clinic_diagnostic__3	Revised Canadian Diagnostic Guideline (Cook et al., 2016)																																														
4	clinic_diagnostic__4	United States Institute of Medicine Criteria (Hoyme et al., 2005)																																														
5	clinic_diagnostic__5	4-Digit Diagnostic Code (Astley, 2004)																																														
6	clinic_diagnostic__6	Centers for Disease Control and Prevention (Fetal Alcohol Syndrome: Guidelines for Referral and Diagnosis, 2004)																																														
7	clinic_diagnostic__7	Emory Clinic Diagnostic Guidelines																																														
8	clinic_diagnostic__8	Other																																														
14	diagnostic_other Show the field ONLY if: [clinic_diagnostic(8)] = '1'	If other, please specify	notes Custom alignment: RH																																													
15	diagnostic_adapt Show the field ONLY if: [consent] = '1'	Does your clinic make any adaptations to the diagnostic criteria used?	yesno <table border="1"> <tr> <td>1</td> <td>Yes</td> </tr> <tr> <td>0</td> <td>No</td> </tr> </table> Custom alignment: RH	1	Yes	0	No																																									
1	Yes																																															
0	No																																															
16	diagnostic_adapt_describe Show the field ONLY if: [diagnostic_adapt] = '1'	If yes, please describe	notes Custom alignment: RH																																													
17	domains Show the field ONLY if: [consent] = '1'	What domains are a part of your clinic's standard FASD assessment process? Please select all the apply.	checkbox, Required <table border="1"> <tr> <td>0</td> <td>domains__0</td> <td>Prenatal Alcohol Exposure</td> </tr> <tr> <td>1</td> <td>domains__1</td> <td>Other Prenatal Exposures or Risks</td> </tr> <tr> <td>2</td> <td>domains__2</td> <td>Growth</td> </tr> <tr> <td>3</td> <td>domains__3</td> <td>Facial Features</td> </tr> <tr> <td>4</td> <td>domains__4</td> <td>Brain Structure/Neurology</td> </tr> <tr> <td>5</td> <td>domains__5</td> <td>Motor Skills</td> </tr> <tr> <td>6</td> <td>domains__6</td> <td>Cognition</td> </tr> <tr> <td>7</td> <td>domains__7</td> <td>Language</td> </tr> <tr> <td>8</td> <td>domains__8</td> <td>Academic Achievement</td> </tr> <tr> <td>9</td> <td>domains__9</td> <td>Memory</td> </tr> <tr> <td>10</td> <td>domains__10</td> <td>Attention</td> </tr> <tr> <td>11</td> <td>domains__11</td> <td>Executive Function, Including Impulse control and Hyperactivity</td> </tr> <tr> <td>12</td> <td>domains__12</td> <td>Affect Regulation</td> </tr> <tr> <td>13</td> <td>domains__13</td> <td>Adaptive Behaviour, Social Skills or Social Communication</td> </tr> <tr> <td>14</td> <td>domains__14</td> <td>Other</td> </tr> </table>	0	domains__0	Prenatal Alcohol Exposure	1	domains__1	Other Prenatal Exposures or Risks	2	domains__2	Growth	3	domains__3	Facial Features	4	domains__4	Brain Structure/Neurology	5	domains__5	Motor Skills	6	domains__6	Cognition	7	domains__7	Language	8	domains__8	Academic Achievement	9	domains__9	Memory	10	domains__10	Attention	11	domains__11	Executive Function, Including Impulse control and Hyperactivity	12	domains__12	Affect Regulation	13	domains__13	Adaptive Behaviour, Social Skills or Social Communication	14	domains__14	Other
0	domains__0	Prenatal Alcohol Exposure																																														
1	domains__1	Other Prenatal Exposures or Risks																																														
2	domains__2	Growth																																														
3	domains__3	Facial Features																																														
4	domains__4	Brain Structure/Neurology																																														
5	domains__5	Motor Skills																																														
6	domains__6	Cognition																																														
7	domains__7	Language																																														
8	domains__8	Academic Achievement																																														
9	domains__9	Memory																																														
10	domains__10	Attention																																														
11	domains__11	Executive Function, Including Impulse control and Hyperactivity																																														
12	domains__12	Affect Regulation																																														
13	domains__13	Adaptive Behaviour, Social Skills or Social Communication																																														
14	domains__14	Other																																														

18	<p>tools_alcohol_exposure</p> <p>Show the field ONLY if: [domains(0)] = '1'</p>	<p>Section Header: <i>What assessment tools do you use to assess each of these domains for FASD assessments and diagnosis? Please select all that apply.</i></p> <p>Prenatal Alcohol Exposure</p> <p>Please select all that apply</p>	<p>checkbox, Required</p> <table border="1"> <tr> <td>1</td> <td>tools_alcohol_exposure__1</td> <td>Clinical Judgement</td> </tr> <tr> <td>2</td> <td>tools_alcohol_exposure__2</td> <td>Observation</td> </tr> <tr> <td>3</td> <td>tools_alcohol_exposure__3</td> <td>Interview</td> </tr> <tr> <td>4</td> <td>tools_alcohol_exposure__4</td> <td>Alcohol Use Disorders Identification Tests - Consumption (AUDIT-C)</td> </tr> <tr> <td>5</td> <td>tools_alcohol_exposure__5</td> <td>TWEAK</td> </tr> <tr> <td>6</td> <td>tools_alcohol_exposure__6</td> <td>T-ACE</td> </tr> <tr> <td>7</td> <td>tools_alcohol_exposure__7</td> <td>Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)</td> </tr> <tr> <td>0</td> <td>tools_alcohol_exposure__0</td> <td>Other</td> </tr> </table>	1	tools_alcohol_exposure__1	Clinical Judgement	2	tools_alcohol_exposure__2	Observation	3	tools_alcohol_exposure__3	Interview	4	tools_alcohol_exposure__4	Alcohol Use Disorders Identification Tests - Consumption (AUDIT-C)	5	tools_alcohol_exposure__5	TWEAK	6	tools_alcohol_exposure__6	T-ACE	7	tools_alcohol_exposure__7	Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)	0	tools_alcohol_exposure__0	Other
1	tools_alcohol_exposure__1	Clinical Judgement																									
2	tools_alcohol_exposure__2	Observation																									
3	tools_alcohol_exposure__3	Interview																									
4	tools_alcohol_exposure__4	Alcohol Use Disorders Identification Tests - Consumption (AUDIT-C)																									
5	tools_alcohol_exposure__5	TWEAK																									
6	tools_alcohol_exposure__6	T-ACE																									
7	tools_alcohol_exposure__7	Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)																									
0	tools_alcohol_exposure__0	Other																									
19	<p>tools_alcohol_other</p> <p>Show the field ONLY if: [tools_alcohol_exposure(0)] = '1'</p>	If other, please specify	notes																								
20	<p>tools_other_exposure</p> <p>Show the field ONLY if: [domains(1)] = '1'</p>	<p>Other Prenatal Exposures and Risks</p> <p>Please select all that apply</p>	<p>checkbox, Required</p> <table border="1"> <tr> <td>1</td> <td>tools_other_exposure__1</td> <td>Clinical Judgement</td> </tr> <tr> <td>2</td> <td>tools_other_exposure__2</td> <td>Observation</td> </tr> <tr> <td>3</td> <td>tools_other_exposure__3</td> <td>Interview</td> </tr> <tr> <td>0</td> <td>tools_other_exposure__0</td> <td>Other</td> </tr> </table>	1	tools_other_exposure__1	Clinical Judgement	2	tools_other_exposure__2	Observation	3	tools_other_exposure__3	Interview	0	tools_other_exposure__0	Other												
1	tools_other_exposure__1	Clinical Judgement																									
2	tools_other_exposure__2	Observation																									
3	tools_other_exposure__3	Interview																									
0	tools_other_exposure__0	Other																									
21	<p>tools_exposure_other</p> <p>Show the field ONLY if: [tools_other_exposure(0)] = '1'</p>	If other, please specify	notes																								
22	<p>tools_growth</p> <p>Show the field ONLY if: [domains(2)] = '1'</p>	<p>Growth</p> <p>Please select all that apply</p>	<p>checkbox, Required</p> <table border="1"> <tr> <td>1</td> <td>tools_growth__1</td> <td>Clinical Judgement</td> </tr> <tr> <td>2</td> <td>tools_growth__2</td> <td>Observation</td> </tr> <tr> <td>3</td> <td>tools_growth__3</td> <td>Birth Growth</td> </tr> <tr> <td>4</td> <td>tools_growth__4</td> <td>Postnatal Growth</td> </tr> <tr> <td>5</td> <td>tools_growth__5</td> <td>Parental Height</td> </tr> <tr> <td>0</td> <td>tools_growth__0</td> <td>Other</td> </tr> </table>	1	tools_growth__1	Clinical Judgement	2	tools_growth__2	Observation	3	tools_growth__3	Birth Growth	4	tools_growth__4	Postnatal Growth	5	tools_growth__5	Parental Height	0	tools_growth__0	Other						
1	tools_growth__1	Clinical Judgement																									
2	tools_growth__2	Observation																									
3	tools_growth__3	Birth Growth																									
4	tools_growth__4	Postnatal Growth																									
5	tools_growth__5	Parental Height																									
0	tools_growth__0	Other																									
23	<p>tools_growth_other</p> <p>Show the field ONLY if: [tools_growth(0)] = '1'</p>	If other, please specify	notes																								
24	<p>tools_facial_features</p> <p>Show the field ONLY if: [domains(3)] = '1'</p>	<p>Facial Features</p> <p>Please select all that apply</p>	<p>checkbox, Required</p> <table border="1"> <tr> <td>1</td> <td>tools_facial_features__1</td> <td>Clinical Judgement</td> </tr> <tr> <td>2</td> <td>tools_facial_features__2</td> <td>Observation</td> </tr> <tr> <td>3</td> <td>tools_facial_features__3</td> <td>University of Washington Lip-Philtrum Guide</td> </tr> <tr> <td>4</td> <td>tools_facial_features__4</td> <td>FAS Facial Photographic Software</td> </tr> <tr> <td>5</td> <td>tools_facial_features__5</td> <td>Palpebral Fissure Length Charts</td> </tr> <tr> <td>6</td> <td>tools_facial_features__6</td> <td>3D Facial Photography</td> </tr> <tr> <td>0</td> <td>tools_facial_features__0</td> <td>Other</td> </tr> </table>	1	tools_facial_features__1	Clinical Judgement	2	tools_facial_features__2	Observation	3	tools_facial_features__3	University of Washington Lip-Philtrum Guide	4	tools_facial_features__4	FAS Facial Photographic Software	5	tools_facial_features__5	Palpebral Fissure Length Charts	6	tools_facial_features__6	3D Facial Photography	0	tools_facial_features__0	Other			
1	tools_facial_features__1	Clinical Judgement																									
2	tools_facial_features__2	Observation																									
3	tools_facial_features__3	University of Washington Lip-Philtrum Guide																									
4	tools_facial_features__4	FAS Facial Photographic Software																									
5	tools_facial_features__5	Palpebral Fissure Length Charts																									
6	tools_facial_features__6	3D Facial Photography																									
0	tools_facial_features__0	Other																									
25	<p>tools_face_other</p> <p>Show the field ONLY if: [tools_facial_features(0)] = '1'</p>	If other, please specify	notes																								

26	tools_brain_neurology Show the field ONLY if: [domains(4)] = '1'	Brain Structure/Neurology Please select all that apply	checkbox, Required <table border="1"> <tr> <td>1</td> <td>tools_brain_neurology__1</td> <td>Clinical Judgement</td> </tr> <tr> <td>2</td> <td>tools_brain_neurology__2</td> <td>Observation</td> </tr> <tr> <td>3</td> <td>tools_brain_neurology__3</td> <td>Birth Occipitofrontal Head Circumference (OFC)</td> </tr> <tr> <td>4</td> <td>tools_brain_neurology__4</td> <td>Postnatal OFC</td> </tr> <tr> <td>5</td> <td>tools_brain_neurology__5</td> <td>Evidence of seizure disorder</td> </tr> <tr> <td>6</td> <td>tools_brain_neurology__6</td> <td>Evidence of other neurological diagnoses</td> </tr> <tr> <td>7</td> <td>tools_brain_neurology__7</td> <td>Brain imaging to identify structural brain abnormalities</td> </tr> <tr> <td>0</td> <td>tools_brain_neurology__0</td> <td>Other</td> </tr> </table>	1	tools_brain_neurology__1	Clinical Judgement	2	tools_brain_neurology__2	Observation	3	tools_brain_neurology__3	Birth Occipitofrontal Head Circumference (OFC)	4	tools_brain_neurology__4	Postnatal OFC	5	tools_brain_neurology__5	Evidence of seizure disorder	6	tools_brain_neurology__6	Evidence of other neurological diagnoses	7	tools_brain_neurology__7	Brain imaging to identify structural brain abnormalities	0	tools_brain_neurology__0	Other
1	tools_brain_neurology__1	Clinical Judgement																									
2	tools_brain_neurology__2	Observation																									
3	tools_brain_neurology__3	Birth Occipitofrontal Head Circumference (OFC)																									
4	tools_brain_neurology__4	Postnatal OFC																									
5	tools_brain_neurology__5	Evidence of seizure disorder																									
6	tools_brain_neurology__6	Evidence of other neurological diagnoses																									
7	tools_brain_neurology__7	Brain imaging to identify structural brain abnormalities																									
0	tools_brain_neurology__0	Other																									
27	tools_brain_other Show the field ONLY if: [tools_brain_neurology(0)] = '1'	If other, please specify	notes																								
28	tools_motor Show the field ONLY if: [domains(5)] = '1'	Motor Skills Please select all that apply	checkbox, Required <table border="1"> <tr> <td>1</td> <td>tools_motor__1</td> <td>Clinical Judgement</td> </tr> <tr> <td>2</td> <td>tools_motor__2</td> <td>Observation</td> </tr> <tr> <td>3</td> <td>tools_motor__3</td> <td>Previous non-FASD diagnoses</td> </tr> <tr> <td>4</td> <td>tools_motor__4</td> <td>Bayley</td> </tr> <tr> <td>5</td> <td>tools_motor__5</td> <td>Visual-Motor Integration (VMI)</td> </tr> <tr> <td>6</td> <td>tools_motor__6</td> <td>Bruininks-Oseretsky Test of Motor Proficiency (BOT)</td> </tr> <tr> <td>0</td> <td>tools_motor__0</td> <td>Other</td> </tr> </table>	1	tools_motor__1	Clinical Judgement	2	tools_motor__2	Observation	3	tools_motor__3	Previous non-FASD diagnoses	4	tools_motor__4	Bayley	5	tools_motor__5	Visual-Motor Integration (VMI)	6	tools_motor__6	Bruininks-Oseretsky Test of Motor Proficiency (BOT)	0	tools_motor__0	Other			
1	tools_motor__1	Clinical Judgement																									
2	tools_motor__2	Observation																									
3	tools_motor__3	Previous non-FASD diagnoses																									
4	tools_motor__4	Bayley																									
5	tools_motor__5	Visual-Motor Integration (VMI)																									
6	tools_motor__6	Bruininks-Oseretsky Test of Motor Proficiency (BOT)																									
0	tools_motor__0	Other																									
29	motor_subtests_bayley Show the field ONLY if: [tools_motor(4)] = '1'	For the Bayley, please specify the subtests/screener used.	notes																								
30	motor_subtests_vmi Show the field ONLY if: [tools_motor(5)] = '1'	For the VMI, please specify subtests/version used if you are not administering the full battery.	notes																								
31	motor_subtests_bot Show the field ONLY if: [tools_motor(6)] = '1'	For the BOT, please specify subtests used if you are not administering the core battery.	notes																								
32	tools_motor_other Show the field ONLY if: [tools_motor(0)] = '1'	If other, please specify, including subtests where appropriate.	notes																								

33	<p>tools_cognition</p> <p>Show the field ONLY if: [domains(6)] = '1'</p>	<p>Cognition</p> <p>Please select all that apply</p>	<p>checkbox, Required</p> <table border="1"> <tr> <td>1</td> <td>tools_cognition__1</td> <td>Clinical Judgement</td> </tr> <tr> <td>2</td> <td>tools_cognition__2</td> <td>Observation</td> </tr> <tr> <td>3</td> <td>tools_cognition__3</td> <td>Previous non-FASD diagnoses</td> </tr> <tr> <td>4</td> <td>tools_cognition__4</td> <td>Wechsler Intelligence Scales for Children (WISC)</td> </tr> <tr> <td>5</td> <td>tools_cognition__5</td> <td>Bayley</td> </tr> <tr> <td>6</td> <td>tools_cognition__6</td> <td>Differential Abilities Scales (DAS)</td> </tr> <tr> <td>7</td> <td>tools_cognition__7</td> <td>Wechsler Preschool and Primary Scale of Intelligence (WPPSI)</td> </tr> <tr> <td>8</td> <td>tools_cognition__8</td> <td>Stanford-Binet Intelligence Scales (SB)</td> </tr> <tr> <td>9</td> <td>tools_cognition__9</td> <td>Wechsler Non-Verbal Scale of Ability (WNV)</td> </tr> <tr> <td>10</td> <td>tools_cognition__10</td> <td>Wechsler Adult Intelligence Scale (WAIS)</td> </tr> <tr> <td>11</td> <td>tools_cognition__11</td> <td>Universal Nonverbal Intelligence Test (UNIT)</td> </tr> <tr> <td>12</td> <td>tools_cognition__12</td> <td>Naglieri Nonverbal Ability Test (NNAT)</td> </tr> <tr> <td>0</td> <td>tools_cognition__0</td> <td>Other</td> </tr> </table>	1	tools_cognition__1	Clinical Judgement	2	tools_cognition__2	Observation	3	tools_cognition__3	Previous non-FASD diagnoses	4	tools_cognition__4	Wechsler Intelligence Scales for Children (WISC)	5	tools_cognition__5	Bayley	6	tools_cognition__6	Differential Abilities Scales (DAS)	7	tools_cognition__7	Wechsler Preschool and Primary Scale of Intelligence (WPPSI)	8	tools_cognition__8	Stanford-Binet Intelligence Scales (SB)	9	tools_cognition__9	Wechsler Non-Verbal Scale of Ability (WNV)	10	tools_cognition__10	Wechsler Adult Intelligence Scale (WAIS)	11	tools_cognition__11	Universal Nonverbal Intelligence Test (UNIT)	12	tools_cognition__12	Naglieri Nonverbal Ability Test (NNAT)	0	tools_cognition__0	Other
1	tools_cognition__1	Clinical Judgement																																								
2	tools_cognition__2	Observation																																								
3	tools_cognition__3	Previous non-FASD diagnoses																																								
4	tools_cognition__4	Wechsler Intelligence Scales for Children (WISC)																																								
5	tools_cognition__5	Bayley																																								
6	tools_cognition__6	Differential Abilities Scales (DAS)																																								
7	tools_cognition__7	Wechsler Preschool and Primary Scale of Intelligence (WPPSI)																																								
8	tools_cognition__8	Stanford-Binet Intelligence Scales (SB)																																								
9	tools_cognition__9	Wechsler Non-Verbal Scale of Ability (WNV)																																								
10	tools_cognition__10	Wechsler Adult Intelligence Scale (WAIS)																																								
11	tools_cognition__11	Universal Nonverbal Intelligence Test (UNIT)																																								
12	tools_cognition__12	Naglieri Nonverbal Ability Test (NNAT)																																								
0	tools_cognition__0	Other																																								
34	<p>cognition_subtests_wisc</p> <p>Show the field ONLY if: [tools_cognition(4)] = '1'</p>	For the WISC, please specify subtests used if not administering the core battery.	notes																																							
35	<p>cognition_subtests_bayley</p> <p>Show the field ONLY if: [tools_cognition(5)] = '1'</p>	For the Bayley, please specify the subtests/screener used.	notes																																							
36	<p>cognition_subtests_das</p> <p>Show the field ONLY if: [tools_cognition(6)] = '1'</p>	For the DAS, please specify subtests used if not administering the core battery.	notes																																							
37	<p>cognition_subtests_wppsi</p> <p>Show the field ONLY if: [tools_cognition(7)] = '1'</p>	For the WPPSI, please specify subtests used if not administering the core battery.	notes																																							
38	<p>cognition_subtests_wnv</p> <p>Show the field ONLY if: [tools_cognition(9)] = '1'</p>	For the WNV, please specify subtests used if not administering the full battery.	notes																																							
39	<p>cognition_subtests_wais</p> <p>Show the field ONLY if: [tools_cognition(10)] = '1'</p>	For the WAIS, please specify subtests used if not administering the core battery.	notes																																							
40	<p>cognition_subtests_unit</p> <p>Show the field ONLY if: [tools_cognition(11)] = '1'</p>	For the UNIT, please specify subtests used if not administering the core battery.	notes																																							
41	<p>tools_cognition_other</p> <p>Show the field ONLY if: [tools_cognition(0)] = '1'</p>	If other, please specify, including subtests where appropriate.	notes																																							
42	<p>tools_language</p> <p>Show the field ONLY if: [domains(7)] = '1'</p>	<p>Language</p> <p>Please select all that apply</p>	<p>checkbox, Required</p> <table border="1"> <tr> <td>1</td> <td>tools_language__1</td> <td>Clinical Judgement</td> </tr> <tr> <td>2</td> <td>tools_language__2</td> <td>Observation</td> </tr> <tr> <td>3</td> <td>tools_language__3</td> <td>Previous non-FASD diagnoses</td> </tr> <tr> <td>4</td> <td>tools_language__4</td> <td>Bayley</td> </tr> <tr> <td>5</td> <td>tools_language__5</td> <td>Pre-School Language Scales (PLS)</td> </tr> <tr> <td>6</td> <td>tools_language__6</td> <td>Clinical Evaluation of Language Fundamentals (CELF)</td> </tr> <tr> <td>0</td> <td>tools_language__0</td> <td>Other</td> </tr> </table>	1	tools_language__1	Clinical Judgement	2	tools_language__2	Observation	3	tools_language__3	Previous non-FASD diagnoses	4	tools_language__4	Bayley	5	tools_language__5	Pre-School Language Scales (PLS)	6	tools_language__6	Clinical Evaluation of Language Fundamentals (CELF)	0	tools_language__0	Other																		
1	tools_language__1	Clinical Judgement																																								
2	tools_language__2	Observation																																								
3	tools_language__3	Previous non-FASD diagnoses																																								
4	tools_language__4	Bayley																																								
5	tools_language__5	Pre-School Language Scales (PLS)																																								
6	tools_language__6	Clinical Evaluation of Language Fundamentals (CELF)																																								
0	tools_language__0	Other																																								

43	language_subtests_bayley Show the field ONLY if: [tools_language(4)] = '1'	For the Bayley, please specify the subtests/screener used.	notes																																							
44	language_subtests_pls Show the field ONLY if: [tools_language(5)] = '1'	For the PLS, please specify the scales/supplementary measures used if not administering the core battery.	notes																																							
45	language_subtests_celf Show the field ONLY if: [tools_language(6)] = '1'	For the CELF, please specify the subtests/screener used if not administering the core battery.	notes																																							
46	tools_language_other Show the field ONLY if: [tools_language(0)] = '1'	If other, please specify, including subtests where appropriate.	notes																																							
47	tools_academic Show the field ONLY if: [domains(8)] = '1'	Academic Achievement Please select all that apply	checkbox, Required <table border="1"> <tr><td>1</td><td>tools_academic__1</td><td>Clinical Judgement</td></tr> <tr><td>2</td><td>tools_academic__2</td><td>Observation</td></tr> <tr><td>3</td><td>tools_academic__3</td><td>Previous non-FASD diagnoses</td></tr> <tr><td>4</td><td>tools_academic__4</td><td>Teacher Rating Form (TRF)</td></tr> <tr><td>5</td><td>tools_academic__5</td><td>School-based Standardised Literacy and Numeracy tests</td></tr> <tr><td>6</td><td>tools_academic__6</td><td>Bracken School Readiness Assessment (BSRA)</td></tr> <tr><td>7</td><td>tools_academic__7</td><td>Woodcock-Johnson Achievement Test (WJ)</td></tr> <tr><td>8</td><td>tools_academic__8</td><td>Wechsler Individual Achievement Test (WIAT)</td></tr> <tr><td>9</td><td>tools_academic__9</td><td>Wide Range Achievement Test (WRAT)</td></tr> <tr><td>10</td><td>tools_academic__10</td><td>Kaufman Test of Educational Achievement (KTEA)</td></tr> <tr><td>11</td><td>tools_academic__11</td><td>Peabody Individual Achievement Test (PIAT)</td></tr> <tr><td>12</td><td>tools_academic__12</td><td>School reports with achievement levels</td></tr> <tr><td>0</td><td>tools_academic__0</td><td>Other</td></tr> </table>	1	tools_academic__1	Clinical Judgement	2	tools_academic__2	Observation	3	tools_academic__3	Previous non-FASD diagnoses	4	tools_academic__4	Teacher Rating Form (TRF)	5	tools_academic__5	School-based Standardised Literacy and Numeracy tests	6	tools_academic__6	Bracken School Readiness Assessment (BSRA)	7	tools_academic__7	Woodcock-Johnson Achievement Test (WJ)	8	tools_academic__8	Wechsler Individual Achievement Test (WIAT)	9	tools_academic__9	Wide Range Achievement Test (WRAT)	10	tools_academic__10	Kaufman Test of Educational Achievement (KTEA)	11	tools_academic__11	Peabody Individual Achievement Test (PIAT)	12	tools_academic__12	School reports with achievement levels	0	tools_academic__0	Other
1	tools_academic__1	Clinical Judgement																																								
2	tools_academic__2	Observation																																								
3	tools_academic__3	Previous non-FASD diagnoses																																								
4	tools_academic__4	Teacher Rating Form (TRF)																																								
5	tools_academic__5	School-based Standardised Literacy and Numeracy tests																																								
6	tools_academic__6	Bracken School Readiness Assessment (BSRA)																																								
7	tools_academic__7	Woodcock-Johnson Achievement Test (WJ)																																								
8	tools_academic__8	Wechsler Individual Achievement Test (WIAT)																																								
9	tools_academic__9	Wide Range Achievement Test (WRAT)																																								
10	tools_academic__10	Kaufman Test of Educational Achievement (KTEA)																																								
11	tools_academic__11	Peabody Individual Achievement Test (PIAT)																																								
12	tools_academic__12	School reports with achievement levels																																								
0	tools_academic__0	Other																																								
48	academic_subtests_brsta Show the field ONLY if: [tools_academic(6)] = '1'	For the BRSA, please specify the subtests used if not administering the full battery.	notes																																							
49	academic_subtests_wj Show the field ONLY if: [tools_academic(7)] = '1'	For the WJ, please specify the battery used as well as the subtests if not administering the full battery.	notes																																							
50	academic_subtests_wiat Show the field ONLY if: [tools_academic(8)] = '1'	For the WIAT, please specify the subtests used if not administering the core battery.	notes																																							
51	academic_subtests_wrat Show the field ONLY if: [tools_academic(9)] = '1'	For the WRAT, please specify the subtests used if not administering the full battery.	notes																																							
52	academic_subtests_wiat_2 Show the field ONLY if: [tools_academic(10)] = '1'	For the KTEA please specify the subtests used if not administering the core battery.	notes																																							
53	academic_subtests_piat Show the field ONLY if: [tools_academic(11)] = '1'	For the PIAT, please specify the subtests used if not administering the full battery.	notes																																							
54	tools_academic_other Show the field ONLY if: [tools_academic(0)] = '1'	If other, please specify, including subtests where appropriate.	notes																																							

55	tools_memory Show the field ONLY if: [domains(9)] = '1'	Memory Please select all that apply	checkbox, Required		
			1	tools_memory__1	Clinical Judgement
			2	tools_memory__2	Observation
			3	tools_memory__3	Previous non-FASD diagnoses
			4	tools_memory__4	Differential Abilities Scales (DAS)
			5	tools_memory__5	Behaviour Rating Inventory of Executive Function (BRIEF)
			6	tools_memory__6	Developmental Neuropsychological Assessment (NEPSY)
			7	tools_memory__7	Test of Problem Solving - Elementary (TOPS-E)
			11	tools_memory__11	Test of Problem Solving - Adolescent (TOPS-A)
			8	tools_memory__8	Wide Range Assessment of Memory and Learning (WRAML)
			9	tools_memory__9	Wechsler Memory Scale (WMS)
			10	tools_memory__10	Children's Memory Scale (CMS)
			0	tools_memory__0	Other
56	memory_subtests_das Show the field ONLY if: [tools_memory(4)] = '1'	For the DAS, please specify subtests used if not administering the core battery.	notes		
57	memory_subtests_nepsy Show the field ONLY if: [tools_memory(6)] = '1'	For the NEPSY, please specify subtests used if not administering the core battery.	notes		
58	memory_subtests_topse Show the field ONLY if: [tools_memory(7)] = '1'	For the TOPS-E, please specify subtests used if not administering the core battery.	notes		
59	memory_subtests_topsa Show the field ONLY if: [tools_memory(11)] = '1'	For the TOPS-A, please specify subtests used if not administering the core battery.	notes		
60	memory_subtests_wraml Show the field ONLY if: [tools_memory(8)] = '1'	For the WRAML, please specify screener/subtests used if not administering the core battery.	notes		
61	memory_subtests_wms Show the field ONLY if: [tools_memory(9)] = '1'	For the WMS, please specify subtests used if not administering the core battery.	notes		
62	memory_subtests_wms_2 Show the field ONLY if: [tools_memory(10)] = '1'	For the CMS, please specify subtests used if not administering the core battery.	notes		
63	tools_memory_other Show the field ONLY if: [tools_memory(0)] = '1'	If other, please specify, including subtests where appropriate.	notes		

64	tools_attention Show the field ONLY if: [domains(10)] = '1'	Attention Please select all that apply	checkbox, Required	
			1	tools_attention__1 Clinical Judgement
			2	tools_attention__2 Observation
			3	tools_attention__3 Previous non-FASD diagnoses
			4	tools_attention__4 Child Behaviour Checklist (CBCL)
			5	tools_attention__5 Teacher Report Form (TRF)
			6	tools_attention__6 Test of Everyday Attention for Children (Tea-CH)
			15	tools_attention__15 Test of Everyday Attention (TEA)
			7	tools_attention__7 Developmental Neuropsychological Assessment (NEPSY)
			8	tools_attention__8 Conner's Continuous Performance Test
			9	tools_attention__9 Delis-Kaplan Executive Function System (DKEFS)
			10	tools_attention__10 Children's Colour Trails Test
			11	tools_attention__11 Adult Colour Trails Test
			12	tools_attention__12 Conners
			13	tools_attention__13 Conners Adult ADHD Rating Scales (CAARS)
			14	tools_attention__14 Conners Comprehensive Behaviour Rating Scales
			0	tools_attention__0 Other
65	attention_subtests_teach Show the field ONLY if: [tools_attention(6)] = '1'	For the TEA-CH, please specify subtests used if not administering the core battery.	notes	
66	attention_subtests_tea Show the field ONLY if: [tools_attention(15)] = '1'	For the TEA, please specify subtests used if not administering the core battery.	notes	
67	attention_subtests_nepsy Show the field ONLY if: [tools_attention(7)] = '1'	For the NEPSY, please specify subtests used if not administering the core battery.	notes	
68	attention_subtests_dkefs Show the field ONLY if: [tools_attention(9)] = '1'	For the DKEFS, please specify subtests used if not administering the core battery.	notes	
69	tools_attention_other Show the field ONLY if: [tools_attention(0)] = '1'	If other, please specify, including subtests where appropriate.	notes	

70	tools_executivefunction Show the field ONLY if: [domains(11)] = '1'	Executive Function, including Impulse Control and Hyperactivity Please select all that apply	checkbox, Required		
			1	tools_executivefunction__1	Clinical Judgement
			2	tools_executivefunction__2	Observation
			3	tools_executivefunction__3	Previous non-FASD diagnoses
			4	tools_executivefunction__4	Bayley
			5	tools_executivefunction__5	Executive Functions Touch
			6	tools_executivefunction__6	Behaviour Rating Inventory of Executive Function (BRIEF)
			7	tools_executivefunction__7	Child Behaviour Checklist (CBCL)
			8	tools_executivefunction__8	Teacher Report Form (TRF)
			9	tools_executivefunction__9	Cogstate
			10	tools_executivefunction__10	Developmental Neuropsychological Assessment (NEPSY)
			11	tools_executivefunction__11	Delis-Kaplan Executive Function System (DKEFS)
			12	tools_executivefunction__12	Rey-Osterrieth Complex Figure (ROCF)
			13	tools_executivefunction__13	Comprehensive Executive Function Inventory (CEFI)
			14	tools_executivefunction__14	Frontal Systems Behaviour Scale (FrsBe)
			15	tools_executivefunction__15	Behavior Assessment System for Children (BASC)
			0	tools_executivefunction__0	Other
71	ef_subtests_bayley Show the field ONLY if: [tools_executivefunction(4)] = '1'	For the Bayley, please specify the subtests/screener used.	notes		
72	attention_subtests_eftouch Show the field ONLY if: [tools_executivefunction(5)] = '1'	For the EF Touch, please specify subtests used if not administering the full battery.	notes		
73	attention_subtests_cogs Show the field ONLY if: [tools_executivefunction(9)] = '1'	For the Cogstate, please specify the battery used as well as the subtests if not administering the full battery.	notes		
74	ef_subtests_nepsy Show the field ONLY if: [tools_executivefunction(10)] = '1'	For the NEPSY, please specify subtests used if not administering the core battery.	notes		
75	ef_subtests_dkefs Show the field ONLY if: [tools_executivefunction(11)] = '1'	For the DKEFS, please specify subtests used if not administering the core battery.	notes		
76	ef_subtests_basc Show the field ONLY if: [tools_executivefunction(15)] = '1'	For the BASC, please specify scales/forms used.	notes		

77	tools_ef_other Show the field ONLY if: [tools_executivefunction(0)] = '1'	If other, please specify, including subtests where appropriate.	notes	
78	tools_affect Show the field ONLY if: [domains(12)] = '1'	Affect Regulation Please select all that apply	checkbox, Required	
			1	tools_affect__1 Clinical Judgement
			2	tools_affect__2 Observation
			3	tools_affect__3 Previous non-FASD diagnoses
			4	tools_affect__4 Spence Children's Anxiety Scales (SCAS)
			5	tools_affect__5 Behaviour Assessment System for Children (BASC)
			6	tools_affect__6 Beck Youth Inventories
			7	tools_affect__7 Children's Depression Inventory (CDI)
			8	tools_affect__8 Multidimensional Anxiety Scale for Children (MASC)
			9	tools_affect__9 Child Behaviour Checklist (CBCL)
			10	tools_affect__10 Conners Comprehensive Behaviour Rating Scales
			0	tools_affect__0 Other
79	tools_affect_other Show the field ONLY if: [tools_affect(0)] = '1'	If other, please specify, including subtests where appropriate.	notes	

80	tools_adaptivebeh Show the field ONLY if: [domains(13)] = '1'	Adaptive Behaviour, Social Skills or Social Communication Please select all that apply	checkbox, Required <table border="1"> <tr> <td>1</td> <td>tools_adaptivebeh__1</td> <td>Clinical Judgement</td> </tr> <tr> <td>2</td> <td>tools_adaptivebeh__2</td> <td>Observation</td> </tr> <tr> <td>3</td> <td>tools_adaptivebeh__3</td> <td>Previous non-FASD diagnoses</td> </tr> <tr> <td>4</td> <td>tools_adaptivebeh__4</td> <td>Bayley</td> </tr> <tr> <td>5</td> <td>tools_adaptivebeh__5</td> <td>Brief Infant-Toddler Social and Emotional Assessment (BITSEA)</td> </tr> <tr> <td>6</td> <td>tools_adaptivebeh__6</td> <td>Child Behaviour Checklist (CBCL)</td> </tr> <tr> <td>7</td> <td>tools_adaptivebeh__7</td> <td>Teacher Report Form (TRF)</td> </tr> <tr> <td>8</td> <td>tools_adaptivebeh__8</td> <td>Behaviour Rating Inventory of Executive Function (BRIEF)</td> </tr> <tr> <td>9</td> <td>tools_adaptivebeh__9</td> <td>Adaptive Behaviour Assessment System (ABAS)</td> </tr> <tr> <td>10</td> <td>tools_adaptivebeh__10</td> <td>Social Language Development Test, Elementary (SLDT-E)</td> </tr> <tr> <td>11</td> <td>tools_adaptivebeh__11</td> <td>Social Language Development Test, Adolescent (SLDT-A)</td> </tr> <tr> <td>12</td> <td>tools_adaptivebeh__12</td> <td>Clinical Evaluation of Language Fundamentals (CELF)</td> </tr> <tr> <td>13</td> <td>tools_adaptivebeh__13</td> <td>Vineland Adaptive Behaviour Scales (VABS)</td> </tr> <tr> <td>14</td> <td>tools_adaptivebeh__14</td> <td>Behaviour Assessment System for Children (BASC)</td> </tr> <tr> <td>15</td> <td>tools_adaptivebeh__15</td> <td>Pragmatic Language Observation Scale (PLOS)</td> </tr> <tr> <td>16</td> <td>tools_adaptivebeh__16</td> <td>Children's Communication Checklist</td> </tr> <tr> <td>0</td> <td>tools_adaptivebeh__0</td> <td>Other</td> </tr> </table>	1	tools_adaptivebeh__1	Clinical Judgement	2	tools_adaptivebeh__2	Observation	3	tools_adaptivebeh__3	Previous non-FASD diagnoses	4	tools_adaptivebeh__4	Bayley	5	tools_adaptivebeh__5	Brief Infant-Toddler Social and Emotional Assessment (BITSEA)	6	tools_adaptivebeh__6	Child Behaviour Checklist (CBCL)	7	tools_adaptivebeh__7	Teacher Report Form (TRF)	8	tools_adaptivebeh__8	Behaviour Rating Inventory of Executive Function (BRIEF)	9	tools_adaptivebeh__9	Adaptive Behaviour Assessment System (ABAS)	10	tools_adaptivebeh__10	Social Language Development Test, Elementary (SLDT-E)	11	tools_adaptivebeh__11	Social Language Development Test, Adolescent (SLDT-A)	12	tools_adaptivebeh__12	Clinical Evaluation of Language Fundamentals (CELF)	13	tools_adaptivebeh__13	Vineland Adaptive Behaviour Scales (VABS)	14	tools_adaptivebeh__14	Behaviour Assessment System for Children (BASC)	15	tools_adaptivebeh__15	Pragmatic Language Observation Scale (PLOS)	16	tools_adaptivebeh__16	Children's Communication Checklist	0	tools_adaptivebeh__0	Other
1	tools_adaptivebeh__1	Clinical Judgement																																																				
2	tools_adaptivebeh__2	Observation																																																				
3	tools_adaptivebeh__3	Previous non-FASD diagnoses																																																				
4	tools_adaptivebeh__4	Bayley																																																				
5	tools_adaptivebeh__5	Brief Infant-Toddler Social and Emotional Assessment (BITSEA)																																																				
6	tools_adaptivebeh__6	Child Behaviour Checklist (CBCL)																																																				
7	tools_adaptivebeh__7	Teacher Report Form (TRF)																																																				
8	tools_adaptivebeh__8	Behaviour Rating Inventory of Executive Function (BRIEF)																																																				
9	tools_adaptivebeh__9	Adaptive Behaviour Assessment System (ABAS)																																																				
10	tools_adaptivebeh__10	Social Language Development Test, Elementary (SLDT-E)																																																				
11	tools_adaptivebeh__11	Social Language Development Test, Adolescent (SLDT-A)																																																				
12	tools_adaptivebeh__12	Clinical Evaluation of Language Fundamentals (CELF)																																																				
13	tools_adaptivebeh__13	Vineland Adaptive Behaviour Scales (VABS)																																																				
14	tools_adaptivebeh__14	Behaviour Assessment System for Children (BASC)																																																				
15	tools_adaptivebeh__15	Pragmatic Language Observation Scale (PLOS)																																																				
16	tools_adaptivebeh__16	Children's Communication Checklist																																																				
0	tools_adaptivebeh__0	Other																																																				
81	adaptive_subtests_bayley Show the field ONLY if: [tools_adaptivebeh(4)] = '1'	For the Bayley, please specify the subtests/screener used.	notes																																																			
82	ef_subtests_sltd_e Show the field ONLY if: [tools_adaptivebeh(10)] = '1'	For the SLDT-E, please specify subtests used if not administering the full battery.	notes																																																			
83	ef_subtests_sltd_a Show the field ONLY if: [tools_adaptivebeh(11)] = '1'	For the SLDT-A, please specify subtests used if not administering the full battery.	notes																																																			
84	adaptive_subtest_celf Show the field ONLY if: [tools_adaptivebeh(12)] = '1'	For the CELF, please specify the subtests/screener used if not administering the core battery.	notes																																																			
85	adaptive_subtest_vbas Show the field ONLY if: [tools_adaptivebeh(13)] = '1'	For the VBAS, please specify the domains assessed if not using the full measure.	notes																																																			
86	tools_adapbeh_other Show the field ONLY if: [tools_adaptivebeh(0)] = '1'	If other, please specify, including subtests where appropriate.	notes																																																			
87	tools_other Show the field ONLY if: [domains(14)] = '1'	Other Domains (Not Listed Above) Please specify domains and all tools used to assess this, including subtests where appropriate.	notes																																																			

88	assess_length Show the field ONLY if: [consent] = '1'	Section Header: How long on average does an FASD assessment take?	text Custom alignment: RH						
89	assess_difficulties Show the field ONLY if: [consent] = '1'	Do you encounter any difficulties in your practice with the FASD assessment or diagnostic process?	yesno, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RH	1	Yes	0	No		
1	Yes								
0	No								
90	assess_diff_describe Show the field ONLY if: [assess_difficulties] = '1'	If yes, please describe	notes Custom alignment: RH						
91	united_diagnostic Show the field ONLY if: [consent] = '1'	There are multiple diagnostic criteria available around the world. Do you think that it is possible to develop a unified international guideline for FASD diagnosis?	yesno, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RH	1	Yes	0	No		
1	Yes								
0	No								
92	united_diagnostic_worth Show the field ONLY if: [consent] = '1'	Do you think there is a need for a unified international guideline for FASD diagnosis?	yesno, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RH	1	Yes	0	No		
1	Yes								
0	No								
93	united_diag_barriers Show the field ONLY if: [consent] = '1'	What are the barriers to a unified international guideline for FASD diagnosis?	notes Custom alignment: RH						
94	united_diag_facilitators Show the field ONLY if: [consent] = '1'	What are the facilitators for a unified international guideline for FASD diagnosis?	notes Custom alignment: RH						
95	comments_suggestions Show the field ONLY if: [consent] = '1'	Do you have any other suggestions or comments from your experience regarding FASD assessment and diagnosis?	notes Custom alignment: RH						
96	diagnostic_clinic_survey_complete	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete								
1	Unverified								
2	Complete								