

Article

Biocontrol of Biofilm Formation: Jamming Sessile-Associated Rhizobial Communication by Rhodococcal Quorum-Quenching

Yvann Bourigault ^{1,2}, Sophie Rodrigues ³, Alexandre Crépin ⁴, Andrea Chane ¹, Laure Taupin ³, Mathilde Bouteiller ^{1,2}, Charly Dupont ^{1,2}, Annabelle Merieau ^{1,2}, Yoan Konto-Ghiorgi ^{1,2}, Amine M. Boukerb ¹, Marie Turner ^{5,6}, Céline Hamon ⁵, Alain Dufour ³, Corinne Barbey ^{1,2}, and Xavier Latour ^{1,2,*}

¹ Laboratory of Microbiology Signals and Microenvironment (LMSM EA 4312), University of Rouen Normandy, 55 rue Saint-Germain, F-27000 Evreux, France; yvann.bourigault@univ-rouen.fr (Y.B.); corinne.barbey@univ-rouen.fr (C.B.); chane.andrea@gmail.com (A.C.); mathilde.bouteiller7@univ-rouen.fr (M.B.); charly.dupont7@univ-rouen.fr (C.D.); annabelle.merieau@univ-rouen.fr (A.M.); yoan.konto-ghiorgi@univ-rouen.fr (Y.K-G); amine.boukerb@univ-rouen.fr (A.M.B.)

² Research Federations NORVEGE Fed4277 & NORSEVE, Normandy University, F-76821 Mont-Saint-Aignan, France

³ Université de Bretagne-Sud, EA 3884, LBCM, IUEM, F-56100 Lorient, France; sophie.rodrigues@univ-ubs.fr (S.R.); laure.taupin@univ-ubs.fr (L.T.); alain.dufour@univ-ubs.fr (A.D.)

⁴ Laboratoire Ecologie et Biologie des Interactions, UMR CNRS 7267 F-86073 Poitiers, France; alexandre.crepin@univ-poitiers.fr (A.CR)

⁵ Végénov, F-29250 Saint-Pol-de-Léon, France; turner@vegenov.com (M.T.); hamon@vegenov.com (C.H.)

⁶ Biocontrol Consortium, F-75007 Paris, France

* Correspondence: xavier.latour@univ-rouen.fr; +33-235-146-000 (X.L.)

Supplementary Material




Figure S2. Screening for direct antagonism between *R. rhizogenes* 5520^T and *R. erythropolis* R138. Antibiosis tests were performed by completely covering LB medium with a stationary phase culture of *R. rhizogenes* culture (A), or *R. erythropolis* (B). Then, a volume of 10 µl of each culture was dropped on the dried medium. The non-inoculated LB broth used to perform bacterial cultures was dropped as a negative control, (see also Materials and Methods Section). Antibiosis tests were repeated at least three times.