

SUPPLEMENTARY MATERIAL

Article

Chitosan-enriched solution blow spun poly(ethylene oxide) nanofibers with poly(dimethylsiloxane) hydrophobic outer layer for skin healing and regeneration

Emilia Szymańska ^{1,*}, Michał Wojański ², Robert Czarnomysy ³, Renata Dębowska ⁴, Iwona Łopianiak ^{2,5,7}, Kamil Adasiewicz ⁶, Tomasz Ciach ^{2,7}, and Katarzyna Winnicka ¹

¹ Department of Pharmaceutical Technology, Medical University of Białystok, Mickiewicza 2c, 15-222 Białystok, Poland; e-mail: emilia.szymanska@umb.edu.pl (E.S.), kwin@umb.edu.pl (K.W.)

² Faculty of Chemical and Process Engineering, Warsaw University of Technology, Waryńskiego 1, 00-645 Warsaw, Poland; e-mail: michal.wojasinski@pw.edu.pl (M.W.); tomasz.ciach@pw.edu.pl (T.C.);

³ Department of Synthesis and Technology of Drugs, Medical University of Białystok, Kilińskiego 1, 15-089 Białystok, Poland; E-mail: robert.czarnomysy@umb.edu.pl (R.C.)

⁴ Dr Irena Eris, Centre for Science and Research, Armii Krajowej 12, 05-500 Piaseczno, Poland; e-mail: Renata.Debowska@DrIrenaEris.com (R.D.)

⁵ Doctoral School no. 1, Warsaw University of Technology, Plac Politechniki 1, 00-661 Warsaw, Poland; e-mail: iwona.lopianiak.dokt@pw.edu.pl (I.Ł.)

⁶ Student Scientific Group at Department of Pharmaceutical Technology, Medical University of Białystok, Mickiewicza 2c, 15-222 Białystok, Poland; e-mail: adasiewicz.k@outlook.com (K.A.)

⁷ CEZAMAT, Warsaw University of Technology, Poleczki 19, 02-822 Warsaw, Poland




Figure S1. Representative SEM image of unmodified CS/PEO nanofibers prepared of: (a) 8% or (b) 10% (*w/w*) polymer blend solution (original magnification $\times 5000$) and corresponding formulations upon coating with poly(dimethylsiloxane) (c,d) (magnification $\times 1000$).