

**Table S1.** Patients' data for each histology.

	isocitrate dehydrogenase 1/2 (IDH)-mutant and 1p19q-codeleted oligodendrogliomas	IDH-mutant astrocytomas	IDH-mutant glioblastomas	IDH-wild type glioblastomas
	n=27	n=25	n=8	n=37
<b>Main molecular alterations</b>	IDH1/2 mutation 1p19q deletion	IDH1/2 mutation ATRX loss	IDH1/2 mutation ATRX loss	
<b>Grading</b>	11 grade II 16 grade III	18 grade II 7 grade III	8 grade IV	37 grade IV
<b>Gender</b>	15 (55.5%) men 12 (44.5%) women	14 (56%) men 11 (44%) women	5 (62.5%) men 3 (37.5%) women	26 (70.3%) men 11 (29.3%) women
<b>Median age at diagnosis (range)</b>	51.4 years [26.7-63.9]	36.3 years [23.6-66.9]	37.9 years [22.3-73.5]	67.3 years [50.2-79.3]
<b>Resection</b>				
<i>Complete:</i>	13 (48%)	5 (20%)	4 (50%)	19 (52%)
<i>Subtotal:</i>	3 (11%)	5 (20%)	0	5 (14%)
<i>Partial:</i>	11 (41%)	13 (52%)	4 (50%)	7 (19%)
<i>Only biopsied:</i>	0	1 (4%)	0	6 (16%)
<i>Unknown :</i>	0	1 (4%)	0	0
<b>Treatment following surgery</b>				
<i>Stupp protocol:</i>	2 (7%)	5 (20%)	4 (50%)	28 (76%)
<i>Radiotherapy:</i>	9 (33%)	2 (8%)	2 (25%)	3 (8%)
<i>Chemotherapy:</i>	5 (19%)	4 (16%)	2 (25%)	1 (2%)
<i>None:</i>	8 (29%)	14 (56%)	0	3 (8%)
<i>Unknown :</i>	3 (11%)	0	0	2 (2%)
<b>Median follow-up period (range)</b>	72.64 months [7.85-304.23]	62.82 months [7.26-121.48]	39.34 months [8.64-114.00]	8.67 months [0.26-61.24]
<b>Recurrence (number / delay [range])</b>	15 patients <i>median period:</i> 55.03 months [7.79-130.07]	12 patients <i>median period:</i> 22.19 months [8.51-210.23]	4 patients <i>median period:</i> 7.62 months [6.54-40.77]	19 patients <i>median period:</i> 7.03 months [1.12-24.18]
<b>Median overall survival OS</b>	119 months	92.2 months	19.7 months	14.1 months

OS: overall survival; IDH: isocitrate dehydrogenase; ATRX: alpha-thalassemia retardation syndrome

**Table S2.** Main targets of the miRNA studied.

miRNA Name	Gene Symbol	Gene Description
hsa-miR-100-5p	<a href="#">TRIB2</a>	tribbles pseudokinase 2
hsa-miR-100-5p	<a href="#">KBTBD8</a>	kelch repeat and BTB domain containing 8
hsa-miR-100-5p	<a href="#">SMARCA5</a>	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 5
hsa-miR-100-5p	<a href="#">MTOR</a>	mechanistic target of rapamycin kinase
hsa-miR-100-5p	<a href="#">HS3ST2</a>	heparan sulfate-glucosamine 3-sulfotransferase 2
hsa-miR-100-5p	<a href="#">RAVER2</a>	ribonucleoprotein, PTB binding 2
hsa-miR-100-5p	<a href="#">ZZEF1</a>	zinc finger ZZ-type and EF-hand domain containing 1
hsa-miR-100-5p	<a href="#">BAZ2A</a>	bromodomain adjacent to zinc finger domain 2A
hsa-miR-100-5p	<a href="#">NOX4</a>	NADPH oxidase 4
hsa-miR-100-5p	<a href="#">HS3ST3B1</a>	heparan sulfate-glucosamine 3-sulfotransferase 3B1
hsa-miR-100-5p	<a href="#">ETFDH</a>	electron transfer flavoprotein dehydrogenase
hsa-miR-100-5p	<a href="#">TTC39A</a>	tetratricopeptide repeat domain 39A
hsa-miR-100-5p	<a href="#">FZD8</a>	frizzled class receptor 8
hsa-miR-100-5p	<a href="#">NR6A1</a>	nuclear receptor subfamily 6 group A member 1
hsa-miR-100-5p	<a href="#">FGFR3</a>	fibroblast growth factor receptor 3
hsa-miR-100-5p	<a href="#">PCSK9</a>	proprotein convertase subtilisin/kexin type 9
hsa-miR-100-5p	<a href="#">ATP11C</a>	ATPase phospholipid transporting 11C
hsa-miR-100-5p	<a href="#">CTDSPL</a>	CTD small phosphatase like
hsa-miR-100-5p	<a href="#">TAOK1</a>	TAO kinase 1
hsa-miR-100-5p	<a href="#">MBNL1</a>	muscleblind like splicing regulator 1
hsa-miR-100-5p	<a href="#">PRDM1</a>	PR/SET domain 1
hsa-miR-100-5p	<a href="#">ADCY1</a>	adenylate cyclase 1
hsa-miR-100-5p	<a href="#">MTMR3</a>	myotubularin related protein 3
hsa-miR-100-5p	<a href="#">AGO2</a>	argonaute RISC catalytic component 2
hsa-miR-100-5p	<a href="#">THAP2</a>	THAP domain containing 2
hsa-miR-100-5p	<a href="#">ZADH2</a>	zinc binding alcohol dehydrogenase domain containing 2
hsa-miR-100-5p	<a href="#">ST6GALNAC4</a>	ST6 N-acetylgalactosaminide alpha-2,6-sialyltransferase 4
hsa-miR-100-5p	<a href="#">ZNF197</a>	zinc finger protein 197
hsa-miR-100-5p	<a href="#">RMND5A</a>	required for meiotic nuclear division 5 homolog A
hsa-miR-100-5p	<a href="#">LRRC8B</a>	leucine rich repeat containing 8 VRAC subunit B
hsa-miR-100-5p	<a href="#">PPP3CA</a>	protein phosphatase 3 catalytic subunit alpha
hsa-miR-100-5p	<a href="#">EPDR1</a>	ependymin related 1
hsa-miR-100-5p	<a href="#">HOXA1</a>	homeobox A1
hsa-miR-100-5p	<a href="#">TRIM71</a>	tripartite motif containing 71
hsa-miR-100-5p	<a href="#">AP1AR</a>	adaptor related protein complex 1 associated regulatory protein
hsa-miR-100-5p	<a href="#">RAP1B</a>	RAP1B, member of RAS oncogene family
hsa-miR-100-5p	<a href="#">RNF144B</a>	ring finger protein 144B

hsa-miR-100-5p	<a href="#">PPFIA3</a>	PTPRF interacting protein alpha 3
hsa-miR-100-5p	<a href="#">HES7</a>	hes family bHLH transcription factor 7
hsa-miR-100-5p	<a href="#">TMPRSS13</a>	transmembrane serine protease 13
hsa-miR-100-5p	<a href="#">DESI2</a>	desumoylating isopeptidase 2
hsa-miR-100-5p	<a href="#">ZNRF2</a>	zinc and ring finger 2
hsa-miR-100-5p	<a href="#">RASA2</a>	RAS p21 protein activator 2
hsa-miR-100-5p	<a href="#">CAMTA1</a>	calmodulin binding transcription activator 1
hsa-miR-100-5p	<a href="#">CDC25A</a>	cell division cycle 25A
hsa-miR-100-5p	<a href="#">TRIB1</a>	tribbles pseudokinase 1
hsa-miR-100-5p	<a href="#">CDYL2</a>	chromodomain Y like 2
hsa-miR-126-5p	<a href="#">HSPB8</a>	heat shock protein family B (small) member 8
hsa-miR-126-5p	<a href="#">PDE7B</a>	phosphodiesterase 7B
hsa-miR-126-5p	<a href="#">FBXO6</a>	F-box protein 6
hsa-miR-126-5p	<a href="#">TRMT9B</a>	tRNA methyltransferase 9B (putative)
hsa-miR-126-5p	<a href="#">TNFAIP8L3</a>	TNF alpha induced protein 8 like 3
hsa-miR-126-5p	<a href="#">HOXB6</a>	homeobox B6
hsa-miR-126-5p	<a href="#">GNE</a>	glucosamine (UDP-N-acetyl)-2-epimerase/N-acetylmannosamine kinase
hsa-miR-126-5p	<a href="#">NAT1</a>	N-acetyltransferase 1
hsa-miR-126-5p	<a href="#">CASP9</a>	caspase 9
hsa-miR-126-5p	<a href="#">TRIM8</a>	tripartite motif containing 8
hsa-miR-126-5p	<a href="#">TMEM182</a>	transmembrane protein 182
hsa-miR-126-5p	<a href="#">MR1</a>	major histocompatibility complex, class I-related
hsa-miR-126-5p	<a href="#">ESRRG</a>	estrogen related receptor gamma
hsa-miR-126-5p	<a href="#">S1PR3</a>	sphingosine-1-phosphate receptor 3
hsa-miR-126-5p	<a href="#">A2ML1</a>	alpha-2-macroglobulin like 1
hsa-miR-126-5p	<a href="#">MDM4</a>	MDM4, p53 regulator
hsa-miR-126-5p	<a href="#">BRWD3</a>	bromodomain and WD repeat domain containing 3
hsa-miR-126-5p	<a href="#">RFX4</a>	regulatory factor X4
hsa-miR-126-5p	<a href="#">TRPS1</a>	transcriptional repressor GATA binding 1
hsa-miR-126-5p	<a href="#">ARL11</a>	ADP ribosylation factor like GTPase 11
hsa-miR-126-5p	<a href="#">FAM168A</a>	family with sequence similarity 168 member A
hsa-miR-126-5p	<a href="#">CASK</a>	calcium/calmodulin dependent serine protein kinase
hsa-miR-126-5p	<a href="#">DENND1B</a>	DENN domain containing 1B
hsa-miR-126-5p	<a href="#">GRIK2</a>	glutamate ionotropic receptor kainate type subunit 2
hsa-miR-126-5p	<a href="#">TBCA</a>	tubulin folding cofactor A
hsa-miR-126-5p	<a href="#">HOXC8</a>	homeobox C8
hsa-miR-126-5p	<a href="#">INPP5D</a>	inositol polyphosphate-5-phosphatase D
hsa-miR-126-5p	<a href="#">CAMK2A</a>	calcium/calmodulin dependent protein kinase II alpha
hsa-miR-126-5p	<a href="#">GABRA4</a>	gamma-aminobutyric acid type A receptor alpha4 subunit
hsa-miR-126-5p	<a href="#">CD84</a>	CD84 molecule
hsa-miR-126-5p	<a href="#">GGT6</a>	gamma-glutamyltransferase 6
hsa-miR-126-5p	<a href="#">TSC22D4</a>	TSC22 domain family member 4
hsa-miR-126-5p	<a href="#">MACC1</a>	MET transcriptional regulator MACC1
hsa-miR-126-5p	<a href="#">GABRB2</a>	gamma-aminobutyric acid type A receptor beta2 subunit

hsa-miR-126-5p	<a href="#">RORA</a>	RAR related orphan receptor A
hsa-miR-126-5p	<a href="#">MAP3K2</a>	mitogen-activated protein kinase kinase kinase 2
hsa-miR-126-5p	<a href="#">FGF7</a>	fibroblast growth factor 7
hsa-miR-126-5p	<a href="#">CNTN1</a>	contactin 1
hsa-miR-126-5p	<a href="#">SETD9</a>	SET domain containing 9
hsa-miR-126-5p	<a href="#">CHST11</a>	carbohydrate sulfotransferase 11
hsa-miR-126-5p	<a href="#">PI15</a>	peptidase inhibitor 15
hsa-miR-126-5p	<a href="#">VPS13A</a>	vacuolar protein sorting 13 homolog A
hsa-miR-126-5p	<a href="#">YIPF6</a>	Yip1 domain family member 6
hsa-miR-126-5p	<a href="#">PNRC1</a>	proline rich nuclear receptor coactivator 1
hsa-miR-126-5p	<a href="#">MYEF2</a>	myelin expression factor 2
hsa-miR-126-5p	<a href="#">KCNB1</a>	potassium voltage-gated channel subfamily B member 1
hsa-miR-126-5p	<a href="#">COMMD2</a>	COMM domain containing 2
hsa-miR-126-5p	<a href="#">SHISAL1</a>	shisa like 1
hsa-miR-126-5p	<a href="#">FXN</a>	frataxin
hsa-miR-126-5p	<a href="#">TUBGCP4</a>	tubulin gamma complex associated protein 4
hsa-miR-126-5p	<a href="#">MMRN1</a>	multimerin 1
hsa-miR-126-5p	<a href="#">ZDHHC15</a>	zinc finger DHHC-type containing 15
hsa-miR-126-5p	<a href="#">PKHD1</a>	PKHD1, fibrocystin/polyductin
hsa-miR-126-5p	<a href="#">KIRREL1</a>	kirre like nephrin family adhesion molecule 1
hsa-miR-126-5p	<a href="#">STEAP2</a>	STEAP2 metalloredutase
hsa-miR-126-5p	<a href="#">RABL3</a>	RAB, member of RAS oncogene family like 3
hsa-miR-126-5p	<a href="#">EBF1</a>	EBF transcription factor 1
hsa-miR-126-5p	<a href="#">ZIC5</a>	Zic family member 5
hsa-miR-126-5p	<a href="#">DBNDD2</a>	dysbindin domain containing 2
hsa-miR-126-5p	<a href="#">C5orf47</a>	chromosome 5 open reading frame 47
hsa-miR-126-5p	<a href="#">ZBTB41</a>	zinc finger and BTB domain containing 41
hsa-miR-126-5p	<a href="#">SLC25A53</a>	solute carrier family 25 member 53
hsa-miR-126-5p	<a href="#">TSHZ3</a>	teashirt zinc finger homeobox 3
hsa-miR-126-5p	<a href="#">TTF2</a>	transcription termination factor 2
hsa-miR-126-5p	<a href="#">AMFR</a>	autocrine motility factor receptor
hsa-miR-126-5p	<a href="#">SRSF12</a>	serine and arginine rich splicing factor 12
hsa-miR-126-5p	<a href="#">TECPR2</a>	tectonin beta-propeller repeat containing 2
hsa-miR-126-5p	<a href="#">ACAN</a>	aggrecan
hsa-miR-126-5p	<a href="#">SYT10</a>	synaptotagmin 10
hsa-miR-126-5p	<a href="#">ADH4</a>	alcohol dehydrogenase 4 (class II), pi polypeptide
hsa-miR-126-5p	<a href="#">VWC2</a>	von Willebrand factor C domain containing 2
hsa-miR-126-5p	<a href="#">RINL</a>	Ras and Rab interactor like
hsa-miR-126-5p	<a href="#">NDUFS1</a>	NADH:ubiquinone oxidoreductase core subunit S1
hsa-miR-126-5p	<a href="#">NWD1</a>	NACHT and WD repeat domain containing 1
hsa-miR-126-5p	<a href="#">CHRNA5</a>	cholinergic receptor nicotinic alpha 5 subunit
hsa-miR-126-5p	<a href="#">EREG</a>	epiregulin
hsa-miR-126-5p	<a href="#">CCDC32</a>	coiled-coil domain containing 32
hsa-miR-126-5p	<a href="#">TMEM41B</a>	transmembrane protein 41B
hsa-miR-126-5p	<a href="#">GUCY1A2</a>	guanylate cyclase 1 soluble subunit alpha 2

hsa-miR-126-5p	<a href="#">RAB30</a>	RAB30, member RAS oncogene family
hsa-miR-126-5p	<a href="#">WFDC13</a>	WAP four-disulfide core domain 13
hsa-miR-126-5p	<a href="#">L2HGDH</a>	L-2-hydroxyglutarate dehydrogenase
hsa-miR-126-5p	<a href="#">LDLRAD2</a>	low density lipoprotein receptor class A domain containing 2
hsa-miR-126-5p	<a href="#">DLG1</a>	discs large MAGUK scaffold protein 1
hsa-miR-126-5p	<a href="#">TBC1D15</a>	TBC1 domain family member 15
hsa-miR-126-5p	<a href="#">TMEM56</a>	transmembrane protein 56
hsa-miR-126-5p	<a href="#">SULT6B1</a>	sulfotransferase family 6B member 1
hsa-miR-126-5p	<a href="#">PPFIA2</a>	PTPRF interacting protein alpha 2
hsa-miR-126-5p	<a href="#">MEX3A</a>	mex-3 RNA binding family member A
hsa-miR-126-5p	<a href="#">METTL17</a>	methyltransferase like 17
hsa-miR-126-5p	<a href="#">FAM111A</a>	family with sequence similarity 111 member A
hsa-miR-126-5p	<a href="#">NCOA7</a>	nuclear receptor coactivator 7
hsa-miR-126-5p	<a href="#">C2CD4A</a>	C2 calcium dependent domain containing 4A
hsa-miR-126-5p	<a href="#">SAMSN1</a>	SAM domain, SH3 domain and nuclear localization signals 1
hsa-miR-126-5p	<a href="#">MFAP4</a>	microfibril associated protein 4
hsa-miR-126-5p	<a href="#">TRIP6</a>	thyroid hormone receptor interactor 6
hsa-miR-126-5p	<a href="#">THAP3</a>	THAP domain containing 3
hsa-miR-126-5p	<a href="#">CHMP5</a>	charged multivesicular body protein 5
hsa-miR-126-5p	<a href="#">SENPF7</a>	SUMO specific peptidase 7
hsa-miR-126-5p	<a href="#">NFIA</a>	nuclear factor I A
hsa-miR-126-5p	<a href="#">CCP110</a>	centriolar coiled-coil protein 110
hsa-miR-126-5p	<a href="#">ELAVL4</a>	ELAV like RNA binding protein 4
hsa-miR-126-5p	<a href="#">SOX6</a>	SRY-box 6
hsa-miR-126-5p	<a href="#">ADAM9</a>	ADAM metallopeptidase domain 9
hsa-miR-126-5p	<a href="#">ZNF135</a>	zinc finger protein 135
hsa-miR-126-5p	<a href="#">CHST7</a>	carbohydrate sulfotransferase 7
hsa-miR-126-5p	<a href="#">SRD5A3</a>	steroid 5 alpha-reductase 3
hsa-miR-126-5p	<a href="#">KL</a>	klotho
hsa-miR-126-5p	<a href="#">VCIPI1</a>	valosin containing protein interacting protein 1
hsa-miR-126-5p	<a href="#">MAT2B</a>	methionine adenosyltransferase 2B
hsa-miR-126-5p	<a href="#">NFAT5</a>	nuclear factor of activated T cells 5
hsa-miR-126-5p	<a href="#">F9</a>	coagulation factor IX
hsa-miR-126-5p	<a href="#">JPH1</a>	junctophilin 1
hsa-miR-126-5p	<a href="#">BICD2</a>	BICD cargo adaptor 2
hsa-miR-126-5p	<a href="#">FGD2</a>	FYVE, RhoGEF and PH domain containing 2
hsa-miR-126-5p	<a href="#">LPP</a>	LIM domain containing preferred translocation partner in lipoma
hsa-miR-126-5p	<a href="#">PCBD2</a>	pterin-4 alpha-carbinolamine dehydratase 2
hsa-miR-126-5p	<a href="#">PTPN20</a>	protein tyrosine phosphatase, non-receptor type 20
hsa-miR-126-5p	<a href="#">ATP8B1</a>	ATPase phospholipid transporting 8B1
hsa-miR-126-5p	<a href="#">MMP16</a>	matrix metallopeptidase 16
hsa-miR-126-5p	<a href="#">HECTD2</a>	HECT domain E3 ubiquitin protein ligase 2
hsa-miR-126-5p	<a href="#">SYNPO2</a>	synaptopodin 2
hsa-miR-126-5p	<a href="#">CCL28</a>	C-C motif chemokine ligand 28
hsa-miR-126-5p	<a href="#">CDCA7</a>	cell division cycle associated 7

hsa-miR-126-5p	<a href="#">NOVA1</a>	NOVA alternative splicing regulator 1
hsa-miR-126-5p	<a href="#">C8orf44-SGK3</a>	C8orf44-SGK3 readthrough
hsa-miR-126-5p	<a href="#">SGK3</a>	serum/glucocorticoid regulated kinase family member 3
hsa-miR-126-5p	<a href="#">CAMK4</a>	calcium/calmodulin dependent protein kinase IV
hsa-miR-126-5p	<a href="#">FRYL</a>	FRY like transcription coactivator
hsa-miR-126-5p	<a href="#">CCR1</a>	C-C motif chemokine receptor 1
hsa-miR-126-5p	<a href="#">NUP43</a>	nucleoporin 43
hsa-miR-126-5p	<a href="#">FUT9</a>	fucosyltransferase 9
hsa-miR-126-5p	<a href="#">SPAST</a>	spastin
hsa-miR-126-5p	<a href="#">CALHM1</a>	calcium homeostasis modulator 1
hsa-miR-126-5p	<a href="#">ARSK</a>	arylsulfatase family member K
hsa-miR-126-5p	<a href="#">MCTP1</a>	multiple C2 and transmembrane domain containing 1
hsa-miR-126-5p	<a href="#">UBE2W</a>	ubiquitin conjugating enzyme E2 W
hsa-miR-126-5p	<a href="#">KCNN3</a>	potassium calcium-activated channel subfamily N member 3
hsa-miR-126-5p	<a href="#">HNMT</a>	histamine N-methyltransferase
hsa-miR-126-5p	<a href="#">RFTN2</a>	raftlin family member 2
hsa-miR-126-5p	<a href="#">PREX2</a>	phosphatidylinositol-3,4,5-trisphosphate dependent Rac exchange factor 2
hsa-miR-126-5p	<a href="#">HOXB5</a>	homeobox B5
hsa-miR-126-5p	<a href="#">MAPK10</a>	mitogen-activated protein kinase 10
hsa-miR-126-5p	<a href="#">PROCR</a>	protein C receptor
hsa-miR-126-5p	<a href="#">C5orf34</a>	chromosome 5 open reading frame 34
hsa-miR-126-5p	<a href="#">PDZD8</a>	PDZ domain containing 8
hsa-miR-126-5p	<a href="#">ZNF695</a>	zinc finger protein 695
hsa-miR-126-5p	<a href="#">ETV1</a>	ETS variant 1
hsa-miR-126-5p	<a href="#">IDS</a>	iduronate 2-sulfatase
hsa-miR-126-5p	<a href="#">SPATA2</a>	spermatogenesis associated 2
hsa-miR-126-5p	<a href="#">MBNL3</a>	muscleblind like splicing regulator 3
hsa-miR-126-5p	<a href="#">TET2</a>	tet methylcytosine dioxygenase 2
hsa-miR-126-5p	<a href="#">LONRF3</a>	LON peptidase N-terminal domain and ring finger 3
hsa-miR-126-5p	<a href="#">HPS5</a>	HPS5, biogenesis of lysosomal organelles complex 2 subunit 2
hsa-miR-126-5p	<a href="#">CYP7B1</a>	cytochrome P450 family 7 subfamily B member 1
hsa-miR-126-5p	<a href="#">ZNF703</a>	zinc finger protein 703
hsa-miR-126-5p	<a href="#">NCAN</a>	neurocan
hsa-miR-126-5p	<a href="#">EDA2R</a>	ectodysplasin A2 receptor
hsa-miR-126-5p	<a href="#">SLC49A4</a>	solute carrier family 49 member 4
hsa-miR-126-5p	<a href="#">DTD1</a>	D-tyrosyl-tRNA deacylase 1
hsa-miR-126-5p	<a href="#">DHX35</a>	DEAH-box helicase 35
hsa-miR-126-5p	<a href="#">AMACR</a>	alpha-methylacyl-CoA racemase
hsa-miR-126-5p	<a href="#">MDH1</a>	malate dehydrogenase 1
hsa-miR-126-5p	<a href="#">SETBP1</a>	SET binding protein 1
hsa-miR-126-5p	<a href="#">CCDC13</a>	coiled-coil domain containing 13
hsa-miR-126-5p	<a href="#">USP14</a>	ubiquitin specific peptidase 14
hsa-miR-126-5p	<a href="#">CLEC1A</a>	C-type lectin domain family 1 member A
hsa-miR-126-5p	<a href="#">PLCB1</a>	phospholipase C beta 1

hsa-miR-126-5p	<a href="#">RGR</a>	retinal G protein coupled receptor
hsa-miR-126-5p	<a href="#">GLYAT</a>	glycine-N-acyltransferase
hsa-miR-126-5p	<a href="#">MGAT3</a>	mannosyl (beta-1,4)-glycoprotein beta-1,4-N-acetylglucosaminyltransferase
hsa-miR-126-5p	<a href="#">TRPC5</a>	transient receptor potential cation channel subfamily C member 5
hsa-miR-126-5p	<a href="#">JARID2</a>	jumonji and AT-rich interaction domain containing 2
hsa-miR-126-5p	<a href="#">DYRK2</a>	dual specificity tyrosine phosphorylation regulated kinase 2
hsa-miR-126-5p	<a href="#">ERGIC2</a>	ERGIC and golgi 2
hsa-miR-126-5p	<a href="#">PSMA1</a>	proteasome subunit alpha 1
hsa-miR-126-5p	<a href="#">ADGRB3</a>	adhesion G protein-coupled receptor B3
hsa-miR-126-5p	<a href="#">TERB2</a>	telomere repeat binding bouquet formation protein 2
hsa-miR-126-5p	<a href="#">ARL5A</a>	ADP ribosylation factor like GTPase 5A
hsa-miR-126-5p	<a href="#">ZNF687</a>	zinc finger protein 687
hsa-miR-126-5p	<a href="#">GRIK1</a>	glutamate ionotropic receptor kainate type subunit 1
hsa-miR-126-5p	<a href="#">RWDD4</a>	RWD domain containing 4
hsa-miR-126-5p	<a href="#">CELF2</a>	CUGBP Elav-like family member 2
hsa-miR-126-5p	<a href="#">SH3BGR</a>	SH3 domain binding glutamate rich protein
hsa-miR-126-5p	<a href="#">AP3B1</a>	adaptor related protein complex 3 subunit beta 1
hsa-miR-126-5p	<a href="#">SLC7A14</a>	solute carrier family 7 member 14
hsa-miR-126-5p	<a href="#">GABRA1</a>	gamma-aminobutyric acid type A receptor alpha1 subunit
hsa-miR-126-5p	<a href="#">CCDC186</a>	coiled-coil domain containing 186
hsa-miR-126-5p	<a href="#">HOXB2</a>	homeobox B2
hsa-miR-126-5p	<a href="#">BLZF1</a>	basic leucine zipper nuclear factor 1
hsa-miR-126-5p	<a href="#">HOXA13</a>	homeobox A13
hsa-miR-126-5p	<a href="#">MCHR2</a>	melanin concentrating hormone receptor 2
hsa-miR-126-5p	<a href="#">SCEL</a>	sciellin
hsa-miR-126-5p	<a href="#">WRB-SH3BGR</a>	WRB-SH3BGR readthrough
hsa-miR-126-5p	<a href="#">OPRT</a>	quinolinate phosphoribosyltransferase
hsa-miR-126-5p	<a href="#">NFXL1</a>	nuclear transcription factor, X-box binding like 1
hsa-miR-126-5p	<a href="#">CNOT4</a>	CCR4-NOT transcription complex subunit 4
hsa-miR-126-5p	<a href="#">KMT5A</a>	lysine methyltransferase 5A
hsa-miR-126-5p	<a href="#">QRSL1</a>	QRSL1, glutaminyl-tRNA amidotransferase subunit A
hsa-miR-126-5p	<a href="#">GASK1B</a>	golgi associated kinase 1B
hsa-miR-126-5p	<a href="#">RECK</a>	reversion inducing cysteine rich protein with kazal motifs
hsa-miR-126-5p	<a href="#">WDHD1</a>	WD repeat and HMG-box DNA binding protein 1
hsa-miR-126-5p	<a href="#">PDLIM5</a>	PDZ and LIM domain 5
hsa-miR-126-5p	<a href="#">RASA2</a>	RAS p21 protein activator 2
hsa-miR-126-5p	<a href="#">PIAS2</a>	protein inhibitor of activated STAT 2
hsa-miR-126-5p	<a href="#">CDC14B</a>	cell division cycle 14B
hsa-miR-126-5p	<a href="#">AK2</a>	adenylate kinase 2
hsa-miR-126-5p	<a href="#">ERICH4</a>	glutamate rich 4
hsa-miR-126-5p	<a href="#">CHIC1</a>	cysteine rich hydrophobic domain 1
hsa-miR-126-5p	<a href="#">KRAS</a>	KRAS proto-oncogene, GTPase
hsa-miR-126-5p	<a href="#">KLHL32</a>	kelch like family member 32
hsa-miR-126-5p	<a href="#">ABCA5</a>	ATP binding cassette subfamily A member 5



hsa-miR-126-5p	<a href="#">SHISA3</a>	shisa family member 3
hsa-miR-126-5p	<a href="#">SLC2A11</a>	solute carrier family 2 member 11
hsa-miR-126-5p	<a href="#">SRFBP1</a>	serum response factor binding protein 1
hsa-miR-126-5p	<a href="#">BDH2</a>	3-hydroxybutyrate dehydrogenase 2
hsa-miR-126-5p	<a href="#">EGFL6</a>	EGF like domain multiple 6
hsa-miR-126-5p	<a href="#">GRM8</a>	glutamate metabotropic receptor 8
hsa-miR-126-5p	<a href="#">PTPN12</a>	protein tyrosine phosphatase, non-receptor type 12
hsa-miR-126-5p	<a href="#">RP2</a>	RP2, ARL3 GTPase activating protein
hsa-miR-126-5p	<a href="#">KAT2B</a>	lysine acetyltransferase 2B
hsa-miR-126-5p	<a href="#">EIF4A2</a>	eukaryotic translation initiation factor 4A2
hsa-miR-126-5p	<a href="#">SF3A1</a>	splicing factor 3a subunit 1
hsa-miR-126-5p	<a href="#">CSF1</a>	colony stimulating factor 1
hsa-miR-126-5p	<a href="#">DGKI</a>	diacylglycerol kinase iota
hsa-miR-126-5p	<a href="#">PWWP2A</a>	PWWP domain containing 2A
hsa-miR-126-5p	<a href="#">IKZF2</a>	IKAROS family zinc finger 2
hsa-miR-126-5p	<a href="#">RBM41</a>	RNA binding motif protein 41
hsa-miR-126-5p	<a href="#">AHR</a>	aryl hydrocarbon receptor
hsa-miR-126-5p	<a href="#">LRRTM3</a>	leucine rich repeat transmembrane neuronal 3
hsa-miR-126-5p	<a href="#">PHKB</a>	phosphorylase kinase regulatory subunit beta
hsa-miR-126-5p	<a href="#">HSD11B1</a>	hydroxysteroid 11-beta dehydrogenase 1
hsa-miR-126-5p	<a href="#">FPGT</a>	fucose-1-phosphate guanylyltransferase
hsa-miR-126-5p	<a href="#">DCAF13</a>	DDB1 and CUL4 associated factor 13
hsa-miR-126-5p	<a href="#">ZNF33B</a>	zinc finger protein 33B
hsa-miR-126-5p	<a href="#">FABP3</a>	fatty acid binding protein 3
hsa-miR-126-5p	<a href="#">WASHC4</a>	WASH complex subunit 4
hsa-miR-126-5p	<a href="#">GOSR1</a>	golgi SNAP receptor complex member 1
hsa-miR-126-5p	<a href="#">REPS2</a>	RALBP1 associated Eps domain containing 2
hsa-miR-126-5p	<a href="#">SP5</a>	Sp5 transcription factor
hsa-miR-126-5p	<a href="#">MAATS1</a>	MYCBP associated and testis expressed 1
hsa-miR-126-5p	<a href="#">PAX2</a>	paired box 2
hsa-miR-126-5p	<a href="#">ABCD3</a>	ATP binding cassette subfamily D member 3
hsa-miR-126-5p	<a href="#">PATE1</a>	prostate and testis expressed 1
hsa-miR-126-5p	<a href="#">CHURC1</a>	churchill domain containing 1
hsa-miR-126-5p	<a href="#">TMEM33</a>	transmembrane protein 33
hsa-miR-126-5p	<a href="#">SLC41A2</a>	solute carrier family 41 member 2
hsa-miR-126-5p	<a href="#">PEX13</a>	peroxisomal biogenesis factor 13
hsa-miR-126-5p	<a href="#">HYDIN</a>	HYDIN, axonemal central pair apparatus protein
hsa-miR-126-5p	<a href="#">PPP1R10</a>	protein phosphatase 1 regulatory subunit 10
hsa-miR-126-5p	<a href="#">FGG</a>	fibrinogen gamma chain
hsa-miR-126-5p	<a href="#">PMS1</a>	PMS1 homolog 1, mismatch repair system component
hsa-miR-126-5p	<a href="#">ARID2</a>	AT-rich interaction domain 2
hsa-miR-126-5p	<a href="#">TCHH</a>	trichohyalin
hsa-miR-126-5p	<a href="#">FMC1-LUC7L2</a>	FMC1-LUC7L2 readthrough
hsa-miR-126-5p	<a href="#">LUC7L2</a>	LUC7 like 2, pre-mRNA splicing factor
hsa-miR-126-5p	<a href="#">DLL4</a>	delta like canonical Notch ligand 4



hsa-miR-126-5p	<a href="#">SSBP3</a>	single stranded DNA binding protein 3
hsa-miR-126-5p	<a href="#">C22orf39</a>	chromosome 22 open reading frame 39
hsa-miR-126-5p	<a href="#">TRAF6</a>	TNF receptor associated factor 6
hsa-miR-126-5p	<a href="#">TRDN</a>	triadin
hsa-miR-126-5p	<a href="#">UTRN</a>	utrophin
hsa-miR-126-5p	<a href="#">VWA8</a>	von Willebrand factor A domain containing 8
hsa-miR-126-5p	<a href="#">PRPF8</a>	pre-mRNA processing factor 8
hsa-miR-126-5p	<a href="#">SEMA6D</a>	semaphorin 6D
hsa-miR-126-5p	<a href="#">CSF2RA</a>	colony stimulating factor 2 receptor alpha subunit
hsa-miR-126-5p	<a href="#">IPT2</a>	Jupiter microtubule associated homolog 2
hsa-miR-126-5p	<a href="#">EPOR</a>	erythropoietin receptor
hsa-miR-126-5p	<a href="#">C21orf91</a>	chromosome 21 open reading frame 91
hsa-miR-126-5p	<a href="#">ZIC2</a>	Zic family member 2
hsa-miR-126-5p	<a href="#">PF4</a>	platelet factor 4
hsa-miR-126-5p	<a href="#">GMPPB</a>	GDP-mannose pyrophosphorylase B
hsa-miR-126-5p	<a href="#">FNDC9</a>	fibronectin type III domain containing 9
hsa-miR-126-5p	<a href="#">TEP1</a>	telomerase associated protein 1
hsa-miR-126-5p	<a href="#">APOPT1</a>	apoptogenic 1, mitochondrial
hsa-miR-126-5p	<a href="#">THRB</a>	thyroid hormone receptor beta
hsa-miR-126-5p	<a href="#">PTGS2</a>	prostaglandin-endoperoxide synthase 2
hsa-miR-126-5p	<a href="#">HERC3</a>	HECT and RLD domain containing E3 ubiquitin protein ligase 3
hsa-miR-126-5p	<a href="#">EFR3A</a>	EFR3 homolog A
hsa-miR-126-5p	<a href="#">GINS1</a>	GINS complex subunit 1
hsa-miR-126-5p	<a href="#">PRAMEF2</a>	PRAME family member 2
hsa-miR-126-5p	<a href="#">AIMP1</a>	aminoacyl tRNA synthetase complex interacting multifunctional protein 1
hsa-miR-126-5p	<a href="#">BCAP29</a>	B cell receptor associated protein 29
hsa-miR-126-5p	<a href="#">DENND6A</a>	DENN domain containing 6A
hsa-miR-126-5p	<a href="#">KIF14</a>	kinesin family member 14
hsa-miR-126-5p	<a href="#">NRG1</a>	neuregulin 1
hsa-miR-126-5p	<a href="#">ICK</a>	intestinal cell kinase
hsa-miR-126-5p	<a href="#">VPS13C</a>	vacuolar protein sorting 13 homolog C
hsa-miR-126-5p	<a href="#">CTNNA3</a>	catenin alpha 3
hsa-miR-126-5p	<a href="#">KLHL7</a>	kelch like family member 7
hsa-miR-126-5p	<a href="#">LRRC74B</a>	leucine rich repeat containing 74B
hsa-miR-126-5p	<a href="#">UBA3</a>	ubiquitin like modifier activating enzyme 3
hsa-miR-126-5p	<a href="#">MBLAC2</a>	metallo-beta-lactamase domain containing 2
hsa-miR-126-5p	<a href="#">MED11</a>	mediator complex subunit 11
hsa-miR-126-5p	<a href="#">ANTXR2</a>	ANTXR cell adhesion molecule 2
hsa-miR-126-5p	<a href="#">ODR4</a>	odr-4 GPCR localization factor homolog
hsa-miR-126-5p	<a href="#">RGS5</a>	regulator of G protein signaling 5
hsa-miR-126-5p	<a href="#">PGAM4</a>	phosphoglycerate mutase family member 4
hsa-miR-126-5p	<a href="#">CACNB4</a>	calcium voltage-gated channel auxiliary subunit beta 4
hsa-miR-126-5p	<a href="#">P2RY12</a>	purinergic receptor P2Y12
hsa-miR-126-5p	<a href="#">ZBTB20</a>	zinc finger and BTB domain containing 20

hsa-miR-126-5p	<a href="#">ZNF333</a>	zinc finger protein 333
hsa-miR-126-5p	<a href="#">CALHM3</a>	calcium homeostasis modulator 3
hsa-miR-126-5p	<a href="#">SLC16A7</a>	solute carrier family 16 member 7
hsa-miR-126-5p	<a href="#">KBTBD6</a>	kelch repeat and BTB domain containing 6
hsa-miR-126-5p	<a href="#">IL7</a>	interleukin 7
hsa-miR-126-5p	<a href="#">PLAG1</a>	PLAG1 zinc finger
hsa-miR-126-5p	<a href="#">LTN1</a>	listerin E3 ubiquitin protein ligase 1
hsa-miR-126-5p	<a href="#">PRKCA</a>	protein kinase C alpha
hsa-miR-126-5p	<a href="#">FSIP1</a>	fibrous sheath interacting protein 1
hsa-miR-126-5p	<a href="#">GPBP1</a>	GC-rich promoter binding protein 1
hsa-miR-126-5p	<a href="#">PHF23</a>	PHD finger protein 23
hsa-miR-126-5p	<a href="#">SLIT2</a>	slit guidance ligand 2
hsa-miR-126-5p	<a href="#">ARID1A</a>	AT-rich interaction domain 1A
hsa-miR-126-5p	<a href="#">ANTXR1</a>	ANTXR cell adhesion molecule 1
hsa-miR-126-5p	<a href="#">FAM8A1</a>	family with sequence similarity 8 member A1
hsa-miR-126-5p	<a href="#">DLK1</a>	delta like non-canonical Notch ligand 1
hsa-miR-126-5p	<a href="#">FAR2</a>	fatty acyl-CoA reductase 2
hsa-miR-126-5p	<a href="#">TMEM65</a>	transmembrane protein 65
hsa-miR-126-5p	<a href="#">EXD2</a>	exonuclease 3'-5' domain containing 2
hsa-miR-126-5p	<a href="#">SLC26A7</a>	solute carrier family 26 member 7
hsa-miR-126-5p	<a href="#">ELK4</a>	ELK4, ETS transcription factor
hsa-miR-126-5p	<a href="#">ELAVL3</a>	ELAV like RNA binding protein 3
hsa-miR-126-5p	<a href="#">EPGN</a>	epithelial mitogen
hsa-miR-126-5p	<a href="#">ZBTB7C</a>	zinc finger and BTB domain containing 7C
hsa-miR-126-5p	<a href="#">FAXC</a>	failed axon connections homolog
hsa-miR-126-5p	<a href="#">UBN2</a>	ubiquitin 2
hsa-miR-126-5p	<a href="#">PTPN4</a>	protein tyrosine phosphatase, non-receptor type 4
hsa-miR-126-5p	<a href="#">B4GALT4</a>	beta-1,4-galactosyltransferase 4
hsa-miR-126-5p	<a href="#">PPP6R3</a>	protein phosphatase 6 regulatory subunit 3
hsa-miR-126-5p	<a href="#">GABRA5</a>	gamma-aminobutyric acid type A receptor alpha5 subunit
hsa-miR-126-5p	<a href="#">ZIC1</a>	Zic family member 1
hsa-miR-126-5p	<a href="#">MEF2D</a>	myocyte enhancer factor 2D
hsa-miR-126-5p	<a href="#">ZKSCAN8</a>	zinc finger with KRAB and SCAN domains 8
hsa-miR-126-5p	<a href="#">HMCN1</a>	hemicentin 1
hsa-miR-126-5p	<a href="#">TCP10L2</a>	t-complex 10 like 2
hsa-miR-126-5p	<a href="#">ST8SIA3</a>	ST8 alpha-N-acetyl-neuraminide alpha-2,8-sialyltransferase 3
hsa-miR-126-5p	<a href="#">CYS1</a>	cystin 1
hsa-miR-126-5p	<a href="#">GRIN2A</a>	glutamate ionotropic receptor NMDA type subunit 2A
hsa-miR-126-5p	<a href="#">TGFB1</a>	transforming growth factor beta induced
hsa-miR-126-5p	<a href="#">CPEB4</a>	cytoplasmic polyadenylation element binding protein 4
hsa-miR-126-5p	<a href="#">L3MBTL4</a>	L3MBTL4, histone methyl-lysine binding protein
hsa-miR-126-5p	<a href="#">SGPP1</a>	sphingosine-1-phosphate phosphatase 1
hsa-miR-126-5p	<a href="#">IAH1</a>	isoamyl acetate hydrolyzing esterase 1 (putative)
hsa-miR-126-5p	<a href="#">ARL13B</a>	ADP ribosylation factor like GTPase 13B
hsa-miR-126-5p	<a href="#">PPIF</a>	peptidylprolyl isomerase F

hsa-miR-126-5p	<a href="#">CD2AP</a>	CD2 associated protein
hsa-miR-126-5p	<a href="#">TRMT10A</a>	tRNA methyltransferase 10A
hsa-miR-126-5p	<a href="#">COLEC12</a>	collectin subfamily member 12
hsa-miR-126-5p	<a href="#">C17orf75</a>	chromosome 17 open reading frame 75
hsa-miR-126-5p	<a href="#">DCDC2</a>	doublecortin domain containing 2
hsa-miR-126-5p	<a href="#">PNLIPRP3</a>	pancreatic lipase related protein 3
hsa-miR-126-5p	<a href="#">FAM199X</a>	family with sequence similarity 199, X-linked
hsa-miR-126-5p	<a href="#">IFI44</a>	interferon induced protein 44
hsa-miR-126-5p	<a href="#">LARP4</a>	La ribonucleoprotein domain family member 4
hsa-miR-126-5p	<a href="#">ZNF10</a>	zinc finger protein 10
hsa-miR-126-5p	<a href="#">MOG</a>	myelin oligodendrocyte glycoprotein
hsa-miR-126-5p	<a href="#">PGC</a>	progastricsin
hsa-miR-126-5p	<a href="#">CUBN</a>	cubilin
hsa-miR-126-5p	<a href="#">OSTF1</a>	osteoclast stimulating factor 1
hsa-miR-126-5p	<a href="#">MSR1</a>	macrophage scavenger receptor 1
hsa-miR-126-5p	<a href="#">PPARGC1A</a>	PPARG coactivator 1 alpha
hsa-miR-126-5p	<a href="#">COL11A1</a>	collagen type XI alpha 1 chain
hsa-miR-126-5p	<a href="#">DAPP1</a>	dual adaptor of phosphotyrosine and 3-phosphoinositides 1
hsa-miR-126-5p	<a href="#">NEGR1</a>	neuronal growth regulator 1
hsa-miR-126-5p	<a href="#">KRT78</a>	keratin 78
hsa-miR-126-5p	<a href="#">SMCHD1</a>	structural maintenance of chromosomes flexible hinge domain containing 1
hsa-miR-126-5p	<a href="#">WNT3</a>	Wnt family member 3
hsa-miR-126-5p	<a href="#">USP12</a>	ubiquitin specific peptidase 12
hsa-miR-126-5p	<a href="#">NACC2</a>	NACC family member 2
hsa-miR-126-5p	<a href="#">LETM2</a>	leucine zipper and EF-hand containing transmembrane protein 2
hsa-miR-126-5p	<a href="#">GSK3B</a>	glycogen synthase kinase 3 beta
hsa-miR-126-5p	<a href="#">STX17</a>	syntaxin 17
hsa-miR-126-5p	<a href="#">CDK19</a>	cyclin dependent kinase 19
hsa-miR-126-5p	<a href="#">FAM129A</a>	family with sequence similarity 129 member A
hsa-miR-126-5p	<a href="#">PEX5L</a>	peroxisomal biogenesis factor 5 like
hsa-miR-126-5p	<a href="#">TGFBRI</a>	transforming growth factor beta receptor 1
hsa-miR-126-5p	<a href="#">RSPO3</a>	R-spondin 3
hsa-miR-126-5p	<a href="#">DNAJB4</a>	DnaJ heat shock protein family (Hsp40) member B4
hsa-miR-126-5p	<a href="#">LRRC3B</a>	leucine rich repeat containing 3B
hsa-miR-126-5p	<a href="#">TANK</a>	TRAF family member associated NFkB activator
hsa-miR-126-5p	<a href="#">PAN3</a>	poly(A) specific ribonuclease subunit PAN3
hsa-miR-126-5p	<a href="#">LIN9</a>	lin-9 DREAM MuvB core complex component
hsa-miR-126-5p	<a href="#">GRB2</a>	growth factor receptor bound protein 2
hsa-miR-126-5p	<a href="#">DKK1</a>	dickkopf WNT signaling pathway inhibitor 1
hsa-miR-126-5p	<a href="#">CTBS</a>	chitinase
hsa-miR-126-5p	<a href="#">SPRY4</a>	sprouty RTK signaling antagonist 4
hsa-miR-126-5p	<a href="#">INAFM2</a>	InaF motif containing 2
hsa-miR-126-5p	<a href="#">MAP3K13</a>	mitogen-activated protein kinase kinase kinase 13
hsa-miR-126-5p	<a href="#">WASHC3</a>	WASH complex subunit 3

hsa-miR-126-5p	<a href="#">EIF3J</a>	eukaryotic translation initiation factor 3 subunit J
hsa-miR-126-5p	<a href="#">LRCH2</a>	leucine rich repeats and calponin homology domain containing 2
hsa-miR-126-5p	<a href="#">CALCB</a>	calcitonin related polypeptide beta
hsa-miR-126-5p	<a href="#">KPNA4</a>	karyopherin subunit alpha 4
hsa-miR-126-5p	<a href="#">UNC5D</a>	unc-5 netrin receptor D
hsa-miR-126-5p	<a href="#">DMBX1</a>	diencephalon/mesencephalon homeobox 1
hsa-miR-126-5p	<a href="#">KCNV1</a>	potassium voltage-gated channel modifier subfamily V member 1
hsa-miR-126-5p	<a href="#">UGT2B17</a>	UDP glucuronosyltransferase family 2 member B17
hsa-miR-126-5p	<a href="#">MAN1A1</a>	mannosidase alpha class 1A member 1
hsa-miR-126-5p	<a href="#">NXT2</a>	nuclear transport factor 2 like export factor 2
hsa-miR-126-5p	<a href="#">KIAA1549L</a>	KIAA1549 like
hsa-miR-126-5p	<a href="#">GPSM1</a>	G protein signaling modulator 1
hsa-miR-126-5p	<a href="#">SLITRK4</a>	SLIT and NTRK like family member 4
hsa-miR-126-5p	<a href="#">ODAPH</a>	odontogenesis associated phosphoprotein
hsa-miR-126-5p	<a href="#">RGS4</a>	regulator of G protein signaling 4
hsa-miR-126-5p	<a href="#">ITGB6</a>	integrin subunit beta 6
hsa-miR-126-5p	<a href="#">TAOK3</a>	TAO kinase 3
hsa-miR-126-5p	<a href="#">NLK</a>	nemo like kinase
hsa-miR-126-5p	<a href="#">ZBTB18</a>	zinc finger and BTB domain containing 18
hsa-miR-126-5p	<a href="#">ACVR2B</a>	activin A receptor type 2B
hsa-miR-126-5p	<a href="#">CREB1</a>	cAMP responsive element binding protein 1
hsa-miR-126-5p	<a href="#">ENOX2</a>	ecto-NOX disulfide-thiol exchanger 2
hsa-miR-126-5p	<a href="#">ADCYAP1</a>	adenylate cyclase activating polypeptide 1
hsa-miR-126-5p	<a href="#">PRAMEF13</a>	PRAME family member 13
hsa-miR-126-5p	<a href="#">GLE1</a>	GLE1, RNA export mediator
hsa-miR-126-5p	<a href="#">TMX4</a>	thioredoxin related transmembrane protein 4
hsa-miR-126-5p	<a href="#">FAM78A</a>	family with sequence similarity 78 member A
hsa-miR-126-5p	<a href="#">RAB31</a>	RAB31, member RAS oncogene family
hsa-miR-126-5p	<a href="#">WDR64</a>	WD repeat domain 64
hsa-miR-126-5p	<a href="#">PPP1R1C</a>	protein phosphatase 1 regulatory inhibitor subunit 1C
hsa-miR-126-5p	<a href="#">PRAMEF14</a>	PRAME family member 14
hsa-miR-126-5p	<a href="#">RSBN1</a>	round spermatid basic protein 1
hsa-miR-126-5p	<a href="#">NHLRC2</a>	NHL repeat containing 2
hsa-miR-126-5p	<a href="#">PRAMEF1</a>	PRAME family member 1
hsa-miR-126-5p	<a href="#">ADGRG2</a>	adhesion G protein-coupled receptor G2
hsa-miR-126-5p	<a href="#">ZDHHC20</a>	zinc finger DHHC-type containing 20
hsa-miR-126-5p	<a href="#">CAVIN2</a>	caveolae associated protein 2
hsa-miR-126-5p	<a href="#">DPY19L2</a>	dpy-19 like 2
hsa-miR-126-5p	<a href="#">KMT2A</a>	lysine methyltransferase 2A
hsa-miR-126-5p	<a href="#">NDUFAF3</a>	NADH:ubiquinone oxidoreductase complex assembly factor 3
hsa-miR-126-5p	<a href="#">LRRC8D</a>	leucine rich repeat containing 8 VRAC subunit D
hsa-miR-126-5p	<a href="#">HPSE</a>	heparanase
hsa-miR-126-5p	<a href="#">DICER1</a>	dicer 1, ribonuclease III
hsa-miR-126-5p	<a href="#">OCLN</a>	occludin
hsa-miR-126-5p	<a href="#">IMPAD1</a>	inositol monophosphatase domain containing 1

hsa-miR-126-5p	<a href="#">MLPH</a>	melanophilin
hsa-miR-126-5p	<a href="#">EPS15</a>	epidermal growth factor receptor pathway substrate 15
hsa-miR-126-5p	<a href="#">UHRF1BP1L</a>	UHRF1 binding protein 1 like
hsa-miR-126-5p	<a href="#">CA1</a>	carbonic anhydrase 1
hsa-miR-126-5p	<a href="#">RXFP1</a>	relaxin family peptide receptor 1
hsa-miR-126-5p	<a href="#">XIRP2</a>	xin actin binding repeat containing 2
hsa-miR-126-5p	<a href="#">PLIN1</a>	perilipin 1
hsa-miR-126-5p	<a href="#">RTN4RL1</a>	reticulon 4 receptor like 1
hsa-miR-126-5p	<a href="#">FRMPD4</a>	FERM and PDZ domain containing 4
hsa-miR-126-5p	<a href="#">USP10</a>	ubiquitin specific peptidase 10
hsa-miR-126-5p	<a href="#">SLC19A2</a>	solute carrier family 19 member 2
hsa-miR-126-5p	<a href="#">PRXL2A</a>	peroxiredoxin like 2A
hsa-miR-126-5p	<a href="#">ZNF33A</a>	zinc finger protein 33A
hsa-miR-126-5p	<a href="#">MORC1</a>	MORC family CW-type zinc finger 1
hsa-miR-126-5p	<a href="#">MMS22L</a>	MMS22 like, DNA repair protein
hsa-miR-126-5p	<a href="#">PCDH7</a>	protocadherin 7
hsa-miR-126-5p	<a href="#">HPN</a>	hepsin
hsa-miR-126-5p	<a href="#">UBE3C</a>	ubiquitin protein ligase E3C
hsa-miR-126-5p	<a href="#">C6orf136</a>	chromosome 6 open reading frame 136
hsa-miR-126-5p	<a href="#">AHCTF1</a>	AT-hook containing transcription factor 1
hsa-miR-126-5p	<a href="#">COMMD10</a>	COMM domain containing 10
hsa-miR-126-5p	<a href="#">WDR5B</a>	WD repeat domain 5B
hsa-miR-126-5p	<a href="#">BRAT1</a>	BRCA1 associated ATM activator 1
hsa-miR-126-5p	<a href="#">CHMP3</a>	charged multivesicular body protein 3
hsa-miR-126-5p	<a href="#">MSRB3</a>	methionine sulfoxide reductase B3
hsa-miR-126-5p	<a href="#">TAF9</a>	TATA-box binding protein associated factor 9
hsa-miR-126-5p	<a href="#">GTF2F1</a>	general transcription factor IIF subunit 1
hsa-miR-126-5p	<a href="#">SLC6A15</a>	solute carrier family 6 member 15
hsa-miR-126-5p	<a href="#">ANKRD20A1</a>	ankyrin repeat domain 20 family member A1
hsa-miR-126-5p	<a href="#">HMGXB4</a>	HMG-box containing 4
hsa-miR-126-5p	<a href="#">SNRPN</a>	small nuclear ribonucleoprotein polypeptide N
hsa-miR-126-5p	<a href="#">LONRF2</a>	LON peptidase N-terminal domain and ring finger 2
hsa-miR-126-5p	<a href="#">CCDC149</a>	coiled-coil domain containing 149
hsa-miR-126-5p	<a href="#">TNFSF4</a>	TNF superfamily member 4
hsa-miR-126-5p	<a href="#">SOGA1</a>	suppressor of glucose, autophagy associated 1
hsa-miR-126-5p	<a href="#">CCNT2</a>	cyclin T2
hsa-miR-126-5p	<a href="#">NF1</a>	neurofibromin 1
hsa-miR-126-5p	<a href="#">AASDHPPT</a>	amino adipate-semialdehyde dehydrogenase-phosphopantetheinyl transferase
hsa-miR-126-5p	<a href="#">ANKRD20A4</a>	ankyrin repeat domain 20 family member A4
hsa-miR-126-5p	<a href="#">RNF103-CHMP3</a>	RNF103-CHMP3 readthrough
hsa-miR-126-5p	<a href="#">POFUT1</a>	protein O-fucosyltransferase 1
hsa-miR-126-5p	<a href="#">MINDY2</a>	MINDY lysine 48 deubiquitinase 2
hsa-miR-126-5p	<a href="#">DUSP28</a>	dual specificity phosphatase 28
hsa-miR-126-5p	<a href="#">MAP3K7</a>	mitogen-activated protein kinase kinase kinase 7

hsa-miR-126-5p	<a href="#">ANKRD20A2</a>	ankyrin repeat domain 20 family member A2
hsa-miR-126-5p	<a href="#">C21orf62</a>	chromosome 21 open reading frame 62
hsa-miR-126-5p	<a href="#">RASEF</a>	RAS and EF-hand domain containing
hsa-miR-126-5p	<a href="#">NXT1</a>	nuclear transport factor 2 like export factor 1
hsa-miR-126-5p	<a href="#">SMS</a>	spermine synthase
hsa-miR-126-5p	<a href="#">REG3G</a>	regenerating family member 3 gamma
hsa-miR-126-5p	<a href="#">MINAR1</a>	membrane integral NOTCH2 associated receptor 1
hsa-miR-126-5p	<a href="#">CHUK</a>	conserved helix-loop-helix ubiquitous kinase
hsa-miR-126-5p	<a href="#">STARD4</a>	StAR related lipid transfer domain containing 4
hsa-miR-126-5p	<a href="#">CLEC12B</a>	C-type lectin domain family 12 member B
hsa-miR-126-5p	<a href="#">VGLL1</a>	vestigial like family member 1
hsa-miR-126-5p	<a href="#">CCDC14</a>	coiled-coil domain containing 14
hsa-miR-126-5p	<a href="#">CDK13</a>	cyclin dependent kinase 13
hsa-miR-126-5p	<a href="#">IFFO1</a>	intermediate filament family orphan 1
hsa-miR-126-5p	<a href="#">STRN</a>	striatin
hsa-miR-126-5p	<a href="#">AKAP4</a>	A-kinase anchoring protein 4
hsa-miR-126-5p	<a href="#">GATA3</a>	GATA binding protein 3
hsa-miR-126-5p	<a href="#">ZFAND5</a>	zinc finger AN1-type containing 5
hsa-miR-126-5p	<a href="#">CASP3</a>	caspase 3
hsa-miR-126-5p	<a href="#">STK17B</a>	serine/threonine kinase 17b
hsa-miR-126-5p	<a href="#">PHC3</a>	polyhomeotic homolog 3
hsa-miR-126-5p	<a href="#">TMEM266</a>	transmembrane protein 266
hsa-miR-126-5p	<a href="#">LMO4</a>	LIM domain only 4
hsa-miR-126-5p	<a href="#">C2orf69</a>	chromosome 2 open reading frame 69
hsa-miR-126-5p	<a href="#">TOB1</a>	transducer of ERBB2, 1
hsa-miR-126-5p	<a href="#">NR1D2</a>	nuclear receptor subfamily 1 group D member 2
hsa-miR-126-5p	<a href="#">SFRP4</a>	secreted frizzled related protein 4
hsa-miR-126-5p	<a href="#">NUDT12</a>	nudix hydrolase 12
hsa-miR-126-5p	<a href="#">PHLPP1</a>	PH domain and leucine rich repeat protein phosphatase 1
hsa-miR-126-5p	<a href="#">NHSL1</a>	NHS like 1
hsa-miR-126-5p	<a href="#">IL17D</a>	interleukin 17D
hsa-miR-126-5p	<a href="#">ASCC3</a>	activating signal cointegrator 1 complex subunit 3
hsa-miR-126-5p	<a href="#">BAIAP2L1</a>	BAI1 associated protein 2 like 1
hsa-miR-126-5p	<a href="#">FGF2</a>	fibroblast growth factor 2
hsa-miR-126-5p	<a href="#">SELENOT</a>	selenoprotein T
hsa-miR-126-5p	<a href="#">LACC1</a>	laccase domain containing 1
hsa-miR-126-5p	<a href="#">LOC100130451</a>	uncharacterized LOC100130451
hsa-miR-126-5p	<a href="#">TFEC</a>	transcription factor EC
hsa-miR-126-5p	<a href="#">POLR2K</a>	RNA polymerase II subunit K
hsa-miR-126-5p	<a href="#">ASTN1</a>	astrotactin 1
hsa-miR-126-5p	<a href="#">GAS2L3</a>	growth arrest specific 2 like 3
hsa-miR-126-5p	<a href="#">TMEM209</a>	transmembrane protein 209
hsa-miR-126-5p	<a href="#">GALNT4</a>	polypeptide N-acetylgalactosaminyltransferase 4
hsa-miR-126-5p	<a href="#">MED14</a>	mediator complex subunit 14
hsa-miR-126-5p	<a href="#">FKTN</a>	fukutin



hsa-miR-126-5p	<a href="#">KLF17</a>	Kruppel like factor 17
hsa-miR-126-5p	<a href="#">AFG1L</a>	AFG1 like ATPase
hsa-miR-126-5p	<a href="#">GRIA2</a>	glutamate ionotropic receptor AMPA type subunit 2
hsa-miR-126-5p	<a href="#">USP47</a>	ubiquitin specific peptidase 47
hsa-miR-126-5p	<a href="#">ZRANB1</a>	zinc finger RANBP2-type containing 1
hsa-miR-126-5p	<a href="#">SSX2IP</a>	SSX family member 2 interacting protein
hsa-miR-126-5p	<a href="#">POC1B-GALNT4</a>	POC1B-GALNT4 readthrough
hsa-miR-126-5p	<a href="#">SYS1</a>	SYS1, golgi trafficking protein
hsa-miR-126-5p	<a href="#">DAP3</a>	death associated protein 3
hsa-miR-126-5p	<a href="#">NSL1</a>	NSL1, MIS12 kinetochore complex component
hsa-miR-126-5p	<a href="#">NCAPH</a>	non-SMC condensin I complex subunit H
hsa-miR-126-5p	<a href="#">CADM2</a>	cell adhesion molecule 2
hsa-miR-126-5p	<a href="#">C16orf72</a>	chromosome 16 open reading frame 72
hsa-miR-126-5p	<a href="#">CEP126</a>	centrosomal protein 126
hsa-miR-126-5p	<a href="#">SLC35A3</a>	solute carrier family 35 member A3
hsa-miR-126-5p	<a href="#">BMP3</a>	bone morphogenetic protein 3
hsa-miR-126-5p	<a href="#">FCHO2</a>	FCH domain only 2
hsa-miR-126-5p	<a href="#">TMEM59</a>	transmembrane protein 59
hsa-miR-126-5p	<a href="#">CRBN</a>	cereblon
hsa-miR-126-5p	<a href="#">CADM1</a>	cell adhesion molecule 1
hsa-miR-126-5p	<a href="#">DBR1</a>	debranching RNA lariats 1
hsa-miR-126-5p	<a href="#">C11orf87</a>	chromosome 11 open reading frame 87
hsa-miR-126-5p	<a href="#">ST8SIA4</a>	ST8 alpha-N-acetyl-neuraminide alpha-2,8-sialyltransferase 4
hsa-miR-126-5p	<a href="#">NAPG</a>	NSF attachment protein gamma
hsa-miR-126-5p	<a href="#">UPRT</a>	uracil phosphoribosyltransferase homolog
hsa-miR-126-5p	<a href="#">CACNA1A</a>	calcium voltage-gated channel subunit alpha1 A
hsa-miR-126-5p	<a href="#">SH3BGRL2</a>	SH3 domain binding glutamate rich protein like 2
hsa-miR-126-5p	<a href="#">ACER3</a>	alkaline ceramidase 3
hsa-miR-126-5p	<a href="#">EYA4</a>	EYA transcriptional coactivator and phosphatase 4
hsa-miR-126-5p	<a href="#">SLC25A15</a>	solute carrier family 25 member 15
hsa-miR-126-5p	<a href="#">LRCH1</a>	leucine rich repeats and calponin homology domain containing 1
hsa-miR-126-5p	<a href="#">CEP170</a>	centrosomal protein 170
hsa-miR-126-5p	<a href="#">GPATCH2L</a>	G-patch domain containing 2 like
hsa-miR-126-5p	<a href="#">PLEKHH2</a>	pleckstrin homology, MyTH4 and FERM domain containing H2
hsa-miR-126-5p	<a href="#">BTC</a>	betacellulin
hsa-miR-126-5p	<a href="#">RASSF6</a>	Ras association domain family member 6
hsa-miR-126-5p	<a href="#">MAP2</a>	microtubule associated protein 2
hsa-miR-126-5p	<a href="#">PTPN22</a>	protein tyrosine phosphatase, non-receptor type 22
hsa-miR-126-5p	<a href="#">SMIM11B</a>	small integral membrane protein 11B
hsa-miR-126-5p	<a href="#">C10orf126</a>	chromosome 10 open reading frame 126
hsa-miR-126-5p	<a href="#">HOMEZ</a>	homeobox and leucine zipper encoding
hsa-miR-126-5p	<a href="#">FBN2</a>	fibrillin 2
hsa-miR-126-5p	<a href="#">GLIPR1</a>	GLI pathogenesis related 1
hsa-miR-126-5p	<a href="#">RO60</a>	Ro60, Y RNA binding protein
hsa-miR-126-5p	<a href="#">ATP1A2</a>	ATPase Na+/K+ transporting subunit alpha 2



hsa-miR-126-5p	<a href="#">CERS6</a>	ceramide synthase 6
hsa-miR-126-5p	<a href="#">SOX13</a>	SRY-box 13
hsa-miR-126-5p	<a href="#">C9orf72</a>	chromosome 9 open reading frame 72
hsa-miR-126-5p	<a href="#">SDHAF3</a>	succinate dehydrogenase complex assembly factor 3
hsa-miR-126-5p	<a href="#">ZKSCAN4</a>	zinc finger with KRAB and SCAN domains 4
hsa-miR-126-5p	<a href="#">IL36G</a>	interleukin 36 gamma
hsa-miR-126-5p	<a href="#">GFRAL</a>	GDNF family receptor alpha like
hsa-miR-126-5p	<a href="#">TRIL</a>	TLR4 interactor with leucine rich repeats
hsa-miR-126-5p	<a href="#">GRM7</a>	glutamate metabotropic receptor 7
hsa-miR-126-5p	<a href="#">SMIM11A</a>	small integral membrane protein 11A
hsa-miR-126-5p	<a href="#">ZNF148</a>	zinc finger protein 148
hsa-miR-126-5p	<a href="#">MYBL1</a>	MYB proto-oncogene like 1
hsa-miR-126-5p	<a href="#">CRLS1</a>	cardiolipin synthase 1
hsa-miR-126-5p	<a href="#">EIF4A3</a>	eukaryotic translation initiation factor 4A3
hsa-miR-126-5p	<a href="#">PLEKHB2</a>	pleckstrin homology domain containing B2
hsa-miR-126-5p	<a href="#">HOOK3</a>	hook microtubule tethering protein 3
hsa-miR-126-5p	<a href="#">IREB2</a>	iron responsive element binding protein 2
hsa-miR-126-5p	<a href="#">CIAO2A</a>	cytosolic iron-sulfur assembly component 2A
hsa-miR-126-5p	<a href="#">TNS2</a>	tensin 2
hsa-miR-126-5p	<a href="#">TMTC1</a>	transmembrane and tetratricopeptide repeat containing 1
hsa-miR-126-5p	<a href="#">SS18L1</a>	SS18L1, nBAF chromatin remodeling complex subunit
hsa-miR-126-5p	<a href="#">EPHA5</a>	EPH receptor A5
hsa-miR-126-5p	<a href="#">CPED1</a>	cadherin like and PC-esterase domain containing 1
hsa-miR-126-5p	<a href="#">CDH20</a>	cadherin 20
hsa-miR-126-5p	<a href="#">MSH4</a>	mutS homolog 4
hsa-miR-126-5p	<a href="#">MDGA2</a>	MAM domain containing glycosylphosphatidylinositol anchor 2
hsa-miR-126-5p	<a href="#">FXR1</a>	FMR1 autosomal homolog 1
hsa-miR-126-5p	<a href="#">GNL1</a>	G protein nucleolar 1 (putative)
hsa-miR-126-5p	<a href="#">NCK1</a>	NCK adaptor protein 1
hsa-miR-126-5p	<a href="#">GUCY1A1</a>	guanylate cyclase 1 soluble subunit alpha 1
hsa-miR-126-5p	<a href="#">HSPA4L</a>	heat shock protein family A (Hsp70) member 4 like
hsa-miR-126-5p	<a href="#">MARCH3</a>	membrane associated ring-CH-type finger 3
hsa-miR-126-5p	<a href="#">PPP1R12B</a>	protein phosphatase 1 regulatory subunit 12B
hsa-miR-126-5p	<a href="#">PDZRN4</a>	PDZ domain containing ring finger 4
hsa-miR-126-5p	<a href="#">IFT57</a>	intraflagellar transport 57
hsa-miR-126-5p	<a href="#">GRM5</a>	glutamate metabotropic receptor 5
hsa-miR-126-5p	<a href="#">KIRREL2</a>	kirre like nephrin family adhesion molecule 2
hsa-miR-126-5p	<a href="#">ZBTB1</a>	zinc finger and BTB domain containing 1
hsa-miR-126-5p	<a href="#">POLK</a>	DNA polymerase kappa
hsa-miR-126-5p	<a href="#">ZNF777</a>	zinc finger protein 777
hsa-miR-126-5p	<a href="#">TCTN1</a>	tectonic family member 1
hsa-miR-126-5p	<a href="#">RABGEF1</a>	RAB guanine nucleotide exchange factor 1
hsa-miR-126-5p	<a href="#">FEM1B</a>	fem-1 homolog B
hsa-miR-126-5p	<a href="#">PTPN14</a>	protein tyrosine phosphatase, non-receptor type 14
hsa-miR-126-5p	<a href="#">NUDT7</a>	nudix hydrolase 7

hsa-miR-126-5p	<a href="#">TTC7B</a>	tetratricopeptide repeat domain 7B
hsa-miR-126-5p	<a href="#">HELZ</a>	helicase with zinc finger
hsa-miR-126-5p	<a href="#">MYOZ3</a>	myozenin 3
hsa-miR-126-5p	<a href="#">SETD5</a>	SET domain containing 5
hsa-miR-126-5p	<a href="#">GHR</a>	growth hormone receptor
hsa-miR-126-5p	<a href="#">SMIM8</a>	small integral membrane protein 8
hsa-miR-126-5p	<a href="#">RBM19</a>	RNA binding motif protein 19
hsa-miR-126-5p	<a href="#">RPRD1A</a>	regulation of nuclear pre-mRNA domain containing 1A
hsa-miR-126-5p	<a href="#">FYB1</a>	FYN binding protein 1
hsa-miR-126-5p	<a href="#">EFCAB7</a>	EF-hand calcium binding domain 7
hsa-miR-126-5p	<a href="#">PANK3</a>	pantothenate kinase 3
hsa-miR-126-5p	<a href="#">TSHZ1</a>	teashirt zinc finger homeobox 1
hsa-miR-126-5p	<a href="#">ZNF197</a>	zinc finger protein 197
hsa-miR-126-5p	<a href="#">RCN2</a>	reticulocalbin 2
hsa-miR-126-5p	<a href="#">DIP2B</a>	disco interacting protein 2 homolog B
hsa-miR-126-5p	<a href="#">ESM1</a>	endothelial cell specific molecule 1
hsa-miR-126-5p	<a href="#">UBIAD1</a>	UbiA prenyltransferase domain containing 1
hsa-miR-126-5p	<a href="#">ABHD18</a>	abhydrolase domain containing 18
hsa-miR-126-5p	<a href="#">E2F7</a>	E2F transcription factor 7
hsa-miR-126-5p	<a href="#">WIPF2</a>	WAS/WASL interacting protein family member 2
hsa-miR-126-5p	<a href="#">ZNF208</a>	zinc finger protein 208
hsa-miR-126-5p	<a href="#">TNFAIP2</a>	TNF alpha induced protein 2
hsa-miR-126-5p	<a href="#">CHAMP1</a>	chromosome alignment maintaining phosphoprotein 1
hsa-miR-126-5p	<a href="#">PCDH10</a>	protocadherin 10
hsa-miR-126-5p	<a href="#">VAPA</a>	VAMP associated protein A
hsa-miR-126-5p	<a href="#">PF4V1</a>	platelet factor 4 variant 1
hsa-miR-126-5p	<a href="#">ZNF624</a>	zinc finger protein 624
hsa-miR-126-5p	<a href="#">ADAMTSL1</a>	ADAMTS like 1
hsa-miR-126-5p	<a href="#">DDIAS</a>	DNA damage induced apoptosis suppressor
hsa-miR-126-5p	<a href="#">MYD88</a>	MYD88, innate immune signal transduction adaptor
hsa-miR-126-5p	<a href="#">ASAH2B</a>	N-acylsphingosine amidohydrolase 2B
hsa-miR-126-5p	<a href="#">DBF4</a>	DBF4 zinc finger
hsa-miR-126-5p	<a href="#">PHACTR2</a>	phosphatase and actin regulator 2
hsa-miR-126-5p	<a href="#">ARHGAP20</a>	Rho GTPase activating protein 20
hsa-miR-126-5p	<a href="#">DCAF10</a>	DDB1 and CUL4 associated factor 10
hsa-miR-126-5p	<a href="#">SYT14</a>	synaptotagmin 14
hsa-miR-126-5p	<a href="#">MRTFB</a>	myocardin related transcription factor B
hsa-miR-126-5p	<a href="#">WWC1</a>	WW and C2 domain containing 1
hsa-miR-126-5p	<a href="#">NECAB1</a>	N-terminal EF-hand calcium binding protein 1
hsa-miR-126-5p	<a href="#">EFCAB11</a>	EF-hand calcium binding domain 11
hsa-miR-126-5p	<a href="#">EVI2A</a>	ecotropic viral integration site 2A
hsa-miR-126-5p	<a href="#">EXOC5</a>	exocyst complex component 5
hsa-miR-126-5p	<a href="#">ASPH</a>	aspartate beta-hydroxylase
hsa-miR-126-5p	<a href="#">SLC25A30</a>	solute carrier family 25 member 30
hsa-miR-126-5p	<a href="#">SNAI2</a>	snail family transcriptional repressor 2

hsa-miR-126-5p	<a href="#">SRGAP2B</a>	SLIT-ROBO Rho GTPase activating protein 2B
hsa-miR-126-5p	<a href="#">ANO5</a>	anoctamin 5
hsa-miR-126-5p	<a href="#">METTL15</a>	methyltransferase like 15
hsa-miR-126-5p	<a href="#">DNAJC3</a>	DnaJ heat shock protein family (Hsp40) member C3
hsa-miR-126-5p	<a href="#">MBOAT1</a>	membrane bound O-acyltransferase domain containing 1
hsa-miR-126-5p	<a href="#">PUS10</a>	pseudouridine synthase 10
hsa-miR-126-5p	<a href="#">ANGPTL1</a>	angiopoietin like 1
hsa-miR-126-5p	<a href="#">JAG1</a>	jagged 1
hsa-miR-126-5p	<a href="#">LRRC55</a>	leucine rich repeat containing 55
hsa-miR-126-5p	<a href="#">ZNF224</a>	zinc finger protein 224
hsa-miR-126-5p	<a href="#">SNURF</a>	SNRPN upstream reading frame
hsa-miR-126-5p	<a href="#">ZNF680</a>	zinc finger protein 680
hsa-miR-126-5p	<a href="#">PPP2R2B</a>	protein phosphatase 2 regulatory subunit Bbeta
hsa-miR-126-5p	<a href="#">C3orf80</a>	chromosome 3 open reading frame 80
hsa-miR-126-5p	<a href="#">LAMTOR3</a>	late endosomal/lysosomal adaptor, MAPK and MTOR activator 3
hsa-miR-126-5p	<a href="#">DPH6</a>	diphthamine biosynthesis 6
hsa-miR-126-5p	<a href="#">GCLM</a>	glutamate-cysteine ligase modifier subunit
hsa-miR-126-5p	<a href="#">NLGN4Y</a>	neuroligin 4 Y-linked
hsa-miR-126-5p	<a href="#">GJB2</a>	gap junction protein beta 2
hsa-miR-126-5p	<a href="#">SMIM25</a>	small integral membrane protein 25
hsa-miR-126-5p	<a href="#">ITGB3BP</a>	integrin subunit beta 3 binding protein
hsa-miR-126-5p	<a href="#">PTPRB</a>	protein tyrosine phosphatase, receptor type B
hsa-miR-126-5p	<a href="#">TGS1</a>	trimethylguanosine synthase 1
hsa-miR-126-5p	<a href="#">SNX14</a>	sorting nexin 14
hsa-miR-126-5p	<a href="#">KCNMA1</a>	potassium calcium-activated channel subfamily M alpha 1
hsa-miR-126-5p	<a href="#">OGT</a>	O-linked N-acetylglucosamine (GlcNAc) transferase
hsa-miR-126-5p	<a href="#">MPC1</a>	mitochondrial pyruvate carrier 1
hsa-miR-126-5p	<a href="#">COL12A1</a>	collagen type XII alpha 1 chain
hsa-miR-126-5p	<a href="#">RUNX1T1</a>	RUNX1 translocation partner 1
hsa-miR-126-5p	<a href="#">DAB2IP</a>	DAB2 interacting protein
hsa-miR-126-5p	<a href="#">FMO2</a>	flavin containing monooxygenase 2
hsa-miR-126-5p	<a href="#">AP1G1</a>	adaptor related protein complex 1 subunit gamma 1
hsa-miR-126-5p	<a href="#">TMCO4</a>	transmembrane and coiled-coil domains 4
hsa-miR-126-5p	<a href="#">BAG3</a>	BCL2 associated athanogene 3
hsa-miR-126-5p	<a href="#">GPR88</a>	G protein-coupled receptor 88
hsa-miR-126-5p	<a href="#">COBLL1</a>	cordon-bleu WH2 repeat protein like 1
hsa-miR-126-5p	<a href="#">BARD1</a>	BRCA1 associated RING domain 1
hsa-miR-126-5p	<a href="#">ABRA</a>	actin binding Rho activating protein
hsa-miR-126-5p	<a href="#">CHCHD3</a>	coiled-coil-helix-coiled-coil-helix domain containing 3
hsa-miR-126-5p	<a href="#">HRH4</a>	histamine receptor H4
hsa-miR-126-5p	<a href="#">ADAMTS6</a>	ADAM metalloproteinase with thrombospondin type 1 motif 6
hsa-miR-126-5p	<a href="#">ZNF354C</a>	zinc finger protein 354C
hsa-miR-126-5p	<a href="#">ZNF407</a>	zinc finger protein 407
hsa-miR-126-5p	<a href="#">ANK3</a>	ankyrin 3
hsa-miR-126-5p	<a href="#">EBPL</a>	EBP like

hsa-miR-126-5p	<a href="#">LDB1</a>	LIM domain binding 1
hsa-miR-126-5p	<a href="#">C2</a>	complement C2
hsa-miR-126-5p	<a href="#">RBM26</a>	RNA binding motif protein 26
hsa-miR-126-5p	<a href="#">SREK1</a>	splicing regulatory glutamic acid and lysine rich protein 1
hsa-miR-126-5p	<a href="#">AGTR2</a>	angiotensin II receptor type 2
hsa-miR-126-5p	<a href="#">STC1</a>	stanniocalcin 1
hsa-miR-126-5p	<a href="#">CHD1L</a>	chromodomain helicase DNA binding protein 1 like
hsa-miR-126-5p	<a href="#">TSG101</a>	tumor susceptibility 101
hsa-miR-126-5p	<a href="#">SPOUT1</a>	SPOUT domain containing methyltransferase 1
hsa-miR-126-5p	<a href="#">MIPOL1</a>	mirror-image polydactyly 1
hsa-miR-126-5p	<a href="#">ATG3</a>	autophagy related 3
hsa-miR-126-5p	<a href="#">SPATA6</a>	spermatogenesis associated 6
hsa-miR-126-5p	<a href="#">RAB11FIP2</a>	RAB11 family interacting protein 2
hsa-miR-126-5p	<a href="#">DOCK7</a>	dedicator of cytokinesis 7
hsa-miR-126-5p	<a href="#">BRAF</a>	B-Raf proto-oncogene, serine/threonine kinase
hsa-miR-126-5p	<a href="#">MCTS1</a>	MCTS1, re-initiation and release factor
hsa-miR-126-5p	<a href="#">TRAPPC13</a>	trafficking protein particle complex 13
hsa-miR-126-5p	<a href="#">PCSK2</a>	proprotein convertase subtilisin/kexin type 2
hsa-miR-126-5p	<a href="#">PCLO</a>	piccolo presynaptic cytomatrix protein
hsa-miR-126-5p	<a href="#">SCAP</a>	SREBF chaperone
hsa-miR-126-5p	<a href="#">SLC7A4</a>	solute carrier family 7 member 4
hsa-miR-126-5p	<a href="#">PALM2</a>	paralemmin 2
hsa-miR-126-5p	<a href="#">ALDH1L2</a>	aldehyde dehydrogenase 1 family member L2
hsa-miR-126-5p	<a href="#">AKIRIN1</a>	akirin 1
hsa-miR-126-5p	<a href="#">MRPL57</a>	mitochondrial ribosomal protein L57
hsa-miR-126-5p	<a href="#">POU2F1</a>	POU class 2 homeobox 1
hsa-miR-126-5p	<a href="#">AASS</a>	aminoadipate-semialdehyde synthase
hsa-miR-126-5p	<a href="#">CALCRL</a>	calcitonin receptor like receptor
hsa-miR-126-5p	<a href="#">CNEP1R1</a>	CTD nuclear envelope phosphatase 1 regulatory subunit 1
hsa-miR-126-5p	<a href="#">RAB22A</a>	RAB22A, member RAS oncogene family
hsa-miR-126-5p	<a href="#">DNAH5</a>	dynein axonemal heavy chain 5
hsa-miR-126-5p	<a href="#">PCSK5</a>	proprotein convertase subtilisin/kexin type 5
hsa-miR-126-5p	<a href="#">PPAT</a>	phosphoribosyl pyrophosphate amidotransferase
hsa-miR-126-5p	<a href="#">NR3C1</a>	nuclear receptor subfamily 3 group C member 1
hsa-miR-126-5p	<a href="#">GLCE</a>	glucuronic acid epimerase
hsa-miR-126-5p	<a href="#">NEUROG2</a>	neurogenin 2
hsa-miR-126-5p	<a href="#">RC3H1</a>	ring finger and CCCH-type domains 1
hsa-miR-126-5p	<a href="#">PTPN11</a>	protein tyrosine phosphatase, non-receptor type 11
hsa-miR-126-5p	<a href="#">MCM5</a>	minichromosome maintenance complex component 5
hsa-miR-126-5p	<a href="#">CCDC179</a>	coiled-coil domain containing 179
hsa-miR-126-5p	<a href="#">TTC9</a>	tetratricopeptide repeat domain 9
hsa-miR-126-5p	<a href="#">GPATCH8</a>	G-patch domain containing 8
hsa-miR-126-5p	<a href="#">CDYL2</a>	chromodomain Y like 2
hsa-miR-126-5p	<a href="#">CLEC19A</a>	C-type lectin domain containing 19A
hsa-miR-126-5p	<a href="#">SLC33A1</a>	solute carrier family 33 member 1

hsa-miR-126-5p	<a href="#">KIAA0355</a>	KIAA0355
hsa-miR-126-5p	<a href="#">EEF1AKMT2</a>	EEF1A lysine methyltransferase 2
hsa-miR-126-5p	<a href="#">TCEANC2</a>	transcription elongation factor A N-terminal and central domain containing 2
hsa-miR-126-5p	<a href="#">TET1</a>	tet methylcytosine dioxygenase 1
hsa-miR-126-5p	<a href="#">NDUFA5</a>	NADH:ubiquinone oxidoreductase subunit A5
hsa-miR-126-5p	<a href="#">DYNLT3</a>	dynein light chain Tctex-type 3
hsa-miR-126-5p	<a href="#">LRP1</a>	LDL receptor related protein 1
hsa-miR-126-5p	<a href="#">ZC3H12B</a>	zinc finger CCCH-type containing 12B
hsa-miR-126-5p	<a href="#">ZFC3H1</a>	zinc finger C3H1-type containing
hsa-miR-126-5p	<a href="#">USP45</a>	ubiquitin specific peptidase 45
hsa-miR-126-5p	<a href="#">TNIK</a>	TRAF2 and NCK interacting kinase
hsa-miR-126-5p	<a href="#">RHOBTB3</a>	Rho related BTB domain containing 3
hsa-miR-126-5p	<a href="#">DISC1</a>	DISC1 scaffold protein
hsa-miR-126-5p	<a href="#">PLA2G12A</a>	phospholipase A2 group X1IA
hsa-miR-126-5p	<a href="#">ANKIB1</a>	ankyrin repeat and IBR domain containing 1
hsa-miR-126-5p	<a href="#">FZD3</a>	frizzled class receptor 3
hsa-miR-126-5p	<a href="#">KIF13A</a>	kinesin family member 13A
hsa-miR-126-5p	<a href="#">NOX1</a>	NADPH oxidase 1
hsa-miR-126-5p	<a href="#">HNRNPU</a>	heterogeneous nuclear ribonucleoprotein U
hsa-miR-126-5p	<a href="#">CRIPT</a>	CXXC repeat containing interactor of PDZ3 domain
hsa-miR-126-5p	<a href="#">DTWD2</a>	DTW domain containing 2
hsa-miR-126-5p	<a href="#">LOC100144595</a>	uncharacterized LOC100144595
hsa-miR-126-5p	<a href="#">SELENOI</a>	selenoprotein I
hsa-miR-126-5p	<a href="#">IL1F10</a>	interleukin 1 family member 10
hsa-miR-126-5p	<a href="#">TMEM64</a>	transmembrane protein 64
hsa-miR-126-5p	<a href="#">NFIB</a>	nuclear factor I B
hsa-miR-126-5p	<a href="#">CR1</a>	complement C3b/C4b receptor 1 (Knops blood group)
hsa-miR-126-5p	<a href="#">LPIN2</a>	lipin 2
hsa-miR-126-5p	<a href="#">CCDC88A</a>	coiled-coil domain containing 88A
hsa-miR-126-5p	<a href="#">ELOVL2</a>	ELOVL fatty acid elongase 2
hsa-miR-126-5p	<a href="#">ZBTB7B</a>	zinc finger and BTB domain containing 7B
hsa-miR-126-5p	<a href="#">TIMM29</a>	translocase of inner mitochondrial membrane 29
hsa-miR-126-5p	<a href="#">ZNF280D</a>	zinc finger protein 280D
hsa-miR-126-5p	<a href="#">FLT1</a>	fms related tyrosine kinase 1
hsa-miR-126-5p	<a href="#">EPB41L4B</a>	erythrocyte membrane protein band 4.1 like 4B
hsa-miR-126-5p	<a href="#">PPIL6</a>	peptidylprolyl isomerase like 6
hsa-miR-126-5p	<a href="#">FGF1</a>	fibroblast growth factor 1
hsa-miR-126-5p	<a href="#">SLC25A12</a>	solute carrier family 25 member 12
hsa-miR-126-5p	<a href="#">RAPGEF3</a>	Rap guanine nucleotide exchange factor 3
hsa-miR-126-5p	<a href="#">FMN2</a>	formin 2
hsa-miR-126-5p	<a href="#">REEP3</a>	receptor accessory protein 3
hsa-miR-126-5p	<a href="#">SLCO6A1</a>	solute carrier organic anion transporter family member 6A1
hsa-miR-126-5p	<a href="#">ST6GALNAC5</a>	ST6 N-acetylgalactosaminide alpha-2,6-sialyltransferase 5
hsa-miR-126-5p	<a href="#">TMEM19</a>	transmembrane protein 19

hsa-miR-126-5p	<a href="#">ODF2L</a>	outer dense fiber of sperm tails 2 like
hsa-miR-126-5p	<a href="#">SPCS3</a>	signal peptidase complex subunit 3
hsa-miR-126-5p	<a href="#">RGPD4</a>	RANBP2-like and GRIP domain containing 4
hsa-miR-126-5p	<a href="#">HBP1</a>	HMG-box transcription factor 1
hsa-miR-126-5p	<a href="#">UTY</a>	ubiquitously transcribed tetratricopeptide repeat containing, Y-linked
hsa-miR-126-5p	<a href="#">MED4</a>	mediator complex subunit 4
hsa-miR-126-5p	<a href="#">PHF14</a>	PHD finger protein 14
hsa-miR-126-5p	<a href="#">MIGA1</a>	mitoguardin 1
hsa-miR-126-5p	<a href="#">SLC4A10</a>	solute carrier family 4 member 10
hsa-miR-126-5p	<a href="#">SNX2</a>	sorting nexin 2
hsa-miR-126-5p	<a href="#">ARPC3</a>	actin related protein 2/3 complex subunit 3
hsa-miR-126-5p	<a href="#">PRTG</a>	protogenin
hsa-miR-126-5p	<a href="#">TMX1</a>	thioredoxin related transmembrane protein 1
hsa-miR-126-5p	<a href="#">SGIP1</a>	SH3 domain GRB2 like endophilin interacting protein 1
hsa-miR-126-5p	<a href="#">RAB33B</a>	RAB33B, member RAS oncogene family
hsa-miR-126-5p	<a href="#">UMPS</a>	uridine monophosphate synthetase
hsa-miR-126-5p	<a href="#">SLC24A2</a>	solute carrier family 24 member 2
hsa-miR-126-5p	<a href="#">LYPLAL1</a>	lysophospholipase like 1
hsa-miR-126-5p	<a href="#">IPMK</a>	inositol polyphosphate multikinase
hsa-miR-126-5p	<a href="#">ADAMTS4</a>	ADAM metalloproteinase with thrombospondin type 1 motif 4
hsa-miR-126-5p	<a href="#">PITPNC1</a>	phosphatidylinositol transfer protein cytoplasmic 1
hsa-miR-126-5p	<a href="#">DCLK1</a>	doublecortin like kinase 1
hsa-miR-126-5p	<a href="#">ZNF326</a>	zinc finger protein 326
hsa-miR-126-5p	<a href="#">UBE2V2</a>	ubiquitin conjugating enzyme E2 V2
hsa-miR-126-5p	<a href="#">TEAD1</a>	TEA domain transcription factor 1
hsa-miR-126-5p	<a href="#">RDH11</a>	retinol dehydrogenase 11
hsa-miR-126-5p	<a href="#">PSD3</a>	pleckstrin and Sec7 domain containing 3
hsa-miR-126-5p	<a href="#">OTULIN</a>	OTU deubiquitinase with linear linkage specificity
hsa-miR-126-5p	<a href="#">PDE9A</a>	phosphodiesterase 9A
hsa-miR-126-5p	<a href="#">LZTFL1</a>	leucine zipper transcription factor like 1
hsa-miR-126-5p	<a href="#">PANX1</a>	pannexin 1
hsa-miR-126-5p	<a href="#">CYP4F2</a>	cytochrome P450 family 4 subfamily F member 2
hsa-miR-126-5p	<a href="#">AFF4</a>	AF4/FMR2 family member 4
hsa-miR-126-5p	<a href="#">RGPD8</a>	RANBP2-like and GRIP domain containing 8
hsa-miR-126-5p	<a href="#">TMEM170B</a>	transmembrane protein 170B
hsa-miR-126-5p	<a href="#">METTL25</a>	methyltransferase like 25
hsa-miR-126-5p	<a href="#">PSAT1</a>	phosphoserine aminotransferase 1
hsa-miR-126-5p	<a href="#">UGT8</a>	UDP glycosyltransferase 8
hsa-miR-126-5p	<a href="#">ANKRD20A3</a>	ankyrin repeat domain 20 family member A3
hsa-miR-126-5p	<a href="#">SMC2</a>	structural maintenance of chromosomes 2
hsa-miR-126-5p	<a href="#">RGPD6</a>	RANBP2-like and GRIP domain containing 6
hsa-miR-126-5p	<a href="#">TACO1</a>	translational activator of cytochrome c oxidase I
hsa-miR-126-5p	<a href="#">ENPP5</a>	ectonucleotide pyrophosphatase/phosphodiesterase 5 (putative)
hsa-miR-126-5p	<a href="#">OTUD6B</a>	OTU domain containing 6B
hsa-miR-126-5p	<a href="#">SLC35G1</a>	solute carrier family 35 member G1



hsa-miR-126-5p	<a href="#">SH3TC2</a>	SH3 domain and tetratricopeptide repeats 2
hsa-miR-126-5p	<a href="#">NCOR1</a>	nuclear receptor corepressor 1
hsa-miR-126-5p	<a href="#">DTX3L</a>	deltex E3 ubiquitin ligase 3L
hsa-miR-126-5p	<a href="#">STAM2</a>	signal transducing adaptor molecule 2
hsa-miR-126-5p	<a href="#">RGPD5</a>	RANBP2-like and GRIP domain containing 5
hsa-miR-126-5p	<a href="#">MITF</a>	melanocyte inducing transcription factor
hsa-miR-126-5p	<a href="#">FAM221A</a>	family with sequence similarity 221 member A
hsa-miR-126-5p	<a href="#">TNFAIP3</a>	TNF alpha induced protein 3
hsa-miR-126-5p	<a href="#">SOCS4</a>	suppressor of cytokine signaling 4
hsa-miR-126-5p	<a href="#">LSAMP</a>	limbic system associated membrane protein
hsa-miR-126-5p	<a href="#">PDGFD</a>	platelet derived growth factor D
hsa-miR-126-5p	<a href="#">GK</a>	glycerol kinase
hsa-miR-126-5p	<a href="#">TBC1D20</a>	TBC1 domain family member 20
hsa-miR-126-5p	<a href="#">CLHC1</a>	clathrin heavy chain linker domain containing 1
hsa-miR-126-5p	<a href="#">PALLD</a>	palladin, cytoskeletal associated protein
hsa-miR-126-5p	<a href="#">RAB3GAP2</a>	RAB3 GTPase activating non-catalytic protein subunit 2
hsa-miR-126-5p	<a href="#">ATP6V1A</a>	ATPase H+ transporting V1 subunit A
hsa-miR-126-5p	<a href="#">RAD51B</a>	RAD51 paralog B
hsa-miR-126-5p	<a href="#">REV3L</a>	REV3 like, DNA directed polymerase zeta catalytic subunit
hsa-miR-126-5p	<a href="#">FBXO33</a>	F-box protein 33
hsa-miR-126-5p	<a href="#">CSNK1D</a>	casein kinase 1 delta
hsa-miR-126-5p	<a href="#">ERBIN</a>	erbB2 interacting protein
hsa-miR-126-5p	<a href="#">TMEM26</a>	transmembrane protein 26
hsa-miR-126-5p	<a href="#">ITGB8</a>	integrin subunit beta 8
hsa-miR-126-5p	<a href="#">TNFRSF19</a>	TNF receptor superfamily member 19
hsa-miR-126-5p	<a href="#">FHL5</a>	four and a half LIM domains 5
hsa-miR-126-5p	<a href="#">NLGN4X</a>	neuroligin 4 X-linked
hsa-miR-126-5p	<a href="#">ATXN1L</a>	ataxin 1 like
hsa-miR-126-5p	<a href="#">HSFX3</a>	heat shock transcription factor family, X-linked member 3
hsa-miR-126-5p	<a href="#">ATG16L1</a>	autophagy related 16 like 1
hsa-miR-126-5p	<a href="#">XRN1</a>	5'-3' exoribonuclease 1
hsa-miR-126-5p	<a href="#">TENT4B</a>	terminal nucleotidyltransferase 4B
hsa-miR-126-5p	<a href="#">RAB3IP</a>	RAB3A interacting protein
hsa-miR-126-5p	<a href="#">TLL2</a>	tolloid like 2
hsa-miR-126-5p	<a href="#">STAU2</a>	staufen double-stranded RNA binding protein 2
hsa-miR-126-5p	<a href="#">CTCFL</a>	CCCTC-binding factor like
hsa-miR-126-5p	<a href="#">GCG</a>	glucagon
hsa-miR-126-5p	<a href="#">UAP1</a>	UDP-N-acetylglucosamine pyrophosphorylase 1
hsa-miR-126-5p	<a href="#">TBC1D19</a>	TBC1 domain family member 19
hsa-miR-126-5p	<a href="#">FBXO36</a>	F-box protein 36
hsa-miR-126-5p	<a href="#">RNASEL</a>	ribonuclease L
hsa-miR-126-5p	<a href="#">TMEM70</a>	transmembrane protein 70
hsa-miR-126-5p	<a href="#">COLEC10</a>	collectin subfamily member 10
hsa-miR-126-5p	<a href="#">DGKH</a>	diacylglycerol kinase eta
hsa-miR-126-5p	<a href="#">SLC25A24</a>	solute carrier family 25 member 24



hsa-miR-126-5p	<a href="#">IL15</a>	interleukin 15
hsa-miR-126-5p	<a href="#">VGLL3</a>	vestigial like family member 3
hsa-miR-126-5p	<a href="#">ZNF260</a>	zinc finger protein 260
hsa-miR-126-5p	<a href="#">SPATA18</a>	spermatogenesis associated 18
hsa-miR-126-5p	<a href="#">GRIA4</a>	glutamate ionotropic receptor AMPA type subunit 4
hsa-miR-126-5p	<a href="#">MBTD1</a>	mbt domain containing 1
hsa-miR-126-5p	<a href="#">ARL15</a>	ADP ribosylation factor like GTPase 15
hsa-miR-126-5p	<a href="#">RAB27B</a>	RAB27B, member RAS oncogene family
hsa-miR-126-5p	<a href="#">GNB4</a>	G protein subunit beta 4
hsa-miR-126-5p	<a href="#">HBEGF</a>	heparin binding EGF like growth factor
hsa-miR-126-5p	<a href="#">DNAH14</a>	dynein axonemal heavy chain 14
hsa-miR-126-5p	<a href="#">MPP7</a>	membrane palmitoylated protein 7
hsa-miR-126-5p	<a href="#">C11orf45</a>	chromosome 11 open reading frame 45
hsa-miR-126-5p	<a href="#">EPHB1</a>	EPH receptor B1
hsa-miR-126-5p	<a href="#">SYAP1</a>	synapse associated protein 1
hsa-miR-126-5p	<a href="#">LACTB</a>	lactamase beta
hsa-miR-126-5p	<a href="#">ALCAM</a>	activated leukocyte cell adhesion molecule
hsa-miR-126-5p	<a href="#">TMEM47</a>	transmembrane protein 47
hsa-miR-126-5p	<a href="#">TMEM30A</a>	transmembrane protein 30A
hsa-miR-126-5p	<a href="#">RGS10</a>	regulator of G protein signaling 10
hsa-miR-126-5p	<a href="#">SAA2</a>	serum amyloid A2
hsa-miR-126-5p	<a href="#">NRXN3</a>	neurexin 3
hsa-miR-126-5p	<a href="#">ZBTB6</a>	zinc finger and BTB domain containing 6
hsa-miR-126-5p	<a href="#">NSUN7</a>	NOP2/Sun RNA methyltransferase family member 7
hsa-miR-126-5p	<a href="#">MMGT1</a>	membrane magnesium transporter 1
hsa-miR-126-5p	<a href="#">ZBTB8B</a>	zinc finger and BTB domain containing 8B
hsa-miR-126-5p	<a href="#">C15orf41</a>	chromosome 15 open reading frame 41
hsa-miR-126-5p	<a href="#">ANKRD33B</a>	ankyrin repeat domain 33B
hsa-miR-126-5p	<a href="#">RBM46</a>	RNA binding motif protein 46
hsa-miR-126-5p	<a href="#">TMEM100</a>	transmembrane protein 100
hsa-miR-126-5p	<a href="#">RPS6KA6</a>	ribosomal protein S6 kinase A6
hsa-miR-126-5p	<a href="#">ZMYM6</a>	zinc finger MYM-type containing 6
hsa-miR-126-5p	<a href="#">UBE2H</a>	ubiquitin conjugating enzyme E2 H
hsa-miR-126-5p	<a href="#">ARHGAP32</a>	Rho GTPase activating protein 32
hsa-miR-126-5p	<a href="#">IL17F</a>	interleukin 17F
hsa-miR-126-5p	<a href="#">UTS2B</a>	urotensin 2B
hsa-miR-126-5p	<a href="#">MAN2A1</a>	mannosidase alpha class 2A member 1
hsa-miR-126-5p	<a href="#">BZW1</a>	basic leucine zipper and W2 domains 1
hsa-miR-126-5p	<a href="#">DDR1</a>	discoidin domain receptor tyrosine kinase 1
hsa-miR-126-5p	<a href="#">SLMAP</a>	sarcolemma associated protein
hsa-miR-126-5p	<a href="#">ADHFE1</a>	alcohol dehydrogenase, iron containing 1
hsa-miR-126-5p	<a href="#">PRRX1</a>	paired related homeobox 1
hsa-miR-126-5p	<a href="#">HMBX1</a>	homeobox containing 1
hsa-miR-126-5p	<a href="#">MRS2</a>	magnesium transporter MRS2
hsa-miR-126-5p	<a href="#">CDC5L</a>	cell division cycle 5 like

hsa-miR-126-5p	<a href="#">PSMB2</a>	proteasome subunit beta 2
hsa-miR-126-5p	<a href="#">UFSP1</a>	UFM1 specific peptidase 1 (inactive)
hsa-miR-126-5p	<a href="#">PRKD1</a>	protein kinase D1
hsa-miR-126-5p	<a href="#">MOB1B</a>	MOB kinase activator 1B
hsa-miR-126-5p	<a href="#">PIP4K2C</a>	phosphatidylinositol-5-phosphate 4-kinase type 2 gamma
hsa-miR-126-5p	<a href="#">RASAL2</a>	RAS protein activator like 2
hsa-miR-126-5p	<a href="#">MST1L</a>	macrophage stimulating 1 like
hsa-miR-126-5p	<a href="#">ERO1A</a>	endoplasmic reticulum oxidoreductase 1 alpha
hsa-miR-126-5p	<a href="#">TMEM135</a>	transmembrane protein 135
hsa-miR-126-5p	<a href="#">ACADL</a>	acyl-CoA dehydrogenase long chain
hsa-miR-126-5p	<a href="#">SOCS6</a>	suppressor of cytokine signaling 6
hsa-miR-126-5p	<a href="#">DMXL1</a>	Dmx like 1
hsa-miR-126-5p	<a href="#">FLRT2</a>	fibronectin leucine rich transmembrane protein 2
hsa-miR-126-5p	<a href="#">SAE1</a>	SUMO1 activating enzyme subunit 1
hsa-miR-126-5p	<a href="#">MBP</a>	myelin basic protein
hsa-miR-126-5p	<a href="#">PRKX</a>	protein kinase X-linked
hsa-miR-126-5p	<a href="#">MAP3K20</a>	mitogen-activated protein kinase kinase kinase 20
hsa-miR-126-5p	<a href="#">DNAJB9</a>	DnaJ heat shock protein family (Hsp40) member B9
hsa-miR-126-5p	<a href="#">RMDN1</a>	regulator of microtubule dynamics 1
hsa-miR-126-5p	<a href="#">ZNF41</a>	zinc finger protein 41
hsa-miR-126-5p	<a href="#">SRGAP2C</a>	SLIT-ROBO Rho GTPase activating protein 2C
hsa-miR-126-5p	<a href="#">FAM216B</a>	family with sequence similarity 216 member B
hsa-miR-126-5p	<a href="#">MAPKAPK5</a>	mitogen-activated protein kinase-activated protein kinase 5
hsa-miR-126-5p	<a href="#">TMPRSS3</a>	transmembrane serine protease 3
hsa-miR-126-5p	<a href="#">C9orf3</a>	chromosome 9 open reading frame 3
hsa-miR-126-5p	<a href="#">ZSCAN9</a>	zinc finger and SCAN domain containing 9
hsa-miR-126-5p	<a href="#">CCDC148</a>	coiled-coil domain containing 148
hsa-miR-126-5p	<a href="#">LCORL</a>	ligand dependent nuclear receptor corepressor like
hsa-miR-126-5p	<a href="#">MAPK13</a>	mitogen-activated protein kinase 13
hsa-miR-126-5p	<a href="#">FZD2</a>	frizzled class receptor 2
hsa-miR-126-5p	<a href="#">CFL2</a>	cofilin 2
hsa-miR-126-5p	<a href="#">FRZB</a>	frizzled related protein
hsa-miR-126-5p	<a href="#">NAA50</a>	N(alpha)-acetyltransferase 50, NatE catalytic subunit
hsa-miR-126-5p	<a href="#">STS</a>	steroid sulfatase
hsa-miR-126-5p	<a href="#">GOLGA7B</a>	golgin A7 family member B
hsa-miR-126-5p	<a href="#">MMAA</a>	metabolism of cobalamin associated A
hsa-miR-126-5p	<a href="#">PGM2L1</a>	phosphoglucomutase 2 like 1
hsa-miR-126-5p	<a href="#">CSRNP3</a>	cysteine and serine rich nuclear protein 3
hsa-miR-126-5p	<a href="#">CRNKL1</a>	crooked neck pre-mRNA splicing factor 1
hsa-miR-126-5p	<a href="#">ELAVL2</a>	ELAV like RNA binding protein 2
hsa-miR-126-5p	<a href="#">CTR9</a>	CTR9 homolog, Paf1/RNA polymerase II complex component
hsa-miR-126-5p	<a href="#">MGP</a>	matrix Gla protein
hsa-miR-126-5p	<a href="#">ABRAXAS2</a>	abraxas 2, BRISC complex subunit
hsa-miR-126-5p	<a href="#">PIK3CA</a>	phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit alpha
hsa-miR-126-5p	<a href="#">CYTIP</a>	cytohesin 1 interacting protein

hsa-miR-126-5p	<a href="#">TTC3</a>	tetratricopeptide repeat domain 3
hsa-miR-126-5p	<a href="#">FARP1</a>	FERM, ARH/RhoGEF and pleckstrin domain protein 1
hsa-miR-126-5p	<a href="#">DCAF8L1</a>	DDB1 and CUL4 associated factor 8 like 1
hsa-miR-126-5p	<a href="#">VAMP4</a>	vesicle associated membrane protein 4
hsa-miR-126-5p	<a href="#">MFSD11</a>	major facilitator superfamily domain containing 11
hsa-miR-126-5p	<a href="#">ARPC5L</a>	actin related protein 2/3 complex subunit 5 like
hsa-miR-126-5p	<a href="#">CCDC36</a>	coiled-coil domain containing 36
hsa-miR-126-5p	<a href="#">INO80D</a>	INO80 complex subunit D
hsa-miR-126-5p	<a href="#">OGFRL1</a>	opioid growth factor receptor like 1
hsa-miR-126-5p	<a href="#">GIMAP8</a>	GTPase, IMAP family member 8
hsa-miR-126-5p	<a href="#">AMER2</a>	APC membrane recruitment protein 2
hsa-miR-126-5p	<a href="#">C18orf25</a>	chromosome 18 open reading frame 25
hsa-miR-126-5p	<a href="#">TMEM71</a>	transmembrane protein 71
hsa-miR-126-5p	<a href="#">PELI2</a>	pellino E3 ubiquitin protein ligase family member 2
hsa-miR-126-5p	<a href="#">RILPL1</a>	Rab interacting lysosomal protein like 1
hsa-miR-126-5p	<a href="#">BRD1</a>	bromodomain containing 1
hsa-miR-126-5p	<a href="#">DPPA4</a>	developmental pluripotency associated 4
hsa-miR-126-5p	<a href="#">TMEM63B</a>	transmembrane protein 63B
hsa-miR-126-5p	<a href="#">FSD1L</a>	fibronectin type III and SPRY domain containing 1 like
hsa-miR-126-5p	<a href="#">TMEM9B</a>	TMEM9 domain family member B
hsa-miR-126-5p	<a href="#">DOCK5</a>	dedicator of cytokinesis 5
hsa-miR-126-5p	<a href="#">APLF</a>	aprataxin and PNKP like factor
hsa-miR-126-5p	<a href="#">MED17</a>	mediator complex subunit 17
hsa-miR-126-5p	<a href="#">BTLA</a>	B and T lymphocyte associated
hsa-miR-126-5p	<a href="#">BTAF1</a>	B-TFIID TATA-box binding protein associated factor 1
hsa-miR-126-5p	<a href="#">SH3RF1</a>	SH3 domain containing ring finger 1
hsa-miR-126-5p	<a href="#">EPSTI1</a>	epithelial stromal interaction 1
hsa-miR-126-5p	<a href="#">LOX</a>	lysyl oxidase
hsa-miR-126-5p	<a href="#">FAM227A</a>	family with sequence similarity 227 member A
hsa-miR-126-5p	<a href="#">DHX33</a>	DEAH-box helicase 33
hsa-miR-126-5p	<a href="#">FNDC3A</a>	fibronectin type III domain containing 3A
hsa-miR-126-5p	<a href="#">SRRM4</a>	serine/arginine repetitive matrix 4
hsa-miR-126-5p	<a href="#">NCAPG</a>	non-SMC condensin I complex subunit G
hsa-miR-126-5p	<a href="#">C12orf71</a>	chromosome 12 open reading frame 71
hsa-miR-126-5p	<a href="#">SNCA</a>	synuclein alpha
hsa-miR-126-5p	<a href="#">STON2</a>	stonin 2
hsa-miR-126-5p	<a href="#">DCLK2</a>	doublecortin like kinase 2
hsa-miR-126-5p	<a href="#">FABP7</a>	fatty acid binding protein 7
hsa-miR-126-5p	<a href="#">PDGFRA</a>	platelet derived growth factor receptor alpha
hsa-miR-126-5p	<a href="#">PNN</a>	pinin, desmosome associated protein
hsa-miR-126-5p	<a href="#">YPEL2</a>	yippee like 2
hsa-miR-126-5p	<a href="#">C8orf34</a>	chromosome 8 open reading frame 34
hsa-miR-126-5p	<a href="#">DSEL</a>	dermatan sulfate epimerase like
hsa-miR-126-5p	<a href="#">ERAP1</a>	endoplasmic reticulum aminopeptidase 1
hsa-miR-126-5p	<a href="#">IVD</a>	isovaleryl-CoA dehydrogenase

hsa-miR-126-5p	<a href="#">C1RL</a>	complement C1r subcomponent like
hsa-miR-126-5p	<a href="#">KIAA1109</a>	KIAA1109
hsa-miR-126-5p	<a href="#">MS4A1</a>	membrane spanning 4-domains A1
hsa-miR-126-5p	<a href="#">HNRNPD</a>	heterogeneous nuclear ribonucleoprotein D
hsa-miR-126-5p	<a href="#">ZNF627</a>	zinc finger protein 627
hsa-miR-126-5p	<a href="#">HBS1L</a>	HBS1 like translational GTPase
hsa-miR-126-5p	<a href="#">PHAX</a>	phosphorylated adaptor for RNA export
hsa-miR-126-5p	<a href="#">SLC25A21</a>	solute carrier family 25 member 21
hsa-miR-126-5p	<a href="#">C8orf37</a>	chromosome 8 open reading frame 37
hsa-miR-126-5p	<a href="#">METTL2A</a>	methyltransferase like 2A
hsa-miR-126-5p	<a href="#">NADK2</a>	NAD kinase 2, mitochondrial
hsa-miR-126-5p	<a href="#">CEP41</a>	centrosomal protein 41
hsa-miR-126-5p	<a href="#">RXRG</a>	retinoid X receptor gamma
hsa-miR-126-5p	<a href="#">ANKRD42</a>	ankyrin repeat domain 42
hsa-miR-126-5p	<a href="#">SECISBP2L</a>	SECIS binding protein 2 like
hsa-miR-126-5p	<a href="#">CNTN4</a>	contactin 4
hsa-miR-126-5p	<a href="#">POF1B</a>	POF1B, actin binding protein
hsa-miR-126-5p	<a href="#">CLDN11</a>	claudin 11
hsa-miR-126-5p	<a href="#">MARK1</a>	microtubule affinity regulating kinase 1
hsa-miR-126-5p	<a href="#">SAMD8</a>	sterile alpha motif domain containing 8
hsa-miR-126-5p	<a href="#">ATF6</a>	activating transcription factor 6
hsa-miR-126-5p	<a href="#">FAM76B</a>	family with sequence similarity 76 member B
hsa-miR-126-5p	<a href="#">ADAT2</a>	adenosine deaminase, tRNA specific 2
hsa-miR-126-5p	<a href="#">GRAMD2B</a>	GRAM domain containing 2B
hsa-miR-126-5p	<a href="#">PTCHD4</a>	patched domain containing 4
hsa-miR-126-5p	<a href="#">C12orf40</a>	chromosome 12 open reading frame 40
hsa-miR-126-5p	<a href="#">ACSM5</a>	acyl-CoA synthetase medium chain family member 5
hsa-miR-126-5p	<a href="#">ZNF264</a>	zinc finger protein 264
hsa-miR-126-5p	<a href="#">TBC1D9B</a>	TBC1 domain family member 9B
hsa-miR-126-5p	<a href="#">DIO3</a>	iodothyronine deiodinase 3
hsa-miR-126-5p	<a href="#">TMEM251</a>	transmembrane protein 251
hsa-miR-126-5p	<a href="#">AGPAT5</a>	1-acylglycerol-3-phosphate O-acyltransferase 5
hsa-miR-126-5p	<a href="#">CYP39A1</a>	cytochrome P450 family 39 subfamily A member 1
hsa-miR-126-5p	<a href="#">TBX18</a>	T-box 18
hsa-miR-126-5p	<a href="#">CNOT6</a>	CCR4-NOT transcription complex subunit 6
hsa-miR-126-5p	<a href="#">EYS</a>	eyes shut homolog
hsa-miR-126-5p	<a href="#">BCL11B</a>	BCL11B, BAF complex component
hsa-miR-126-5p	<a href="#">FAM84B</a>	family with sequence similarity 84 member B
hsa-miR-126-5p	<a href="#">TFPI2</a>	tissue factor pathway inhibitor 2
hsa-miR-126-5p	<a href="#">AAK1</a>	AP2 associated kinase 1
hsa-miR-126-5p	<a href="#">OPRK1</a>	opioid receptor kappa 1
hsa-miR-126-5p	<a href="#">ANGPTL7</a>	angiopoietin like 7
hsa-miR-126-5p	<a href="#">CLCN3</a>	chloride voltage-gated channel 3
hsa-miR-126-5p	<a href="#">ZC3H6</a>	zinc finger CCCH-type containing 6
hsa-miR-126-5p	<a href="#">TEX12</a>	testis expressed 12

hsa-miR-126-5p	<a href="#">TCF12</a>	transcription factor 12
hsa-miR-126-5p	<a href="#">HPCA</a>	hippocalcin
hsa-miR-126-5p	<a href="#">SLC6A4</a>	solute carrier family 6 member 4
hsa-miR-126-5p	<a href="#">NEUROD6</a>	neuronal differentiation 6
hsa-miR-126-5p	<a href="#">TMPO</a>	thymopoietin
hsa-miR-126-5p	<a href="#">RRP15</a>	ribosomal RNA processing 15 homolog
hsa-miR-126-5p	<a href="#">SFT2D1</a>	SFT2 domain containing 1
hsa-miR-126-5p	<a href="#">EMB</a>	embigin
hsa-miR-126-5p	<a href="#">SPRED1</a>	sprouty related EVH1 domain containing 1
hsa-miR-126-5p	<a href="#">SPICE1</a>	spindle and centriole associated protein 1
hsa-miR-126-5p	<a href="#">ERCC6</a>	ERCC excision repair 6, chromatin remodeling factor
hsa-miR-126-5p	<a href="#">TBL1XR1</a>	transducin beta like 1 X-linked receptor 1
hsa-miR-126-5p	<a href="#">DTD2</a>	D-tyrosyl-tRNA deacylase 2 (putative)
hsa-miR-126-5p	<a href="#">GRHL2</a>	grainyhead like transcription factor 2
hsa-miR-126-5p	<a href="#">SLFN13</a>	schlafen family member 13
hsa-miR-126-5p	<a href="#">ABCC9</a>	ATP binding cassette subfamily C member 9
hsa-miR-126-5p	<a href="#">ZNF81</a>	zinc finger protein 81
hsa-miR-126-5p	<a href="#">SBSPON</a>	somatomedin B and thrombospondin type 1 domain containing
hsa-miR-126-5p	<a href="#">EXPH5</a>	exophilin 5
hsa-miR-126-5p	<a href="#">sept-07</a>	septin 7
hsa-miR-126-5p	<a href="#">BHLHE41</a>	basic helix-loop-helix family member e41
hsa-miR-126-5p	<a href="#">C9orf153</a>	chromosome 9 open reading frame 153
hsa-miR-126-5p	<a href="#">PTPN21</a>	protein tyrosine phosphatase, non-receptor type 21
hsa-miR-126-5p	<a href="#">MMP20</a>	matrix metalloproteinase 20
hsa-miR-126-5p	<a href="#">ZADH2</a>	zinc binding alcohol dehydrogenase domain containing 2
hsa-miR-126-5p	<a href="#">DYNC1I2</a>	dynein cytoplasmic 1 intermediate chain 2
hsa-miR-126-5p	<a href="#">SLC17A8</a>	solute carrier family 17 member 8
hsa-miR-126-5p	<a href="#">PIH1D3</a>	PIH1 domain containing 3
hsa-miR-126-5p	<a href="#">TRIM61</a>	tripartite motif containing 61
hsa-miR-126-5p	<a href="#">HMGB1</a>	high mobility group box 1
hsa-miR-126-5p	<a href="#">SMC1A</a>	structural maintenance of chromosomes 1A
hsa-miR-126-5p	<a href="#">IRKL</a>	JRK like
hsa-miR-126-5p	<a href="#">LOC102724951</a>	uncharacterized LOC102724951
hsa-miR-126-5p	<a href="#">CEPT1</a>	choline/ethanolamine phosphotransferase 1
hsa-miR-126-5p	<a href="#">TMEM168</a>	transmembrane protein 168
hsa-miR-126-5p	<a href="#">ZDHHC21</a>	zinc finger DHHC-type containing 21
hsa-miR-126-5p	<a href="#">MAGEF1</a>	MAGE family member F1
hsa-miR-126-5p	<a href="#">HIPK3</a>	homeodomain interacting protein kinase 3
hsa-miR-126-5p	<a href="#">GCC1</a>	GRIP and coiled-coil domain containing 1
hsa-miR-126-5p	<a href="#">CPNE9</a>	copine family member 9
hsa-miR-126-5p	<a href="#">DLG5</a>	discs large MAGUK scaffold protein 5
hsa-miR-126-5p	<a href="#">AMMECR1L</a>	AMMECR1 like
hsa-miR-126-5p	<a href="#">CDC37L1</a>	cell division cycle 37 like 1
hsa-miR-126-5p	<a href="#">MELK</a>	maternal embryonic leucine zipper kinase
hsa-miR-126-5p	<a href="#">CNTNAP2</a>	contactin associated protein like 2

hsa-miR-126-5p	<a href="#">TSPO2</a>	translocator protein 2
hsa-miR-126-5p	<a href="#">CRKL</a>	CRK like proto-oncogene, adaptor protein
hsa-miR-126-5p	<a href="#">LOC102723360</a>	uncharacterized LOC102723360
hsa-miR-126-5p	<a href="#">LOC102724219</a>	uncharacterized LOC102724219
hsa-miR-126-5p	<a href="#">PGBD1</a>	piggyBac transposable element derived 1
hsa-miR-126-5p	<a href="#">ATN1</a>	atrophin 1
hsa-miR-126-5p	<a href="#">ZBTB38</a>	zinc finger and BTB domain containing 38
hsa-miR-126-5p	<a href="#">ENO4</a>	enolase 4
hsa-miR-126-5p	<a href="#">FBN1</a>	fibrillin 1
hsa-miR-126-5p	<a href="#">PPIL1</a>	peptidylprolyl isomerase like 1
hsa-miR-126-5p	<a href="#">CLDN22</a>	claudin 22
hsa-miR-126-5p	<a href="#">LOC102724843</a>	uncharacterized LOC102724843
hsa-miR-126-5p	<a href="#">PRUNE2</a>	prune homolog 2 with BCH domain
hsa-miR-126-5p	<a href="#">FNTB</a>	farnesyltransferase, CAAX box, beta
hsa-miR-126-5p	<a href="#">BRD3</a>	bromodomain containing 3
hsa-miR-126-5p	<a href="#">TPD52L3</a>	TPD52 like 3
hsa-miR-126-5p	<a href="#">TMEM245</a>	transmembrane protein 245
hsa-miR-126-5p	<a href="#">GLUD1</a>	glutamate dehydrogenase 1
hsa-miR-126-5p	<a href="#">CA13</a>	carbonic anhydrase 13
hsa-miR-126-5p	<a href="#">VXN</a>	vexin
hsa-miR-126-5p	<a href="#">TNC</a>	tenascin C
hsa-miR-126-5p	<a href="#">GOLGA6D</a>	golgin A6 family member D
hsa-miR-126-5p	<a href="#">CPNE8</a>	copine 8
hsa-miR-126-5p	<a href="#">SNX4</a>	sorting nexin 4
hsa-miR-126-5p	<a href="#">C7orf57</a>	chromosome 7 open reading frame 57
hsa-miR-126-5p	<a href="#">TPD52L1</a>	TPD52 like 1
hsa-miR-126-5p	<a href="#">MARF1</a>	meiosis regulator and mRNA stability factor 1
hsa-miR-126-5p	<a href="#">HMGCR</a>	3-hydroxy-3-methylglutaryl-CoA reductase
hsa-miR-126-5p	<a href="#">CHD9</a>	chromodomain helicase DNA binding protein 9
hsa-miR-126-5p	<a href="#">IRX3</a>	iroquois homeobox 3
hsa-miR-126-5p	<a href="#">sept-02</a>	septin 2
hsa-miR-126-5p	<a href="#">SEC14L1</a>	SEC14 like lipid binding 1
hsa-miR-126-5p	<a href="#">CDH19</a>	cadherin 19
hsa-miR-126-5p	<a href="#">IGF2BP2</a>	insulin like growth factor 2 mRNA binding protein 2
hsa-miR-126-5p	<a href="#">TM4SF18</a>	transmembrane 4 L six family member 18
hsa-miR-126-5p	<a href="#">GLRB</a>	glycine receptor beta
hsa-miR-126-5p	<a href="#">GTF2A1</a>	general transcription factor IIA subunit 1
hsa-miR-126-5p	<a href="#">KLHL41</a>	kelch like family member 41
hsa-miR-126-5p	<a href="#">FAT4</a>	FAT atypical cadherin 4
hsa-miR-126-5p	<a href="#">ETS2</a>	ETS proto-oncogene 2, transcription factor
hsa-miR-126-5p	<a href="#">ZNF607</a>	zinc finger protein 607
hsa-miR-126-5p	<a href="#">TRAF3</a>	TNF receptor associated factor 3
hsa-miR-126-5p	<a href="#">TNKS2</a>	tankyrase 2
hsa-miR-126-5p	<a href="#">HECW2</a>	HECT, C2 and WW domain containing E3 ubiquitin protein ligase 2
hsa-miR-126-5p	<a href="#">F5</a>	coagulation factor V



hsa-miR-126-5p	<a href="#">TMEM189</a>	transmembrane protein 189
hsa-miR-126-5p	<a href="#">BTBD1</a>	BTB domain containing 1
hsa-miR-126-5p	<a href="#">LRRK2</a>	leucine rich repeat kinase 2
hsa-miR-126-5p	<a href="#">CXADR</a>	CXADR, Ig-like cell adhesion molecule
hsa-miR-126-5p	<a href="#">PLSCR4</a>	phospholipid scramblase 4
hsa-miR-126-5p	<a href="#">TFPI</a>	tissue factor pathway inhibitor
hsa-miR-126-5p	<a href="#">NCALD</a>	neurocalcin delta
hsa-miR-126-5p	<a href="#">SGCB</a>	sarcoglycan beta
hsa-miR-126-5p	<a href="#">PPFIA1</a>	PTPRF interacting protein alpha 1
hsa-miR-126-5p	<a href="#">ANKRD29</a>	ankyrin repeat domain 29
hsa-miR-126-5p	<a href="#">MLANA</a>	melan-A
hsa-miR-126-5p	<a href="#">LYPLA1</a>	lysophospholipase 1
hsa-miR-126-5p	<a href="#">GJC1</a>	gap junction protein gamma 1
hsa-miR-126-5p	<a href="#">HCN1</a>	hyperpolarization activated cyclic nucleotide gated potassium channel 1
hsa-miR-126-5p	<a href="#">FAM155A</a>	family with sequence similarity 155 member A
hsa-miR-126-5p	<a href="#">MIA2</a>	MIA SH3 domain ER export factor 2
hsa-miR-126-5p	<a href="#">AZIN1</a>	antizyme inhibitor 1
hsa-miR-126-5p	<a href="#">MEX3B</a>	mex-3 RNA binding family member B
hsa-miR-126-5p	<a href="#">C18orf32</a>	chromosome 18 open reading frame 32
hsa-miR-126-5p	<a href="#">FSHR</a>	follicle stimulating hormone receptor
hsa-miR-126-5p	<a href="#">SMIM10L1</a>	small integral membrane protein 10 like 1
hsa-miR-126-5p	<a href="#">ZNF74</a>	zinc finger protein 74
hsa-miR-126-5p	<a href="#">PTPRC</a>	protein tyrosine phosphatase, receptor type C
hsa-miR-126-5p	<a href="#">FABP4</a>	fatty acid binding protein 4
hsa-miR-126-5p	<a href="#">UBTD2</a>	ubiquitin domain containing 2
hsa-miR-126-5p	<a href="#">HDAC4</a>	histone deacetylase 4
hsa-miR-126-5p	<a href="#">KSR1</a>	kinase suppressor of ras 1
hsa-miR-126-5p	<a href="#">FAT3</a>	FAT atypical cadherin 3
hsa-miR-126-5p	<a href="#">VPREB3</a>	V-set pre-B cell surrogate light chain 3
hsa-miR-126-5p	<a href="#">DDX43</a>	DEAD-box helicase 43
hsa-miR-126-5p	<a href="#">NR2F1</a>	nuclear receptor subfamily 2 group F member 1
hsa-miR-126-5p	<a href="#">RPS6KC1</a>	ribosomal protein S6 kinase C1
hsa-miR-126-5p	<a href="#">BCL2L2</a>	BCL2 like 2
hsa-miR-126-5p	<a href="#">SLAIN2</a>	SLAIN motif family member 2
hsa-miR-126-5p	<a href="#">DTL</a>	denticleless E3 ubiquitin protein ligase homolog
hsa-miR-126-5p	<a href="#">RALGAPA1</a>	Ral GTPase activating protein catalytic alpha subunit 1
hsa-miR-126-5p	<a href="#">NETO1</a>	neuropilin and tolloid like 1
hsa-miR-126-5p	<a href="#">NUAK1</a>	NUAK family kinase 1
hsa-miR-126-5p	<a href="#">PPP2R5E</a>	protein phosphatase 2 regulatory subunit B'epsilon
hsa-miR-126-5p	<a href="#">RPL17-C18orf32</a>	RPL17-C18orf32 readthrough
hsa-miR-126-5p	<a href="#">ENTPD7</a>	ectonucleoside triphosphate diphosphohydrolase 7
hsa-miR-126-5p	<a href="#">RFT1</a>	RFT1 homolog
hsa-miR-126-5p	<a href="#">RCOR3</a>	REST corepressor 3
hsa-miR-126-5p	<a href="#">PAM</a>	peptidylglycine alpha-amidating monooxygenase



hsa-miR-126-5p	<a href="#">KCNJ16</a>	potassium voltage-gated channel subfamily J member 16
hsa-miR-126-5p	<a href="#">BEND3</a>	BEN domain containing 3
hsa-miR-126-5p	<a href="#">ZEB1</a>	zinc finger E-box binding homeobox 1
hsa-miR-126-5p	<a href="#">RHOBTB1</a>	Rho related BTB domain containing 1
hsa-miR-126-5p	<a href="#">MCU</a>	mitochondrial calcium uniporter
hsa-miR-126-5p	<a href="#">ZNF697</a>	zinc finger protein 697
hsa-miR-126-5p	<a href="#">UBR5</a>	ubiquitin protein ligase E3 component n-recognin 5
hsa-miR-126-5p	<a href="#">LINGO1</a>	leucine rich repeat and Ig domain containing 1
hsa-miR-126-5p	<a href="#">KCNT2</a>	potassium sodium-activated channel subfamily T member 2
hsa-miR-126-5p	<a href="#">ZNF212</a>	zinc finger protein 212
hsa-miR-126-5p	<a href="#">VPS4B</a>	vacuolar protein sorting 4 homolog B
hsa-miR-126-5p	<a href="#">PIP4K2A</a>	phosphatidylinositol-5-phosphate 4-kinase type 2 alpha
hsa-miR-126-5p	<a href="#">EVI5</a>	ecotropic viral integration site 5
hsa-miR-126-5p	<a href="#">HCN4</a>	hyperpolarization activated cyclic nucleotide gated potassium channel 4
hsa-miR-126-5p	<a href="#">SDE2</a>	SDE2 telomere maintenance homolog
hsa-miR-126-5p	<a href="#">ACYP2</a>	acylphosphatase 2
hsa-miR-126-5p	<a href="#">CTSS</a>	cathepsin S
hsa-miR-126-5p	<a href="#">KCTD4</a>	potassium channel tetramerization domain containing 4
hsa-miR-126-5p	<a href="#">CFHR3</a>	complement factor H related 3
hsa-miR-126-5p	<a href="#">MARCKS</a>	myristoylated alanine rich protein kinase C substrate
hsa-miR-126-5p	<a href="#">TNFRSF11A</a>	TNF receptor superfamily member 11a
hsa-miR-126-5p	<a href="#">SLC2A13</a>	solute carrier family 2 member 13
hsa-miR-126-5p	<a href="#">OGN</a>	osteoglycin
hsa-miR-126-5p	<a href="#">INHBE</a>	inhibin subunit beta E
hsa-miR-126-5p	<a href="#">C14orf39</a>	chromosome 14 open reading frame 39
hsa-miR-126-5p	<a href="#">NRAP</a>	nebulin related anchoring protein
hsa-miR-126-5p	<a href="#">DCBLD2</a>	discoidin, CUB and LCCL domain containing 2
hsa-miR-126-5p	<a href="#">NUP88</a>	nucleoporin 88
hsa-miR-126-5p	<a href="#">NUP88</a>	nucleoporin 88
hsa-miR-126-5p	<a href="#">FAM151B</a>	family with sequence similarity 151 member B
hsa-miR-126-5p	<a href="#">MBL2</a>	mannose binding lectin 2
hsa-miR-126-5p	<a href="#">REF3</a>	regulatory factor X3
hsa-miR-126-5p	<a href="#">SPRY3</a>	sprouty RTK signaling antagonist 3
hsa-miR-126-5p	<a href="#">TMEFF2</a>	transmembrane protein with EGF like and two follistatin like domains 2
hsa-miR-126-5p	<a href="#">SCAI</a>	suppressor of cancer cell invasion
hsa-miR-126-5p	<a href="#">TOR1AIP2</a>	torsin 1A interacting protein 2
hsa-miR-126-5p	<a href="#">ARHGAP9</a>	Rho GTPase activating protein 9
hsa-miR-126-5p	<a href="#">FGFR2</a>	fibroblast growth factor receptor 2
hsa-miR-126-5p	<a href="#">TLL1</a>	tolloid like 1
hsa-miR-126-5p	<a href="#">CDKN2D</a>	cyclin dependent kinase inhibitor 2D
hsa-miR-126-5p	<a href="#">RANBP3L</a>	RAN binding protein 3 like
hsa-miR-126-5p	<a href="#">CAST</a>	calpastatin
hsa-miR-126-5p	<a href="#">ROCK1</a>	Rho associated coiled-coil containing protein kinase 1

hsa-miR-126-5p	<a href="#">PRKCH</a>	protein kinase C eta
hsa-miR-126-5p	<a href="#">CDC14A</a>	cell division cycle 14A
hsa-miR-126-5p	<a href="#">PDZD2</a>	PDZ domain containing 2
hsa-miR-126-5p	<a href="#">BCAT1</a>	branched chain amino acid transaminase 1
hsa-miR-126-5p	<a href="#">ZSCAN30</a>	zinc finger and SCAN domain containing 30
hsa-miR-126-5p	<a href="#">MAPK1IP1L</a>	mitogen-activated protein kinase 1 interacting protein 1 like
hsa-miR-126-5p	<a href="#">MTFR1</a>	mitochondrial fission regulator 1
hsa-miR-126-5p	<a href="#">AP1AR</a>	adaptor related protein complex 1 associated regulatory protein
hsa-miR-126-5p	<a href="#">OR51E2</a>	olfactory receptor family 51 subfamily E member 2
hsa-miR-126-5p	<a href="#">RGS18</a>	regulator of G protein signaling 18
hsa-miR-126-5p	<a href="#">ADAM22</a>	ADAM metallopeptidase domain 22
hsa-miR-126-5p	<a href="#">AKNA</a>	AT-hook transcription factor
hsa-miR-126-5p	<a href="#">PTGFR</a>	prostaglandin F receptor
hsa-miR-126-5p	<a href="#">CCDC82</a>	coiled-coil domain containing 82
hsa-miR-126-5p	<a href="#">ZFYVE16</a>	zinc finger FYVE-type containing 16
hsa-miR-126-5p	<a href="#">SEC22A</a>	SEC22 homolog A, vesicle trafficking protein
hsa-miR-126-5p	<a href="#">GLO1</a>	glyoxalase I
hsa-miR-126-5p	<a href="#">STXBP4</a>	syntaxin binding protein 4
hsa-miR-126-5p	<a href="#">ARF6</a>	ADP ribosylation factor 6
hsa-miR-126-5p	<a href="#">ANAPC7</a>	anaphase promoting complex subunit 7
hsa-miR-126-5p	<a href="#">ZNF793</a>	zinc finger protein 793
hsa-miR-126-5p	<a href="#">CLASP1</a>	cytoplasmic linker associated protein 1
hsa-miR-126-5p	<a href="#">PTPRD</a>	protein tyrosine phosphatase, receptor type D
hsa-miR-126-5p	<a href="#">RBBP4</a>	RB binding protein 4, chromatin remodeling factor
hsa-miR-126-5p	<a href="#">SRCAP</a>	Snf2 related CREBBP activator protein
hsa-miR-126-5p	<a href="#">KCNH2</a>	potassium voltage-gated channel subfamily H member 2
hsa-miR-126-5p	<a href="#">REL</a>	REL proto-oncogene, NF-kB subunit
hsa-miR-126-5p	<a href="#">CPNE3</a>	copine 3
hsa-miR-126-5p	<a href="#">MYT1</a>	myelin transcription factor 1
hsa-miR-126-5p	<a href="#">DVL3</a>	dishevelled segment polarity protein 3
hsa-miR-126-5p	<a href="#">COL4A1</a>	collagen type IV alpha 1 chain
hsa-miR-126-5p	<a href="#">ST8SIA1</a>	ST8 alpha-N-acetyl-neuraminide alpha-2,8-sialyltransferase 1
hsa-miR-126-5p	<a href="#">RNMT</a>	RNA guanine-7 methyltransferase
hsa-miR-126-5p	<a href="#">CA5B</a>	carbonic anhydrase 5B
hsa-miR-126-5p	<a href="#">DSC2</a>	desmocollin 2
hsa-miR-126-5p	<a href="#">RALGPS2</a>	Ral GEF with PH domain and SH3 binding motif 2
hsa-miR-126-5p	<a href="#">PIH1D2</a>	PIH1 domain containing 2
hsa-miR-126-5p	<a href="#">RAPGEF6</a>	Rap guanine nucleotide exchange factor 6
hsa-miR-126-5p	<a href="#">CCKBR</a>	cholecystokinin B receptor
hsa-miR-126-5p	<a href="#">DDX31</a>	DEAD-box helicase 31
hsa-miR-126-5p	<a href="#">TCAIM</a>	T cell activation inhibitor, mitochondrial
hsa-miR-126-5p	<a href="#">MICU3</a>	mitochondrial calcium uptake family member 3
hsa-miR-126-5p	<a href="#">ST6GALNAC1</a>	ST6 N-acetylgalactosaminide alpha-2,6-sialyltransferase 1
hsa-miR-126-5p	<a href="#">SERF1B</a>	small EDRK-rich factor 1B
hsa-miR-126-5p	<a href="#">UPP2</a>	uridine phosphorylase 2

hsa-miR-126-5p	<a href="#">LHFPL3</a>	LHFPL tetraspan subfamily member 3
hsa-miR-126-5p	<a href="#">NAALAD2</a>	N-acetylated alpha-linked acidic dipeptidase 2
hsa-miR-126-5p	<a href="#">OLFM3</a>	olfactomedin 3
hsa-miR-126-5p	<a href="#">ZNF254</a>	zinc finger protein 254
hsa-miR-126-5p	<a href="#">TCFL5</a>	transcription factor like 5
hsa-miR-126-5p	<a href="#">A1CF</a>	APOBEC1 complementation factor
hsa-miR-126-5p	<a href="#">RIMS1</a>	regulating synaptic membrane exocytosis 1
hsa-miR-126-5p	<a href="#">THSD7A</a>	thrombospondin type 1 domain containing 7A
hsa-miR-126-5p	<a href="#">ZNF546</a>	zinc finger protein 546
hsa-miR-126-5p	<a href="#">DPP8</a>	dipeptidyl peptidase 8
hsa-miR-126-5p	<a href="#">MAP9</a>	microtubule associated protein 9
hsa-miR-126-5p	<a href="#">C5orf30</a>	chromosome 5 open reading frame 30
hsa-miR-126-5p	<a href="#">USP15</a>	ubiquitin specific peptidase 15
hsa-miR-126-5p	<a href="#">XPA</a>	XPA, DNA damage recognition and repair factor
hsa-miR-126-5p	<a href="#">PKIA</a>	cAMP-dependent protein kinase inhibitor alpha
hsa-miR-126-5p	<a href="#">EIF2A</a>	eukaryotic translation initiation factor 2A
hsa-miR-126-5p	<a href="#">IAKMIP3</a>	Janus kinase and microtubule interacting protein 3
hsa-miR-126-5p	<a href="#">FAF1</a>	Fas associated factor 1
hsa-miR-126-5p	<a href="#">QKI</a>	QKI, KH domain containing RNA binding
hsa-miR-126-5p	<a href="#">CPEB2</a>	cytoplasmic polyadenylation element binding protein 2
hsa-miR-126-5p	<a href="#">PLOD2</a>	procollagen-lysine,2-oxoglutarate 5-dioxygenase 2
hsa-miR-126-5p	<a href="#">H3F3A</a>	H3 histone family member 3A
hsa-miR-126-5p	<a href="#">BMPRI1B</a>	bone morphogenetic protein receptor type 1B
hsa-miR-126-5p	<a href="#">ILDR2</a>	immunoglobulin like domain containing receptor 2
hsa-miR-126-5p	<a href="#">GPR155</a>	G protein-coupled receptor 155
hsa-miR-126-5p	<a href="#">COPA</a>	coatamer protein complex subunit alpha
hsa-miR-126-5p	<a href="#">FLT4</a>	fms related tyrosine kinase 4
hsa-miR-126-5p	<a href="#">LIN54</a>	lin-54 DREAM MuvB core complex component
hsa-miR-126-5p	<a href="#">FOXN3</a>	forkhead box N3
hsa-miR-126-5p	<a href="#">FOLH1B</a>	folate hydrolase 1B
hsa-miR-126-5p	<a href="#">ZSCAN32</a>	zinc finger and SCAN domain containing 32
hsa-miR-126-5p	<a href="#">ADCY7</a>	adenylate cyclase 7
hsa-miR-126-5p	<a href="#">DDHD1</a>	DDHD domain containing 1
hsa-miR-126-5p	<a href="#">IMY</a>	junction mediating and regulatory protein, p53 cofactor
hsa-miR-126-5p	<a href="#">CACNA1E</a>	calcium voltage-gated channel subunit alpha1 E
hsa-miR-126-5p	<a href="#">CFAP299</a>	cilia and flagella associated protein 299
hsa-miR-126-5p	<a href="#">HIF1A</a>	hypoxia inducible factor 1 subunit alpha
hsa-miR-126-5p	<a href="#">CLCC1</a>	chloride channel CLIC like 1
hsa-miR-126-5p	<a href="#">POLR2F</a>	RNA polymerase II subunit F
hsa-miR-126-5p	<a href="#">GPA33</a>	glycoprotein A33
hsa-miR-126-5p	<a href="#">MED13L</a>	mediator complex subunit 13 like
hsa-miR-126-5p	<a href="#">DOK6</a>	docking protein 6
hsa-miR-126-5p	<a href="#">OSBPL8</a>	oxysterol binding protein like 8
hsa-miR-126-5p	<a href="#">HECA</a>	hdc homolog, cell cycle regulator
hsa-miR-126-5p	<a href="#">TTC33</a>	tetratricopeptide repeat domain 33

hsa-miR-126-5p	<a href="#">AEBP2</a>	AE binding protein 2
hsa-miR-126-5p	<a href="#">ZBTB2</a>	zinc finger and BTB domain containing 2
hsa-miR-126-5p	<a href="#">PLXNA4</a>	plexin A4
hsa-miR-126-5p	<a href="#">DDX21</a>	DExD-box helicase 21
hsa-miR-126-5p	<a href="#">M1AP</a>	meiosis 1 associated protein
hsa-miR-126-5p	<a href="#">SPAG16</a>	sperm associated antigen 16
hsa-miR-126-5p	<a href="#">KIF5B</a>	kinesin family member 5B
hsa-miR-126-5p	<a href="#">DCUN1D5</a>	defective in cullin neddylation 1 domain containing 5
hsa-miR-126-5p	<a href="#">NRXN1</a>	neurexin 1
hsa-miR-126-5p	<a href="#">NAF1</a>	nuclear assembly factor 1 ribonucleoprotein
hsa-miR-126-5p	<a href="#">CD44</a>	CD44 molecule (Indian blood group)
hsa-miR-126-5p	<a href="#">SERF1A</a>	small EDRK-rich factor 1A
hsa-miR-126-5p	<a href="#">CPLX3</a>	complexin 3
hsa-miR-126-5p	<a href="#">HDAC9</a>	histone deacetylase 9
hsa-miR-126-5p	<a href="#">LRP1B</a>	LDL receptor related protein 1B
hsa-miR-126-5p	<a href="#">EPHA7</a>	EPH receptor A7
hsa-miR-126-5p	<a href="#">ME2</a>	malic enzyme 2
hsa-miR-126-5p	<a href="#">CLIC2</a>	chloride intracellular channel 2
hsa-miR-126-5p	<a href="#">NAB1</a>	NGFI-A binding protein 1
hsa-miR-126-5p	<a href="#">TOB2</a>	transducer of ERBB2, 2
hsa-miR-126-5p	<a href="#">GABRA6</a>	gamma-aminobutyric acid type A receptor alpha6 subunit
hsa-miR-126-5p	<a href="#">PTER</a>	phosphotriesterase related
hsa-miR-126-5p	<a href="#">PNPLA8</a>	patatin like phospholipase domain containing 8
hsa-miR-126-5p	<a href="#">SKAP2</a>	src kinase associated phosphoprotein 2
hsa-miR-126-5p	<a href="#">C8orf88</a>	chromosome 8 open reading frame 88
hsa-miR-126-5p	<a href="#">ANAPC16</a>	anaphase promoting complex subunit 16
hsa-miR-126-5p	<a href="#">TMPRSS11D</a>	transmembrane serine protease 11D
hsa-miR-126-5p	<a href="#">LRRC19</a>	leucine rich repeat containing 19
hsa-miR-126-5p	<a href="#">PLEKHF1</a>	pleckstrin homology and FYVE domain containing 1
hsa-miR-126-5p	<a href="#">SLC17A9</a>	solute carrier family 17 member 9
hsa-miR-126-5p	<a href="#">CRCP</a>	CGRP receptor component
hsa-miR-126-5p	<a href="#">PTH2R</a>	parathyroid hormone 2 receptor
hsa-miR-126-5p	<a href="#">BCO1</a>	beta-carotene oxygenase 1
hsa-miR-128-3p	<a href="#">AFF4</a>	AF4/FMR2 family member 4
hsa-miR-128-3p	<a href="#">SZRD1</a>	SUZ RNA binding domain containing 1
hsa-miR-128-3p	<a href="#">KDM7A</a>	lysine demethylase 7A
hsa-miR-128-3p	<a href="#">SEC22A</a>	SEC22 homolog A, vesicle trafficking protein
hsa-miR-128-3p	<a href="#">GPAM</a>	glycerol-3-phosphate acyltransferase, mitochondrial
hsa-miR-128-3p	<a href="#">FRMPD3</a>	FERM and PDZ domain containing 3
hsa-miR-128-3p	<a href="#">RPS6KA5</a>	ribosomal protein S6 kinase A5
hsa-miR-128-3p	<a href="#">PAIP2</a>	poly(A) binding protein interacting protein 2
hsa-miR-128-3p	<a href="#">PHF6</a>	PHD finger protein 6
hsa-miR-128-3p	<a href="#">DCUN1D4</a>	defective in cullin neddylation 1 domain containing 4
hsa-miR-128-3p	<a href="#">SMAP1</a>	small ArfGAP 1
hsa-miR-128-3p	<a href="#">IGLON5</a>	IgLON family member 5

hsa-miR-128-3p	<a href="#">UBE2E2</a>	ubiquitin conjugating enzyme E2 E2
hsa-miR-128-3p	<a href="#">KCNK2</a>	potassium two pore domain channel subfamily K member 2
hsa-miR-128-3p	<a href="#">POGLUT1</a>	protein O-glucosyltransferase 1
hsa-miR-128-3p	<a href="#">ARRDC4</a>	arrestin domain containing 4
hsa-miR-128-3p	<a href="#">MOSMO</a>	modulator of smoothened
hsa-miR-128-3p	<a href="#">KCNK10</a>	potassium two pore domain channel subfamily K member 10
hsa-miR-128-3p	<a href="#">CDS1</a>	CDP-diacylglycerol synthase 1
hsa-miR-128-3p	<a href="#">PLK2</a>	polo like kinase 2
hsa-miR-128-3p	<a href="#">TNPO1</a>	transportin 1
hsa-miR-128-3p	<a href="#">TRPV3</a>	transient receptor potential cation channel subfamily V member 3
hsa-miR-128-3p	<a href="#">TMTC2</a>	transmembrane and tetratricopeptide repeat containing 2
hsa-miR-128-3p	<a href="#">GRIA3</a>	glutamate ionotropic receptor AMPA type subunit 3
hsa-miR-128-3p	<a href="#">SRGAP2</a>	SLIT-ROBO Rho GTPase activating protein 2
hsa-miR-128-3p	<a href="#">OTULIN</a>	OTU deubiquitinase with linear linkage specificity
hsa-miR-128-3p	<a href="#">MSI2</a>	musashi RNA binding protein 2
hsa-miR-128-3p	<a href="#">DTX4</a>	deltex E3 ubiquitin ligase 4
hsa-miR-128-3p	<a href="#">CSF1</a>	colony stimulating factor 1
hsa-miR-128-3p	<a href="#">BEND4</a>	BEN domain containing 4
hsa-miR-128-3p	<a href="#">NGFR</a>	nerve growth factor receptor
hsa-miR-128-3p	<a href="#">SS18</a>	SS18, nBAF chromatin remodeling complex subunit
hsa-miR-128-3p	<a href="#">POGZ</a>	pogo transposable element derived with ZNF domain
hsa-miR-128-3p	<a href="#">SOCS5</a>	suppressor of cytokine signaling 5
hsa-miR-128-3p	<a href="#">ECE2</a>	endothelin converting enzyme 2
hsa-miR-128-3p	<a href="#">CACNG2</a>	calcium voltage-gated channel auxiliary subunit gamma 2
hsa-miR-128-3p	<a href="#">RGL2</a>	ral guanine nucleotide dissociation stimulator like 2
hsa-miR-128-3p	<a href="#">UBR5</a>	ubiquitin protein ligase E3 component n-recogin 5
hsa-miR-128-3p	<a href="#">PRKX</a>	protein kinase X-linked
hsa-miR-128-3p	<a href="#">MPP6</a>	membrane palmitoylated protein 6
hsa-miR-128-3p	<a href="#">FAM184A</a>	family with sequence similarity 184 member A
hsa-miR-128-3p	<a href="#">PCNX1</a>	pecanex 1
hsa-miR-128-3p	<a href="#">EEF1AKMT4-ECE2</a>	EEF1AKMT4-ECE2 readthrough
hsa-miR-128-3p	<a href="#">SLC22A23</a>	solute carrier family 22 member 23
hsa-miR-128-3p	<a href="#">NRK</a>	Nik related kinase
hsa-miR-128-3p	<a href="#">GAB1</a>	GRB2 associated binding protein 1
hsa-miR-128-3p	<a href="#">TUB</a>	tubby bipartite transcription factor
hsa-miR-128-3p	<a href="#">TEAD1</a>	TEA domain transcription factor 1
hsa-miR-128-3p	<a href="#">DOT1L</a>	DOT1 like histone lysine methyltransferase
hsa-miR-128-3p	<a href="#">NFIL3</a>	nuclear factor, interleukin 3 regulated
hsa-miR-128-3p	<a href="#">PDIA5</a>	protein disulfide isomerase family A member 5
hsa-miR-128-3p	<a href="#">SLC6A1</a>	solute carrier family 6 member 1
hsa-miR-128-3p	<a href="#">GCC1</a>	GRIP and coiled-coil domain containing 1
hsa-miR-128-3p	<a href="#">AKIRIN1</a>	akirin 1
hsa-miR-128-3p	<a href="#">UNC13C</a>	unc-13 homolog C
hsa-miR-128-3p	<a href="#">CCDC88A</a>	coiled-coil domain containing 88A

hsa-miR-128-3p	<a href="#">RO60</a>	Ro60, Y RNA binding protein
hsa-miR-128-3p	<a href="#">MED13L</a>	mediator complex subunit 13 like
hsa-miR-128-3p	<a href="#">RETREG3</a>	reticulophagy regulator family member 3
hsa-miR-128-3p	<a href="#">SOS1</a>	SOS Ras/Rac guanine nucleotide exchange factor 1
hsa-miR-128-3p	<a href="#">FAM126A</a>	family with sequence similarity 126 member A
hsa-miR-128-3p	<a href="#">IRS1</a>	insulin receptor substrate 1
hsa-miR-128-3p	<a href="#">TTC39A</a>	tetratricopeptide repeat domain 39A
hsa-miR-128-3p	<a href="#">CEP76</a>	centrosomal protein 76
hsa-miR-128-3p	<a href="#">PHB</a>	prohibitin
hsa-miR-128-3p	<a href="#">RNF182</a>	ring finger protein 182
hsa-miR-128-3p	<a href="#">GATA6</a>	GATA binding protein 6
hsa-miR-128-3p	<a href="#">AK2</a>	adenylate kinase 2
hsa-miR-128-3p	<a href="#">PTPRB</a>	protein tyrosine phosphatase, receptor type B
hsa-miR-128-3p	<a href="#">AK4</a>	adenylate kinase 4
hsa-miR-128-3p	<a href="#">GXylT1</a>	glucoside xylosyltransferase 1
hsa-miR-128-3p	<a href="#">UGT8</a>	UDP glycosyltransferase 8
hsa-miR-128-3p	<a href="#">NEO1</a>	neogenin 1
hsa-miR-128-3p	<a href="#">PDE3A</a>	phosphodiesterase 3A
hsa-miR-128-3p	<a href="#">GRIN2D</a>	glutamate ionotropic receptor NMDA type subunit 2D
hsa-miR-128-3p	<a href="#">ADCY2</a>	adenylate cyclase 2
hsa-miR-128-3p	<a href="#">H3F3B</a>	H3 histone family member 3B
hsa-miR-128-3p	<a href="#">ZNF704</a>	zinc finger protein 704
hsa-miR-128-3p	<a href="#">TGFB1</a>	transforming growth factor beta receptor 1
hsa-miR-128-3p	<a href="#">XPR1</a>	xenotropic and polytropic retrovirus receptor 1
hsa-miR-128-3p	<a href="#">CNOT6</a>	CCR4-NOT transcription complex subunit 6
hsa-miR-128-3p	<a href="#">NF1</a>	neurofibromin 1
hsa-miR-128-3p	<a href="#">VEGFC</a>	vascular endothelial growth factor C
hsa-miR-128-3p	<a href="#">CXADR</a>	CXADR, Ig-like cell adhesion molecule
hsa-miR-128-3p	<a href="#">TRL</a>	TLR4 interactor with leucine rich repeats
hsa-miR-128-3p	<a href="#">ARMC8</a>	armadillo repeat containing 8
hsa-miR-128-3p	<a href="#">CABLES2</a>	Cdk5 and Abl enzyme substrate 2
hsa-miR-128-3p	<a href="#">SETD7</a>	SET domain containing 7, histone lysine methyltransferase
hsa-miR-128-3p	<a href="#">SPTY2D1</a>	SPT2 chromatin protein domain containing 1
hsa-miR-128-3p	<a href="#">TTC9</a>	tetratricopeptide repeat domain 9
hsa-miR-128-3p	<a href="#">RCOR3</a>	REST corepressor 3
hsa-miR-128-3p	<a href="#">PTPN9</a>	protein tyrosine phosphatase, non-receptor type 9
hsa-miR-128-3p	<a href="#">USP42</a>	ubiquitin specific peptidase 42
hsa-miR-128-3p	<a href="#">EIF2S2</a>	eukaryotic translation initiation factor 2 subunit beta
hsa-miR-128-3p	<a href="#">ABL2</a>	ABL proto-oncogene 2, non-receptor tyrosine kinase
hsa-miR-128-3p	<a href="#">GALNT7</a>	polypeptide N-acetylgalactosaminyltransferase 7
hsa-miR-128-3p	<a href="#">ROR1</a>	receptor tyrosine kinase like orphan receptor 1
hsa-miR-128-3p	<a href="#">MIEF1</a>	mitochondrial elongation factor 1
hsa-miR-128-3p	<a href="#">USH2A</a>	usherin
hsa-miR-128-3p	<a href="#">YWHAB</a>	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein beta



hsa-miR-128-3p	<a href="#">ERC2</a>	ELKS/RAB6-interacting/CAST family member 2
hsa-miR-128-3p	<a href="#">ARHGEF38</a>	Rho guanine nucleotide exchange factor 38
hsa-miR-128-3p	<a href="#">PDHX</a>	pyruvate dehydrogenase complex component X
hsa-miR-128-3p	<a href="#">NEK2</a>	NIMA related kinase 2
hsa-miR-128-3p	<a href="#">ATP8A1</a>	ATPase phospholipid transporting 8A1
hsa-miR-128-3p	<a href="#">MAPK14</a>	mitogen-activated protein kinase 14
hsa-miR-128-3p	<a href="#">NXT2</a>	nuclear transport factor 2 like export factor 2
hsa-miR-128-3p	<a href="#">NABP1</a>	nucleic acid binding protein 1
hsa-miR-128-3p	<a href="#">VANGL2</a>	VANGL planar cell polarity protein 2
hsa-miR-128-3p	<a href="#">STOX2</a>	storkhead box 2
hsa-miR-128-3p	<a href="#">GRIK3</a>	glutamate ionotropic receptor kainate type subunit 3
hsa-miR-128-3p	<a href="#">RNGTT</a>	RNA guanylyltransferase and 5'-phosphatase
hsa-miR-128-3p	<a href="#">NFX1</a>	nuclear transcription factor, X-box binding 1
hsa-miR-128-3p	<a href="#">RYBP</a>	RING1 and YY1 binding protein
hsa-miR-128-3p	<a href="#">COMMD3-BMI1</a>	COMMD3-BMI1 readthrough
hsa-miR-128-3p	<a href="#">FBLN5</a>	fibulin 5
hsa-miR-128-3p	<a href="#">SLC39A7</a>	solute carrier family 39 member 7
hsa-miR-128-3p	<a href="#">FOXA3</a>	forkhead box A3
hsa-miR-128-3p	<a href="#">BAG2</a>	BCL2 associated athanogene 2
hsa-miR-128-3p	<a href="#">FRYL</a>	FRY like transcription coactivator
hsa-miR-128-3p	<a href="#">STK32A</a>	serine/threonine kinase 32A
hsa-miR-128-3p	<a href="#">PPM1E</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1E
hsa-miR-128-3p	<a href="#">STRN4</a>	striatin 4
hsa-miR-128-3p	<a href="#">PLCH1</a>	phospholipase C eta 1
hsa-miR-128-3p	<a href="#">ARHGAP12</a>	Rho GTPase activating protein 12
hsa-miR-128-3p	<a href="#">HIC1</a>	HIC ZBTB transcriptional repressor 1
hsa-miR-128-3p	<a href="#">SNAP25</a>	synaptosome associated protein 25
hsa-miR-128-3p	<a href="#">CYP39A1</a>	cytochrome P450 family 39 subfamily A member 1
hsa-miR-128-3p	<a href="#">EPHB2</a>	EPH receptor B2
hsa-miR-128-3p	<a href="#">COL27A1</a>	collagen type XXVII alpha 1 chain
hsa-miR-128-3p	<a href="#">KDM3A</a>	lysine demethylase 3A
hsa-miR-128-3p	<a href="#">AMER2</a>	APC membrane recruitment protein 2
hsa-miR-128-3p	<a href="#">PHF24</a>	PHD finger protein 24
hsa-miR-128-3p	<a href="#">FAM126B</a>	family with sequence similarity 126 member B
hsa-miR-128-3p	<a href="#">MDN1</a>	midasin AAA ATPase 1
hsa-miR-128-3p	<a href="#">RAB20</a>	RAB20, member RAS oncogene family
hsa-miR-128-3p	<a href="#">EML1</a>	EMAP like 1
hsa-miR-128-3p	<a href="#">ISL1</a>	ISL LIM homeobox 1
hsa-miR-128-3p	<a href="#">RNF38</a>	ring finger protein 38
hsa-miR-128-3p	<a href="#">USP49</a>	ubiquitin specific peptidase 49
hsa-miR-128-3p	<a href="#">TMEM64</a>	transmembrane protein 64
hsa-miR-128-3p	<a href="#">PPFIA2</a>	PTPRF interacting protein alpha 2
hsa-miR-128-3p	<a href="#">SCAI</a>	suppressor of cancer cell invasion
hsa-miR-128-3p	<a href="#">SFXN2</a>	sideroflexin 2
hsa-miR-128-3p	<a href="#">SORL1</a>	sortilin related receptor 1

hsa-miR-128-3p	<a href="#">TMEM167A</a>	transmembrane protein 167A
hsa-miR-128-3p	<a href="#">ZNF652</a>	zinc finger protein 652
hsa-miR-128-3p	<a href="#">UGCG</a>	UDP-glucose ceramide glucosyltransferase
hsa-miR-128-3p	<a href="#">MET</a>	MET proto-oncogene, receptor tyrosine kinase
hsa-miR-128-3p	<a href="#">ARHGAP32</a>	Rho GTPase activating protein 32
hsa-miR-128-3p	<a href="#">RET</a>	ret proto-oncogene
hsa-miR-128-3p	<a href="#">CASC3</a>	CASC3, exon junction complex subunit
hsa-miR-128-3p	<a href="#">SLC7A11</a>	solute carrier family 7 member 11
hsa-miR-128-3p	<a href="#">BAZ2B</a>	bromodomain adjacent to zinc finger domain 2B
hsa-miR-128-3p	<a href="#">PLAGL2</a>	PLAG1 like zinc finger 2
hsa-miR-128-3p	<a href="#">RECK</a>	reversion inducing cysteine rich protein with kazal motifs
hsa-miR-128-3p	<a href="#">NAA50</a>	N(alpha)-acetyltransferase 50, NatE catalytic subunit
hsa-miR-128-3p	<a href="#">MED12L</a>	mediator complex subunit 12 like
hsa-miR-128-3p	<a href="#">SH2D3C</a>	SH2 domain containing 3C
hsa-miR-128-3p	<a href="#">FAM155A</a>	family with sequence similarity 155 member A
hsa-miR-128-3p	<a href="#">GRIA4</a>	glutamate ionotropic receptor AMPA type subunit 4
hsa-miR-128-3p	<a href="#">C20orf194</a>	chromosome 20 open reading frame 194
hsa-miR-128-3p	<a href="#">WNK1</a>	WNK lysine deficient protein kinase 1
hsa-miR-128-3p	<a href="#">PLCL2</a>	phospholipase C like 2
hsa-miR-128-3p	<a href="#">MAPK8IP3</a>	mitogen-activated protein kinase 8 interacting protein 3
hsa-miR-128-3p	<a href="#">CECR2</a>	CECR2, histone acetyl-lysine reader
hsa-miR-128-3p	<a href="#">PDPK1</a>	3-phosphoinositide dependent protein kinase 1
hsa-miR-128-3p	<a href="#">ZFP36L1</a>	ZFP36 ring finger protein like 1
hsa-miR-128-3p	<a href="#">IRF4</a>	interferon regulatory factor 4
hsa-miR-128-3p	<a href="#">LTBP1</a>	latent transforming growth factor beta binding protein 1
hsa-miR-128-3p	<a href="#">CLPP</a>	caseinolytic mitochondrial matrix peptidase proteolytic subunit
hsa-miR-128-3p	<a href="#">ZFXH3</a>	zinc finger homeobox 3
hsa-miR-128-3p	<a href="#">VPS4B</a>	vacuolar protein sorting 4 homolog B
hsa-miR-128-3p	<a href="#">SNX12</a>	sorting nexin 12
hsa-miR-128-3p	<a href="#">GREM1</a>	gremlin 1, DAN family BMP antagonist
hsa-miR-128-3p	<a href="#">NRBF2</a>	nuclear receptor binding factor 2
hsa-miR-128-3p	<a href="#">NUS1</a>	NUS1, dehydrolipidyl diphosphate synthase subunit
hsa-miR-128-3p	<a href="#">PDE10A</a>	phosphodiesterase 10A
hsa-miR-128-3p	<a href="#">RASGEF1B</a>	RasGEF domain family member 1B
hsa-miR-128-3p	<a href="#">RHOT2</a>	ras homolog family member T2
hsa-miR-128-3p	<a href="#">CDIP1</a>	cell death inducing p53 target 1
hsa-miR-128-3p	<a href="#">SH3BGRL2</a>	SH3 domain binding glutamate rich protein like 2
hsa-miR-128-3p	<a href="#">FEM1B</a>	fem-1 homolog B
hsa-miR-128-3p	<a href="#">UNC80</a>	unc-80 homolog, NALCN channel complex subunit
hsa-miR-128-3p	<a href="#">RELN</a>	reelin
hsa-miR-128-3p	<a href="#">ABCA12</a>	ATP binding cassette subfamily A member 12
hsa-miR-128-3p	<a href="#">IGSF3</a>	immunoglobulin superfamily member 3
hsa-miR-128-3p	<a href="#">DIRAS1</a>	DIRAS family GTPase 1
hsa-miR-128-3p	<a href="#">CDH24</a>	cadherin 24
hsa-miR-128-3p	<a href="#">ZNF800</a>	zinc finger protein 800

hsa-miR-128-3p	<a href="#">PDE7B</a>	phosphodiesterase 7B
hsa-miR-128-3p	<a href="#">PTPRT</a>	protein tyrosine phosphatase, receptor type T
hsa-miR-128-3p	<a href="#">SP1</a>	Sp1 transcription factor
hsa-miR-128-3p	<a href="#">RNF144A</a>	ring finger protein 144A
hsa-miR-128-3p	<a href="#">SAMD10</a>	sterile alpha motif domain containing 10
hsa-miR-128-3p	<a href="#">MAPKAPK3</a>	mitogen-activated protein kinase-activated protein kinase 3
hsa-miR-128-3p	<a href="#">ARHGAP21</a>	Rho GTPase activating protein 21
hsa-miR-128-3p	<a href="#">SMARCA2</a>	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 2
hsa-miR-128-3p	<a href="#">FAM155B</a>	family with sequence similarity 155 member B
hsa-miR-128-3p	<a href="#">SEC24A</a>	SEC24 homolog A, COPII coat complex component
hsa-miR-128-3p	<a href="#">CREB1</a>	cAMP responsive element binding protein 1
hsa-miR-128-3p	<a href="#">NSD1</a>	nuclear receptor binding SET domain protein 1
hsa-miR-128-3p	<a href="#">RSBN1L</a>	round spermatid basic protein 1 like
hsa-miR-128-3p	<a href="#">CCNC</a>	cyclin C
hsa-miR-128-3p	<a href="#">IL13RA1</a>	interleukin 13 receptor subunit alpha 1
hsa-miR-128-3p	<a href="#">ABCB9</a>	ATP binding cassette subfamily B member 9
hsa-miR-128-3p	<a href="#">PGAP1</a>	post-GPI attachment to proteins 1
hsa-miR-128-3p	<a href="#">KBTBD11</a>	kelch repeat and BTB domain containing 11
hsa-miR-128-3p	<a href="#">UBR1</a>	ubiquitin protein ligase E3 component n-recognin 1
hsa-miR-128-3p	<a href="#">LITAF</a>	lipopolysaccharide induced TNF factor
hsa-miR-128-3p	<a href="#">H3F3C</a>	H3 histone family member 3C
hsa-miR-128-3p	<a href="#">UBE2W</a>	ubiquitin conjugating enzyme E2 W
hsa-miR-128-3p	<a href="#">PIH1D3</a>	PIH1 domain containing 3
hsa-miR-128-3p	<a href="#">COL21A1</a>	collagen type XXI alpha 1 chain
hsa-miR-128-3p	<a href="#">MEGF11</a>	multiple EGF like domains 11
hsa-miR-128-3p	<a href="#">C20orf202</a>	chromosome 20 open reading frame 202
hsa-miR-128-3p	<a href="#">NREP</a>	neuronal regeneration related protein
hsa-miR-128-3p	<a href="#">MSL1</a>	MSL complex subunit 1
hsa-miR-128-3p	<a href="#">CA10</a>	carbonic anhydrase 10
hsa-miR-128-3p	<a href="#">DCC</a>	DCC netrin 1 receptor
hsa-miR-128-3p	<a href="#">PPP4C</a>	protein phosphatase 4 catalytic subunit
hsa-miR-128-3p	<a href="#">MTMR4</a>	myotubularin related protein 4
hsa-miR-128-3p	<a href="#">UBE2N</a>	ubiquitin conjugating enzyme E2 N
hsa-miR-128-3p	<a href="#">GLTP</a>	glycolipid transfer protein
hsa-miR-128-3p	<a href="#">PPME1</a>	protein phosphatase methylesterase 1
hsa-miR-128-3p	<a href="#">SYT1</a>	synaptotagmin 1
hsa-miR-128-3p	<a href="#">TMEM30A</a>	transmembrane protein 30A
hsa-miR-128-3p	<a href="#">WDR7</a>	WD repeat domain 7
hsa-miR-128-3p	<a href="#">STK24</a>	serine/threonine kinase 24
hsa-miR-128-3p	<a href="#">ATXN10</a>	ataxin 10
hsa-miR-128-3p	<a href="#">GCC2</a>	GRIP and coiled-coil domain containing 2
hsa-miR-128-3p	<a href="#">FBXW7</a>	F-box and WD repeat domain containing 7
hsa-miR-128-3p	<a href="#">CCNT2</a>	cyclin T2
hsa-miR-128-3p	<a href="#">DCP1A</a>	decapping mRNA 1A

hsa-miR-128-3p	<a href="#">FAM177A1</a>	family with sequence similarity 177 member A1
hsa-miR-128-3p	<a href="#">PNKD</a>	PNKD, MBL domain containing
hsa-miR-128-3p	<a href="#">AMD1</a>	adenosylmethionine decarboxylase 1
hsa-miR-128-3p	<a href="#">CTDSP2</a>	CTD small phosphatase 2
hsa-miR-128-3p	<a href="#">MBTD1</a>	mbt domain containing 1
hsa-miR-128-3p	<a href="#">OSBPL10</a>	oxysterol binding protein like 10
hsa-miR-128-3p	<a href="#">BCORL1</a>	BCL6 corepressor like 1
hsa-miR-128-3p	<a href="#">VANGL1</a>	VANGL planar cell polarity protein 1
hsa-miR-128-3p	<a href="#">TXNIP</a>	thioredoxin interacting protein
hsa-miR-128-3p	<a href="#">SREK1</a>	splicing regulatory glutamic acid and lysine rich protein 1
hsa-miR-128-3p	<a href="#">FNDC4</a>	fibronectin type III domain containing 4
hsa-miR-128-3p	<a href="#">SOX7</a>	SRY-box 7
hsa-miR-128-3p	<a href="#">C1QTNF7</a>	C1q and TNF related 7
hsa-miR-128-3p	<a href="#">KCNN3</a>	potassium calcium-activated channel subfamily N member 3
hsa-miR-128-3p	<a href="#">RPS6KB1</a>	ribosomal protein S6 kinase B1
hsa-miR-128-3p	<a href="#">TRIM23</a>	tripartite motif containing 23
hsa-miR-128-3p	<a href="#">FBLN2</a>	fibulin 2
hsa-miR-128-3p	<a href="#">DISC1</a>	DISC1 scaffold protein
hsa-miR-128-3p	<a href="#">SEC61A1</a>	Sec61 translocon alpha 1 subunit
hsa-miR-128-3p	<a href="#">SGMS1</a>	sphingomyelin synthase 1
hsa-miR-128-3p	<a href="#">MDH1B</a>	malate dehydrogenase 1B
hsa-miR-128-3p	<a href="#">SLC35F3</a>	solute carrier family 35 member F3
hsa-miR-128-3p	<a href="#">ANKRD40</a>	ankyrin repeat domain 40
hsa-miR-128-3p	<a href="#">ABHD17C</a>	abhydrolase domain containing 17C
hsa-miR-128-3p	<a href="#">SIRT1</a>	sirtuin 1
hsa-miR-128-3p	<a href="#">GSPT1</a>	G1 to S phase transition 1
hsa-miR-128-3p	<a href="#">NAV2</a>	neuron navigator 2
hsa-miR-128-3p	<a href="#">NEMP2</a>	nuclear envelope integral membrane protein 2
hsa-miR-128-3p	<a href="#">CKAP4</a>	cytoskeleton associated protein 4
hsa-miR-128-3p	<a href="#">ITGA5</a>	integrin subunit alpha 5
hsa-miR-128-3p	<a href="#">AKR7A2</a>	aldo-keto reductase family 7 member A2
hsa-miR-128-3p	<a href="#">ADAMTS5</a>	ADAM metalloproteinase with thrombospondin type 1 motif 5
hsa-miR-128-3p	<a href="#">GALNT3</a>	polypeptide N-acetylgalactosaminyltransferase 3
hsa-miR-128-3p	<a href="#">PROSER2</a>	proline and serine rich 2
hsa-miR-128-3p	<a href="#">SP2</a>	Sp2 transcription factor
hsa-miR-128-3p	<a href="#">GRM5</a>	glutamate metabotropic receptor 5
hsa-miR-128-3p	<a href="#">SPG21</a>	SPG21, maspardin
hsa-miR-128-3p	<a href="#">ZNF618</a>	zinc finger protein 618
hsa-miR-128-3p	<a href="#">HECTD1</a>	HECT domain E3 ubiquitin protein ligase 1
hsa-miR-128-3p	<a href="#">SSH1</a>	slingshot protein phosphatase 1
hsa-miR-128-3p	<a href="#">RAP1B</a>	RAP1B, member of RAS oncogene family
hsa-miR-128-3p	<a href="#">SAMD12</a>	sterile alpha motif domain containing 12
hsa-miR-128-3p	<a href="#">UBA6</a>	ubiquitin like modifier activating enzyme 6
hsa-miR-128-3p	<a href="#">HOXA5</a>	homeobox A5
hsa-miR-128-3p	<a href="#">IAG1</a>	jagged 1

hsa-miR-128-3p	<a href="#">HAPLN1</a>	hyaluronan and proteoglycan link protein 1
hsa-miR-128-3p	<a href="#">RND3</a>	Rho family GTPase 3
hsa-miR-128-3p	<a href="#">EFR3A</a>	EFR3 homolog A
hsa-miR-128-3p	<a href="#">MATN3</a>	matrilin 3
hsa-miR-128-3p	<a href="#">N4BP1</a>	NEDD4 binding protein 1
hsa-miR-128-3p	<a href="#">MLLT10</a>	MLLT10, histone lysine methyltransferase DOT1L cofactor
hsa-miR-128-3p	<a href="#">SH3RF1</a>	SH3 domain containing ring finger 1
hsa-miR-128-3p	<a href="#">ZKSCAN2</a>	zinc finger with KRAB and SCAN domains 2
hsa-miR-128-3p	<a href="#">CEMIP</a>	cell migration inducing hyaluronidase 1
hsa-miR-128-3p	<a href="#">RERE</a>	arginine-glutamic acid dipeptide repeats
hsa-miR-128-3p	<a href="#">ERLEC1</a>	endoplasmic reticulum lectin 1
hsa-miR-128-3p	<a href="#">GABBR2</a>	gamma-aminobutyric acid type B receptor subunit 2
hsa-miR-128-3p	<a href="#">ZFP82</a>	ZFP82 zinc finger protein
hsa-miR-128-3p	<a href="#">AFF3</a>	AF4/FMR2 family member 3
hsa-miR-128-3p	<a href="#">GSK3B</a>	glycogen synthase kinase 3 beta
hsa-miR-128-3p	<a href="#">MYT1</a>	myelin transcription factor 1
hsa-miR-128-3p	<a href="#">BMI1</a>	BMI1 proto-oncogene, polycomb ring finger
hsa-miR-128-3p	<a href="#">LYPD3</a>	LY6/PLAUR domain containing 3
hsa-miR-128-3p	<a href="#">TMC7</a>	transmembrane channel like 7
hsa-miR-128-3p	<a href="#">TMEM25</a>	transmembrane protein 25
hsa-miR-128-3p	<a href="#">INO80D</a>	INO80 complex subunit D
hsa-miR-128-3p	<a href="#">CACNA2D3</a>	calcium voltage-gated channel auxiliary subunit alpha2delta 3
hsa-miR-128-3p	<a href="#">ITPKC</a>	inositol-trisphosphate 3-kinase C
hsa-miR-128-3p	<a href="#">MMD</a>	monocyte to macrophage differentiation associated
hsa-miR-128-3p	<a href="#">ST6GALNAC3</a>	ST6 N-acetylgalactosaminide alpha-2,6-sialyltransferase 3
hsa-miR-128-3p	<a href="#">MAP2K7</a>	mitogen-activated protein kinase kinase 7
hsa-miR-128-3p	<a href="#">SLC35F1</a>	solute carrier family 35 member F1
hsa-miR-128-3p	<a href="#">WEE1</a>	WEE1 G2 checkpoint kinase
hsa-miR-128-3p	<a href="#">LBH</a>	limb bud and heart development
hsa-miR-128-3p	<a href="#">PAX9</a>	paired box 9
hsa-miR-128-3p	<a href="#">FBXO30</a>	F-box protein 30
hsa-miR-128-3p	<a href="#">PDS5B</a>	PDS5 cohesin associated factor B
hsa-miR-128-3p	<a href="#">NEUROD6</a>	neuronal differentiation 6
hsa-miR-128-3p	<a href="#">APOLD1</a>	apolipoprotein L domain containing 1
hsa-miR-128-3p	<a href="#">EPB41L1</a>	erythrocyte membrane protein band 4.1 like 1
hsa-miR-128-3p	<a href="#">COPB2</a>	coatamer protein complex subunit beta 2
hsa-miR-128-3p	<a href="#">STX7</a>	syntaxin 7
hsa-miR-128-3p	<a href="#">MINPP1</a>	multiple inositol-polyphosphate phosphatase 1
hsa-miR-128-3p	<a href="#">PLPPR1</a>	phospholipid phosphatase related 1
hsa-miR-128-3p	<a href="#">MNT</a>	MAX network transcriptional repressor
hsa-miR-128-3p	<a href="#">ALDH4A1</a>	aldehyde dehydrogenase 4 family member A1
hsa-miR-128-3p	<a href="#">CA7</a>	carbonic anhydrase 7
hsa-miR-128-3p	<a href="#">FAM78A</a>	family with sequence similarity 78 member A
hsa-miR-128-3p	<a href="#">HCN4</a>	hyperpolarization activated cyclic nucleotide gated potassium channel 4

hsa-miR-128-3p	<a href="#">DCX</a>	doublecortin
hsa-miR-128-3p	<a href="#">EYA4</a>	EYA transcriptional coactivator and phosphatase 4
hsa-miR-128-3p	<a href="#">GNS</a>	glucosamine (N-acetyl)-6-sulfatase
hsa-miR-128-3p	<a href="#">NPTXR</a>	neuronal pentraxin receptor
hsa-miR-128-3p	<a href="#">HMBOX1</a>	homeobox containing 1
hsa-miR-128-3p	<a href="#">IFITM10</a>	interferon induced transmembrane protein 10
hsa-miR-128-3p	<a href="#">GPATCH2L</a>	G-patch domain containing 2 like
hsa-miR-128-3p	<a href="#">MOSPD3</a>	motile sperm domain containing 3
hsa-miR-128-3p	<a href="#">LHFPL3</a>	LHFPL tetraspan subfamily member 3
hsa-miR-128-3p	<a href="#">ING5</a>	inhibitor of growth family member 5
hsa-miR-128-3p	<a href="#">RETREG1</a>	reticulophagy regulator 1
hsa-miR-128-3p	<a href="#">MTSS1L</a>	MTSS1L, I-BAR domain containing
hsa-miR-128-3p	<a href="#">C1orf21</a>	chromosome 1 open reading frame 21
hsa-miR-128-3p	<a href="#">ST14</a>	suppression of tumorigenicity 14
hsa-miR-128-3p	<a href="#">ARF3</a>	ADP ribosylation factor 3
hsa-miR-128-3p	<a href="#">SOCS6</a>	suppressor of cytokine signaling 6
hsa-miR-128-3p	<a href="#">OPA1</a>	OPA1, mitochondrial dynamin like GTPase
hsa-miR-128-3p	<a href="#">ZC3H12D</a>	zinc finger CCCH-type containing 12D
hsa-miR-128-3p	<a href="#">DPY19L3</a>	dpy-19 like C-mannosyltransferase 3
hsa-miR-128-3p	<a href="#">CHTF8</a>	chromosome transmission fidelity factor 8
hsa-miR-128-3p	<a href="#">CCDC92</a>	coiled-coil domain containing 92
hsa-miR-128-3p	<a href="#">MIPOL1</a>	mirror-image polydactyly 1
hsa-miR-128-3p	<a href="#">COLGALT2</a>	collagen beta(1-O)galactosyltransferase 2
hsa-miR-128-3p	<a href="#">CRKL</a>	CRK like proto-oncogene, adaptor protein
hsa-miR-128-3p	<a href="#">MED14</a>	mediator complex subunit 14
hsa-miR-128-3p	<a href="#">WBP1L</a>	WW domain binding protein 1 like
hsa-miR-128-3p	<a href="#">GIGYF2</a>	GRB10 interacting GYF protein 2
hsa-miR-128-3p	<a href="#">SOGA1</a>	suppressor of glucose, autophagy associated 1
hsa-miR-128-3p	<a href="#">KIRREL1</a>	kirre like nephrin family adhesion molecule 1
hsa-miR-128-3p	<a href="#">KLHDC8A</a>	kelch domain containing 8A
hsa-miR-128-3p	<a href="#">KAT7</a>	lysine acetyltransferase 7
hsa-miR-128-3p	<a href="#">ARID1B</a>	AT-rich interaction domain 1B
hsa-miR-128-3p	<a href="#">CLDN18</a>	claudin 18
hsa-miR-128-3p	<a href="#">TCEA1</a>	transcription elongation factor A1
hsa-miR-128-3p	<a href="#">ZBTB20</a>	zinc finger and BTB domain containing 20
hsa-miR-128-3p	<a href="#">SLC39A11</a>	solute carrier family 39 member 11
hsa-miR-128-3p	<a href="#">STIM2</a>	stromal interaction molecule 2
hsa-miR-128-3p	<a href="#">SCAF11</a>	SR-related CTD associated factor 11
hsa-miR-128-3p	<a href="#">LPAR6</a>	lysophosphatidic acid receptor 6
hsa-miR-128-3p	<a href="#">SMAD9</a>	SMAD family member 9
hsa-miR-128-3p	<a href="#">NDST1</a>	N-deacetylase and N-sulfotransferase 1
hsa-miR-128-3p	<a href="#">DHTKD1</a>	dehydrogenase E1 and transketolase domain containing 1
hsa-miR-128-3p	<a href="#">B3GNT7</a>	UDP-GlcNAc:betaGal beta-1,3-N-acetylglucosaminyltransferase 7
hsa-miR-128-3p	<a href="#">SLIT2</a>	slit guidance ligand 2
hsa-miR-128-3p	<a href="#">TMEM87A</a>	transmembrane protein 87A



hsa-miR-128-3p	<a href="#">REPS1</a>	RALBP1 associated Eps domain containing 1
hsa-miR-128-3p	<a href="#">F3</a>	coagulation factor III, tissue factor
hsa-miR-128-3p	<a href="#">EPB41L4A</a>	erythrocyte membrane protein band 4.1 like 4A
hsa-miR-128-3p	<a href="#">HIP1</a>	huntingtin interacting protein 1
hsa-miR-128-3p	<a href="#">USP46</a>	ubiquitin specific peptidase 46
hsa-miR-128-3p	<a href="#">SHTN1</a>	shootin 1
hsa-miR-128-3p	<a href="#">GTF2A2</a>	general transcription factor IIA subunit 2
hsa-miR-128-3p	<a href="#">ASPH</a>	aspartate beta-hydroxylase
hsa-miR-128-3p	<a href="#">GPD2</a>	glycerol-3-phosphate dehydrogenase 2
hsa-miR-128-3p	<a href="#">MARK4</a>	microtubule affinity regulating kinase 4
hsa-miR-128-3p	<a href="#">SASH1</a>	SAM and SH3 domain containing 1
hsa-miR-128-3p	<a href="#">SLC26A11</a>	solute carrier family 26 member 11
hsa-miR-128-3p	<a href="#">ITCH</a>	itchy E3 ubiquitin protein ligase
hsa-miR-128-3p	<a href="#">KIAA1109</a>	KIAA1109
hsa-miR-128-3p	<a href="#">SLC5A3</a>	solute carrier family 5 member 3
hsa-miR-128-3p	<a href="#">NKX3-1</a>	NK3 homeobox 1
hsa-miR-128-3p	<a href="#">DPY19L4</a>	dpy-19 like 4
hsa-miR-128-3p	<a href="#">SNX18</a>	sorting nexin 18
hsa-miR-128-3p	<a href="#">DPP10</a>	dipeptidyl peptidase like 10
hsa-miR-128-3p	<a href="#">RCAN2</a>	regulator of calcineurin 2
hsa-miR-128-3p	<a href="#">G6PC3</a>	glucose-6-phosphatase catalytic subunit 3
hsa-miR-128-3p	<a href="#">TPPP</a>	tubulin polymerization promoting protein
hsa-miR-128-3p	<a href="#">LIMK1</a>	LIM domain kinase 1
hsa-miR-128-3p	<a href="#">CBLB</a>	Cbl proto-oncogene B
hsa-miR-128-3p	<a href="#">ENAH</a>	ENAH, actin regulator
hsa-miR-128-3p	<a href="#">KMT2A</a>	lysine methyltransferase 2A
hsa-miR-128-3p	<a href="#">SKA3</a>	spindle and kinetochore associated complex subunit 3
hsa-miR-128-3p	<a href="#">COL5A1</a>	collagen type V alpha 1 chain
hsa-miR-128-3p	<a href="#">ONECUT2</a>	one cut homeobox 2
hsa-miR-128-3p	<a href="#">MME</a>	membrane metalloendopeptidase
hsa-miR-128-3p	<a href="#">FXR2</a>	FMR1 autosomal homolog 2
hsa-miR-128-3p	<a href="#">SLC24A4</a>	solute carrier family 24 member 4
hsa-miR-128-3p	<a href="#">SPATA17</a>	spermatogenesis associated 17
hsa-miR-128-3p	<a href="#">FSD2</a>	fibronectin type III and SPRY domain containing 2
hsa-miR-128-3p	<a href="#">CSRP2</a>	cysteine and glycine rich protein 2
hsa-miR-128-3p	<a href="#">APBA2</a>	amyloid beta precursor protein binding family A member 2
hsa-miR-128-3p	<a href="#">CNTLN</a>	centlein
hsa-miR-128-3p	<a href="#">ELMO1</a>	engulfment and cell motility 1
hsa-miR-128-3p	<a href="#">NRXN1</a>	neurexin 1
hsa-miR-128-3p	<a href="#">MCF2L</a>	MCF.2 cell line derived transforming sequence like
hsa-miR-128-3p	<a href="#">RAB11FIP1</a>	RAB11 family interacting protein 1
hsa-miR-128-3p	<a href="#">UTP15</a>	UTP15, small subunit processome component
hsa-miR-128-3p	<a href="#">GAPT</a>	GRB2 binding adaptor protein, transmembrane
hsa-miR-128-3p	<a href="#">RAB39B</a>	RAB39B, member RAS oncogene family
hsa-miR-128-3p	<a href="#">STK35</a>	serine/threonine kinase 35

hsa-miR-128-3p	<a href="#">ECE1</a>	endothelin converting enzyme 1
hsa-miR-128-3p	<a href="#">MSTO1</a>	misato mitochondrial distribution and morphology regulator 1
hsa-miR-128-3p	<a href="#">TNFRSF10D</a>	TNF receptor superfamily member 10d
hsa-miR-128-3p	<a href="#">BICC1</a>	BicC family RNA binding protein 1
hsa-miR-128-3p	<a href="#">NEURL4</a>	neuralized E3 ubiquitin protein ligase 4
hsa-miR-128-3p	<a href="#">RARA</a>	retinoic acid receptor alpha
hsa-miR-128-3p	<a href="#">WNT3A</a>	Wnt family member 3A
hsa-miR-128-3p	<a href="#">MBOAT2</a>	membrane bound O-acyltransferase domain containing 2
hsa-miR-128-3p	<a href="#">PPP1CC</a>	protein phosphatase 1 catalytic subunit gamma
hsa-miR-128-3p	<a href="#">NRP2</a>	neuropilin 2
hsa-miR-128-3p	<a href="#">CA12</a>	carbonic anhydrase 12
hsa-miR-128-3p	<a href="#">TTC39B</a>	tetratricopeptide repeat domain 39B
hsa-miR-128-3p	<a href="#">SERTAD2</a>	SERTA domain containing 2
hsa-miR-128-3p	<a href="#">MIER2</a>	MIER family member 2
hsa-miR-128-3p	<a href="#">SAMD9L</a>	sterile alpha motif domain containing 9 like
hsa-miR-128-3p	<a href="#">CCNK</a>	cyclin K
hsa-miR-128-3p	<a href="#">E2F7</a>	E2F transcription factor 7
hsa-miR-128-3p	<a href="#">MTDH</a>	metadherin
hsa-miR-128-3p	<a href="#">OPHN1</a>	oligophrenin 1
hsa-miR-128-3p	<a href="#">GLRA2</a>	glycine receptor alpha 2
hsa-miR-128-3p	<a href="#">STAG1</a>	stromal antigen 1
hsa-miR-128-3p	<a href="#">ZDHHC17</a>	zinc finger DHHC-type containing 17
hsa-miR-128-3p	<a href="#">SLC39A13</a>	solute carrier family 39 member 13
hsa-miR-128-3p	<a href="#">UBN2</a>	ubinuclein 2
hsa-miR-128-3p	<a href="#">PITPNM2</a>	phosphatidylinositol transfer protein membrane associated 2
hsa-miR-128-3p	<a href="#">GEM</a>	GTP binding protein overexpressed in skeletal muscle
hsa-miR-128-3p	<a href="#">SMAD2</a>	SMAD family member 2
hsa-miR-128-3p	<a href="#">TSR1</a>	TSR1, ribosome maturation factor
hsa-miR-128-3p	<a href="#">PANK1</a>	pantothenate kinase 1
hsa-miR-128-3p	<a href="#">ZNF705E</a>	zinc finger protein 705E
hsa-miR-128-3p	<a href="#">KCNA1</a>	potassium voltage-gated channel subfamily A member 1
hsa-miR-128-3p	<a href="#">TET1</a>	tet methylcytosine dioxygenase 1
hsa-miR-128-3p	<a href="#">UBE2V1</a>	ubiquitin conjugating enzyme E2 V1
hsa-miR-128-3p	<a href="#">YAF2</a>	YY1 associated factor 2
hsa-miR-128-3p	<a href="#">DYNLL2</a>	dynein light chain LC8-type 2
hsa-miR-128-3p	<a href="#">PLD6</a>	phospholipase D family member 6
hsa-miR-128-3p	<a href="#">DBF4B</a>	DBF4 zinc finger B
hsa-miR-128-3p	<a href="#">AARD</a>	alanine and arginine rich domain containing protein
hsa-miR-128-3p	<a href="#">NCOA7</a>	nuclear receptor coactivator 7
hsa-miR-128-3p	<a href="#">FAM102A</a>	family with sequence similarity 102 member A
hsa-miR-128-3p	<a href="#">RIC3</a>	RIC3 acetylcholine receptor chaperone
hsa-miR-128-3p	<a href="#">MTA3</a>	metastasis associated 1 family member 3
hsa-miR-128-3p	<a href="#">PTPRQ</a>	protein tyrosine phosphatase, receptor type Q
hsa-miR-128-3p	<a href="#">PTAR1</a>	protein prenyltransferase alpha subunit repeat containing 1
hsa-miR-128-3p	<a href="#">GCNT2</a>	glucosaminyl (N-acetyl) transferase 2 (I blood group)

hsa-miR-128-3p	<a href="#">DZIP1</a>	DAZ interacting zinc finger protein 1
hsa-miR-128-3p	<a href="#">ZNF84</a>	zinc finger protein 84
hsa-miR-128-3p	<a href="#">DENND1B</a>	DENN domain containing 1B
hsa-miR-128-3p	<a href="#">ATP6V1C1</a>	ATPase H <sup>+</sup> transporting V1 subunit C1
hsa-miR-128-3p	<a href="#">KCTD4</a>	potassium channel tetramerization domain containing 4
hsa-miR-128-3p	<a href="#">CCN4</a>	cellular communication network factor 4
hsa-miR-128-3p	<a href="#">SBF2</a>	SET binding factor 2
hsa-miR-128-3p	<a href="#">SETD5</a>	SET domain containing 5
hsa-miR-128-3p	<a href="#">TMEM132E</a>	transmembrane protein 132E
hsa-miR-128-3p	<a href="#">FBRSL1</a>	fibrosin like 1
hsa-miR-128-3p	<a href="#">CLCN3</a>	chloride voltage-gated channel 3
hsa-miR-128-3p	<a href="#">SLITRK1</a>	SLIT and NTRK like family member 1
hsa-miR-128-3p	<a href="#">ZNF737</a>	zinc finger protein 737
hsa-miR-128-3p	<a href="#">CIPC</a>	CLOCK interacting pacemaker
hsa-miR-128-3p	<a href="#">SRP72</a>	signal recognition particle 72
hsa-miR-128-3p	<a href="#">TBC1D22B</a>	TBC1 domain family member 22B
hsa-miR-128-3p	<a href="#">YPEL3</a>	yippee like 3
hsa-miR-128-3p	<a href="#">MED13</a>	mediator complex subunit 13
hsa-miR-128-3p	<a href="#">C17orf102</a>	chromosome 17 open reading frame 102
hsa-miR-128-3p	<a href="#">IFFO2</a>	intermediate filament family orphan 2
hsa-miR-128-3p	<a href="#">ADGRG6</a>	adhesion G protein-coupled receptor G6
hsa-miR-128-3p	<a href="#">PITHD1</a>	PITH domain containing 1
hsa-miR-128-3p	<a href="#">SLC6A17</a>	solute carrier family 6 member 17
hsa-miR-128-3p	<a href="#">RGS6</a>	regulator of G protein signaling 6
hsa-miR-128-3p	<a href="#">PCM1</a>	pericentriolar material 1
hsa-miR-128-3p	<a href="#">WNK3</a>	WNK lysine deficient protein kinase 3
hsa-miR-128-3p	<a href="#">PFKL</a>	phosphofructokinase, liver type
hsa-miR-128-3p	<a href="#">MDFI</a>	MyoD family inhibitor
hsa-miR-128-3p	<a href="#">RBPMS2</a>	RNA binding protein, mRNA processing factor 2
hsa-miR-128-3p	<a href="#">EBI3</a>	Epstein-Barr virus induced 3
hsa-miR-128-3p	<a href="#">NXF1</a>	nuclear RNA export factor 1
hsa-miR-128-3p	<a href="#">WASHC4</a>	WASH complex subunit 4
hsa-miR-128-3p	<a href="#">SEMA6A</a>	semaphorin 6A
hsa-miR-128-3p	<a href="#">PHF20</a>	PHD finger protein 20
hsa-miR-128-3p	<a href="#">ZHX1</a>	zinc fingers and homeoboxes 1
hsa-miR-128-3p	<a href="#">PLXNC1</a>	plexin C1
hsa-miR-128-3p	<a href="#">ABHD17B</a>	abhydrolase domain containing 17B
hsa-miR-128-3p	<a href="#">VAV3</a>	vav guanine nucleotide exchange factor 3
hsa-miR-128-3p	<a href="#">EDRF1</a>	erythroid differentiation regulatory factor 1
hsa-miR-128-3p	<a href="#">TCEANC2</a>	transcription elongation factor A N-terminal and central domain containing 2
hsa-miR-128-3p	<a href="#">ZCCHC24</a>	zinc finger CCHC-type containing 24
hsa-miR-128-3p	<a href="#">STARD4</a>	StAR related lipid transfer domain containing 4
hsa-miR-128-3p	<a href="#">EYA1</a>	EYA transcriptional coactivator and phosphatase 1
hsa-miR-128-3p	<a href="#">PDE12</a>	phosphodiesterase 12

hsa-miR-128-3p	<a href="#">NR2F6</a>	nuclear receptor subfamily 2 group F member 6
hsa-miR-128-3p	<a href="#">SEMA6D</a>	semaphorin 6D
hsa-miR-128-3p	<a href="#">ARHGAP28</a>	Rho GTPase activating protein 28
hsa-miR-128-3p	<a href="#">MPL</a>	MPL proto-oncogene, thrombopoietin receptor
hsa-miR-128-3p	<a href="#">CDCP1</a>	CUB domain containing protein 1
hsa-miR-128-3p	<a href="#">PIK3R1</a>	phosphoinositide-3-kinase regulatory subunit 1
hsa-miR-128-3p	<a href="#">TMEM266</a>	transmembrane protein 266
hsa-miR-128-3p	<a href="#">FOXO1</a>	forkhead box O1
hsa-miR-128-3p	<a href="#">LRAT</a>	lecithin retinol acyltransferase
hsa-miR-128-3p	<a href="#">OGFRL1</a>	opioid growth factor receptor like 1
hsa-miR-128-3p	<a href="#">LMTK2</a>	lemur tyrosine kinase 2
hsa-miR-128-3p	<a href="#">FAM172A</a>	family with sequence similarity 172 member A
hsa-miR-128-3p	<a href="#">NCBP3</a>	nuclear cap binding subunit 3
hsa-miR-128-3p	<a href="#">ANK1</a>	ankyrin 1
hsa-miR-128-3p	<a href="#">CPEB3</a>	cytoplasmic polyadenylation element binding protein 3
hsa-miR-128-3p	<a href="#">TMBIM6</a>	transmembrane BAX inhibitor motif containing 6
hsa-miR-128-3p	<a href="#">RASL12</a>	RAS like family 12
hsa-miR-128-3p	<a href="#">CYLD</a>	CYLD lysine 63 deubiquitinase
hsa-miR-128-3p	<a href="#">MOB1B</a>	MOB kinase activator 1B
hsa-miR-128-3p	<a href="#">SYNDIG1</a>	synapse differentiation inducing 1
hsa-miR-128-3p	<a href="#">RGS8</a>	regulator of G protein signaling 8
hsa-miR-128-3p	<a href="#">AMMECR1L</a>	AMMECR1 like
hsa-miR-128-3p	<a href="#">ATL3</a>	atlastin GTPase 3
hsa-miR-128-3p	<a href="#">CCR9</a>	C-C motif chemokine receptor 9
hsa-miR-128-3p	<a href="#">EHF</a>	ETS homologous factor
hsa-miR-128-3p	<a href="#">LSM1</a>	LSM1 homolog, mRNA degradation associated
hsa-miR-128-3p	<a href="#">NPTX1</a>	neuronal pentraxin 1
hsa-miR-128-3p	<a href="#">YPEL2</a>	yippee like 2
hsa-miR-128-3p	<a href="#">IBSP</a>	integrin binding sialoprotein
hsa-miR-128-3p	<a href="#">NTRK3</a>	neurotrophic receptor tyrosine kinase 3
hsa-miR-128-3p	<a href="#">TNRC18</a>	trinucleotide repeat containing 18
hsa-miR-128-3p	<a href="#">CAPZA1</a>	capping actin protein of muscle Z-line subunit alpha 1
hsa-miR-128-3p	<a href="#">CBFB</a>	core-binding factor subunit beta
hsa-miR-128-3p	<a href="#">DLGAP3</a>	DLG associated protein 3
hsa-miR-128-3p	<a href="#">AGO3</a>	argonaute RISC catalytic component 3
hsa-miR-128-3p	<a href="#">UBE2E3</a>	ubiquitin conjugating enzyme E2 E3
hsa-miR-128-3p	<a href="#">PLEKHJ1</a>	pleckstrin homology domain containing J1
hsa-miR-128-3p	<a href="#">DUSP18</a>	dual specificity phosphatase 18
hsa-miR-128-3p	<a href="#">CCT3</a>	chaperonin containing TCP1 subunit 3
hsa-miR-128-3p	<a href="#">PFKFB4</a>	6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 4
hsa-miR-128-3p	<a href="#">SMURF2</a>	SMAD specific E3 ubiquitin protein ligase 2
hsa-miR-128-3p	<a href="#">DCAF7</a>	DDB1 and CUL4 associated factor 7
hsa-miR-128-3p	<a href="#">SPTBN1</a>	spectrin beta, non-erythrocytic 1
hsa-miR-128-3p	<a href="#">ACVR2A</a>	activin A receptor type 2A
hsa-miR-128-3p	<a href="#">LIX1</a>	limb and CNS expressed 1

hsa-miR-128-3p	<a href="#">GNG12</a>	G protein subunit gamma 12
hsa-miR-128-3p	<a href="#">LY6G5B</a>	lymphocyte antigen 6 family member G5B
hsa-miR-128-3p	<a href="#">IKZF2</a>	IKAROS family zinc finger 2
hsa-miR-128-3p	<a href="#">SLU7</a>	SLU7 homolog, splicing factor
hsa-miR-128-3p	<a href="#">CNR1</a>	cannabinoid receptor 1
hsa-miR-128-3p	<a href="#">CPD</a>	carboxypeptidase D
hsa-miR-128-3p	<a href="#">PDGFRA</a>	platelet derived growth factor receptor alpha
hsa-miR-128-3p	<a href="#">TAB3</a>	TGF-beta activated kinase 1 (MAP3K7) binding protein 3
hsa-miR-128-3p	<a href="#">TRAF3</a>	TNF receptor associated factor 3
hsa-miR-128-3p	<a href="#">TFEB</a>	transcription factor EB
hsa-miR-128-3p	<a href="#">HEG1</a>	heart development protein with EGF like domains 1
hsa-miR-128-3p	<a href="#">ADCY3</a>	adenylate cyclase 3
hsa-miR-128-3p	<a href="#">GATAD2A</a>	GATA zinc finger domain containing 2A
hsa-miR-128-3p	<a href="#">RBM4</a>	RNA binding motif protein 4
hsa-miR-128-3p	<a href="#">ELOVL6</a>	ELOVL fatty acid elongase 6
hsa-miR-128-3p	<a href="#">FUBP3</a>	far upstream element binding protein 3
hsa-miR-128-3p	<a href="#">MIER3</a>	MIER family member 3
hsa-miR-128-3p	<a href="#">PCTP</a>	phosphatidylcholine transfer protein
hsa-miR-128-3p	<a href="#">MAGI3</a>	membrane associated guanylate kinase, WW and PDZ domain containing 3
hsa-miR-128-3p	<a href="#">PTPN5</a>	protein tyrosine phosphatase, non-receptor type 5
hsa-miR-128-3p	<a href="#">GOT2</a>	glutamic-oxaloacetic transaminase 2
hsa-miR-128-3p	<a href="#">HIPK2</a>	homeodomain interacting protein kinase 2
hsa-miR-128-3p	<a href="#">UNC45B</a>	unc-45 myosin chaperone B
hsa-miR-128-3p	<a href="#">TMEM91</a>	transmembrane protein 91
hsa-miR-128-3p	<a href="#">INSR</a>	insulin receptor
hsa-miR-128-3p	<a href="#">SFRP1</a>	secreted frizzled related protein 1
hsa-miR-128-3p	<a href="#">ZNF510</a>	zinc finger protein 510
hsa-miR-128-3p	<a href="#">HOXA9</a>	homeobox A9
hsa-miR-128-3p	<a href="#">DCP2</a>	decapping mRNA 2
hsa-miR-128-3p	<a href="#">SCAMP3</a>	secretory carrier membrane protein 3
hsa-miR-128-3p	<a href="#">C11orf87</a>	chromosome 11 open reading frame 87
hsa-miR-128-3p	<a href="#">PLPP3</a>	phospholipid phosphatase 3
hsa-miR-128-3p	<a href="#">IPMK</a>	inositol polyphosphate multikinase
hsa-miR-128-3p	<a href="#">TM9SF2</a>	transmembrane 9 superfamily member 2
hsa-miR-128-3p	<a href="#">LGALS3</a>	galectin 3
hsa-miR-128-3p	<a href="#">BAHD1</a>	bromo adjacent homology domain containing 1
hsa-miR-128-3p	<a href="#">RIPOR2</a>	RHO family interacting cell polarization regulator 2
hsa-miR-128-3p	<a href="#">NPAS3</a>	neuronal PAS domain protein 3
hsa-miR-128-3p	<a href="#">HOXA10</a>	homeobox A10
hsa-miR-128-3p	<a href="#">TCAIM</a>	T cell activation inhibitor, mitochondrial
hsa-miR-128-3p	<a href="#">PTPRI</a>	protein tyrosine phosphatase, receptor type J
hsa-miR-128-3p	<a href="#">BEX3</a>	brain expressed X-linked 3
hsa-miR-128-3p	<a href="#">KMT2C</a>	lysine methyltransferase 2C
hsa-miR-128-3p	<a href="#">TLK2</a>	tousled like kinase 2

hsa-miR-128-3p	<a href="#">RESF1</a>	retroelement silencing factor 1
hsa-miR-128-3p	<a href="#">SEMA7A</a>	semaphorin 7A (John Milton Hagen blood group)
hsa-miR-128-3p	<a href="#">H2AFY</a>	H2A histone family member Y
hsa-miR-128-3p	<a href="#">UNC5D</a>	unc-5 netrin receptor D
hsa-miR-128-3p	<a href="#">ZBTB39</a>	zinc finger and BTB domain containing 39
hsa-miR-128-3p	<a href="#">GRIP1</a>	glutamate receptor interacting protein 1
hsa-miR-128-3p	<a href="#">ZNF696</a>	zinc finger protein 696
hsa-miR-128-3p	<a href="#">NUDT6</a>	nudix hydrolase 6
hsa-miR-128-3p	<a href="#">GFPT2</a>	glutamine-fructose-6-phosphate transaminase 2
hsa-miR-128-3p	<a href="#">CCDC50</a>	coiled-coil domain containing 50
hsa-miR-128-3p	<a href="#">PPIL4</a>	peptidylprolyl isomerase like 4
hsa-miR-128-3p	<a href="#">PTPN4</a>	protein tyrosine phosphatase, non-receptor type 4
hsa-miR-128-3p	<a href="#">COL3A1</a>	collagen type III alpha 1 chain
hsa-miR-128-3p	<a href="#">DCK</a>	deoxycytidine kinase
hsa-miR-128-3p	<a href="#">DDX6</a>	DEAD-box helicase 6
hsa-miR-128-3p	<a href="#">BMPR2</a>	bone morphogenetic protein receptor type 2
hsa-miR-128-3p	<a href="#">CCDC71</a>	coiled-coil domain containing 71
hsa-miR-128-3p	<a href="#">UNKL</a>	unk like zinc finger
hsa-miR-128-3p	<a href="#">CASC10</a>	cancer susceptibility 10
hsa-miR-128-3p	<a href="#">FBXO33</a>	F-box protein 33
hsa-miR-128-3p	<a href="#">PRKAG2</a>	protein kinase AMP-activated non-catalytic subunit gamma 2
hsa-miR-128-3p	<a href="#">COX6C</a>	cytochrome c oxidase subunit 6C
hsa-miR-128-3p	<a href="#">ULK1</a>	unc-51 like autophagy activating kinase 1
hsa-miR-128-3p	<a href="#">ABCB10</a>	ATP binding cassette subfamily B member 10
hsa-miR-128-3p	<a href="#">TRIM32</a>	tripartite motif containing 32
hsa-miR-128-3p	<a href="#">TPH2</a>	tryptophan hydroxylase 2
hsa-miR-128-3p	<a href="#">MAGEA10</a>	MAGE family member A10
hsa-miR-128-3p	<a href="#">USP15</a>	ubiquitin specific peptidase 15
hsa-miR-128-3p	<a href="#">CDKN2A</a>	cyclin dependent kinase inhibitor 2A
hsa-miR-128-3p	<a href="#">PTGER3</a>	prostaglandin E receptor 3
hsa-miR-128-3p	<a href="#">MEGF6</a>	multiple EGF like domains 6
hsa-miR-128-3p	<a href="#">ADGRA3</a>	adhesion G protein-coupled receptor A3
hsa-miR-128-3p	<a href="#">ACTA2</a>	actin, alpha 2, smooth muscle, aorta
hsa-miR-128-3p	<a href="#">SLC25A25</a>	solute carrier family 25 member 25
hsa-miR-128-3p	<a href="#">ID2</a>	inhibitor of DNA binding 2
hsa-miR-128-3p	<a href="#">DEF8</a>	differentially expressed in FDCP 8 homolog
hsa-miR-128-3p	<a href="#">FGD6</a>	FYVE, RhoGEF and PH domain containing 6
hsa-miR-128-3p	<a href="#">LRRN4CL</a>	LRRN4 C-terminal like
hsa-miR-128-3p	<a href="#">ACTR8</a>	ARP8 actin related protein 8 homolog
hsa-miR-128-3p	<a href="#">ARHGAP19</a>	Rho GTPase activating protein 19
hsa-miR-128-3p	<a href="#">RAB3B</a>	RAB3B, member RAS oncogene family
hsa-miR-128-3p	<a href="#">NAA15</a>	N(alpha)-acetyltransferase 15, NatA auxiliary subunit
hsa-miR-128-3p	<a href="#">RAP2A</a>	RAP2A, member of RAS oncogene family
hsa-miR-128-3p	<a href="#">STK40</a>	serine/threonine kinase 40
hsa-miR-128-3p	<a href="#">TMCC1</a>	transmembrane and coiled-coil domain family 1



hsa-miR-128-3p	<a href="#">RALGAPA2</a>	Ral GTPase activating protein catalytic alpha subunit 2
hsa-miR-128-3p	<a href="#">ST13</a>	ST13, Hsp70 interacting protein
hsa-miR-128-3p	<a href="#">ZBTB34</a>	zinc finger and BTB domain containing 34
hsa-miR-128-3p	<a href="#">NHS</a>	NHS actin remodeling regulator
hsa-miR-128-3p	<a href="#">NETO2</a>	neuropilin and tolloid like 2
hsa-miR-128-3p	<a href="#">TRMT2A</a>	tRNA methyltransferase 2 homolog A
hsa-miR-128-3p	<a href="#">PELI2</a>	pellino E3 ubiquitin protein ligase family member 2
hsa-miR-128-3p	<a href="#">UBE2K</a>	ubiquitin conjugating enzyme E2 K
hsa-miR-128-3p	<a href="#">CDYL2</a>	chromodomain Y like 2
hsa-miR-128-3p	<a href="#">VSIG10</a>	V-set and immunoglobulin domain containing 10
hsa-miR-128-3p	<a href="#">FAM122B</a>	family with sequence similarity 122B
hsa-miR-128-3p	<a href="#">PARK7</a>	Parkinsonism associated deglycase
hsa-miR-128-3p	<a href="#">KPNA3</a>	karyopherin subunit alpha 3
hsa-miR-128-3p	<a href="#">CPA4</a>	carboxypeptidase A4
hsa-miR-128-3p	<a href="#">SBNO1</a>	strawberry notch homolog 1
hsa-miR-128-3p	<a href="#">SDF2</a>	stromal cell derived factor 2
hsa-miR-128-3p	<a href="#">NOVA1</a>	NOVA alternative splicing regulator 1
hsa-miR-128-3p	<a href="#">NIPAL4</a>	NIPA like domain containing 4
hsa-miR-128-3p	<a href="#">CAB39</a>	calcium binding protein 39
hsa-miR-128-3p	<a href="#">CHKA</a>	choline kinase alpha
hsa-miR-128-3p	<a href="#">PLAGL1</a>	PLAG1 like zinc finger 1
hsa-miR-128-3p	<a href="#">PSPC1</a>	paraspeckle component 1
hsa-miR-128-3p	<a href="#">PROZ</a>	protein Z, vitamin K dependent plasma glycoprotein
hsa-miR-128-3p	<a href="#">GOLGA6C</a>	golgin A6 family member C
hsa-miR-128-3p	<a href="#">RUNDC3A</a>	RUN domain containing 3A
hsa-miR-128-3p	<a href="#">MDM4</a>	MDM4, p53 regulator
hsa-miR-128-3p	<a href="#">NRARP</a>	NOTCH regulated ankyrin repeat protein
hsa-miR-128-3p	<a href="#">ORMDL3</a>	ORMDL sphingolipid biosynthesis regulator 3
hsa-miR-128-3p	<a href="#">TM4SF20</a>	transmembrane 4 L six family member 20
hsa-miR-128-3p	<a href="#">ANKS1A</a>	ankyrin repeat and sterile alpha motif domain containing 1A
hsa-miR-128-3p	<a href="#">TMX1</a>	thioredoxin related transmembrane protein 1
hsa-miR-128-3p	<a href="#">TYW1</a>	tRNA-yW synthesizing protein 1 homolog
hsa-miR-128-3p	<a href="#">USP25</a>	ubiquitin specific peptidase 25
hsa-miR-128-3p	<a href="#">TMEM170A</a>	transmembrane protein 170A
hsa-miR-128-3p	<a href="#">IKZF1</a>	IKAROS family zinc finger 1
hsa-miR-128-3p	<a href="#">DOCK11</a>	dedicator of cytokinesis 11
hsa-miR-128-3p	<a href="#">DNAJC13</a>	DnaJ heat shock protein family (Hsp40) member C13
hsa-miR-128-3p	<a href="#">LPGAT1</a>	lysophosphatidylglycerol acyltransferase 1
hsa-miR-128-3p	<a href="#">ZEB1</a>	zinc finger E-box binding homeobox 1
hsa-miR-128-3p	<a href="#">ZNF569</a>	zinc finger protein 569
hsa-miR-128-3p	<a href="#">NKX3-2</a>	NK3 homeobox 2
hsa-miR-128-3p	<a href="#">DVL2</a>	dishevelled segment polarity protein 2
hsa-miR-128-3p	<a href="#">NDUFS4</a>	NADH:ubiquinone oxidoreductase subunit S4
hsa-miR-128-3p	<a href="#">KCNA4</a>	potassium voltage-gated channel subfamily A member 4
hsa-miR-128-3p	<a href="#">CBFA2T3</a>	CBFA2/RUNX1 translocation partner 3

hsa-miR-128-3p	<a href="#">NTNG1</a>	netrin G1
hsa-miR-128-3p	<a href="#">TTC28</a>	tetratricopeptide repeat domain 28
hsa-miR-128-3p	<a href="#">GATA2</a>	GATA binding protein 2
hsa-miR-128-3p	<a href="#">BRSK2</a>	BR serine/threonine kinase 2
hsa-miR-128-3p	<a href="#">DMTF1</a>	cyclin D binding myb like transcription factor 1
hsa-miR-128-3p	<a href="#">FN1</a>	fibronectin 1
hsa-miR-128-3p	<a href="#">CLP1</a>	cleavage and polyadenylation factor I subunit 1
hsa-miR-128-3p	<a href="#">KMT5A</a>	lysine methyltransferase 5A
hsa-miR-128-3p	<a href="#">EIF5</a>	eukaryotic translation initiation factor 5
hsa-miR-128-3p	<a href="#">INPP5J</a>	inositol polyphosphate-5-phosphatase J
hsa-miR-128-3p	<a href="#">PIAS2</a>	protein inhibitor of activated STAT 2
hsa-miR-128-3p	<a href="#">INPP1</a>	inositol polyphosphate-1-phosphatase
hsa-miR-128-3p	<a href="#">POU2F1</a>	POU class 2 homeobox 1
hsa-miR-128-3p	<a href="#">NEK6</a>	NIMA related kinase 6
hsa-miR-128-3p	<a href="#">TBC1D9B</a>	TBC1 domain family member 9B
hsa-miR-128-3p	<a href="#">JCHAIN</a>	joining chain of multimeric IgA and IgM
hsa-miR-128-3p	<a href="#">ARFGEF1</a>	ADP ribosylation factor guanine nucleotide exchange factor 1
hsa-miR-128-3p	<a href="#">FAM102B</a>	family with sequence similarity 102 member B
hsa-miR-128-3p	<a href="#">CDH6</a>	cadherin 6
hsa-miR-128-3p	<a href="#">SUZ12</a>	SUZ12, polycomb repressive complex 2 subunit
hsa-miR-128-3p	<a href="#">KCNJ3</a>	potassium voltage-gated channel subfamily J member 3
hsa-miR-128-3p	<a href="#">SHISA6</a>	shisa family member 6
hsa-miR-128-3p	<a href="#">ALG9</a>	ALG9, alpha-1,2-mannosyltransferase
hsa-miR-128-3p	<a href="#">TENT4A</a>	terminal nucleotidyltransferase 4A
hsa-miR-128-3p	<a href="#">PRDM16</a>	PR/SET domain 16
hsa-miR-128-3p	<a href="#">ETV3L</a>	ETS variant 3 like
hsa-miR-128-3p	<a href="#">HAND2</a>	heart and neural crest derivatives expressed 2
hsa-miR-128-3p	<a href="#">LRRFIP1</a>	LRR binding FLII interacting protein 1
hsa-miR-128-3p	<a href="#">UNC5C</a>	unc-5 netrin receptor C
hsa-miR-128-3p	<a href="#">DMKN</a>	dermokine
hsa-miR-128-3p	<a href="#">ADH7</a>	alcohol dehydrogenase 7 (class IV), mu or sigma polypeptide
hsa-miR-128-3p	<a href="#">SPATA2</a>	spermatogenesis associated 2
hsa-miR-128-3p	<a href="#">ATOH8</a>	atonal bHLH transcription factor 8
hsa-miR-128-3p	<a href="#">ARL8B</a>	ADP ribosylation factor like GTPase 8B
hsa-miR-128-3p	<a href="#">SHE</a>	Src homology 2 domain containing E
hsa-miR-128-3p	<a href="#">YTHDC1</a>	YTH domain containing 1
hsa-miR-128-3p	<a href="#">OGA</a>	O-GlcNAcase
hsa-miR-128-3p	<a href="#">ORC5</a>	origin recognition complex subunit 5
hsa-miR-128-3p	<a href="#">ELFN2</a>	extracellular leucine rich repeat and fibronectin type III domain containing 2
hsa-miR-128-3p	<a href="#">PKIA</a>	cAMP-dependent protein kinase inhibitor alpha
hsa-miR-128-3p	<a href="#">LIN7C</a>	lin-7 homolog C, crumbs cell polarity complex component
hsa-miR-128-3p	<a href="#">KIAA1549L</a>	KIAA1549 like
hsa-miR-128-3p	<a href="#">ILDR2</a>	immunoglobulin like domain containing receptor 2
hsa-miR-128-3p	<a href="#">SESN2</a>	sestrin 2

hsa-miR-128-3p	<a href="#">TDRP</a>	testis development related protein
hsa-miR-128-3p	<a href="#">NECTIN3</a>	nectin cell adhesion molecule 3
hsa-miR-128-3p	<a href="#">S100A7A</a>	S100 calcium binding protein A7A
hsa-miR-128-3p	<a href="#">TCIM</a>	transcriptional and immune response regulator
hsa-miR-128-3p	<a href="#">DCAF17</a>	DDB1 and CUL4 associated factor 17
hsa-miR-128-3p	<a href="#">UHRF2</a>	ubiquitin like with PHD and ring finger domains 2
hsa-miR-128-3p	<a href="#">FOXN3</a>	forkhead box N3
hsa-miR-128-3p	<a href="#">TAF4</a>	TATA-box binding protein associated factor 4
hsa-miR-128-3p	<a href="#">SSX2B</a>	SSX family member 2B
hsa-miR-128-3p	<a href="#">NEMP1</a>	nuclear envelope integral membrane protein 1
hsa-miR-128-3p	<a href="#">DDHD1</a>	DDHD domain containing 1
hsa-miR-128-3p	<a href="#">PDE3B</a>	phosphodiesterase 3B
hsa-miR-128-3p	<a href="#">RMND5A</a>	required for meiotic nuclear division 5 homolog A
hsa-miR-128-3p	<a href="#">CRB2</a>	crumbs cell polarity complex component 2
hsa-miR-128-3p	<a href="#">TMEM229A</a>	transmembrane protein 229A
hsa-miR-128-3p	<a href="#">TRIM6-TRIM34</a>	TRIM6-TRIM34 readthrough
hsa-miR-128-3p	<a href="#">PNISR</a>	PNN interacting serine and arginine rich protein
hsa-miR-128-3p	<a href="#">MAST4</a>	microtubule associated serine/threonine kinase family member 4
hsa-miR-128-3p	<a href="#">TRIM34</a>	tripartite motif containing 34
hsa-miR-128-3p	<a href="#">SREBF2</a>	sterol regulatory element binding transcription factor 2
hsa-miR-128-3p	<a href="#">NLRP2B</a>	NLR family pyrin domain containing 2B
hsa-miR-128-3p	<a href="#">RXRA</a>	retinoid X receptor alpha
hsa-miR-128-3p	<a href="#">LIN28B</a>	lin-28 homolog B
hsa-miR-128-3p	<a href="#">TPM1</a>	tropomyosin 1
hsa-miR-128-3p	<a href="#">ERG</a>	ETS transcription factor ERG
hsa-miR-128-3p	<a href="#">CPLX3</a>	complexin 3
hsa-miR-128-3p	<a href="#">DKK2</a>	dickkopf WNT signaling pathway inhibitor 2
hsa-miR-128-3p	<a href="#">SSX2</a>	SSX family member 2
hsa-miR-128-3p	<a href="#">FAM206A</a>	family with sequence similarity 206 member A
hsa-miR-128-3p	<a href="#">ZNF792</a>	zinc finger protein 792
hsa-miR-128-3p	<a href="#">PLAG1</a>	PLAG1 zinc finger
hsa-miR-128-3p	<a href="#">C1orf52</a>	chromosome 1 open reading frame 52
hsa-miR-128-3p	<a href="#">TBC1D1</a>	TBC1 domain family member 1
hsa-miR-128-3p	<a href="#">KIAA1211L</a>	KIAA1211 like
hsa-miR-128-3p	<a href="#">ADAMTS10</a>	ADAM metalloproteinase with thrombospondin type 1 motif 10
hsa-miR-128-3p	<a href="#">TMUB1</a>	transmembrane and ubiquitin like domain containing 1
hsa-miR-128-3p	<a href="#">ARHGEF26</a>	Rho guanine nucleotide exchange factor 26
hsa-miR-128-3p	<a href="#">HBEGF</a>	heparin binding EGF like growth factor
hsa-miR-128-3p	<a href="#">RASAL2</a>	RAS protein activator like 2
hsa-miR-128-3p	<a href="#">IL12RB2</a>	interleukin 12 receptor subunit beta 2
hsa-miR-128-3p	<a href="#">CRTCL</a>	CREB regulated transcription coactivator 1
hsa-miR-128-3p	<a href="#">RFX3</a>	regulatory factor X3
hsa-miR-128-3p	<a href="#">ELAVL2</a>	ELAV like RNA binding protein 2
hsa-miR-128-3p	<a href="#">AIF1L</a>	allograft inflammatory factor 1 like
hsa-miR-128-3p	<a href="#">BET1L</a>	Bet1 golgi vesicular membrane trafficking protein like

hsa-miR-128-3p	<a href="#">ALDH5A1</a>	aldehyde dehydrogenase 5 family member A1
hsa-miR-128-3p	<a href="#">WDFY1</a>	WD repeat and FYVE domain containing 1
hsa-miR-128-3p	<a href="#">SAR1A</a>	secretion associated Ras related GTPase 1A
hsa-miR-128-3p	<a href="#">TRIO</a>	trio Rho guanine nucleotide exchange factor
hsa-miR-128-3p	<a href="#">TBX3</a>	T-box 3
hsa-miR-128-3p	<a href="#">WIPF2</a>	WAS/WASL interacting protein family member 2
hsa-miR-128-3p	<a href="#">MS4A2</a>	membrane spanning 4-domains A2
hsa-miR-128-3p	<a href="#">CCDC85C</a>	coiled-coil domain containing 85C
hsa-miR-128-3p	<a href="#">RBM33</a>	RNA binding motif protein 33
hsa-miR-128-3p	<a href="#">MTMR10</a>	myotubularin related protein 10
hsa-miR-128-3p	<a href="#">POM121</a>	POM121 transmembrane nucleoporin
hsa-miR-128-3p	<a href="#">PDK1</a>	pyruvate dehydrogenase kinase 1
hsa-miR-128-3p	<a href="#">GALNT13</a>	polypeptide N-acetylgalactosaminyltransferase 13
hsa-miR-128-3p	<a href="#">ZFP36L2</a>	ZFP36 ring finger protein like 2
hsa-miR-128-3p	<a href="#">KIAA1210</a>	KIAA1210
hsa-miR-128-3p	<a href="#">RREB1</a>	ras responsive element binding protein 1
hsa-miR-128-3p	<a href="#">ELL2</a>	elongation factor for RNA polymerase II 2
hsa-miR-128-3p	<a href="#">TMCC3</a>	transmembrane and coiled-coil domain family 3
hsa-miR-128-3p	<a href="#">ZNF385A</a>	zinc finger protein 385A
hsa-miR-128-3p	<a href="#">YY1AP1</a>	YY1 associated protein 1
hsa-miR-128-3p	<a href="#">KCNAB2</a>	potassium voltage-gated channel subfamily A regulatory beta subunit 2
hsa-miR-128-3p	<a href="#">FAM13B</a>	family with sequence similarity 13 member B
hsa-miR-128-3p	<a href="#">GNG2</a>	G protein subunit gamma 2
hsa-miR-128-3p	<a href="#">PBXIP1</a>	PBX homeobox interacting protein 1
hsa-miR-128-3p	<a href="#">SPOUT1</a>	SPOUT domain containing methyltransferase 1
hsa-miR-128-3p	<a href="#">NR5A2</a>	nuclear receptor subfamily 5 group A member 2
hsa-miR-128-3p	<a href="#">TBC1D8B</a>	TBC1 domain family member 8B
hsa-miR-128-3p	<a href="#">PLXND1</a>	plexin D1
hsa-miR-128-3p	<a href="#">RAB3IP</a>	RAB3A interacting protein
hsa-miR-128-3p	<a href="#">PPIF</a>	peptidylprolyl isomerase F
hsa-miR-128-3p	<a href="#">CITED2</a>	Cbp/p300 interacting transactivator with Glu/Asp rich carboxy-terminal domain 2
hsa-miR-128-3p	<a href="#">IMJ1C</a>	jumonji domain containing 1C
hsa-miR-128-3p	<a href="#">E2F6</a>	E2F transcription factor 6
hsa-miR-128-3p	<a href="#">PDE8B</a>	phosphodiesterase 8B
hsa-miR-128-3p	<a href="#">FRS3</a>	fibroblast growth factor receptor substrate 3
hsa-miR-128-3p	<a href="#">GRK6</a>	G protein-coupled receptor kinase 6
hsa-miR-128-3p	<a href="#">COL11A2</a>	collagen type XI alpha 2 chain
hsa-miR-128-3p	<a href="#">CLCN5</a>	chloride voltage-gated channel 5
hsa-miR-128-3p	<a href="#">TMED5</a>	transmembrane p24 trafficking protein 5
hsa-miR-128-3p	<a href="#">MYBL1</a>	MYB proto-oncogene like 1
hsa-miR-128-3p	<a href="#">KPNB1</a>	karyopherin subunit beta 1
hsa-miR-128-3p	<a href="#">FANCA</a>	FA complementation group A
hsa-miR-128-3p	<a href="#">LRRC57</a>	leucine rich repeat containing 57
hsa-miR-128-3p	<a href="#">DPH6</a>	diphthamine biosynthesis 6

hsa-miR-128-3p	<a href="#">USP51</a>	ubiquitin specific peptidase 51
hsa-miR-128-3p	<a href="#">LDLRAD3</a>	low density lipoprotein receptor class A domain containing 3
hsa-miR-128-3p	<a href="#">NOD1</a>	nucleotide binding oligomerization domain containing 1
hsa-miR-128-3p	<a href="#">CRB1</a>	crumbs cell polarity complex component 1
hsa-miR-128-3p	<a href="#">SS18L1</a>	SS18L1, nBAF chromatin remodeling complex subunit
hsa-miR-128-3p	<a href="#">GOLGA8A</a>	golgin A8 family member A
hsa-miR-128-3p	<a href="#">FURIN</a>	furin, paired basic amino acid cleaving enzyme
hsa-miR-128-3p	<a href="#">ZNF140</a>	zinc finger protein 140
hsa-miR-128-3p	<a href="#">ZNF329</a>	zinc finger protein 329
hsa-miR-128-3p	<a href="#">STK39</a>	serine/threonine kinase 39
hsa-miR-128-3p	<a href="#">NOL4</a>	nucleolar protein 4
hsa-miR-128-3p	<a href="#">ZNF577</a>	zinc finger protein 577
hsa-miR-128-3p	<a href="#">ZNF426</a>	zinc finger protein 426
hsa-miR-128-3p	<a href="#">POM121C</a>	POM121 transmembrane nucleoporin C
hsa-miR-128-3p	<a href="#">TMEM87B</a>	transmembrane protein 87B
hsa-miR-128-3p	<a href="#">STAB2</a>	stabilin 2
hsa-miR-128-3p	<a href="#">MCTS1</a>	MCTS1, re-initiation and release factor
hsa-miR-128-3p	<a href="#">KITLG</a>	KIT ligand
hsa-miR-128-3p	<a href="#">EBF4</a>	EBF family member 4
hsa-miR-128-3p	<a href="#">MVB12B</a>	multivesicular body subunit 12B
hsa-miR-128-3p	<a href="#">DLL4</a>	delta like canonical Notch ligand 4
hsa-miR-128-3p	<a href="#">SLC5A9</a>	solute carrier family 5 member 9
hsa-miR-128-3p	<a href="#">EPB41</a>	erythrocyte membrane protein band 4.1
hsa-miR-128-3p	<a href="#">FAM222B</a>	family with sequence similarity 222 member B
hsa-miR-128-3p	<a href="#">ADCY6</a>	adenylate cyclase 6
hsa-miR-128-3p	<a href="#">USF3</a>	upstream transcription factor family member 3
hsa-miR-128-3p	<a href="#">CDK18</a>	cyclin dependent kinase 18
hsa-miR-128-3p	<a href="#">CREBRF</a>	CREB3 regulatory factor
hsa-miR-128-3p	<a href="#">BLOC1S5</a>	biogenesis of lysosomal organelles complex 1 subunit 5
hsa-miR-128-3p	<a href="#">TIAL1</a>	TIA1 cytotoxic granule associated RNA binding protein like 1
hsa-miR-128-3p	<a href="#">FOXO4</a>	forkhead box O4
hsa-miR-128-3p	<a href="#">IGF2BP3</a>	insulin like growth factor 2 mRNA binding protein 3
hsa-miR-128-3p	<a href="#">PRKCB</a>	protein kinase C beta
hsa-miR-128-3p	<a href="#">PGM2L1</a>	phosphoglucomutase 2 like 1
hsa-miR-128-3p	<a href="#">TSC1</a>	TSC complex subunit 1
hsa-miR-128-3p	<a href="#">ZNF286A</a>	zinc finger protein 286A
hsa-miR-128-3p	<a href="#">ITSN2</a>	intersectin 2
hsa-miR-128-3p	<a href="#">FOXP4</a>	forkhead box P4
hsa-miR-128-3p	<a href="#">PSMA1</a>	proteasome subunit alpha 1
hsa-miR-128-3p	<a href="#">GOLGA6A</a>	golgin A6 family member A
hsa-miR-128-3p	<a href="#">CADM1</a>	cell adhesion molecule 1
hsa-miR-128-3p	<a href="#">COX18</a>	cytochrome c oxidase assembly factor COX18
hsa-miR-128-3p	<a href="#">ZNF500</a>	zinc finger protein 500
hsa-miR-128-3p	<a href="#">COX8A</a>	cytochrome c oxidase subunit 8A
hsa-miR-128-3p	<a href="#">GOLGA6B</a>	golgin A6 family member B

hsa-miR-128-3p	<a href="#">ZNF860</a>	zinc finger protein 860
hsa-miR-128-3p	<a href="#">GOLGA6D</a>	golgin A6 family member D
hsa-miR-128-3p	<a href="#">BAX</a>	BCL2 associated X, apoptosis regulator
hsa-miR-128-3p	<a href="#">NUP210</a>	nucleoporin 210
hsa-miR-128-3p	<a href="#">PROCR</a>	protein C receptor
hsa-miR-128-3p	<a href="#">CISD2</a>	CDGSH iron sulfur domain 2
hsa-miR-128-3p	<a href="#">NAB1</a>	NGFI-A binding protein 1
hsa-miR-128-3p	<a href="#">ANKDD1A</a>	ankyrin repeat and death domain containing 1A
hsa-miR-128-3p	<a href="#">LSM12</a>	LSM12 homolog
hsa-miR-128-3p	<a href="#">GPATCH11</a>	G-patch domain containing 11
hsa-miR-128-3p	<a href="#">ADGRF2</a>	adhesion G protein-coupled receptor F2
hsa-miR-128-3p	<a href="#">GRAMD1B</a>	GRAM domain containing 1B
hsa-miR-128-3p	<a href="#">INSM1</a>	INSM transcriptional repressor 1
hsa-miR-128-3p	<a href="#">SGPP1</a>	sphingosine-1-phosphate phosphatase 1
hsa-miR-128-3p	<a href="#">GOLM1</a>	golgi membrane protein 1
hsa-miR-128-3p	<a href="#">SHANK3</a>	SH3 and multiple ankyrin repeat domains 3
hsa-miR-128-3p	<a href="#">ZBED6CL</a>	ZBED6 C-terminal like
hsa-miR-128-3p	<a href="#">NCOA1</a>	nuclear receptor coactivator 1
hsa-miR-128-3p	<a href="#">ARMC3</a>	armadillo repeat containing 3
hsa-miR-128-3p	<a href="#">IGFBPL1</a>	insulin like growth factor binding protein like 1
hsa-miR-128-3p	<a href="#">SATB2</a>	SATB homeobox 2
hsa-miR-128-3p	<a href="#">PLEKHM1</a>	pleckstrin homology and RUN domain containing M1
hsa-miR-128-3p	<a href="#">E2F3</a>	E2F transcription factor 3
hsa-miR-128-3p	<a href="#">RAB3C</a>	RAB3C, member RAS oncogene family
hsa-miR-128-3p	<a href="#">CABP1</a>	calcium binding protein 1
hsa-miR-128-3p	<a href="#">HYOU1</a>	hypoxia up-regulated 1
hsa-miR-128-3p	<a href="#">BMP3</a>	bone morphogenetic protein 3
hsa-miR-128-3p	<a href="#">FUT9</a>	fucosyltransferase 9
hsa-miR-128-3p	<a href="#">FAM120C</a>	family with sequence similarity 120C
hsa-miR-128-3p	<a href="#">RUVBL2</a>	RuvB like AAA ATPase 2
hsa-miR-128-3p	<a href="#">EN1</a>	engrailed homeobox 1
hsa-miR-128-3p	<a href="#">DNAJC3</a>	DnaJ heat shock protein family (Hsp40) member C3
hsa-miR-128-3p	<a href="#">PLPPR5</a>	phospholipid phosphatase related 5
hsa-miR-128-3p	<a href="#">SLC49A4</a>	solute carrier family 49 member 4
hsa-miR-128-3p	<a href="#">ZNF37A</a>	zinc finger protein 37A
hsa-miR-128-3p	<a href="#">OSER1</a>	oxidative stress responsive serine rich 1
hsa-miR-128-3p	<a href="#">FBLN1</a>	fibulin 1
hsa-miR-128-3p	<a href="#">MAP3K19</a>	mitogen-activated protein kinase kinase kinase 19
hsa-miR-128-3p	<a href="#">RNF139</a>	ring finger protein 139
hsa-miR-128-3p	<a href="#">IQSEC1</a>	IQ motif and Sec7 domain 1
hsa-miR-128-3p	<a href="#">MYOCD</a>	myocardin
hsa-miR-128-3p	<a href="#">DAP3</a>	death associated protein 3
hsa-miR-128-3p	<a href="#">PPP1R3B</a>	protein phosphatase 1 regulatory subunit 3B
hsa-miR-128-3p	<a href="#">BEAN1</a>	brain expressed associated with NEDD4 1
hsa-miR-128-3p	<a href="#">PDXK</a>	pyridoxal kinase



hsa-miR-128-3p	<a href="#">ZNF34</a>	zinc finger protein 34
hsa-miR-128-3p	<a href="#">ALDH1L2</a>	aldehyde dehydrogenase 1 family member L2
hsa-miR-128-3p	<a href="#">LPCAT1</a>	lysophosphatidylcholine acyltransferase 1
hsa-miR-128-3p	<a href="#">KIAA1191</a>	KIAA1191
hsa-miR-128-3p	<a href="#">NKAIN1</a>	sodium/potassium transporting ATPase interacting 1
hsa-miR-128-3p	<a href="#">SYT4</a>	synaptotagmin 4
hsa-miR-128-3p	<a href="#">TTC3</a>	tetratricopeptide repeat domain 3
hsa-miR-128-3p	<a href="#">MICAL3</a>	microtubule associated monooxygenase, calponin and LIM domain containing 3
hsa-miR-128-3p	<a href="#">C14orf93</a>	chromosome 14 open reading frame 93
hsa-miR-128-3p	<a href="#">GNA13</a>	G protein subunit alpha 13
hsa-miR-128-3p	<a href="#">C1orf229</a>	chromosome 1 open reading frame 229
hsa-miR-128-3p	<a href="#">OTX2</a>	orthodenticle homeobox 2
hsa-miR-128-3p	<a href="#">SMAD5</a>	SMAD family member 5
hsa-miR-128-3p	<a href="#">LAPTM4B</a>	lysosomal protein transmembrane 4 beta
hsa-miR-128-3p	<a href="#">GPATCH2</a>	G-patch domain containing 2
hsa-miR-128-3p	<a href="#">G6PC2</a>	glucose-6-phosphatase catalytic subunit 2
hsa-miR-128-3p	<a href="#">FAM84B</a>	family with sequence similarity 84 member B
hsa-miR-128-3p	<a href="#">G0S2</a>	G0/G1 switch 2
hsa-miR-128-3p	<a href="#">CCNJ</a>	cyclin J
hsa-miR-128-3p	<a href="#">IADE2</a>	jade family PHD finger 2
hsa-miR-128-3p	<a href="#">NOL9</a>	nucleolar protein 9
hsa-miR-128-3p	<a href="#">ZIC5</a>	Zic family member 5
hsa-miR-128-3p	<a href="#">GATC</a>	glutamyl-tRNA amidotransferase subunit C
hsa-miR-128-3p	<a href="#">NEURL1B</a>	neuralized E3 ubiquitin protein ligase 1B
hsa-miR-128-3p	<a href="#">TMEM9B</a>	TMEM9 domain family member B
hsa-miR-128-3p	<a href="#">CREB3L2</a>	cAMP responsive element binding protein 3 like 2
hsa-miR-128-3p	<a href="#">HMGB3</a>	high mobility group box 3
hsa-miR-128-3p	<a href="#">LONRF1</a>	LON peptidase N-terminal domain and ring finger 1
hsa-miR-128-3p	<a href="#">GPR161</a>	G protein-coupled receptor 161
hsa-miR-128-3p	<a href="#">BTBD3</a>	BTB domain containing 3
hsa-miR-128-3p	<a href="#">RELT</a>	RELT, TNF receptor
hsa-miR-128-3p	<a href="#">SNIP1</a>	Smad nuclear interacting protein 1
hsa-miR-128-3p	<a href="#">NMB</a>	neuromedin B
hsa-miR-128-3p	<a href="#">ASAH1</a>	N-acylsphingosine amidohydrolase 1
hsa-miR-128-3p	<a href="#">PRICKLE2</a>	prickle planar cell polarity protein 2
hsa-miR-128-3p	<a href="#">FAM133B</a>	family with sequence similarity 133 member B
hsa-miR-128-3p	<a href="#">APPBP2</a>	amyloid beta precursor protein binding protein 2
hsa-miR-128-3p	<a href="#">ZNF470</a>	zinc finger protein 470
hsa-miR-128-3p	<a href="#">TM2D3</a>	TM2 domain containing 3
hsa-miR-128-3p	<a href="#">UBE2F</a>	ubiquitin conjugating enzyme E2 F (putative)
hsa-miR-128-3p	<a href="#">SLFN13</a>	schlafen family member 13
hsa-miR-128-3p	<a href="#">RGPD6</a>	RANBP2-like and GRIP domain containing 6
hsa-miR-128-3p	<a href="#">RNASEH2C</a>	ribonuclease H2 subunit C
hsa-miR-128-3p	<a href="#">GOLGA6L4</a>	golgin A6 family-like 4

hsa-miR-128-3p	<a href="#">ARID2</a>	AT-rich interaction domain 2
hsa-miR-128-3p	<a href="#">FADD</a>	Fas associated via death domain
hsa-miR-128-3p	<a href="#">GOLGA6L10</a>	golgin A6 family-like 10
hsa-miR-128-3p	<a href="#">SUSD1</a>	sushi domain containing 1
hsa-miR-128-3p	<a href="#">TRAPPC8</a>	trafficking protein particle complex 8
hsa-miR-128-3p	<a href="#">FOXQ1</a>	forkhead box Q1
hsa-miR-128-3p	<a href="#">ZKSCAN4</a>	zinc finger with KRAB and SCAN domains 4
hsa-miR-128-3p	<a href="#">RGPD5</a>	RANBP2-like and GRIP domain containing 5
hsa-miR-128-3p	<a href="#">LDLRAP1</a>	low density lipoprotein receptor adaptor protein 1
hsa-miR-128-3p	<a href="#">MAP4K5</a>	mitogen-activated protein kinase kinase kinase kinase 5
hsa-miR-128-3p	<a href="#">ELOVL4</a>	ELOVL fatty acid elongase 4
hsa-miR-128-3p	<a href="#">SLC7A1</a>	solute carrier family 7 member 1
hsa-miR-128-3p	<a href="#">FAM13A</a>	family with sequence similarity 13 member A
hsa-miR-128-3p	<a href="#">RCOR1</a>	REST corepressor 1
hsa-miR-128-3p	<a href="#">CDR2L</a>	cerebellar degeneration related protein 2 like
hsa-miR-128-3p	<a href="#">FAAP100</a>	FA core complex associated protein 100
hsa-miR-128-3p	<a href="#">PPP2R2D</a>	protein phosphatase 2 regulatory subunit Bdelta
hsa-miR-128-3p	<a href="#">NME4</a>	NME/NM23 nucleoside diphosphate kinase 4
hsa-miR-128-3p	<a href="#">SPOPL</a>	speckle type BTB/POZ protein like
hsa-miR-128-3p	<a href="#">CAPN7</a>	calpain 7
hsa-miR-128-3p	<a href="#">ID4</a>	inhibitor of DNA binding 4, HLH protein
hsa-miR-128-3p	<a href="#">LRP2BP</a>	LRP2 binding protein
hsa-miR-128-3p	<a href="#">SLC10A7</a>	solute carrier family 10 member 7
hsa-miR-128-3p	<a href="#">CTPS2</a>	CTP synthase 2
hsa-miR-128-3p	<a href="#">SLC6A6</a>	solute carrier family 6 member 6
hsa-miR-128-3p	<a href="#">IKZF5</a>	IKAROS family zinc finger 5
hsa-miR-128-3p	<a href="#">TMOD2</a>	tropomodulin 2
hsa-miR-128-3p	<a href="#">CASP1</a>	caspase 1
hsa-miR-128-3p	<a href="#">NEBL</a>	nebulin
hsa-miR-128-3p	<a href="#">INAVA</a>	innate immunity activator
hsa-miR-128-3p	<a href="#">EFR3B</a>	EFR3 homolog B
hsa-miR-128-3p	<a href="#">VIP</a>	vasoactive intestinal peptide
hsa-miR-128-3p	<a href="#">GYS1</a>	glycogen synthase 1
hsa-miR-128-3p	<a href="#">PPP2R3A</a>	protein phosphatase 2 regulatory subunit B"alpha
hsa-miR-128-3p	<a href="#">SLC9A4</a>	solute carrier family 9 member A4
hsa-miR-128-3p	<a href="#">TRABD2B</a>	TraB domain containing 2B
hsa-miR-128-3p	<a href="#">CTU1</a>	cytosolic thiouridylase subunit 1
hsa-miR-128-3p	<a href="#">SMPD4</a>	sphingomyelin phosphodiesterase 4
hsa-miR-128-3p	<a href="#">ZNF783</a>	zinc finger family member 783
hsa-miR-128-3p	<a href="#">SNRPE</a>	small nuclear ribonucleoprotein polypeptide E
hsa-miR-128-3p	<a href="#">FCHSD2</a>	FCH and double SH3 domains 2
hsa-miR-128-3p	<a href="#">KCNMB4</a>	potassium calcium-activated channel subfamily M regulatory beta subunit 4
hsa-miR-128-3p	<a href="#">OR11A1</a>	olfactory receptor family 11 subfamily A member 1
hsa-miR-128-3p	<a href="#">CFC1</a>	cripto, FRL-1, cryptic family 1

hsa-miR-128-3p	<a href="#">APOF</a>	apolipoprotein F
hsa-miR-128-3p	<a href="#">AGAP1</a>	ArfGAP with GTPase domain, ankyrin repeat and PH domain 1
hsa-miR-128-3p	<a href="#">ARL15</a>	ADP ribosylation factor like GTPase 15
hsa-miR-128-3p	<a href="#">MBNL2</a>	muscleblind like splicing regulator 2
hsa-miR-128-3p	<a href="#">FAM71F2</a>	family with sequence similarity 71 member F2
hsa-miR-128-3p	<a href="#">BTG2</a>	BTG anti-proliferation factor 2
hsa-miR-128-3p	<a href="#">KCNK6</a>	potassium two pore domain channel subfamily K member 6
hsa-miR-128-3p	<a href="#">EDNRA</a>	endothelin receptor type A
hsa-miR-128-3p	<a href="#">CCNG1</a>	cyclin G1
hsa-miR-128-3p	<a href="#">TWISTNB</a>	TWIST neighbor
hsa-miR-128-3p	<a href="#">SIX1</a>	SIX homeobox 1
hsa-miR-128-3p	<a href="#">LINGO4</a>	leucine rich repeat and Ig domain containing 4
hsa-miR-128-3p	<a href="#">CCDC28B</a>	coiled-coil domain containing 28B
hsa-miR-128-3p	<a href="#">FAM222A</a>	family with sequence similarity 222 member A
hsa-miR-128-3p	<a href="#">BRAP</a>	BRCA1 associated protein
hsa-miR-128-3p	<a href="#">DTNA</a>	dystrobrevin alpha
hsa-miR-128-3p	<a href="#">SLC39A10</a>	solute carrier family 39 member 10
hsa-miR-128-3p	<a href="#">HOXA13</a>	homeobox A13
hsa-miR-128-3p	<a href="#">SH3GL3</a>	SH3 domain containing GRB2 like 3, endophilin A3
hsa-miR-128-3p	<a href="#">ZBTB14</a>	zinc finger and BTB domain containing 14
hsa-miR-128-3p	<a href="#">SLC9A7</a>	solute carrier family 9 member A7
hsa-miR-128-3p	<a href="#">MECP2</a>	methyl-CpG binding protein 2
hsa-miR-128-3p	<a href="#">DUSP5</a>	dual specificity phosphatase 5
hsa-miR-128-3p	<a href="#">CREG2</a>	cellular repressor of E1A stimulated genes 2
hsa-miR-128-3p	<a href="#">CSDC2</a>	cold shock domain containing C2
hsa-miR-128-3p	<a href="#">NTRK2</a>	neurotrophic receptor tyrosine kinase 2
hsa-miR-128-3p	<a href="#">TRAF1</a>	TNF receptor associated factor 1
hsa-miR-128-3p	<a href="#">PRLR</a>	prolactin receptor
hsa-miR-128-3p	<a href="#">RIMS3</a>	regulating synaptic membrane exocytosis 3
hsa-miR-128-3p	<a href="#">SDK2</a>	sidekick cell adhesion molecule 2
hsa-miR-128-3p	<a href="#">ACOT13</a>	acyl-CoA thioesterase 13
hsa-miR-128-3p	<a href="#">WTAP</a>	WT1 associated protein
hsa-miR-128-3p	<a href="#">WDTC1</a>	WD and tetratricopeptide repeats 1
hsa-miR-128-3p	<a href="#">APCDD1L</a>	APC down-regulated 1 like
hsa-miR-128-3p	<a href="#">BHLHB9</a>	basic helix-loop-helix family member b9
hsa-miR-128-3p	<a href="#">CDH11</a>	cadherin 11
hsa-miR-128-3p	<a href="#">C17orf51</a>	chromosome 17 open reading frame 51
hsa-miR-128-3p	<a href="#">PWWP3A</a>	PWWP domain containing 3A, DNA repair factor
hsa-miR-128-3p	<a href="#">CCM2</a>	CCM2 scaffold protein
hsa-miR-128-3p	<a href="#">DHCR24</a>	24-dehydrocholesterol reductase
hsa-miR-128-3p	<a href="#">PIGZ</a>	phosphatidylinositol glycan anchor biosynthesis class Z
hsa-miR-128-3p	<a href="#">MBD3</a>	methyl-CpG binding domain protein 3
hsa-miR-128-3p	<a href="#">PALM2</a>	paralemmin 2
hsa-miR-128-3p	<a href="#">PLEKHH1</a>	pleckstrin homology, MyTH4 and FERM domain containing H1

hsa-miR-128-3p	<a href="#">MGAT1</a>	mannosyl (alpha-1,3-)-glycoprotein beta-1,2-N-acetylglucosaminyltransferase
hsa-miR-128-3p	<a href="#">ADRA1A</a>	adrenoceptor alpha 1A
hsa-miR-128-3p	<a href="#">MR1</a>	major histocompatibility complex, class I-related
hsa-miR-128-3p	<a href="#">TRAPPC4</a>	trafficking protein particle complex 4
hsa-miR-128-3p	<a href="#">NECAB1</a>	N-terminal EF-hand calcium binding protein 1
hsa-miR-128-3p	<a href="#">IBA57</a>	IBA57, iron-sulfur cluster assembly
hsa-miR-128-3p	<a href="#">XIRP1</a>	xin actin binding repeat containing 1
hsa-miR-128-3p	<a href="#">STOX1</a>	storkhead box 1
hsa-miR-128-3p	<a href="#">TMEM121B</a>	transmembrane protein 121B
hsa-miR-128-3p	<a href="#">KLHL7</a>	kelch like family member 7
hsa-miR-128-3p	<a href="#">TSEN34</a>	tRNA splicing endonuclease subunit 34
hsa-miR-128-3p	<a href="#">ZNF546</a>	zinc finger protein 546
hsa-miR-128-3p	<a href="#">C2CD2</a>	C2 calcium dependent domain containing 2
hsa-miR-128-3p	<a href="#">TACR1</a>	tachykinin receptor 1
hsa-miR-128-3p	<a href="#">HTT</a>	huntingtin
hsa-miR-128-3p	<a href="#">SLX4IP</a>	SLX4 interacting protein
hsa-miR-128-3p	<a href="#">ZNF627</a>	zinc finger protein 627
hsa-miR-128-3p	<a href="#">EGFR</a>	epidermal growth factor receptor
hsa-miR-128-3p	<a href="#">HERC3</a>	HECT and RLD domain containing E3 ubiquitin protein ligase 3
hsa-miR-128-3p	<a href="#">PON2</a>	paraoxonase 2
hsa-miR-128-3p	<a href="#">THAP11</a>	THAP domain containing 11
hsa-miR-128-3p	<a href="#">DAD1</a>	defender against cell death 1
hsa-miR-128-3p	<a href="#">ATG2A</a>	autophagy related 2A
hsa-miR-128-3p	<a href="#">AGFG1</a>	ArfGAP with FG repeats 1
hsa-miR-128-3p	<a href="#">AEN</a>	apoptosis enhancing nuclease
hsa-miR-128-3p	<a href="#">PNRC2</a>	proline rich nuclear receptor coactivator 2
hsa-miR-128-3p	<a href="#">POU2F3</a>	POU class 2 homeobox 3
hsa-miR-128-3p	<a href="#">PHLDA2</a>	pleckstrin homology like domain family A member 2
hsa-miR-128-3p	<a href="#">KSR2</a>	kinase suppressor of ras 2
hsa-miR-128-3p	<a href="#">PEAK1</a>	pseudopodium enriched atypical kinase 1
hsa-miR-128-3p	<a href="#">SEMA4D</a>	semaphorin 4D
hsa-miR-128-3p	<a href="#">CHST11</a>	carbohydrate sulfotransferase 11
hsa-miR-128-3p	<a href="#">RGPD4</a>	RANBP2-like and GRIP domain containing 4
hsa-miR-128-3p	<a href="#">ARID5B</a>	AT-rich interaction domain 5B
hsa-miR-128-3p	<a href="#">NAP1L2</a>	nucleosome assembly protein 1 like 2
hsa-miR-128-3p	<a href="#">PPARG</a>	peroxisome proliferator activated receptor gamma
hsa-miR-128-3p	<a href="#">PAPPA</a>	pappalysin 1
hsa-miR-128-3p	<a href="#">PIK3CA</a>	phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit alpha
hsa-miR-128-3p	<a href="#">TMEM170B</a>	transmembrane protein 170B
hsa-miR-128-3p	<a href="#">BCL3</a>	BCL3, transcription coactivator
hsa-miR-128-3p	<a href="#">OIT3</a>	oncoprotein induced transcript 3
hsa-miR-128-3p	<a href="#">ERO1B</a>	endoplasmic reticulum oxidoreductase 1 beta
hsa-miR-128-3p	<a href="#">ABCB5</a>	ATP binding cassette subfamily B member 5
hsa-miR-128-3p	<a href="#">MFS6</a>	major facilitator superfamily domain containing 6

hsa-miR-128-3p	<a href="#">CAMTA1</a>	calmodulin binding transcription activator 1
hsa-miR-128-3p	<a href="#">TYRP1</a>	tyrosinase related protein 1
hsa-miR-128-3p	<a href="#">EARS2</a>	glutamyl-tRNA synthetase 2, mitochondrial
hsa-miR-128-3p	<a href="#">TTC17</a>	tetratricopeptide repeat domain 17
hsa-miR-128-3p	<a href="#">FCRL2</a>	Fc receptor like 2
hsa-miR-128-3p	<a href="#">IL17RA</a>	interleukin 17 receptor A
hsa-miR-128-3p	<a href="#">NR2F2</a>	nuclear receptor subfamily 2 group F member 2
hsa-miR-128-3p	<a href="#">FOSB</a>	FosB proto-oncogene, AP-1 transcription factor subunit
hsa-miR-128-3p	<a href="#">ZNF20</a>	zinc finger protein 20
hsa-miR-128-3p	<a href="#">PTCH1</a>	patched 1
hsa-miR-128-3p	<a href="#">PRMT8</a>	protein arginine methyltransferase 8
hsa-miR-128-3p	<a href="#">COG7</a>	component of oligomeric golgi complex 7
hsa-miR-128-3p	<a href="#">MKNK2</a>	MAP kinase interacting serine/threonine kinase 2
hsa-miR-128-3p	<a href="#">EDEMB3</a>	ER degradation enhancing alpha-mannosidase like protein 3
hsa-miR-128-3p	<a href="#">LDLR</a>	low density lipoprotein receptor
hsa-miR-128-3p	<a href="#">NRIP2</a>	nuclear receptor interacting protein 2
hsa-miR-128-3p	<a href="#">MAVS</a>	mitochondrial antiviral signaling protein
hsa-miR-128-3p	<a href="#">GID3</a>	gap junction protein delta 3
hsa-miR-128-3p	<a href="#">WDR36</a>	WD repeat domain 36
hsa-miR-128-3p	<a href="#">TMEM237</a>	transmembrane protein 237
hsa-miR-128-3p	<a href="#">SPRY2</a>	sprouty RTK signaling antagonist 2
hsa-miR-128-3p	<a href="#">CD276</a>	CD276 molecule
hsa-miR-128-3p	<a href="#">KCTD8</a>	potassium channel tetramerization domain containing 8
hsa-miR-128-3p	<a href="#">LRRTM2</a>	leucine rich repeat transmembrane neuronal 2
hsa-miR-128-3p	<a href="#">CAMK1D</a>	calcium/calmodulin dependent protein kinase ID
hsa-miR-128-3p	<a href="#">AGRN</a>	agrin
hsa-miR-128-3p	<a href="#">RHOT1</a>	ras homolog family member T1
hsa-miR-128-3p	<a href="#">CAND1</a>	cullin associated and neddylation dissociated 1
hsa-miR-128-3p	<a href="#">SOWAHA</a>	sosondowah ankyrin repeat domain family member A
hsa-miR-128-3p	<a href="#">ENPP1</a>	ectonucleotide pyrophosphatase/phosphodiesterase 1
hsa-miR-128-3p	<a href="#">ADAMTS16</a>	ADAM metalloproteinase with thrombospondin type 1 motif 16
hsa-miR-128-3p	<a href="#">PSEN1</a>	presenilin 1
hsa-miR-128-3p	<a href="#">NPTX2</a>	neuronal pentraxin 2
hsa-miR-128-3p	<a href="#">ERP27</a>	endoplasmic reticulum protein 27
hsa-miR-128-3p	<a href="#">FSTL3</a>	follistatin like 3
hsa-miR-128-3p	<a href="#">CLOCK</a>	clock circadian regulator
hsa-miR-128-3p	<a href="#">ANHX</a>	anomalous homeobox
hsa-miR-128-3p	<a href="#">MOCS3</a>	molybdenum cofactor synthesis 3
hsa-miR-128-3p	<a href="#">E4F1</a>	E4F transcription factor 1
hsa-miR-128-3p	<a href="#">ARHGAP23</a>	Rho GTPase activating protein 23
hsa-miR-128-3p	<a href="#">POLM</a>	DNA polymerase mu
hsa-miR-128-3p	<a href="#">RAD54L2</a>	RAD54 like 2
hsa-miR-128-3p	<a href="#">FKBP3</a>	FKBP prolyl isomerase 3
hsa-miR-128-3p	<a href="#">CLDN22</a>	claudin 22
hsa-miR-128-3p	<a href="#">NR1D2</a>	nuclear receptor subfamily 1 group D member 2

hsa-miR-128-3p	<a href="#">PDE6A</a>	phosphodiesterase 6A
hsa-miR-128-3p	<a href="#">STAC</a>	SH3 and cysteine rich domain
hsa-miR-128-3p	<a href="#">LMBR1L</a>	limb development membrane protein 1 like
hsa-miR-128-3p	<a href="#">ARID3B</a>	AT-rich interaction domain 3B
hsa-miR-128-3p	<a href="#">ZC3H12C</a>	zinc finger CCCH-type containing 12C
hsa-miR-128-3p	<a href="#">EPHA10</a>	EPH receptor A10
hsa-miR-128-3p	<a href="#">DDX3Y</a>	DEAD-box helicase 3 Y-linked
hsa-miR-128-3p	<a href="#">MYH10</a>	myosin heavy chain 10
hsa-miR-128-3p	<a href="#">VASH2</a>	vasohibin 2
hsa-miR-128-3p	<a href="#">TGIF2</a>	TGFB induced factor homeobox 2
hsa-miR-128-3p	<a href="#">CACNA1C</a>	calcium voltage-gated channel subunit alpha1 C
hsa-miR-128-3p	<a href="#">ANKRD24</a>	ankyrin repeat domain 24
hsa-miR-128-3p	<a href="#">ADH5</a>	alcohol dehydrogenase 5 (class III), chi polypeptide
hsa-miR-128-3p	<a href="#">SLC36A1</a>	solute carrier family 36 member 1
hsa-miR-128-3p	<a href="#">ABCA1</a>	ATP binding cassette subfamily A member 1
hsa-miR-128-3p	<a href="#">HMOX1</a>	heme oxygenase 1
hsa-miR-128-3p	<a href="#">RAPGEF2</a>	Rap guanine nucleotide exchange factor 2
hsa-miR-128-3p	<a href="#">HOXC6</a>	homeobox C6
hsa-miR-128-3p	<a href="#">PVR</a>	poliovirus receptor
hsa-miR-128-3p	<a href="#">MLPH</a>	melanophilin
hsa-miR-128-3p	<a href="#">MAGEB16</a>	MAGE family member B16
hsa-miR-128-3p	<a href="#">CHD2</a>	chromodomain helicase DNA binding protein 2
hsa-miR-128-3p	<a href="#">SPTLC2</a>	serine palmitoyltransferase long chain base subunit 2
hsa-miR-128-3p	<a href="#">C18orf65</a>	chromosome 18 open reading frame 65
hsa-miR-128-3p	<a href="#">ARX</a>	aristaless related homeobox
hsa-miR-128-3p	<a href="#">TSPAN13</a>	tetraspanin 13
hsa-miR-128-3p	<a href="#">STYK1</a>	serine/threonine/tyrosine kinase 1
hsa-miR-128-3p	<a href="#">KCNA6</a>	potassium voltage-gated channel subfamily A member 6
hsa-miR-128-3p	<a href="#">RSPO3</a>	R-spondin 3
hsa-miR-128-3p	<a href="#">KDM4C</a>	lysine demethylase 4C
hsa-miR-128-3p	<a href="#">WSB1</a>	WD repeat and SOCS box containing 1
hsa-miR-128-3p	<a href="#">SPX</a>	spexin hormone
hsa-miR-128-3p	<a href="#">RGS1</a>	regulator of G protein signaling 1
hsa-miR-128-3p	<a href="#">CBX5</a>	chromobox 5
hsa-miR-128-3p	<a href="#">MAN2A1</a>	mannosidase alpha class 2A member 1
hsa-miR-128-3p	<a href="#">RARB</a>	retinoic acid receptor beta
hsa-miR-128-3p	<a href="#">TSTD2</a>	thiosulfate sulfurtransferase like domain containing 2
hsa-miR-128-3p	<a href="#">HSPD1</a>	heat shock protein family D (Hsp60) member 1
hsa-miR-128-3p	<a href="#">TNRC6B</a>	trinucleotide repeat containing 6B
hsa-miR-128-3p	<a href="#">ZNF124</a>	zinc finger protein 124
hsa-miR-128-3p	<a href="#">DEPDC4</a>	DEP domain containing 4
hsa-miR-128-3p	<a href="#">SCN2B</a>	sodium voltage-gated channel beta subunit 2
hsa-miR-128-3p	<a href="#">SLCO1A2</a>	solute carrier organic anion transporter family member 1A2
hsa-miR-128-3p	<a href="#">KIAA1211</a>	KIAA1211
hsa-miR-128-3p	<a href="#">DLG2</a>	discs large MAGUK scaffold protein 2



hsa-miR-128-3p	<a href="#">NKTR</a>	natural killer cell triggering receptor
hsa-miR-128-3p	<a href="#">TET2</a>	tet methylcytosine dioxygenase 2
hsa-miR-128-3p	<a href="#">LOC101928841</a>	collagen alpha-1(II) chain-like
hsa-miR-128-3p	<a href="#">DEPDC1B</a>	DEP domain containing 1B
hsa-miR-128-3p	<a href="#">CEP135</a>	centrosomal protein 135
hsa-miR-128-3p	<a href="#">FAM118A</a>	family with sequence similarity 118 member A
hsa-miR-128-3p	<a href="#">LMNB1</a>	lamin B1
hsa-miR-128-3p	<a href="#">NCAN</a>	neurocan
hsa-miR-128-3p	<a href="#">KAT2A</a>	lysine acetyltransferase 2A
hsa-miR-128-3p	<a href="#">PPP4R2</a>	protein phosphatase 4 regulatory subunit 2
hsa-miR-128-3p	<a href="#">SUCO</a>	SUN domain containing ossification factor
hsa-miR-128-3p	<a href="#">RAB33B</a>	RAB33B, member RAS oncogene family
hsa-miR-128-3p	<a href="#">PAQR9</a>	progesterin and adipoQ receptor family member 9
hsa-miR-128-3p	<a href="#">TNFSF8</a>	TNF superfamily member 8
hsa-miR-128-3p	<a href="#">RLIM</a>	ring finger protein, LIM domain interacting
hsa-miR-128-3p	<a href="#">SLFN11</a>	schlafen family member 11
hsa-miR-128-3p	<a href="#">ZC3H13</a>	zinc finger CCCH-type containing 13
hsa-miR-128-3p	<a href="#">PTGDR</a>	prostaglandin D2 receptor
hsa-miR-128-3p	<a href="#">EXD1</a>	exonuclease 3'-5' domain containing 1
hsa-miR-128-3p	<a href="#">ZNF385C</a>	zinc finger protein 385C
hsa-miR-128-3p	<a href="#">GLRX</a>	glutaredoxin
hsa-miR-128-3p	<a href="#">METTL8</a>	methyltransferase like 8
hsa-miR-128-3p	<a href="#">ARFGEF3</a>	ARFGEF family member 3
hsa-miR-128-3p	<a href="#">TOPBP1</a>	DNA topoisomerase II binding protein 1
hsa-miR-128-3p	<a href="#">SMCR8</a>	Smith-Magenis syndrome chromosome region, candidate 8
hsa-miR-128-3p	<a href="#">TMEM39A</a>	transmembrane protein 39A
hsa-miR-128-3p	<a href="#">MSRB3</a>	methionine sulfoxide reductase B3
hsa-miR-128-3p	<a href="#">LHX1</a>	LIM homeobox 1
hsa-miR-128-3p	<a href="#">ERI1</a>	exoribonuclease 1
hsa-miR-128-3p	<a href="#">KBTBD8</a>	kelch repeat and BTB domain containing 8
hsa-miR-128-3p	<a href="#">CYP4F2</a>	cytochrome P450 family 4 subfamily F member 2
hsa-miR-128-3p	<a href="#">CEBPE</a>	CCAAT enhancer binding protein epsilon
hsa-miR-128-3p	<a href="#">IL16</a>	interleukin 16
hsa-miR-128-3p	<a href="#">RCAN3</a>	RCAN family member 3
hsa-miR-128-3p	<a href="#">PTCD2</a>	pentatricopeptide repeat domain 2
hsa-miR-128-3p	<a href="#">DIRAS2</a>	DIRAS family GTPase 2
hsa-miR-128-3p	<a href="#">SLC26A2</a>	solute carrier family 26 member 2
hsa-miR-128-3p	<a href="#">RIMS1</a>	regulating synaptic membrane exocytosis 1
hsa-miR-128-3p	<a href="#">C16orf54</a>	chromosome 16 open reading frame 54
hsa-miR-128-3p	<a href="#">CIART</a>	circadian associated repressor of transcription
hsa-miR-128-3p	<a href="#">HDHD2</a>	haloacid dehalogenase like hydrolase domain containing 2
hsa-miR-128-3p	<a href="#">PTGER4</a>	prostaglandin E receptor 4
hsa-miR-128-3p	<a href="#">NEK1</a>	NIMA related kinase 1
hsa-miR-128-3p	<a href="#">APAF1</a>	apoptotic peptidase activating factor 1
hsa-miR-128-3p	<a href="#">STK3</a>	serine/threonine kinase 3

hsa-miR-128-3p	<a href="#">EIF4EBP2</a>	eukaryotic translation initiation factor 4E binding protein 2
hsa-miR-128-3p	<a href="#">ZNF587B</a>	zinc finger protein 587B
hsa-miR-128-3p	<a href="#">CDS2</a>	CDP-diacylglycerol synthase 2
hsa-miR-128-3p	<a href="#">ADAM19</a>	ADAM metalloproteinase domain 19
hsa-miR-128-3p	<a href="#">GPR35</a>	G protein-coupled receptor 35
hsa-miR-128-3p	<a href="#">THRB</a>	thyroid hormone receptor beta
hsa-miR-128-3p	<a href="#">MPP2</a>	membrane palmitoylated protein 2
hsa-miR-128-3p	<a href="#">MLYCD</a>	malonyl-CoA decarboxylase
hsa-miR-128-3p	<a href="#">TNPO3</a>	transportin 3
hsa-miR-128-3p	<a href="#">MARK1</a>	microtubule affinity regulating kinase 1
hsa-miR-128-3p	<a href="#">EPB41L2</a>	erythrocyte membrane protein band 4.1 like 2
hsa-miR-128-3p	<a href="#">UMAD1</a>	UBAP1-MVB12-associated (UMA) domain containing 1
hsa-miR-128-3p	<a href="#">PTAFR</a>	platelet activating factor receptor
hsa-miR-128-3p	<a href="#">IFNA1</a>	interferon alpha 1
hsa-miR-128-3p	<a href="#">TBP</a>	TATA-box binding protein
hsa-miR-128-3p	<a href="#">TRIM50</a>	tripartite motif containing 50
hsa-miR-128-3p	<a href="#">LETMD1</a>	LETM1 domain containing 1
hsa-miR-128-3p	<a href="#">PIGT</a>	phosphatidylinositol glycan anchor biosynthesis class T
hsa-miR-128-3p	<a href="#">ZSCAN20</a>	zinc finger and SCAN domain containing 20
hsa-miR-128-3p	<a href="#">CD93</a>	CD93 molecule
hsa-miR-128-3p	<a href="#">SP100</a>	SP100 nuclear antigen
hsa-miR-128-3p	<a href="#">XKRY2</a>	XK related, Y-linked 2
hsa-miR-128-3p	<a href="#">GVQW2</a>	GVQW motif containing 2
hsa-miR-128-3p	<a href="#">CYB561D1</a>	cytochrome b561 family member D1
hsa-miR-128-3p	<a href="#">TBCC</a>	tubulin folding cofactor C
hsa-miR-128-3p	<a href="#">EFNB2</a>	ephrin B2
hsa-miR-128-3p	<a href="#">HIVEP3</a>	human immunodeficiency virus type I enhancer binding protein 3
hsa-miR-128-3p	<a href="#">RPGRIP1L</a>	RPGRIP1 like
hsa-miR-128-3p	<a href="#">TTC39C</a>	tetratricopeptide repeat domain 39C
hsa-miR-128-3p	<a href="#">NCOA5</a>	nuclear receptor coactivator 5
hsa-miR-128-3p	<a href="#">HSPA1L</a>	heat shock protein family A (Hsp70) member 1 like
hsa-miR-128-3p	<a href="#">ARHGEF11</a>	Rho guanine nucleotide exchange factor 11
hsa-miR-128-3p	<a href="#">XKRY</a>	XK related, Y-linked
hsa-miR-128-3p	<a href="#">VEGFB</a>	vascular endothelial growth factor B
hsa-miR-128-3p	<a href="#">STAM</a>	signal transducing adaptor molecule
hsa-miR-128-3p	<a href="#">TNFAIP3</a>	TNF alpha induced protein 3
hsa-miR-128-3p	<a href="#">DPYS</a>	dihydropyrimidinase
hsa-miR-128-3p	<a href="#">PAXBP1</a>	PAX3 and PAX7 binding protein 1
hsa-miR-128-3p	<a href="#">NRIP1</a>	nuclear receptor interacting protein 1
hsa-miR-132-3p	<a href="#">CDK19</a>	cyclin dependent kinase 19
hsa-miR-132-3p	<a href="#">TIMM9</a>	translocase of inner mitochondrial membrane 9
hsa-miR-132-3p	<a href="#">LEMD3</a>	LEM domain containing 3
hsa-miR-132-3p	<a href="#">RGS7BP</a>	regulator of G protein signaling 7 binding protein
hsa-miR-132-3p	<a href="#">MIA3</a>	MIA SH3 domain ER export factor 3
hsa-miR-132-3p	<a href="#">MIER1</a>	MIER1 transcriptional regulator

hsa-miR-132-3p	<a href="#">SOX5</a>	SRY-box 5
hsa-miR-132-3p	<a href="#">CBLL1</a>	Cbl proto-oncogene like 1
hsa-miR-132-3p	<a href="#">METTL25</a>	methyltransferase like 25
hsa-miR-132-3p	<a href="#">GTF2H1</a>	general transcription factor IIH subunit 1
hsa-miR-132-3p	<a href="#">MEX3C</a>	mex-3 RNA binding family member C
hsa-miR-132-3p	<a href="#">MAPK1</a>	mitogen-activated protein kinase 1
hsa-miR-132-3p	<a href="#">RASA1</a>	RAS p21 protein activator 1
hsa-miR-132-3p	<a href="#">CHD1</a>	chromodomain helicase DNA binding protein 1
hsa-miR-132-3p	<a href="#">MELK</a>	maternal embryonic leucine zipper kinase
hsa-miR-132-3p	<a href="#">CSDE1</a>	cold shock domain containing E1
hsa-miR-132-3p	<a href="#">TUT4</a>	terminal uridylyl transferase 4
hsa-miR-132-3p	<a href="#">ZBTB20</a>	zinc finger and BTB domain containing 20
hsa-miR-132-3p	<a href="#">BRWD1</a>	bromodomain and WD repeat domain containing 1
hsa-miR-132-3p	<a href="#">SSH2</a>	slingshot protein phosphatase 2
hsa-miR-132-3p	<a href="#">FEM1C</a>	fem-1 homolog C
hsa-miR-132-3p	<a href="#">SGK3</a>	serum/glucocorticoid regulated kinase family member 3
hsa-miR-132-3p	<a href="#">USP38</a>	ubiquitin specific peptidase 38
hsa-miR-132-3p	<a href="#">DAZAP2</a>	DAZ associated protein 2
hsa-miR-132-3p	<a href="#">VDAC2</a>	voltage dependent anion channel 2
hsa-miR-132-3p	<a href="#">CCDC88A</a>	coiled-coil domain containing 88A
hsa-miR-132-3p	<a href="#">MTF2</a>	metal response element binding transcription factor 2
hsa-miR-132-3p	<a href="#">ZNF521</a>	zinc finger protein 521
hsa-miR-132-3p	<a href="#">SOD2</a>	superoxide dismutase 2
hsa-miR-132-3p	<a href="#">MYCBP2</a>	MYC binding protein 2, E3 ubiquitin protein ligase
hsa-miR-132-3p	<a href="#">PTBP2</a>	polypyrimidine tract binding protein 2
hsa-miR-132-3p	<a href="#">HBEGF</a>	heparin binding EGF like growth factor
hsa-miR-132-3p	<a href="#">ZNF652</a>	zinc finger protein 652
hsa-miR-132-3p	<a href="#">PCDH10</a>	protocadherin 10
hsa-miR-132-3p	<a href="#">ETNK1</a>	ethanolamine kinase 1
hsa-miR-132-3p	<a href="#">TJAP1</a>	tight junction associated protein 1
hsa-miR-132-3p	<a href="#">SERP1</a>	stress associated endoplasmic reticulum protein 1
hsa-miR-132-3p	<a href="#">SETD5</a>	SET domain containing 5
hsa-miR-132-3p	<a href="#">NFE2L2</a>	nuclear factor, erythroid 2 like 2
hsa-miR-132-3p	<a href="#">KLF7</a>	Kruppel like factor 7
hsa-miR-132-3p	<a href="#">OSBPL8</a>	oxysterol binding protein like 8
hsa-miR-132-3p	<a href="#">ZNF516</a>	zinc finger protein 516
hsa-miR-132-3p	<a href="#">SPPL3</a>	signal peptide peptidase like 3
hsa-miR-132-3p	<a href="#">SLC6A1</a>	solute carrier family 6 member 1
hsa-miR-132-3p	<a href="#">CCN2</a>	cellular communication network factor 2
hsa-miR-132-3p	<a href="#">DAAM1</a>	dishevelled associated activator of morphogenesis 1
hsa-miR-132-3p	<a href="#">HHIP</a>	hedgehog interacting protein
hsa-miR-132-3p	<a href="#">NMNAT2</a>	nicotinamide nucleotide adenylyltransferase 2
hsa-miR-132-3p	<a href="#">HNRNPH1</a>	heterogeneous nuclear ribonucleoprotein H1
hsa-miR-132-3p	<a href="#">NOVA1</a>	NOVA alternative splicing regulator 1
hsa-miR-132-3p	<a href="#">SKAP2</a>	src kinase associated phosphoprotein 2

hsa-miR-132-3p	<a href="#">SAP30L</a>	SAP30 like
hsa-miR-132-3p	<a href="#">TLN2</a>	talin 2
hsa-miR-132-3p	<a href="#">FBXL20</a>	F-box and leucine rich repeat protein 20
hsa-miR-132-3p	<a href="#">GMFB</a>	glia maturation factor beta
hsa-miR-132-3p	<a href="#">PPM1G</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1G
hsa-miR-132-3p	<a href="#">NVL</a>	nuclear VCP-like
hsa-miR-132-3p	<a href="#">RUFY3</a>	RUN and FYVE domain containing 3
hsa-miR-132-3p	<a href="#">RPP14</a>	ribonuclease P/MRP subunit p14
hsa-miR-132-3p	<a href="#">ELMSAN1</a>	ELM2 and Myb/SANT domain containing 1
hsa-miR-132-3p	<a href="#">SLC25A28</a>	solute carrier family 25 member 28
hsa-miR-132-3p	<a href="#">DCC</a>	DCC netrin 1 receptor
hsa-miR-132-3p	<a href="#">FAM227A</a>	family with sequence similarity 227 member A
hsa-miR-132-3p	<a href="#">ASF1A</a>	anti-silencing function 1A histone chaperone
hsa-miR-132-3p	<a href="#">RB1</a>	RB transcriptional corepressor 1
hsa-miR-132-3p	<a href="#">NACC2</a>	NACC family member 2
hsa-miR-132-3p	<a href="#">L3MBTL3</a>	L3MBTL3, histone methyl-lysine binding protein
hsa-miR-132-3p	<a href="#">MEF2A</a>	myocyte enhancer factor 2A
hsa-miR-132-3p	<a href="#">ACVR2B</a>	activin A receptor type 2B
hsa-miR-132-3p	<a href="#">KCMF1</a>	potassium channel modulatory factor 1
hsa-miR-132-3p	<a href="#">STX16</a>	syntaxin 16
hsa-miR-132-3p	<a href="#">USP9X</a>	ubiquitin specific peptidase 9 X-linked
hsa-miR-132-3p	<a href="#">TMEM164</a>	transmembrane protein 164
hsa-miR-132-3p	<a href="#">PHF12</a>	PHD finger protein 12
hsa-miR-132-3p	<a href="#">PAM</a>	peptidylglycine alpha-amidating monooxygenase
hsa-miR-132-3p	<a href="#">CAMSAP2</a>	calmodulin regulated spectrin associated protein family member 2
hsa-miR-132-3p	<a href="#">sept-08</a>	septin 8
hsa-miR-132-3p	<a href="#">ENPP4</a>	ectonucleotide pyrophosphatase/phosphodiesterase 4
hsa-miR-132-3p	<a href="#">ATXN1</a>	ataxin 1
hsa-miR-132-3p	<a href="#">FAM167A</a>	family with sequence similarity 167 member A
hsa-miR-132-3p	<a href="#">BRI3</a>	brain protein I3
hsa-miR-132-3p	<a href="#">MIS12</a>	MIS12, kinetochore complex component
hsa-miR-132-3p	<a href="#">SIRT1</a>	sirtuin 1
hsa-miR-132-3p	<a href="#">C8orf44-SGK3</a>	C8orf44-SGK3 readthrough
hsa-miR-132-3p	<a href="#">KDM5A</a>	lysine demethylase 5A
hsa-miR-132-3p	<a href="#">ALKAL1</a>	ALK and LTK ligand 1
hsa-miR-132-3p	<a href="#">SOX11</a>	SRY-box 11
hsa-miR-132-3p	<a href="#">GRM3</a>	glutamate metabotropic receptor 3
hsa-miR-132-3p	<a href="#">CELSR3</a>	cadherin EGF LAG seven-pass G-type receptor 3
hsa-miR-132-3p	<a href="#">SLC26A7</a>	solute carrier family 26 member 7
hsa-miR-132-3p	<a href="#">SYN2</a>	synapsin II
hsa-miR-132-3p	<a href="#">LIN28B</a>	lin-28 homolog B
hsa-miR-132-3p	<a href="#">NLK</a>	nemo like kinase
hsa-miR-132-3p	<a href="#">NREP</a>	neuronal regeneration related protein
hsa-miR-132-3p	<a href="#">SEC16A</a>	SEC16 homolog A, endoplasmic reticulum export factor

hsa-miR-132-3p	<a href="#">KCNK2</a>	potassium two pore domain channel subfamily K member 2
hsa-miR-132-3p	<a href="#">FBXO9</a>	F-box protein 9
hsa-miR-132-3p	<a href="#">CLMN</a>	calmin
hsa-miR-132-3p	<a href="#">FAM91A1</a>	family with sequence similarity 91 member A1
hsa-miR-132-3p	<a href="#">COL11A1</a>	collagen type XI alpha 1 chain
hsa-miR-132-3p	<a href="#">DPYSL3</a>	dihydropyrimidinase like 3
hsa-miR-132-3p	<a href="#">HNRNPM</a>	heterogeneous nuclear ribonucleoprotein M
hsa-miR-132-3p	<a href="#">SEMA6A</a>	semaphorin 6A
hsa-miR-132-3p	<a href="#">SCN3A</a>	sodium voltage-gated channel alpha subunit 3
hsa-miR-132-3p	<a href="#">SALL4</a>	spalt like transcription factor 4
hsa-miR-132-3p	<a href="#">BOLL</a>	boule homolog, RNA binding protein
hsa-miR-132-3p	<a href="#">SALL1</a>	spalt like transcription factor 1
hsa-miR-132-3p	<a href="#">ARID2</a>	AT-rich interaction domain 2
hsa-miR-132-3p	<a href="#">ARMC8</a>	armadillo repeat containing 8
hsa-miR-132-3p	<a href="#">RAD54L2</a>	RAD54 like 2
hsa-miR-132-3p	<a href="#">INPP5K</a>	inositol polyphosphate-5-phosphatase K
hsa-miR-132-3p	<a href="#">SPRED1</a>	sprouty related EVH1 domain containing 1
hsa-miR-132-3p	<a href="#">ZHX1</a>	zinc fingers and homeoboxes 1
hsa-miR-132-3p	<a href="#">CCDC71L</a>	coiled-coil domain containing 71 like
hsa-miR-132-3p	<a href="#">NFATC2</a>	nuclear factor of activated T cells 2
hsa-miR-132-3p	<a href="#">LRRC58</a>	leucine rich repeat containing 58
hsa-miR-132-3p	<a href="#">SRGAP1</a>	SLIT-ROBO Rho GTPase activating protein 1
hsa-miR-132-3p	<a href="#">ADAMTS5</a>	ADAM metalloproteinase with thrombospondin type 1 motif 5
hsa-miR-132-3p	<a href="#">GPD2</a>	glycerol-3-phosphate dehydrogenase 2
hsa-miR-132-3p	<a href="#">CACNG2</a>	calcium voltage-gated channel auxiliary subunit gamma 2
hsa-miR-132-3p	<a href="#">CALU</a>	calumenin
hsa-miR-132-3p	<a href="#">TMEM64</a>	transmembrane protein 64
hsa-miR-132-3p	<a href="#">PGM5</a>	phosphoglucomutase 5
hsa-miR-132-3p	<a href="#">ARID1B</a>	AT-rich interaction domain 1B
hsa-miR-132-3p	<a href="#">PSMD12</a>	proteasome 26S subunit, non-ATPase 12
hsa-miR-132-3p	<a href="#">KRTAP4-1</a>	keratin associated protein 4-1
hsa-miR-132-3p	<a href="#">WDR5B</a>	WD repeat domain 5B
hsa-miR-132-3p	<a href="#">RICTOR</a>	RPTOR independent companion of MTOR complex 2
hsa-miR-132-3p	<a href="#">ZNF451</a>	zinc finger protein 451
hsa-miR-132-3p	<a href="#">EP300</a>	E1A binding protein p300
hsa-miR-132-3p	<a href="#">CD300LF</a>	CD300 molecule like family member f
hsa-miR-132-3p	<a href="#">MED9</a>	mediator complex subunit 9
hsa-miR-132-3p	<a href="#">SPATA13</a>	spermatogenesis associated 13
hsa-miR-132-3p	<a href="#">CCDC34</a>	coiled-coil domain containing 34
hsa-miR-132-3p	<a href="#">AZIN1</a>	antizyme inhibitor 1
hsa-miR-132-3p	<a href="#">POM121</a>	POM121 transmembrane nucleoporin
hsa-miR-132-3p	<a href="#">TSPAN6</a>	tetraspanin 6
hsa-miR-132-3p	<a href="#">SLC1A3</a>	solute carrier family 1 member 3

hsa-miR-132-3p	<a href="#">AMD1</a>	adenosylmethionine decarboxylase 1
hsa-miR-132-3p	<a href="#">GPATCH2L</a>	G-patch domain containing 2 like
hsa-miR-132-3p	<a href="#">CACNB1</a>	calcium voltage-gated channel auxiliary subunit beta 1
hsa-miR-132-3p	<a href="#">E2F5</a>	E2F transcription factor 5
hsa-miR-132-3p	<a href="#">GDF5</a>	growth differentiation factor 5
hsa-miR-132-3p	<a href="#">FOXO3</a>	forkhead box O3
hsa-miR-132-3p	<a href="#">AGO1</a>	argonaute RISC catalytic component 1
hsa-miR-132-3p	<a href="#">KCNN3</a>	potassium calcium-activated channel subfamily N member 3
hsa-miR-132-3p	<a href="#">MUC13</a>	mucin 13, cell surface associated
hsa-miR-132-3p	<a href="#">G3BP2</a>	G3BP stress granule assembly factor 2
hsa-miR-132-3p	<a href="#">SS18</a>	SS18, nBAF chromatin remodeling complex subunit
hsa-miR-132-3p	<a href="#">CBWD1</a>	COBW domain containing 1
hsa-miR-132-3p	<a href="#">NTNG1</a>	netrin G1
hsa-miR-132-3p	<a href="#">KCNA6</a>	potassium voltage-gated channel subfamily A member 6
hsa-miR-132-3p	<a href="#">TMEM136</a>	transmembrane protein 136
hsa-miR-132-3p	<a href="#">CBWD3</a>	COBW domain containing 3
hsa-miR-132-3p	<a href="#">RPL31</a>	ribosomal protein L31
hsa-miR-132-3p	<a href="#">SIX4</a>	SIX homeobox 4
hsa-miR-132-3p	<a href="#">DYRK2</a>	dual specificity tyrosine phosphorylation regulated kinase 2
hsa-miR-132-3p	<a href="#">SLC30A6</a>	solute carrier family 30 member 6
hsa-miR-132-3p	<a href="#">TMEM178B</a>	transmembrane protein 178B
hsa-miR-132-3p	<a href="#">TRNAU1AP</a>	tRNA selenocysteine 1 associated protein 1
hsa-miR-132-3p	<a href="#">ZYG11A</a>	zyg-11 family member A, cell cycle regulator
hsa-miR-132-3p	<a href="#">TRDN</a>	triadin
hsa-miR-132-3p	<a href="#">H2AFZ</a>	H2A histone family member Z
hsa-miR-132-3p	<a href="#">DDX5</a>	DEAD-box helicase 5
hsa-miR-132-3p	<a href="#">RHOQ</a>	ras homolog family member Q
hsa-miR-132-3p	<a href="#">DUSP9</a>	dual specificity phosphatase 9
hsa-miR-132-3p	<a href="#">SIPA1L2</a>	signal induced proliferation associated 1 like 2
hsa-miR-132-3p	<a href="#">DIPK2A</a>	divergent protein kinase domain 2A
hsa-miR-132-3p	<a href="#">AEBP2</a>	AE binding protein 2
hsa-miR-132-3p	<a href="#">LSM11</a>	LSM11, U7 small nuclear RNA associated
hsa-miR-132-3p	<a href="#">CNR1</a>	cannabinoid receptor 1
hsa-miR-132-3p	<a href="#">DCUN1D4</a>	defective in cullin neddylation 1 domain containing 4
hsa-miR-132-3p	<a href="#">CBWD2</a>	COBW domain containing 2
hsa-miR-132-3p	<a href="#">KIAA2026</a>	KIAA2026
hsa-miR-132-3p	<a href="#">FAM76B</a>	family with sequence similarity 76 member B
hsa-miR-132-3p	<a href="#">GVQW2</a>	GVQW motif containing 2
hsa-miR-132-3p	<a href="#">MTMR10</a>	myotubularin related protein 10
hsa-miR-132-3p	<a href="#">ADCY3</a>	adenylate cyclase 3
hsa-miR-132-3p	<a href="#">FRS2</a>	fibroblast growth factor receptor substrate 2
hsa-miR-132-3p	<a href="#">ATP10D</a>	ATPase phospholipid transporting 10D (putative)
hsa-miR-132-3p	<a href="#">AMER2</a>	APC membrane recruitment protein 2



hsa-miR-132-3p	<a href="#">EFCAB9</a>	EF-hand calcium binding domain 9
hsa-miR-132-3p	<a href="#">CC2D1B</a>	coiled-coil and C2 domain containing 1B
hsa-miR-132-3p	<a href="#">STAG1</a>	stromal antigen 1
hsa-miR-132-3p	<a href="#">MAP3K3</a>	mitogen-activated protein kinase kinase kinase 3
hsa-miR-132-3p	<a href="#">ARNT</a>	aryl hydrocarbon receptor nuclear translocator
hsa-miR-132-3p	<a href="#">LRRFIP1</a>	LRR binding FLII interacting protein 1
hsa-miR-132-3p	<a href="#">CASP7</a>	caspase 7
hsa-miR-132-3p	<a href="#">PYURF</a>	PIGY upstream reading frame
hsa-miR-132-3p	<a href="#">MAOA</a>	monoamine oxidase A
hsa-miR-132-3p	<a href="#">EPB41L5</a>	erythrocyte membrane protein band 4.1 like 5
hsa-miR-132-3p	<a href="#">ZBTB18</a>	zinc finger and BTB domain containing 18
hsa-miR-132-3p	<a href="#">ZFP3</a>	ZFP3 zinc finger protein
hsa-miR-132-3p	<a href="#">TGS1</a>	trimethylguanosine synthase 1
hsa-miR-132-3p	<a href="#">PBOV1</a>	prostate and breast cancer overexpressed 1
hsa-miR-132-3p	<a href="#">TMEM106B</a>	transmembrane protein 106B
hsa-miR-132-3p	<a href="#">INAFM2</a>	InaF motif containing 2
hsa-miR-132-3p	<a href="#">MTMR1</a>	myotubularin related protein 1
hsa-miR-132-3p	<a href="#">FOXA1</a>	forkhead box A1
hsa-miR-132-3p	<a href="#">TTK</a>	TTK protein kinase
hsa-miR-132-3p	<a href="#">ELOC</a>	elongin C
hsa-miR-132-3p	<a href="#">HIC2</a>	HIC ZBTB transcriptional repressor 2
hsa-miR-132-3p	<a href="#">FAM184A</a>	family with sequence similarity 184 member A
hsa-miR-132-3p	<a href="#">RFX3</a>	regulatory factor X3
hsa-miR-132-3p	<a href="#">FMN1</a>	formin 1
hsa-miR-132-3p	<a href="#">USP9Y</a>	ubiquitin specific peptidase 9 Y-linked
hsa-miR-132-3p	<a href="#">NDUFAF6</a>	NADH:ubiquinone oxidoreductase complex assembly factor 6
hsa-miR-132-3p	<a href="#">MAPKAP1</a>	mitogen-activated protein kinase associated protein 1
hsa-miR-132-3p	<a href="#">ISL1</a>	ISL LIM homeobox 1
hsa-miR-132-3p	<a href="#">CNIH1</a>	cornichon family AMPA receptor auxiliary protein 1
hsa-miR-132-3p	<a href="#">CXorf40A</a>	chromosome X open reading frame 40A
hsa-miR-132-3p	<a href="#">HYDIN</a>	HYDIN, axonemal central pair apparatus protein
hsa-miR-132-3p	<a href="#">ATP6AP1L</a>	ATPase H <sup>+</sup> transporting accessory protein 1 like
hsa-miR-132-3p	<a href="#">MCOLN3</a>	mucolipin 3
hsa-miR-132-3p	<a href="#">PIK3R1</a>	phosphoinositide-3-kinase regulatory subunit 1
hsa-miR-132-3p	<a href="#">PPP2CB</a>	protein phosphatase 2 catalytic subunit beta
hsa-miR-132-3p	<a href="#">EPM2AIP1</a>	EPM2A interacting protein 1
hsa-miR-132-3p	<a href="#">SMAD2</a>	SMAD family member 2
hsa-miR-132-3p	<a href="#">RTN4</a>	reticulon 4
hsa-miR-132-3p	<a href="#">CERS2</a>	ceramide synthase 2
hsa-miR-132-3p	<a href="#">MISP3</a>	MISP family member 3
hsa-miR-132-3p	<a href="#">PNKD</a>	PNKD, MBL domain containing
hsa-miR-132-3p	<a href="#">DYNC1LI2</a>	dynein cytoplasmic 1 light intermediate chain 2
hsa-miR-132-3p	<a href="#">HECTD1</a>	HECT domain E3 ubiquitin protein ligase 1
hsa-miR-132-3p	<a href="#">MRM2</a>	mitochondrial rRNA methyltransferase 2

hsa-miR-132-3p	<a href="#">TMEM47</a>	transmembrane protein 47
hsa-miR-132-3p	<a href="#">DNAJC10</a>	DnaJ heat shock protein family (Hsp40) member C10
hsa-miR-132-3p	<a href="#">GRIP1</a>	glutamate receptor interacting protein 1
hsa-miR-132-3p	<a href="#">ARID4B</a>	AT-rich interaction domain 4B
hsa-miR-132-3p	<a href="#">RPL13A</a>	ribosomal protein L13a
hsa-miR-132-3p	<a href="#">APLP2</a>	amyloid beta precursor like protein 2
hsa-miR-132-3p	<a href="#">SEC62</a>	SEC62 homolog, preprotein translocation factor
hsa-miR-132-3p	<a href="#">PPAT</a>	phosphoribosyl pyrophosphate amidotransferase
hsa-miR-132-3p	<a href="#">PSMA2</a>	proteasome subunit alpha 2
hsa-miR-132-3p	<a href="#">ACSL4</a>	acyl-CoA synthetase long chain family member 4
hsa-miR-132-3p	<a href="#">HAPLN1</a>	hyaluronan and proteoglycan link protein 1
hsa-miR-132-3p	<a href="#">TRIM2</a>	tripartite motif containing 2
hsa-miR-132-3p	<a href="#">MINDY3</a>	MINDY lysine 48 deubiquitinase 3
hsa-miR-132-3p	<a href="#">SDF2</a>	stromal cell derived factor 2
hsa-miR-132-3p	<a href="#">SLK</a>	STE20 like kinase
hsa-miR-132-3p	<a href="#">TC2N</a>	tandem C2 domains, nuclear
hsa-miR-132-3p	<a href="#">C9orf72</a>	chromosome 9 open reading frame 72
hsa-miR-132-3p	<a href="#">HAO1</a>	hydroxyacid oxidase 1
hsa-miR-132-3p	<a href="#">TMEFF1</a>	transmembrane protein with EGF like and two follistatin like domains 1
hsa-miR-132-3p	<a href="#">LZTS3</a>	leucine zipper tumor suppressor family member 3
hsa-miR-132-3p	<a href="#">BCAN</a>	brevican
hsa-miR-132-3p	<a href="#">ANP32A</a>	acidic nuclear phosphoprotein 32 family member A
hsa-miR-132-3p	<a href="#">SRP72</a>	signal recognition particle 72
hsa-miR-132-3p	<a href="#">ABHD5</a>	abhydrolase domain containing 5
hsa-miR-132-3p	<a href="#">SLBP</a>	stem-loop binding protein
hsa-miR-132-3p	<a href="#">KLHL11</a>	kelch like family member 11
hsa-miR-132-3p	<a href="#">KIAA1211L</a>	KIAA1211 like
hsa-miR-132-3p	<a href="#">HRNR</a>	hornerin
hsa-miR-132-3p	<a href="#">C22orf39</a>	chromosome 22 open reading frame 39
hsa-miR-132-3p	<a href="#">ATXN7</a>	ataxin 7
hsa-miR-132-3p	<a href="#">NFAT5</a>	nuclear factor of activated T cells 5
hsa-miR-132-3p	<a href="#">PHF20L1</a>	PHD finger protein 20 like 1
hsa-miR-132-3p	<a href="#">PRDM15</a>	PR/SET domain 15
hsa-miR-132-3p	<a href="#">HEXB</a>	hexosaminidase subunit beta
hsa-miR-132-3p	<a href="#">KCNH5</a>	potassium voltage-gated channel subfamily H member 5
hsa-miR-132-3p	<a href="#">MEX3A</a>	mex-3 RNA binding family member A
hsa-miR-132-3p	<a href="#">BICD2</a>	BICD cargo adaptor 2
hsa-miR-132-3p	<a href="#">WDCP</a>	WD repeat and coiled coil containing
hsa-miR-132-3p	<a href="#">SCN1A</a>	sodium voltage-gated channel alpha subunit 1
hsa-miR-132-3p	<a href="#">SOS1</a>	SOS Ras/Rac guanine nucleotide exchange factor 1
hsa-miR-132-3p	<a href="#">PRPF4B</a>	pre-mRNA processing factor 4B
hsa-miR-132-3p	<a href="#">COL5A2</a>	collagen type V alpha 2 chain
hsa-miR-132-3p	<a href="#">HS2ST1</a>	heparan sulfate 2-O-sulfotransferase 1
hsa-miR-132-3p	<a href="#">CNTNAP3B</a>	contactin associated protein like 3B

hsa-miR-132-3p	<a href="#">PRDM6</a>	PR/SET domain 6
hsa-miR-132-3p	<a href="#">PDE7A</a>	phosphodiesterase 7A
hsa-miR-132-3p	<a href="#">FANK1</a>	fibronectin type III and ankyrin repeat domains 1
hsa-miR-132-3p	<a href="#">DENND1B</a>	DENN domain containing 1B
hsa-miR-132-3p	<a href="#">TMEM41B</a>	transmembrane protein 41B
hsa-miR-132-3p	<a href="#">CNTNAP3</a>	contactin associated protein like 3
hsa-miR-132-3p	<a href="#">PRKD3</a>	protein kinase D3
hsa-miR-132-3p	<a href="#">MAP3K20</a>	mitogen-activated protein kinase kinase kinase 20
hsa-miR-132-3p	<a href="#">MECP2</a>	methyl-CpG binding protein 2
hsa-miR-132-3p	<a href="#">ZNF236</a>	zinc finger protein 236
hsa-miR-132-3p	<a href="#">EPC1</a>	enhancer of polycomb homolog 1
hsa-miR-132-3p	<a href="#">SLC38A10</a>	solute carrier family 38 member 10
hsa-miR-132-3p	<a href="#">PBDC1</a>	polysaccharide biosynthesis domain containing 1
hsa-miR-132-3p	<a href="#">GNA12</a>	G protein subunit alpha 12
hsa-miR-132-3p	<a href="#">MFSD11</a>	major facilitator superfamily domain containing 11
hsa-miR-132-3p	<a href="#">DNAJA2</a>	DnaJ heat shock protein family (Hsp40) member A2
hsa-miR-132-3p	<a href="#">BCL2L11</a>	BCL2 like 11
hsa-miR-132-3p	<a href="#">PPM1E</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1E
hsa-miR-132-3p	<a href="#">EGR1</a>	early growth response 1
hsa-miR-132-3p	<a href="#">SOWAHA</a>	sosondowah ankyrin repeat domain family member A
hsa-miR-132-3p	<a href="#">SFMBT1</a>	Scm like with four mbt domains 1
hsa-miR-132-3p	<a href="#">SLC20A1</a>	solute carrier family 20 member 1
hsa-miR-132-3p	<a href="#">RAD21</a>	RAD21 cohesin complex component
hsa-miR-132-3p	<a href="#">EIF4A2</a>	eukaryotic translation initiation factor 4A2
hsa-miR-132-3p	<a href="#">PTAR1</a>	protein prenyltransferase alpha subunit repeat containing 1
hsa-miR-132-3p	<a href="#">SMAD5</a>	SMAD family member 5
hsa-miR-132-3p	<a href="#">PAIP2</a>	poly(A) binding protein interacting protein 2
hsa-miR-132-3p	<a href="#">NCKAP5</a>	NCK associated protein 5
hsa-miR-132-3p	<a href="#">TSPYL5</a>	TSPY like 5
hsa-miR-132-3p	<a href="#">YIPF5</a>	Yip1 domain family member 5
hsa-miR-132-3p	<a href="#">TET2</a>	tet methylcytosine dioxygenase 2
hsa-miR-132-3p	<a href="#">RAB6B</a>	RAB6B, member RAS oncogene family
hsa-miR-132-3p	<a href="#">NEUROD4</a>	neuronal differentiation 4
hsa-miR-132-3p	<a href="#">AMOT</a>	angiomin
hsa-miR-132-3p	<a href="#">OPRM1</a>	opioid receptor mu 1
hsa-miR-132-3p	<a href="#">SEPHS1</a>	selenophosphate synthetase 1
hsa-miR-132-3p	<a href="#">CAPRIN1</a>	cell cycle associated protein 1
hsa-miR-132-3p	<a href="#">FBXO28</a>	F-box protein 28
hsa-miR-132-3p	<a href="#">PKD1L1</a>	polycystin 1 like 1, transient receptor potential channel interacting
hsa-miR-132-3p	<a href="#">SEC14L2</a>	SEC14 like lipid binding 2
hsa-miR-132-3p	<a href="#">RNASEH2B</a>	ribonuclease H2 subunit B
hsa-miR-132-3p	<a href="#">KITLG</a>	KIT ligand
hsa-miR-132-3p	<a href="#">UBE2D3</a>	ubiquitin conjugating enzyme E2 D3

hsa-miR-132-3p	<a href="#">MTPN</a>	myotrophin
hsa-miR-132-3p	<a href="#">CENPO</a>	centromere protein Q
hsa-miR-132-3p	<a href="#">SEMA4G</a>	semaphorin 4G
hsa-miR-132-3p	<a href="#">PTGS2</a>	prostaglandin-endoperoxide synthase 2
hsa-miR-132-3p	<a href="#">WT1</a>	Wilms tumor 1
hsa-miR-132-3p	<a href="#">REEP3</a>	receptor accessory protein 3
hsa-miR-132-3p	<a href="#">SRGAP2B</a>	SLIT-ROBO Rho GTPase activating protein 2B
hsa-miR-132-3p	<a href="#">RAB28</a>	RAB28, member RAS oncogene family
hsa-miR-132-3p	<a href="#">ATL3</a>	atlastin GTPase 3
hsa-miR-132-3p	<a href="#">ADCYAP1</a>	adenylate cyclase activating polypeptide 1
hsa-miR-132-3p	<a href="#">ANKRD29</a>	ankyrin repeat domain 29
hsa-miR-132-3p	<a href="#">CTCFL</a>	CCCTC-binding factor like
hsa-miR-132-3p	<a href="#">GABRG1</a>	gamma-aminobutyric acid type A receptor gamma1 subunit
hsa-miR-132-3p	<a href="#">C18orf25</a>	chromosome 18 open reading frame 25
hsa-miR-132-3p	<a href="#">FZD6</a>	frizzled class receptor 6
hsa-miR-132-3p	<a href="#">GPBP1</a>	GC-rich promoter binding protein 1
hsa-miR-132-3p	<a href="#">CCDC169</a>	coiled-coil domain containing 169
hsa-miR-132-3p	<a href="#">MTCL1</a>	microtubule crosslinking factor 1
hsa-miR-132-3p	<a href="#">UHMK1</a>	U2AF homology motif kinase 1
hsa-miR-132-3p	<a href="#">ARHGAP32</a>	Rho GTPase activating protein 32
hsa-miR-132-3p	<a href="#">ZNF644</a>	zinc finger protein 644
hsa-miR-132-3p	<a href="#">BTBD1</a>	BTB domain containing 1
hsa-miR-132-3p	<a href="#">UNC13A</a>	unc-13 homolog A
hsa-miR-132-3p	<a href="#">CLDN16</a>	claudin 16
hsa-miR-132-3p	<a href="#">PTPRD</a>	protein tyrosine phosphatase, receptor type D
hsa-miR-132-3p	<a href="#">ARHGEF40</a>	Rho guanine nucleotide exchange factor 40
hsa-miR-132-3p	<a href="#">BRCA1</a>	BRCA1, DNA repair associated
hsa-miR-132-3p	<a href="#">MAN1A2</a>	mannosidase alpha class 1A member 2
hsa-miR-132-3p	<a href="#">ARL1</a>	ADP ribosylation factor like GTPase 1
hsa-miR-132-3p	<a href="#">APAF1</a>	apoptotic peptidase activating factor 1
hsa-miR-132-3p	<a href="#">PGR</a>	progesterone receptor
hsa-miR-132-3p	<a href="#">SLC1A4</a>	solute carrier family 1 member 4
hsa-miR-132-3p	<a href="#">BBX</a>	BBX, HMG-box containing
hsa-miR-132-3p	<a href="#">ARGFX</a>	arginine-fifty homeobox
hsa-miR-132-3p	<a href="#">MEIS2</a>	Meis homeobox 2
hsa-miR-132-3p	<a href="#">HOMER1</a>	homer scaffold protein 1
hsa-miR-132-3p	<a href="#">OLFM1</a>	olfactomedin 1
hsa-miR-132-3p	<a href="#">CACUL1</a>	CDK2 associated cullin domain 1
hsa-miR-132-3p	<a href="#">SLC7A1</a>	solute carrier family 7 member 1
hsa-miR-132-3p	<a href="#">FGF7</a>	fibroblast growth factor 7
hsa-miR-132-3p	<a href="#">DNAJC27</a>	DnaJ heat shock protein family (Hsp40) member C27
hsa-miR-132-3p	<a href="#">FAM222B</a>	family with sequence similarity 222 member B
hsa-miR-132-3p	<a href="#">VAPA</a>	VAMP associated protein A
hsa-miR-132-3p	<a href="#">NIPSNAP3B</a>	nipsnap homolog 3B

hsa-miR-132-3p	<a href="#">MECOM</a>	MDS1 and EVI1 complex locus
hsa-miR-132-3p	<a href="#">POM121C</a>	POM121 transmembrane nucleoporin C
hsa-miR-132-3p	<a href="#">VPS13A</a>	vacuolar protein sorting 13 homolog A
hsa-miR-132-3p	<a href="#">MX2</a>	MX dynamin like GTPase 2
hsa-miR-132-3p	<a href="#">ZNF133</a>	zinc finger protein 133
hsa-miR-132-3p	<a href="#">PIK3CA</a>	phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit alpha
hsa-miR-132-3p	<a href="#">ADRA1A</a>	adrenoceptor alpha 1A
hsa-miR-132-3p	<a href="#">IL17RD</a>	interleukin 17 receptor D
hsa-miR-132-3p	<a href="#">OTOGL</a>	otogelin like
hsa-miR-132-3p	<a href="#">ZNF229</a>	zinc finger protein 229
hsa-miR-132-3p	<a href="#">HIP1R</a>	huntingtin interacting protein 1 related
hsa-miR-132-3p	<a href="#">DCUN1D1</a>	defective in cullin neddylation 1 domain containing 1
hsa-miR-132-3p	<a href="#">TGFB1</a>	transforming growth factor beta induced
hsa-miR-132-3p	<a href="#">NOXRED1</a>	NADP dependent oxidoreductase domain containing 1
hsa-miR-132-3p	<a href="#">SPTY2D1</a>	SPT2 chromatin protein domain containing 1
hsa-miR-132-3p	<a href="#">PLPP5</a>	phospholipid phosphatase 5
hsa-miR-132-3p	<a href="#">SPTSSA</a>	serine palmitoyltransferase small subunit A
hsa-miR-132-3p	<a href="#">ZNF678</a>	zinc finger protein 678
hsa-miR-132-3p	<a href="#">FAM126B</a>	family with sequence similarity 126 member B
hsa-miR-132-3p	<a href="#">MMP16</a>	matrix metalloproteinase 16
hsa-miR-132-3p	<a href="#">EBF3</a>	EBF transcription factor 3
hsa-miR-132-3p	<a href="#">BARD1</a>	BRCA1 associated RING domain 1
hsa-miR-132-3p	<a href="#">BTAF1</a>	B-TFIID TATA-box binding protein associated factor 1
hsa-miR-132-3p	<a href="#">EMSY</a>	EMSY, BRCA2 interacting transcriptional repressor
hsa-miR-132-3p	<a href="#">GNB1</a>	G protein subunit beta 1
hsa-miR-132-3p	<a href="#">SPATS1</a>	spermatogenesis associated serine rich 1
hsa-miR-132-3p	<a href="#">SLC31A1</a>	solute carrier family 31 member 1
hsa-miR-132-3p	<a href="#">B4GALT6</a>	beta-1,4-galactosyltransferase 6
hsa-miR-132-3p	<a href="#">RPGR</a>	retinitis pigmentosa GTPase regulator
hsa-miR-132-3p	<a href="#">PDE5A</a>	phosphodiesterase 5A
hsa-miR-132-3p	<a href="#">KHDRBS2</a>	KH RNA binding domain containing, signal transduction associated 2
hsa-miR-132-3p	<a href="#">KIF21B</a>	kinesin family member 21B
hsa-miR-132-3p	<a href="#">MANEA</a>	mannosidase endo-alpha
hsa-miR-132-3p	<a href="#">BNC2</a>	basonuclein 2
hsa-miR-132-3p	<a href="#">PPP2R5C</a>	protein phosphatase 2 regulatory subunit B'gamma
hsa-miR-132-3p	<a href="#">ZEB2</a>	zinc finger E-box binding homeobox 2
hsa-miR-132-3p	<a href="#">UBAC1</a>	UBA domain containing 1
hsa-miR-132-3p	<a href="#">LYN</a>	LYN proto-oncogene, Src family tyrosine kinase
hsa-miR-132-3p	<a href="#">ERMP1</a>	endoplasmic reticulum metalloproteinase 1
hsa-miR-132-3p	<a href="#">RC3H1</a>	ring finger and CCCH-type domains 1
hsa-miR-132-3p	<a href="#">ZNF507</a>	zinc finger protein 507
hsa-miR-132-3p	<a href="#">TGFB2</a>	transforming growth factor beta 2
hsa-miR-132-3p	<a href="#">DNAJB14</a>	DnaJ heat shock protein family (Hsp40) member B14

hsa-miR-132-3p	<a href="#">AAK1</a>	AP2 associated kinase 1
hsa-miR-132-3p	<a href="#">FXR1</a>	FMR1 autosomal homolog 1
hsa-miR-132-3p	<a href="#">TUT7</a>	terminal uridylyl transferase 7
hsa-miR-132-3p	<a href="#">CDK14</a>	cyclin dependent kinase 14
hsa-miR-132-3p	<a href="#">PFN2</a>	profilin 2
hsa-miR-132-3p	<a href="#">ZSWIM6</a>	zinc finger SWIM-type containing 6
hsa-miR-132-3p	<a href="#">ACAD9</a>	acyl-CoA dehydrogenase family member 9
hsa-miR-132-3p	<a href="#">PDE3A</a>	phosphodiesterase 3A
hsa-miR-132-3p	<a href="#">GAPVD1</a>	GTPase activating protein and VPS9 domains 1
hsa-miR-132-3p	<a href="#">YWHAG</a>	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein gamma
hsa-miR-132-3p	<a href="#">FRMD6</a>	FERM domain containing 6
hsa-miR-132-3p	<a href="#">BLCAP</a>	BLCAP, apoptosis inducing factor
hsa-miR-132-3p	<a href="#">ABHD13</a>	abhydrolase domain containing 13
hsa-miR-132-3p	<a href="#">RND3</a>	Rho family GTPase 3
hsa-miR-132-3p	<a href="#">MTFR2</a>	mitochondrial fission regulator 2
hsa-miR-132-3p	<a href="#">LRRC39</a>	leucine rich repeat containing 39
hsa-miR-132-3p	<a href="#">ZNF362</a>	zinc finger protein 362
hsa-miR-132-3p	<a href="#">KDM7A</a>	lysine demethylase 7A
hsa-miR-132-3p	<a href="#">C1QL1</a>	complement C1q like 1
hsa-miR-132-3p	<a href="#">PANX1</a>	pannexin 1
hsa-miR-132-3p	<a href="#">BMPRI1A</a>	bone morphogenetic protein receptor type 1A
hsa-miR-132-3p	<a href="#">RBMS1</a>	RNA binding motif single stranded interacting protein 1
hsa-miR-132-3p	<a href="#">EIF2S3</a>	eukaryotic translation initiation factor 2 subunit gamma
hsa-miR-132-3p	<a href="#">MAGI3</a>	membrane associated guanylate kinase, WW and PDZ domain containing 3
hsa-miR-132-3p	<a href="#">PLCG2</a>	phospholipase C gamma 2
hsa-miR-132-3p	<a href="#">SNURF</a>	SNRPN upstream reading frame
hsa-miR-132-3p	<a href="#">DYRK4</a>	dual specificity tyrosine phosphorylation regulated kinase 4
hsa-miR-132-3p	<a href="#">NAP1L1</a>	nucleosome assembly protein 1 like 1
hsa-miR-132-3p	<a href="#">RPL37</a>	ribosomal protein L37
hsa-miR-132-3p	<a href="#">RASSF3</a>	Ras association domain family member 3
hsa-miR-132-3p	<a href="#">COA5</a>	cytochrome c oxidase assembly factor 5
hsa-miR-132-3p	<a href="#">CDRT1</a>	CMT1A duplicated region transcript 1
hsa-miR-132-3p	<a href="#">RAP2B</a>	RAP2B, member of RAS oncogene family
hsa-miR-132-3p	<a href="#">FOXP2</a>	forkhead box P2
hsa-miR-132-3p	<a href="#">SLC25A20</a>	solute carrier family 25 member 20
hsa-miR-132-3p	<a href="#">LY75</a>	lymphocyte antigen 75
hsa-miR-132-3p	<a href="#">RAD50</a>	RAD50 double strand break repair protein
hsa-miR-132-3p	<a href="#">MPEG1</a>	macrophage expressed 1
hsa-miR-132-3p	<a href="#">TMEM68</a>	transmembrane protein 68
hsa-miR-132-3p	<a href="#">MAPK3</a>	mitogen-activated protein kinase 3
hsa-miR-132-3p	<a href="#">SRGAP3</a>	SLIT-ROBO Rho GTPase activating protein 3
hsa-miR-132-3p	<a href="#">MLLT3</a>	MLLT3, super elongation complex subunit
hsa-miR-132-3p	<a href="#">PNISR</a>	PNN interacting serine and arginine rich protein



hsa-miR-132-3p	<a href="#">EDIL3</a>	EGF like repeats and discoidin domains 3
hsa-miR-132-3p	<a href="#">PIGG</a>	phosphatidylinositol glycan anchor biosynthesis class G
hsa-miR-132-3p	<a href="#">ACTR2</a>	ARP2 actin related protein 2 homolog
hsa-miR-132-3p	<a href="#">COMMD10</a>	COMM domain containing 10
hsa-miR-132-3p	<a href="#">ZNF695</a>	zinc finger protein 695
hsa-miR-132-3p	<a href="#">TBCA</a>	tubulin folding cofactor A
hsa-miR-132-3p	<a href="#">OTUD3</a>	OTU deubiquitinase 3
hsa-miR-132-3p	<a href="#">MRS2</a>	magnesium transporter MRS2
hsa-miR-132-3p	<a href="#">PRR15L</a>	proline rich 15 like
hsa-miR-132-3p	<a href="#">NIPSNAP2</a>	nipsnap homolog 2
hsa-miR-132-3p	<a href="#">PHIP</a>	pleckstrin homology domain interacting protein
hsa-miR-132-3p	<a href="#">ABCG4</a>	ATP binding cassette subfamily G member 4
hsa-miR-132-3p	<a href="#">C8A</a>	complement C8 alpha chain
hsa-miR-132-3p	<a href="#">ZNF704</a>	zinc finger protein 704
hsa-miR-132-3p	<a href="#">QKI</a>	QKI, KH domain containing RNA binding
hsa-miR-132-3p	<a href="#">RLIM</a>	ring finger protein, LIM domain interacting
hsa-miR-132-3p	<a href="#">DNAJC9</a>	DnaJ heat shock protein family (Hsp40) member C9
hsa-miR-132-3p	<a href="#">SETMAR</a>	SET domain and mariner transposase fusion gene
hsa-miR-132-3p	<a href="#">CUL4B</a>	cullin 4B
hsa-miR-132-3p	<a href="#">ZBTB17</a>	zinc finger and BTB domain containing 17
hsa-miR-132-3p	<a href="#">MSH2</a>	mutS homolog 2
hsa-miR-132-3p	<a href="#">CFL2</a>	cofilin 2
hsa-miR-132-3p	<a href="#">UGT2A3</a>	UDP glucuronosyltransferase family 2 member A3
hsa-miR-132-3p	<a href="#">GABRA4</a>	gamma-aminobutyric acid type A receptor alpha4 subunit
hsa-miR-132-3p	<a href="#">HIPK3</a>	homeodomain interacting protein kinase 3
hsa-miR-132-3p	<a href="#">SGCZ</a>	sarcoglycan zeta
hsa-miR-132-3p	<a href="#">GRIA2</a>	glutamate ionotropic receptor AMPA type subunit 2
hsa-miR-132-3p	<a href="#">INSM2</a>	INSM transcriptional repressor 2
hsa-miR-132-3p	<a href="#">CEMIP2</a>	cell migration inducing hyaluronidase 2
hsa-miR-132-3p	<a href="#">DGKH</a>	diacylglycerol kinase eta
hsa-miR-132-3p	<a href="#">CYP20A1</a>	cytochrome P450 family 20 subfamily A member 1
hsa-miR-132-3p	<a href="#">NR2C2</a>	nuclear receptor subfamily 2 group C member 2
hsa-miR-132-3p	<a href="#">POU3F3</a>	POU class 3 homeobox 3
hsa-miR-132-3p	<a href="#">MCTS1</a>	MCTS1, re-initiation and release factor
hsa-miR-132-3p	<a href="#">STON2</a>	stonin 2
hsa-miR-132-3p	<a href="#">ARHGAP21</a>	Rho GTPase activating protein 21
hsa-miR-132-3p	<a href="#">CEPT1</a>	choline/ethanolamine phosphotransferase 1
hsa-miR-132-3p	<a href="#">SHANK2</a>	SH3 and multiple ankyrin repeat domains 2
hsa-miR-132-3p	<a href="#">ELAVL4</a>	ELAV like RNA binding protein 4
hsa-miR-132-3p	<a href="#">GPR89A</a>	G protein-coupled receptor 89A
hsa-miR-132-3p	<a href="#">PRUNE1</a>	prune exopolyphosphatase 1
hsa-miR-132-3p	<a href="#">TMEM51</a>	transmembrane protein 51
hsa-miR-132-3p	<a href="#">EML4</a>	EMAP like 4
hsa-miR-132-3p	<a href="#">EMCN</a>	endomucin

hsa-miR-132-3p	<a href="#">NDRG4</a>	NDRG family member 4
hsa-miR-132-3p	<a href="#">NAXE</a>	NAD(P)HX epimerase
hsa-miR-132-3p	<a href="#">NET1</a>	neuroepithelial cell transforming 1
hsa-miR-132-3p	<a href="#">SLC23A2</a>	solute carrier family 23 member 2
hsa-miR-132-3p	<a href="#">MOCS3</a>	molybdenum cofactor synthesis 3
hsa-miR-132-3p	<a href="#">L3HYPDH</a>	trans-L-3-hydroxyproline dehydratase
hsa-miR-132-3p	<a href="#">SRGAP2</a>	SLIT-ROBO Rho GTPase activating protein 2
hsa-miR-132-3p	<a href="#">DCBLD2</a>	discoidin, CUB and LCCL domain containing 2
hsa-miR-132-3p	<a href="#">ZDHHC15</a>	zinc finger DHHC-type containing 15
hsa-miR-132-3p	<a href="#">GPR89B</a>	G protein-coupled receptor 89B
hsa-miR-132-3p	<a href="#">PRICKLE2</a>	prickle planar cell polarity protein 2
hsa-miR-132-3p	<a href="#">ZDHHC23</a>	zinc finger DHHC-type containing 23
hsa-miR-132-3p	<a href="#">TRMT13</a>	tRNA methyltransferase 13 homolog
hsa-miR-132-3p	<a href="#">SPTLC2</a>	serine palmitoyltransferase long chain base subunit 2
hsa-miR-132-3p	<a href="#">LOC102723360</a>	uncharacterized LOC102723360
hsa-miR-132-3p	<a href="#">ATF2</a>	activating transcription factor 2
hsa-miR-132-3p	<a href="#">TAF4</a>	TATA-box binding protein associated factor 4
hsa-miR-132-3p	<a href="#">ORC4</a>	origin recognition complex subunit 4
hsa-miR-132-3p	<a href="#">LOC102724219</a>	uncharacterized LOC102724219
hsa-miR-132-3p	<a href="#">SPAST</a>	spastin
hsa-miR-132-3p	<a href="#">UNC13C</a>	unc-13 homolog C
hsa-miR-132-3p	<a href="#">BTBD7</a>	BTB domain containing 7
hsa-miR-132-3p	<a href="#">CHP1</a>	calcineurin like EF-hand protein 1
hsa-miR-132-3p	<a href="#">CDC40</a>	cell division cycle 40
hsa-miR-132-3p	<a href="#">DDX47</a>	DEAD-box helicase 47
hsa-miR-132-3p	<a href="#">C11orf87</a>	chromosome 11 open reading frame 87
hsa-miR-132-3p	<a href="#">LOC102724951</a>	uncharacterized LOC102724951
hsa-miR-132-3p	<a href="#">LHX9</a>	LIM homeobox 9
hsa-miR-132-3p	<a href="#">SHOX</a>	short stature homeobox
hsa-miR-132-3p	<a href="#">LOC102724843</a>	uncharacterized LOC102724843
hsa-miR-132-3p	<a href="#">LARP4</a>	La ribonucleoprotein domain family member 4
hsa-miR-132-3p	<a href="#">PNPLA3</a>	patatin like phospholipase domain containing 3
hsa-miR-132-3p	<a href="#">AADAC</a>	arylacetamide deacetylase
hsa-miR-132-3p	<a href="#">ADAMTS6</a>	ADAM metalloproteinase with thrombospondin type 1 motif 6
hsa-miR-132-3p	<a href="#">TENT4B</a>	terminal nucleotidyltransferase 4B
hsa-miR-132-3p	<a href="#">CDON</a>	cell adhesion associated, oncogene regulated
hsa-miR-132-3p	<a href="#">ZBTB34</a>	zinc finger and BTB domain containing 34
hsa-miR-132-3p	<a href="#">ZFX</a>	zinc finger protein X-linked
hsa-miR-132-3p	<a href="#">COLQ</a>	collagen like tail subunit of asymmetric acetylcholinesterase
hsa-miR-132-3p	<a href="#">FBXO42</a>	F-box protein 42
hsa-miR-132-3p	<a href="#">LMLN</a>	leishmanolysin like peptidase
hsa-miR-132-3p	<a href="#">GABPB1</a>	GA binding protein transcription factor subunit beta 1
hsa-miR-132-3p	<a href="#">SLC12A6</a>	solute carrier family 12 member 6

hsa-miR-132-3p	<a href="#">MSANTD3-TMEFF1</a>	MSANTD3-TMEFF1 readthrough
hsa-miR-132-3p	<a href="#">SEC14L5</a>	SEC14 like lipid binding 5
hsa-miR-132-3p	<a href="#">SUDS3</a>	SDS3 homolog, SIN3A corepressor complex component
hsa-miR-132-3p	<a href="#">ETFBKMT</a>	electron transfer flavoprotein subunit beta lysine methyltransferase
hsa-miR-132-3p	<a href="#">CPSF6</a>	cleavage and polyadenylation specific factor 6
hsa-miR-132-3p	<a href="#">CAPSL</a>	calcyphosine like
hsa-miR-132-3p	<a href="#">SLC6A3</a>	solute carrier family 6 member 3
hsa-miR-132-3p	<a href="#">FAM19A2</a>	family with sequence similarity 19 member A2, C-C motif chemokine like
hsa-miR-132-3p	<a href="#">FAM71F2</a>	family with sequence similarity 71 member F2
hsa-miR-132-3p	<a href="#">CLOCK</a>	clock circadian regulator
hsa-miR-132-3p	<a href="#">TMEM215</a>	transmembrane protein 215
hsa-miR-132-3p	<a href="#">ZNF264</a>	zinc finger protein 264
hsa-miR-132-3p	<a href="#">DGKE</a>	diacylglycerol kinase epsilon
hsa-miR-132-3p	<a href="#">REL</a>	REL proto-oncogene, NF-kB subunit
hsa-miR-132-3p	<a href="#">SV2B</a>	synaptic vesicle glycoprotein 2B
hsa-miR-132-3p	<a href="#">MSTN</a>	myostatin
hsa-miR-132-3p	<a href="#">FBXW2</a>	F-box and WD repeat domain containing 2
hsa-miR-132-3p	<a href="#">FOXN3</a>	forkhead box N3
hsa-miR-132-3p	<a href="#">PRKD1</a>	protein kinase D1
hsa-miR-132-3p	<a href="#">GNL3L</a>	G protein nucleolar 3 like
hsa-miR-132-3p	<a href="#">WASHC5</a>	WASH complex subunit 5
hsa-miR-132-3p	<a href="#">SETDB2</a>	SET domain bifurcated histone lysine methyltransferase 2
hsa-miR-132-3p	<a href="#">CAMTA1</a>	calmodulin binding transcription activator 1
hsa-miR-132-3p	<a href="#">TP53AIP1</a>	tumor protein p53 regulated apoptosis inducing protein 1
hsa-miR-132-3p	<a href="#">RHOU</a>	ras homolog family member U
hsa-miR-132-3p	<a href="#">ZNF333</a>	zinc finger protein 333
hsa-miR-132-3p	<a href="#">WDR93</a>	WD repeat domain 93
hsa-miR-132-3p	<a href="#">ARMC1</a>	armadillo repeat containing 1
hsa-miR-132-3p	<a href="#">TMEM50B</a>	transmembrane protein 50B
hsa-miR-132-3p	<a href="#">TMEM87A</a>	transmembrane protein 87A
hsa-miR-132-3p	<a href="#">GRK3</a>	G protein-coupled receptor kinase 3
hsa-miR-132-3p	<a href="#">DNMBP</a>	dynamin binding protein
hsa-miR-132-3p	<a href="#">DIPK2B</a>	divergent protein kinase domain 2B
hsa-miR-132-3p	<a href="#">LOC100287896</a>	uncharacterized LOC100287896
hsa-miR-132-3p	<a href="#">PPM1L</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1L
hsa-miR-132-3p	<a href="#">KCNMA1</a>	potassium calcium-activated channel subfamily M alpha 1
hsa-miR-132-3p	<a href="#">SCCPDH</a>	saccharopine dehydrogenase (putative)
hsa-miR-132-3p	<a href="#">SNIP1</a>	Smad nuclear interacting protein 1
hsa-miR-132-3p	<a href="#">NEIL2</a>	nei like DNA glycosylase 2
hsa-miR-132-3p	<a href="#">NAB1</a>	NGFI-A binding protein 1

hsa-miR-132-3p	<a href="#">BTRC</a>	beta-transducin repeat containing E3 ubiquitin protein ligase
hsa-miR-132-3p	<a href="#">CC2D2A</a>	coiled-coil and C2 domain containing 2A
hsa-miR-132-3p	<a href="#">AFF4</a>	AF4/FMR2 family member 4
hsa-miR-132-3p	<a href="#">GRSF1</a>	G-rich RNA sequence binding factor 1
hsa-miR-132-3p	<a href="#">EDN1</a>	endothelin 1
hsa-miR-132-3p	<a href="#">WTAP</a>	WT1 associated protein
hsa-miR-132-3p	<a href="#">KLRG1</a>	killer cell lectin like receptor G1
hsa-miR-132-3p	<a href="#">RIT1</a>	Ras like without CAAX 1
hsa-miR-132-3p	<a href="#">KCNS1</a>	potassium voltage-gated channel modifier subfamily S member 1
hsa-miR-132-3p	<a href="#">POLR1A</a>	RNA polymerase I subunit A
hsa-miR-132-3p	<a href="#">NUCKS1</a>	nuclear casein kinase and cyclin dependent kinase substrate 1
hsa-miR-132-3p	<a href="#">ZNF90</a>	zinc finger protein 90
hsa-miR-132-3p	<a href="#">ELOVL2</a>	ELOVL fatty acid elongase 2
hsa-miR-132-3p	<a href="#">PIK3IP1</a>	phosphoinositide-3-kinase interacting protein 1
hsa-miR-132-3p	<a href="#">ACHE</a>	acetylcholinesterase (Cartwright blood group)
hsa-miR-132-3p	<a href="#">PTPN4</a>	protein tyrosine phosphatase, non-receptor type 4
hsa-miR-132-3p	<a href="#">ESYT2</a>	extended synaptotagmin 2
hsa-miR-132-3p	<a href="#">TSHZ2</a>	teashirt zinc finger homeobox 2
hsa-miR-132-3p	<a href="#">C19orf47</a>	chromosome 19 open reading frame 47
hsa-miR-132-3p	<a href="#">EXOC2</a>	exocyst complex component 2
hsa-miR-132-3p	<a href="#">PRR5L</a>	proline rich 5 like
hsa-miR-132-3p	<a href="#">CLVS2</a>	clavesin 2
hsa-miR-132-3p	<a href="#">TRIB2</a>	tribbles pseudokinase 2
hsa-miR-132-3p	<a href="#">SLC10A4</a>	solute carrier family 10 member 4
hsa-miR-132-3p	<a href="#">PNN</a>	pinin, desmosome associated protein
hsa-miR-132-3p	<a href="#">MEF2C</a>	myocyte enhancer factor 2C
hsa-miR-132-3p	<a href="#">sept-11</a>	septin 11
hsa-miR-132-3p	<a href="#">CST3</a>	cystatin C
hsa-miR-132-3p	<a href="#">MAPK8</a>	mitogen-activated protein kinase 8
hsa-miR-132-3p	<a href="#">WWOX</a>	WW domain containing oxidoreductase
hsa-miR-132-3p	<a href="#">CSNK1G3</a>	casein kinase 1 gamma 3
hsa-miR-132-3p	<a href="#">BNIP2</a>	BCL2 interacting protein 2
hsa-miR-132-3p	<a href="#">ARID1A</a>	AT-rich interaction domain 1A
hsa-miR-132-3p	<a href="#">ZNF287</a>	zinc finger protein 287
hsa-miR-132-3p	<a href="#">C5orf51</a>	chromosome 5 open reading frame 51
hsa-miR-132-3p	<a href="#">RRP7A</a>	ribosomal RNA processing 7 homolog A
hsa-miR-132-3p	<a href="#">TPGS2</a>	tubulin polyglutamylase complex subunit 2
hsa-miR-132-3p	<a href="#">CRTCL</a>	CREB regulated transcription coactivator 1
hsa-miR-132-3p	<a href="#">ZNF280C</a>	zinc finger protein 280C
hsa-miR-132-3p	<a href="#">CDK6</a>	cyclin dependent kinase 6
hsa-miR-132-3p	<a href="#">TADA2B</a>	transcriptional adaptor 2B
hsa-miR-132-3p	<a href="#">ATP6V1H</a>	ATPase H+ transporting V1 subunit H
hsa-miR-132-3p	<a href="#">DOCK4</a>	dedicator of cytokinesis 4

hsa-miR-132-3p	<a href="#">KMT5B</a>	lysine methyltransferase 5B
hsa-miR-132-3p	<a href="#">VWA3B</a>	von Willebrand factor A domain containing 3B
hsa-miR-132-3p	<a href="#">TTC14</a>	tetratricopeptide repeat domain 14
hsa-miR-132-3p	<a href="#">MARCH6</a>	membrane associated ring-CH-type finger 6
hsa-miR-132-3p	<a href="#">ZFY</a>	zinc finger protein Y-linked
hsa-miR-132-3p	<a href="#">TMEM59</a>	transmembrane protein 59
hsa-miR-132-3p	<a href="#">TCF7L1</a>	transcription factor 7 like 1
hsa-miR-132-3p	<a href="#">PHKB</a>	phosphorylase kinase regulatory subunit beta
hsa-miR-132-3p	<a href="#">DCAF10</a>	DDB1 and CUL4 associated factor 10
hsa-miR-132-3p	<a href="#">CCDC189</a>	coiled-coil domain containing 189
hsa-miR-132-3p	<a href="#">ALKBH8</a>	alkB homolog 8, tRNA methyltransferase
hsa-miR-132-3p	<a href="#">ZBTB5</a>	zinc finger and BTB domain containing 5
hsa-miR-132-3p	<a href="#">MEGF11</a>	multiple EGF like domains 11
hsa-miR-132-3p	<a href="#">SEPSECS</a>	Sep (O-phosphoserine) tRNA:Sec (selenocysteine) tRNA synthase
hsa-miR-132-3p	<a href="#">ABR</a>	ABR, RhoGEF and GTPase activating protein
hsa-miR-132-3p	<a href="#">SREBF1</a>	sterol regulatory element binding transcription factor 1
hsa-miR-132-3p	<a href="#">SEMA4A</a>	semaphorin 4A
hsa-miR-132-3p	<a href="#">GRM4</a>	glutamate metabotropic receptor 4
hsa-miR-132-3p	<a href="#">ZWINT</a>	ZW10 interacting kinetochore protein
hsa-miR-132-3p	<a href="#">REPS2</a>	RALBP1 associated Eps domain containing 2
hsa-miR-132-3p	<a href="#">ZNF248</a>	zinc finger protein 248
hsa-miR-132-3p	<a href="#">UNC80</a>	unc-80 homolog, NALCN channel complex subunit
hsa-miR-132-3p	<a href="#">ITCH</a>	itchy E3 ubiquitin protein ligase
hsa-miR-132-3p	<a href="#">ZMAT3</a>	zinc finger matrin-type 3
hsa-miR-132-3p	<a href="#">SLC30A10</a>	solute carrier family 30 member 10
hsa-miR-132-3p	<a href="#">DIME1</a>	DIME1 dimethyladenosine transferase 1 homolog
hsa-miR-132-3p	<a href="#">UBR3</a>	ubiquitin protein ligase E3 component n-recognin 3
hsa-miR-132-3p	<a href="#">ACP1</a>	acid phosphatase 1
hsa-miR-132-3p	<a href="#">ZNF696</a>	zinc finger protein 696
hsa-miR-132-3p	<a href="#">ENTPD1</a>	ectonucleoside triphosphate diphosphohydrolase 1
hsa-miR-132-3p	<a href="#">FABP2</a>	fatty acid binding protein 2
hsa-miR-132-3p	<a href="#">BRAP</a>	BRCA1 associated protein
hsa-miR-132-3p	<a href="#">TFDP1</a>	transcription factor Dp-1
hsa-miR-132-3p	<a href="#">ABCG1</a>	ATP binding cassette subfamily G member 1
hsa-miR-132-3p	<a href="#">EDNRA</a>	endothelin receptor type A
hsa-miR-132-3p	<a href="#">TPRG1</a>	tumor protein p63 regulated 1
hsa-miR-132-3p	<a href="#">MDFIC</a>	MyoD family inhibitor domain containing
hsa-miR-132-3p	<a href="#">PSD3</a>	pleckstrin and Sec7 domain containing 3
hsa-miR-132-3p	<a href="#">HECTD2</a>	HECT domain E3 ubiquitin protein ligase 2
hsa-miR-132-3p	<a href="#">SH3TC2</a>	SH3 domain and tetratricopeptide repeats 2
hsa-miR-132-3p	<a href="#">PLXND1</a>	plexin D1
hsa-miR-132-3p	<a href="#">NABP1</a>	nucleic acid binding protein 1
hsa-miR-132-3p	<a href="#">GUCY1A1</a>	guanylate cyclase 1 soluble subunit alpha 1
hsa-miR-132-3p	<a href="#">KLRC4-KLRK1</a>	KLRC4-KLRK1 readthrough

hsa-miR-132-3p	<a href="#">ZNF280D</a>	zinc finger protein 280D
hsa-miR-132-3p	<a href="#">TRIP12</a>	thyroid hormone receptor interactor 12
hsa-miR-132-3p	<a href="#">APC</a>	APC, WNT signaling pathway regulator
hsa-miR-132-3p	<a href="#">KLRK1</a>	killer cell lectin like receptor K1
hsa-miR-132-3p	<a href="#">SUCNR1</a>	succinate receptor 1
hsa-miR-132-3p	<a href="#">NOM1</a>	nucleolar protein with MIF4G domain 1
hsa-miR-132-3p	<a href="#">FRK</a>	fyn related Src family tyrosine kinase
hsa-miR-132-3p	<a href="#">FZD1</a>	frizzled class receptor 1
hsa-miR-132-3p	<a href="#">NKTR</a>	natural killer cell triggering receptor
hsa-miR-132-3p	<a href="#">CASD1</a>	CAS1 domain containing 1
hsa-miR-132-3p	<a href="#">CFAP206</a>	cilia and flagella associated protein 206
hsa-miR-132-3p	<a href="#">USP44</a>	ubiquitin specific peptidase 44
hsa-miR-132-3p	<a href="#">VPS41</a>	VPS41, HOPS complex subunit
hsa-miR-132-3p	<a href="#">EHF</a>	ETS homologous factor
hsa-miR-132-3p	<a href="#">CNOT2</a>	CCR4-NOT transcription complex subunit 2
hsa-miR-132-3p	<a href="#">GLIPR1</a>	GLI pathogenesis related 1
hsa-miR-132-3p	<a href="#">DACH1</a>	dachshund family transcription factor 1
hsa-miR-200b-3p	<a href="#">VASH2</a>	vasohibin 2
hsa-miR-200b-3p	<a href="#">HIPK3</a>	homeodomain interacting protein kinase 3
hsa-miR-200b-3p	<a href="#">MAP2</a>	microtubule associated protein 2
hsa-miR-200b-3p	<a href="#">ERRFI1</a>	ERBB receptor feedback inhibitor 1
hsa-miR-200b-3p	<a href="#">ZEB1</a>	zinc finger E-box binding homeobox 1
hsa-miR-200b-3p	<a href="#">NR5A2</a>	nuclear receptor subfamily 5 group A member 2
hsa-miR-200b-3p	<a href="#">ZEB2</a>	zinc finger E-box binding homeobox 2
hsa-miR-200b-3p	<a href="#">RECK</a>	reversion inducing cysteine rich protein with kazal motifs
hsa-miR-200b-3p	<a href="#">SLIT2</a>	slit guidance ligand 2
hsa-miR-200b-3p	<a href="#">WIPF1</a>	WAS/WASL interacting protein family member 1
hsa-miR-200b-3p	<a href="#">C11orf95</a>	chromosome 11 open reading frame 95
hsa-miR-200b-3p	<a href="#">FAM8A1</a>	family with sequence similarity 8 member A1
hsa-miR-200b-3p	<a href="#">LHFPL6</a>	LHFPL tetraspan subfamily member 6
hsa-miR-200b-3p	<a href="#">AP1S2</a>	adaptor related protein complex 1 subunit sigma 2
hsa-miR-200b-3p	<a href="#">SEC23A</a>	Sec23 homolog A, coat complex II component
hsa-miR-200b-3p	<a href="#">TBX18</a>	T-box 18
hsa-miR-200b-3p	<a href="#">PTPN21</a>	protein tyrosine phosphatase, non-receptor type 21
hsa-miR-200b-3p	<a href="#">DNAIC3</a>	DnaJ heat shock protein family (Hsp40) member C3
hsa-miR-200b-3p	<a href="#">QKI</a>	QKI, KH domain containing RNA binding
hsa-miR-200b-3p	<a href="#">RIC1</a>	RIC1 homolog, RAB6A GEF complex partner 1
hsa-miR-200b-3p	<a href="#">CCNI</a>	cyclin J
hsa-miR-200b-3p	<a href="#">PCMTD1</a>	protein-L-isoaspartate (D-aspartate) O-methyltransferase domain containing 1
hsa-miR-200b-3p	<a href="#">CFL2</a>	cofilin 2
hsa-miR-200b-3p	<a href="#">GPM6A</a>	glycoprotein M6A
hsa-miR-200b-3p	<a href="#">ARHGAP6</a>	Rho GTPase activating protein 6
hsa-miR-200b-3p	<a href="#">TFAP2A</a>	transcription factor AP-2 alpha
hsa-miR-200b-3p	<a href="#">SLC35B4</a>	solute carrier family 35 member B4



hsa-miR-200b-3p	<a href="#">BAP1</a>	BRCA1 associated protein 1
hsa-miR-200b-3p	<a href="#">RAB11FIP2</a>	RAB11 family interacting protein 2
hsa-miR-200b-3p	<a href="#">MSN</a>	moesin
hsa-miR-200b-3p	<a href="#">FBXW7</a>	F-box and WD repeat domain containing 7
hsa-miR-200b-3p	<a href="#">TRIM33</a>	tripartite motif containing 33
hsa-miR-200b-3p	<a href="#">CNOT6</a>	CCR4-NOT transcription complex subunit 6
hsa-miR-200b-3p	<a href="#">PRTG</a>	protogenin
hsa-miR-200b-3p	<a href="#">RPS6KB1</a>	ribosomal protein S6 kinase B1
hsa-miR-200b-3p	<a href="#">WASF3</a>	WAS protein family member 3
hsa-miR-200b-3p	<a href="#">KDM7A</a>	lysine demethylase 7A
hsa-miR-200b-3p	<a href="#">ELL2</a>	elongation factor for RNA polymerase II 2
hsa-miR-200b-3p	<a href="#">ATXN1</a>	ataxin 1
hsa-miR-200b-3p	<a href="#">SYNJ1</a>	synaptojanin 1
hsa-miR-200b-3p	<a href="#">MIEF1</a>	mitochondrial elongation factor 1
hsa-miR-200b-3p	<a href="#">MBNL3</a>	muscleblind like splicing regulator 3
hsa-miR-200b-3p	<a href="#">CSNK1G3</a>	casein kinase 1 gamma 3
hsa-miR-200b-3p	<a href="#">KHDRBS1</a>	KH RNA binding domain containing, signal transduction associated 1
hsa-miR-200b-3p	<a href="#">ELMOD2</a>	ELMO domain containing 2
hsa-miR-200b-3p	<a href="#">MCFD2</a>	multiple coagulation factor deficiency 2
hsa-miR-200b-3p	<a href="#">CRKL</a>	CRK like proto-oncogene, adaptor protein
hsa-miR-200b-3p	<a href="#">TENT4B</a>	terminal nucleotidyltransferase 4B
hsa-miR-200b-3p	<a href="#">MPRIIP</a>	myosin phosphatase Rho interacting protein
hsa-miR-200b-3p	<a href="#">PPP4R2</a>	protein phosphatase 4 regulatory subunit 2
hsa-miR-200b-3p	<a href="#">MGAT2</a>	mannosyl (alpha-1,6-)-glycoprotein beta-1,2-N-acetylglucosaminyltransferase
hsa-miR-200b-3p	<a href="#">FAM122C</a>	family with sequence similarity 122C
hsa-miR-200b-3p	<a href="#">NFIA</a>	nuclear factor I A
hsa-miR-200b-3p	<a href="#">NOVA2</a>	NOVA alternative splicing regulator 2
hsa-miR-200b-3p	<a href="#">SUSD5</a>	sushi domain containing 5
hsa-miR-200b-3p	<a href="#">FEZ2</a>	fasciculation and elongation protein zeta 2
hsa-miR-200b-3p	<a href="#">PRDM16</a>	PR/SET domain 16
hsa-miR-200b-3p	<a href="#">LRP1B</a>	LDL receptor related protein 1B
hsa-miR-200b-3p	<a href="#">PPP2R5E</a>	protein phosphatase 2 regulatory subunit B'epsilon
hsa-miR-200b-3p	<a href="#">PTPN14</a>	protein tyrosine phosphatase, non-receptor type 14
hsa-miR-200b-3p	<a href="#">OSTM1</a>	osteoclastogenesis associated transmembrane protein 1
hsa-miR-200b-3p	<a href="#">FAM126B</a>	family with sequence similarity 126 member B
hsa-miR-200b-3p	<a href="#">CDK17</a>	cyclin dependent kinase 17
hsa-miR-200b-3p	<a href="#">FRMD6</a>	FERM domain containing 6
hsa-miR-200b-3p	<a href="#">RBSN</a>	rabenosyn, RAB effector
hsa-miR-200b-3p	<a href="#">JAKMIP2</a>	janus kinase and microtubule interacting protein 2
hsa-miR-200b-3p	<a href="#">PIK3CA</a>	phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit alpha
hsa-miR-200b-3p	<a href="#">CCDC177</a>	coiled-coil domain containing 177
hsa-miR-200b-3p	<a href="#">ARIH1</a>	ariadne RBR E3 ubiquitin protein ligase 1
hsa-miR-200b-3p	<a href="#">ATP11C</a>	ATPase phospholipid transporting 11C

hsa-miR-200b-3p	<a href="#">RTF1</a>	RTF1 homolog, Paf1/RNA polymerase II complex component
hsa-miR-200b-3p	<a href="#">PPM1F</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1F
hsa-miR-200b-3p	<a href="#">RAP2C</a>	RAP2C, member of RAS oncogene family
hsa-miR-200b-3p	<a href="#">MMD</a>	monocyte to macrophage differentiation associated
hsa-miR-200b-3p	<a href="#">CHN2</a>	chimerin 2
hsa-miR-200b-3p	<a href="#">PHF21B</a>	PHD finger protein 21B
hsa-miR-200b-3p	<a href="#">SULF1</a>	sulfatase 1
hsa-miR-200b-3p	<a href="#">ARL2BP</a>	ADP ribosylation factor like GTPase 2 binding protein
hsa-miR-200b-3p	<a href="#">ADIPOR2</a>	adiponectin receptor 2
hsa-miR-200b-3p	<a href="#">ZNF532</a>	zinc finger protein 532
hsa-miR-200b-3p	<a href="#">PHACTR3</a>	phosphatase and actin regulator 3
hsa-miR-200b-3p	<a href="#">RASA2</a>	RAS p21 protein activator 2
hsa-miR-200b-3p	<a href="#">ZNF711</a>	zinc finger protein 711
hsa-miR-200b-3p	<a href="#">SEMA6D</a>	semaphorin 6D
hsa-miR-200b-3p	<a href="#">VLDLR</a>	very low density lipoprotein receptor
hsa-miR-200b-3p	<a href="#">IGSF10</a>	immunoglobulin superfamily member 10
hsa-miR-200b-3p	<a href="#">WNT16</a>	Wnt family member 16
hsa-miR-200b-3p	<a href="#">CBL</a>	Cbl proto-oncogene
hsa-miR-200b-3p	<a href="#">EPS8</a>	epidermal growth factor receptor pathway substrate 8
hsa-miR-200b-3p	<a href="#">NANOS1</a>	nanos C2HC-type zinc finger 1
hsa-miR-200b-3p	<a href="#">TMOD3</a>	tropomodulin 3
hsa-miR-200b-3p	<a href="#">SGIP1</a>	SH3 domain GRB2 like endophilin interacting protein 1
hsa-miR-200b-3p	<a href="#">COL4A3BP</a>	collagen type IV alpha 3 binding protein
hsa-miR-200b-3p	<a href="#">KDELCL1</a>	KDEL motif containing 1
hsa-miR-200b-3p	<a href="#">MINDY2</a>	MINDY lysine 48 deubiquitinase 2
hsa-miR-200b-3p	<a href="#">RND3</a>	Rho family GTPase 3
hsa-miR-200b-3p	<a href="#">KDR</a>	kinase insert domain receptor
hsa-miR-200b-3p	<a href="#">OTUD4</a>	OTU deubiquitinase 4
hsa-miR-200b-3p	<a href="#">NCOA2</a>	nuclear receptor coactivator 2
hsa-miR-200b-3p	<a href="#">HMBOX1</a>	homeobox containing 1
hsa-miR-200b-3p	<a href="#">DUSP1</a>	dual specificity phosphatase 1
hsa-miR-200b-3p	<a href="#">ELOC</a>	elongin C
hsa-miR-200b-3p	<a href="#">C16orf72</a>	chromosome 16 open reading frame 72
hsa-miR-200b-3p	<a href="#">EGLN1</a>	egl-9 family hypoxia inducible factor 1
hsa-miR-200b-3p	<a href="#">CLASP1</a>	cytoplasmic linker associated protein 1
hsa-miR-200b-3p	<a href="#">ZFAND6</a>	zinc finger AN1-type containing 6
hsa-miR-200b-3p	<a href="#">FOXG1</a>	forkhead box G1
hsa-miR-200b-3p	<a href="#">KCNQ3</a>	potassium voltage-gated channel subfamily Q member 3
hsa-miR-200b-3p	<a href="#">MBOAT2</a>	membrane bound O-acyltransferase domain containing 2
hsa-miR-200b-3p	<a href="#">PHTF2</a>	putative homeodomain transcription factor 2
hsa-miR-200b-3p	<a href="#">BRWD3</a>	bromodomain and WD repeat domain containing 3
hsa-miR-200b-3p	<a href="#">NBR1</a>	NBR1, autophagy cargo receptor
hsa-miR-200b-3p	<a href="#">ZNF131</a>	zinc finger protein 131
hsa-miR-200b-3p	<a href="#">AFF3</a>	AF4/FMR2 family member 3

hsa-miR-200b-3p	<a href="#">ARL5A</a>	ADP ribosylation factor like GTPase 5A
hsa-miR-200b-3p	<a href="#">TMX4</a>	thioredoxin related transmembrane protein 4
hsa-miR-200b-3p	<a href="#">IMMP2L</a>	inner mitochondrial membrane peptidase subunit 2
hsa-miR-200b-3p	<a href="#">MAP3K1</a>	mitogen-activated protein kinase kinase kinase 1
hsa-miR-200b-3p	<a href="#">IPO7</a>	importin 7
hsa-miR-200b-3p	<a href="#">GOLGA7</a>	golgin A7
hsa-miR-200b-3p	<a href="#">DLC1</a>	DLC1 Rho GTPase activating protein
hsa-miR-200b-3p	<a href="#">XKR8</a>	XK related 8
hsa-miR-200b-3p	<a href="#">ELK4</a>	ELK4, ETS transcription factor
hsa-miR-200b-3p	<a href="#">FN1</a>	fibronectin 1
hsa-miR-200b-3p	<a href="#">SESN1</a>	sestrin 1
hsa-miR-200b-3p	<a href="#">JUN</a>	Jun proto-oncogene, AP-1 transcription factor subunit
hsa-miR-200b-3p	<a href="#">GPR158</a>	G protein-coupled receptor 158
hsa-miR-200b-3p	<a href="#">DGKH</a>	diacylglycerol kinase eta
hsa-miR-200b-3p	<a href="#">SYDE1</a>	synapse defective Rho GTPase homolog 1
hsa-miR-200b-3p	<a href="#">PPHLN1</a>	periphilin 1
hsa-miR-200b-3p	<a href="#">ZC3H6</a>	zinc finger CCCH-type containing 6
hsa-miR-200b-3p	<a href="#">PRKG1</a>	protein kinase cGMP-dependent 1
hsa-miR-200b-3p	<a href="#">SLC1A2</a>	solute carrier family 1 member 2
hsa-miR-200b-3p	<a href="#">RANBP9</a>	RAN binding protein 9
hsa-miR-200b-3p	<a href="#">GOLGA1</a>	golgin A1
hsa-miR-200b-3p	<a href="#">LOX</a>	lysyl oxidase
hsa-miR-200b-3p	<a href="#">GIT2</a>	GIT ArfGAP 2
hsa-miR-200b-3p	<a href="#">ARMCX5-GPRASP2</a>	ARMCX5-GPRASP2 readthrough
hsa-miR-200b-3p	<a href="#">MPDZ</a>	multiple PDZ domain crumbs cell polarity complex component
hsa-miR-200b-3p	<a href="#">PGM2L1</a>	phosphoglucomutase 2 like 1
hsa-miR-200b-3p	<a href="#">PRKACB</a>	protein kinase cAMP-activated catalytic subunit beta
hsa-miR-200b-3p	<a href="#">CDH20</a>	cadherin 20
hsa-miR-200b-3p	<a href="#">NTF3</a>	neurotrophin 3
hsa-miR-200b-3p	<a href="#">B3GNT2</a>	UDP-GlcNAc:betaGal beta-1,3-N-acetylglucosaminyltransferase 2
hsa-miR-200b-3p	<a href="#">PSAT1</a>	phosphoserine aminotransferase 1
hsa-miR-200b-3p	<a href="#">REEP1</a>	receptor accessory protein 1
hsa-miR-200b-3p	<a href="#">MED13</a>	mediator complex subunit 13
hsa-miR-200b-3p	<a href="#">TBK1</a>	TANK binding kinase 1
hsa-miR-200b-3p	<a href="#">TBC1D12</a>	TBC1 domain family member 12
hsa-miR-200b-3p	<a href="#">MAPK7</a>	mitogen-activated protein kinase 7
hsa-miR-200b-3p	<a href="#">WAPL</a>	WAPL cohesin release factor
hsa-miR-200b-3p	<a href="#">VEGFA</a>	vascular endothelial growth factor A
hsa-miR-200b-3p	<a href="#">RUSC2</a>	RUN and SH3 domain containing 2
hsa-miR-200b-3p	<a href="#">SFXN1</a>	sideroflexin 1
hsa-miR-200b-3p	<a href="#">ZFX</a>	zinc finger protein X-linked
hsa-miR-200b-3p	<a href="#">HS2ST1</a>	heparan sulfate 2-O-sulfotransferase 1

hsa-miR-200b-3p	<a href="#">BLCAP</a>	BLCAP, apoptosis inducing factor
hsa-miR-200b-3p	<a href="#">RAB21</a>	RAB21, member RAS oncogene family
hsa-miR-200b-3p	<a href="#">GPRASP2</a>	G protein-coupled receptor associated sorting protein 2
hsa-miR-200b-3p	<a href="#">DESI1</a>	desumoylating isopeptidase 1
hsa-miR-200b-3p	<a href="#">FOXF1</a>	forkhead box F1
hsa-miR-200b-3p	<a href="#">PTPRZ1</a>	protein tyrosine phosphatase, receptor type Z1
hsa-miR-200b-3p	<a href="#">TMEM17</a>	transmembrane protein 17
hsa-miR-200b-3p	<a href="#">FSCN1</a>	fascin actin-bundling protein 1
hsa-miR-200b-3p	<a href="#">PPP1R18</a>	protein phosphatase 1 regulatory subunit 18
hsa-miR-200b-3p	<a href="#">RNF2</a>	ring finger protein 2
hsa-miR-200b-3p	<a href="#">THAP1</a>	THAP domain containing 1
hsa-miR-200b-3p	<a href="#">CLIC4</a>	chloride intracellular channel 4
hsa-miR-200b-3p	<a href="#">CECR2</a>	CECR2, histone acetyl-lysine reader
hsa-miR-200b-3p	<a href="#">HOOK1</a>	hook microtubule tethering protein 1
hsa-miR-200b-3p	<a href="#">PPM1E</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1E
hsa-miR-200b-3p	<a href="#">CHRD1</a>	chordin like 1
hsa-miR-200b-3p	<a href="#">DTNA</a>	dystrobrevin alpha
hsa-miR-200b-3p	<a href="#">ZBTB10</a>	zinc finger and BTB domain containing 10
hsa-miR-200b-3p	<a href="#">B3GLCT</a>	beta 3-glucosyltransferase
hsa-miR-200b-3p	<a href="#">DNAJB9</a>	DnaJ heat shock protein family (Hsp40) member B9
hsa-miR-200b-3p	<a href="#">FAT3</a>	FAT atypical cadherin 3
hsa-miR-200b-3p	<a href="#">NR3C1</a>	nuclear receptor subfamily 3 group C member 1
hsa-miR-200b-3p	<a href="#">FAM227B</a>	family with sequence similarity 227 member B
hsa-miR-200b-3p	<a href="#">CSMD3</a>	CUB and Sushi multiple domains 3
hsa-miR-200b-3p	<a href="#">PPFIA1</a>	PTPRF interacting protein alpha 1
hsa-miR-200b-3p	<a href="#">KCTD8</a>	potassium channel tetramerization domain containing 8
hsa-miR-200b-3p	<a href="#">PI4K2B</a>	phosphatidylinositol 4-kinase type 2 beta
hsa-miR-200b-3p	<a href="#">ANKRD40</a>	ankyrin repeat domain 40
hsa-miR-200b-3p	<a href="#">VASH1</a>	vasohibin 1
hsa-miR-200b-3p	<a href="#">PDS5B</a>	PDS5 cohesin associated factor B
hsa-miR-200b-3p	<a href="#">SLK</a>	STE20 like kinase
hsa-miR-200b-3p	<a href="#">RTKN2</a>	rhotekin 2
hsa-miR-200b-3p	<a href="#">RNF19A</a>	ring finger protein 19A, RBR E3 ubiquitin protein ligase
hsa-miR-200b-3p	<a href="#">FHL1</a>	four and a half LIM domains 1
hsa-miR-200b-3p	<a href="#">SPAG9</a>	sperm associated antigen 9
hsa-miR-200b-3p	<a href="#">DPY19L1</a>	dpy-19 like C-mannosyltransferase 1
hsa-miR-200b-3p	<a href="#">AMFR</a>	autocrine motility factor receptor
hsa-miR-200b-3p	<a href="#">ELAVL2</a>	ELAV like RNA binding protein 2
hsa-miR-200b-3p	<a href="#">LBR</a>	lamin B receptor
hsa-miR-200b-3p	<a href="#">ZYG11B</a>	zyg-11 family member B, cell cycle regulator
hsa-miR-200b-3p	<a href="#">CLIP1</a>	CAP-Gly domain containing linker protein 1
hsa-miR-200b-3p	<a href="#">MOSMO</a>	modulator of smoothened
hsa-miR-200b-3p	<a href="#">WDR82</a>	WD repeat domain 82
hsa-miR-200b-3p	<a href="#">SERPINI1</a>	serpin family I member 1
hsa-miR-200b-3p	<a href="#">RASSF8</a>	Ras association domain family member 8

hsa-miR-200b-3p	<a href="#">JAZF1</a>	JAZF zinc finger 1
hsa-miR-200b-3p	<a href="#">TOB1</a>	transducer of ERBB2, 1
hsa-miR-200b-3p	<a href="#">EVI5</a>	ecotropic viral integration site 5
hsa-miR-200b-3p	<a href="#">B4GAT1</a>	beta-1,4-glucuronyltransferase 1
hsa-miR-200b-3p	<a href="#">POLK</a>	DNA polymerase kappa
hsa-miR-200b-3p	<a href="#">CHRM2</a>	cholinergic receptor muscarinic 2
hsa-miR-200b-3p	<a href="#">TRAPPC8</a>	trafficking protein particle complex 8
hsa-miR-200b-3p	<a href="#">PUM2</a>	pumilio RNA binding family member 2
hsa-miR-200b-3p	<a href="#">CDYL</a>	chromodomain Y like
hsa-miR-200b-3p	<a href="#">YWHAG</a>	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein gamma
hsa-miR-200b-3p	<a href="#">SLC6A11</a>	solute carrier family 6 member 11
hsa-miR-200b-3p	<a href="#">TCAIM</a>	T cell activation inhibitor, mitochondrial
hsa-miR-200b-3p	<a href="#">PKD1</a>	polycystin 1, transient receptor potential channel interacting
hsa-miR-200b-3p	<a href="#">FBXO30</a>	F-box protein 30
hsa-miR-200b-3p	<a href="#">DNMT3B</a>	DNA methyltransferase 3 beta
hsa-miR-200b-3p	<a href="#">FBXO33</a>	F-box protein 33
hsa-miR-200b-3p	<a href="#">ITGA1</a>	integrin subunit alpha 1
hsa-miR-200b-3p	<a href="#">OCLN</a>	occludin
hsa-miR-200b-3p	<a href="#">CEP85L</a>	centrosomal protein 85 like
hsa-miR-200b-3p	<a href="#">VAT1L</a>	vesicle amine transport 1 like
hsa-miR-200b-3p	<a href="#">SCAMP1</a>	secretory carrier membrane protein 1
hsa-miR-200b-3p	<a href="#">GABBR2</a>	gamma-aminobutyric acid type B receptor subunit 2
hsa-miR-200b-3p	<a href="#">CAB39</a>	calcium binding protein 39
hsa-miR-200b-3p	<a href="#">ADAMTS3</a>	ADAM metalloproteinase with thrombospondin type 1 motif 3
hsa-miR-200b-3p	<a href="#">SCAI</a>	suppressor of cancer cell invasion
hsa-miR-200b-3p	<a href="#">NEDD1</a>	neural precursor cell expressed, developmentally down-regulated 1
hsa-miR-200b-3p	<a href="#">LRRC8A</a>	leucine rich repeat containing 8 VRAC subunit A
hsa-miR-200b-3p	<a href="#">ANKRD44</a>	ankyrin repeat domain 44
hsa-miR-200b-3p	<a href="#">NRBP1</a>	nuclear receptor binding protein 1
hsa-miR-200b-3p	<a href="#">S100BP</a>	S100P binding protein
hsa-miR-200b-3p	<a href="#">USP25</a>	ubiquitin specific peptidase 25
hsa-miR-200b-3p	<a href="#">MAP4K5</a>	mitogen-activated protein kinase kinase kinase kinase 5
hsa-miR-200b-3p	<a href="#">CAMSAP2</a>	calmodulin regulated spectrin associated protein family member 2
hsa-miR-200b-3p	<a href="#">HDAC9</a>	histone deacetylase 9
hsa-miR-200b-3p	<a href="#">PPP1R9B</a>	protein phosphatase 1 regulatory subunit 9B
hsa-miR-200b-3p	<a href="#">PMAIP1</a>	phorbol-12-myristate-13-acetate-induced protein 1
hsa-miR-200b-3p	<a href="#">MAP4K4</a>	mitogen-activated protein kinase kinase kinase kinase 4
hsa-miR-200b-3p	<a href="#">FSD1L</a>	fibronectin type III and SPRY domain containing 1 like
hsa-miR-200b-3p	<a href="#">STK4</a>	serine/threonine kinase 4
hsa-miR-200b-3p	<a href="#">TSC22D1</a>	TSC22 domain family member 1
hsa-miR-200b-3p	<a href="#">PSIP1</a>	PC4 and SFRS1 interacting protein 1

hsa-miR-200b-3p	<a href="#">MFAP5</a>	microfibril associated protein 5
hsa-miR-200b-3p	<a href="#">SLC4A7</a>	solute carrier family 4 member 7
hsa-miR-200b-3p	<a href="#">NOG</a>	noggin
hsa-miR-200b-3p	<a href="#">SLC6A1</a>	solute carrier family 6 member 1
hsa-miR-200b-3p	<a href="#">MIB1</a>	mindbomb E3 ubiquitin protein ligase 1
hsa-miR-200b-3p	<a href="#">DCBLD2</a>	discoidin, CUB and LCCL domain containing 2
hsa-miR-200b-3p	<a href="#">DENND5B</a>	DENN domain containing 5B
hsa-miR-200b-3p	<a href="#">CCNYL1</a>	cyclin Y like 1
hsa-miR-200b-3p	<a href="#">CKAP4</a>	cytoskeleton associated protein 4
hsa-miR-200b-3p	<a href="#">STRN</a>	striatin
hsa-miR-200b-3p	<a href="#">MARCH6</a>	membrane associated ring-CH-type finger 6
hsa-miR-200b-3p	<a href="#">TMEFF2</a>	transmembrane protein with EGF like and two follistatin like domains 2
hsa-miR-200b-3p	<a href="#">GAS2L3</a>	growth arrest specific 2 like 3
hsa-miR-200b-3p	<a href="#">TLN2</a>	talin 2
hsa-miR-200b-3p	<a href="#">HSPA13</a>	heat shock protein family A (Hsp70) member 13
hsa-miR-200b-3p	<a href="#">SLC14A1</a>	solute carrier family 14 member 1 (Kidd blood group)
hsa-miR-200b-3p	<a href="#">PAG1</a>	phosphoprotein membrane anchor with glycosphingolipid microdomains 1
hsa-miR-200b-3p	<a href="#">NTRK2</a>	neurotrophic receptor tyrosine kinase 2
hsa-miR-200b-3p	<a href="#">PIKFYVE</a>	phosphoinositide kinase, FYVE-type zinc finger containing
hsa-miR-200b-3p	<a href="#">COPS8</a>	COP9 signalosome subunit 8
hsa-miR-200b-3p	<a href="#">USP27X</a>	ubiquitin specific peptidase 27 X-linked
hsa-miR-200b-3p	<a href="#">KYNU</a>	kynureninase
hsa-miR-200b-3p	<a href="#">TSSK1B</a>	testis specific serine kinase 1B
hsa-miR-200b-3p	<a href="#">PTPN12</a>	protein tyrosine phosphatase, non-receptor type 12
hsa-miR-200b-3p	<a href="#">MARCKS</a>	myristoylated alanine rich protein kinase C substrate
hsa-miR-200b-3p	<a href="#">AGFG1</a>	ArfGAP with FG repeats 1
hsa-miR-200b-3p	<a href="#">CBX4</a>	chromobox 4
hsa-miR-200b-3p	<a href="#">CNOT9</a>	CCR4-NOT transcription complex subunit 9
hsa-miR-200b-3p	<a href="#">ATP5F1B</a>	ATP synthase F1 subunit beta
hsa-miR-200b-3p	<a href="#">ZKSCAN8</a>	zinc finger with KRAB and SCAN domains 8
hsa-miR-200b-3p	<a href="#">THAP2</a>	THAP domain containing 2
hsa-miR-200b-3p	<a href="#">TRMT9B</a>	tRNA methyltransferase 9B (putative)
hsa-miR-200b-3p	<a href="#">DIXDC1</a>	DIX domain containing 1
hsa-miR-200b-3p	<a href="#">NOVA1</a>	NOVA alternative splicing regulator 1
hsa-miR-200b-3p	<a href="#">DGKA</a>	diacylglycerol kinase alpha
hsa-miR-200b-3p	<a href="#">ZNF217</a>	zinc finger protein 217
hsa-miR-200b-3p	<a href="#">PCDH19</a>	protocadherin 19
hsa-miR-200b-3p	<a href="#">SCN5A</a>	sodium voltage-gated channel alpha subunit 5
hsa-miR-200b-3p	<a href="#">HS3ST1</a>	heparan sulfate-glucosamine 3-sulfotransferase 1
hsa-miR-200b-3p	<a href="#">PITPNM3</a>	PITPNM family member 3
hsa-miR-200b-3p	<a href="#">GXYLT1</a>	glucoside xylosyltransferase 1
hsa-miR-200b-3p	<a href="#">PIM2</a>	Pim-2 proto-oncogene, serine/threonine kinase
hsa-miR-200b-3p	<a href="#">INTS8</a>	integrator complex subunit 8



hsa-miR-200b-3p	<a href="#">CRH</a>	corticotropin releasing hormone
hsa-miR-200b-3p	<a href="#">RIMS2</a>	regulating synaptic membrane exocytosis 2
hsa-miR-200b-3p	<a href="#">GLI3</a>	GLI family zinc finger 3
hsa-miR-200b-3p	<a href="#">TOGARAM1</a>	TOG array regulator of axonemal microtubules 1
hsa-miR-200b-3p	<a href="#">YPEL2</a>	yippee like 2
hsa-miR-200b-3p	<a href="#">ICAD</a>	junctional cadherin 5 associated
hsa-miR-200b-3p	<a href="#">HDHD2</a>	haloacid dehalogenase like hydrolase domain containing 2
hsa-miR-200b-3p	<a href="#">ENO4</a>	enolase 4
hsa-miR-200b-3p	<a href="#">DENND5A</a>	DENN domain containing 5A
hsa-miR-200b-3p	<a href="#">TIMP2</a>	TIMP metalloproteinase inhibitor 2
hsa-miR-200b-3p	<a href="#">SES3</a>	sestrin 3
hsa-miR-200b-3p	<a href="#">USP6NL</a>	USP6 N-terminal like
hsa-miR-200b-3p	<a href="#">ERG</a>	ETS transcription factor ERG
hsa-miR-200b-3p	<a href="#">CEP350</a>	centrosomal protein 350
hsa-miR-200b-3p	<a href="#">ZNF326</a>	zinc finger protein 326
hsa-miR-200b-3p	<a href="#">OSBPL11</a>	oxysterol binding protein like 11
hsa-miR-200b-3p	<a href="#">NAP1L5</a>	nucleosome assembly protein 1 like 5
hsa-miR-200b-3p	<a href="#">RBFOX2</a>	RNA binding fox-1 homolog 2
hsa-miR-200b-3p	<a href="#">CYTH3</a>	cytohesin 3
hsa-miR-200b-3p	<a href="#">DPH6</a>	diphthamine biosynthesis 6
hsa-miR-200b-3p	<a href="#">MATR3</a>	matrin 3
hsa-miR-200b-3p	<a href="#">DNA2</a>	DNA replication helicase/nuclease 2
hsa-miR-200b-3p	<a href="#">ATL2</a>	atlastin GTPase 2
hsa-miR-200b-3p	<a href="#">MAPRE1</a>	microtubule associated protein RP/EB family member 1
hsa-miR-200b-3p	<a href="#">ROCK2</a>	Rho associated coiled-coil containing protein kinase 2
hsa-miR-200b-3p	<a href="#">PROK2</a>	prokineticin 2
hsa-miR-200b-3p	<a href="#">DNAJB5</a>	DnaJ heat shock protein family (Hsp40) member B5
hsa-miR-200b-3p	<a href="#">ESRRG</a>	estrogen related receptor gamma
hsa-miR-200b-3p	<a href="#">GNAQ</a>	G protein subunit alpha q
hsa-miR-200b-3p	<a href="#">MAP4K3</a>	mitogen-activated protein kinase kinase kinase kinase 3
hsa-miR-200b-3p	<a href="#">CNEP1R1</a>	CTD nuclear envelope phosphatase 1 regulatory subunit 1
hsa-miR-200b-3p	<a href="#">RIPK2</a>	receptor interacting serine/threonine kinase 2
hsa-miR-200b-3p	<a href="#">ZBTB38</a>	zinc finger and BTB domain containing 38
hsa-miR-200b-3p	<a href="#">FIGNL2</a>	fidgetin like 2
hsa-miR-200b-3p	<a href="#">ATAD2B</a>	ATPase family, AAA domain containing 2B
hsa-miR-200b-3p	<a href="#">FOXN2</a>	forkhead box N2
hsa-miR-200b-3p	<a href="#">ETS1</a>	ETS proto-oncogene 1, transcription factor
hsa-miR-200b-3p	<a href="#">AKAP7</a>	A-kinase anchoring protein 7
hsa-miR-200b-3p	<a href="#">PLPP3</a>	phospholipid phosphatase 3
hsa-miR-200b-3p	<a href="#">SRGAP1</a>	SLIT-ROBO Rho GTPase activating protein 1
hsa-miR-200b-3p	<a href="#">HECTD2</a>	HECT domain E3 ubiquitin protein ligase 2
hsa-miR-200b-3p	<a href="#">ELK3</a>	ELK3, ETS transcription factor
hsa-miR-200b-3p	<a href="#">CEP41</a>	centrosomal protein 41

hsa-miR-200b-3p	<a href="#">CNKSR3</a>	CNKSR family member 3
hsa-miR-200b-3p	<a href="#">ULK2</a>	unc-51 like autophagy activating kinase 2
hsa-miR-200b-3p	<a href="#">ZFPM2</a>	zinc finger protein, FOG family member 2
hsa-miR-200b-3p	<a href="#">ZMAT3</a>	zinc finger matrin-type 3
hsa-miR-200b-3p	<a href="#">RDH10</a>	retinol dehydrogenase 10
hsa-miR-200b-3p	<a href="#">SLC25A36</a>	solute carrier family 25 member 36
hsa-miR-200b-3p	<a href="#">CCDC82</a>	coiled-coil domain containing 82
hsa-miR-200b-3p	<a href="#">SLC30A7</a>	solute carrier family 30 member 7
hsa-miR-200b-3p	<a href="#">SCD</a>	stearoyl-CoA desaturase
hsa-miR-200b-3p	<a href="#">XKR4</a>	XK related 4
hsa-miR-200b-3p	<a href="#">ZCCHC24</a>	zinc finger CCHC-type containing 24
hsa-miR-200b-3p	<a href="#">CNTN1</a>	contactin 1
hsa-miR-200b-3p	<a href="#">SMARCD1</a>	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily d, member 1
hsa-miR-200b-3p	<a href="#">NPM1</a>	nucleophosmin 1
hsa-miR-200b-3p	<a href="#">ZSWIM4</a>	zinc finger SWIM-type containing 4
hsa-miR-200b-3p	<a href="#">NCS1</a>	neuronal calcium sensor 1
hsa-miR-200b-3p	<a href="#">RO60</a>	Ro60, Y RNA binding protein
hsa-miR-200b-3p	<a href="#">PTAR1</a>	protein prenyltransferase alpha subunit repeat containing 1
hsa-miR-200b-3p	<a href="#">PLCL1</a>	phospholipase C like 1 (inactive)
hsa-miR-200b-3p	<a href="#">CYTH1</a>	cytohesin 1
hsa-miR-200b-3p	<a href="#">TRHDE</a>	thyrotropin releasing hormone degrading enzyme
hsa-miR-200b-3p	<a href="#">BCL11B</a>	BCL11B, BAF complex component
hsa-miR-200b-3p	<a href="#">EDEM3</a>	ER degradation enhancing alpha-mannosidase like protein 3
hsa-miR-200b-3p	<a href="#">FLII</a>	FLII, actin remodeling protein
hsa-miR-200b-3p	<a href="#">KRT80</a>	keratin 80
hsa-miR-200b-3p	<a href="#">EIF2B5</a>	eukaryotic translation initiation factor 2B subunit epsilon
hsa-miR-200b-3p	<a href="#">FERMT2</a>	fermitin family member 2
hsa-miR-200b-3p	<a href="#">SERINC1</a>	serine incorporator 1
hsa-miR-200b-3p	<a href="#">ASAP1</a>	ArfGAP with SH3 domain, ankyrin repeat and PH domain 1
hsa-miR-200b-3p	<a href="#">RANBP10</a>	RAN binding protein 10
hsa-miR-200b-3p	<a href="#">RBFox3</a>	RNA binding fox-1 homolog 3
hsa-miR-200b-3p	<a href="#">HMGB3</a>	high mobility group box 3
hsa-miR-200b-3p	<a href="#">GJC1</a>	gap junction protein gamma 1
hsa-miR-200b-3p	<a href="#">CORO1C</a>	coronin 1C
hsa-miR-200b-3p	<a href="#">HOOK3</a>	hook microtubule tethering protein 3
hsa-miR-200b-3p	<a href="#">TAF12</a>	TATA-box binding protein associated factor 12
hsa-miR-200b-3p	<a href="#">MARF1</a>	meiosis regulator and mRNA stability factor 1
hsa-miR-200b-3p	<a href="#">NCK2</a>	NCK adaptor protein 2
hsa-miR-200b-3p	<a href="#">TSC22D2</a>	TSC22 domain family member 2
hsa-miR-200b-3p	<a href="#">CPED1</a>	cadherin like and PC-esterase domain containing 1
hsa-miR-200b-3p	<a href="#">TBL1XR1</a>	transducin beta like 1 X-linked receptor 1
hsa-miR-200b-3p	<a href="#">LRP1</a>	LDL receptor related protein 1

hsa-miR-200b-3p	<a href="#">FARP1</a>	FERM, ARH/RhoGEF and pleckstrin domain protein 1
hsa-miR-200b-3p	<a href="#">WWC3</a>	WWC family member 3
hsa-miR-200b-3p	<a href="#">BNC2</a>	basonuclein 2
hsa-miR-200b-3p	<a href="#">PHEX</a>	phosphate regulating endopeptidase homolog X-linked
hsa-miR-200b-3p	<a href="#">PKIA</a>	cAMP-dependent protein kinase inhibitor alpha
hsa-miR-200b-3p	<a href="#">RAP1B</a>	RAP1B, member of RAS oncogene family
hsa-miR-200b-3p	<a href="#">PTH1H</a>	parathyroid hormone like hormone
hsa-miR-200b-3p	<a href="#">UHRF1BP1</a>	UHRF1 binding protein 1
hsa-miR-200b-3p	<a href="#">GPR180</a>	G protein-coupled receptor 180
hsa-miR-200b-3p	<a href="#">C11orf87</a>	chromosome 11 open reading frame 87
hsa-miR-200b-3p	<a href="#">CLASP2</a>	cytoplasmic linker associated protein 2
hsa-miR-200b-3p	<a href="#">KLF4</a>	Kruppel like factor 4
hsa-miR-200b-3p	<a href="#">SCRT2</a>	scratch family transcriptional repressor 2
hsa-miR-200b-3p	<a href="#">RPS6KA3</a>	ribosomal protein S6 kinase A3
hsa-miR-200b-3p	<a href="#">GPATCH8</a>	G-patch domain containing 8
hsa-miR-200b-3p	<a href="#">GEM</a>	GTP binding protein overexpressed in skeletal muscle
hsa-miR-200b-3p	<a href="#">ZDHHC21</a>	zinc finger DHHC-type containing 21
hsa-miR-200b-3p	<a href="#">EXO2</a>	exo/endonuclease G
hsa-miR-200b-3p	<a href="#">SGCE</a>	sarcoglycan epsilon
hsa-miR-200b-3p	<a href="#">SLITRK1</a>	SLIT and NTRK like family member 1
hsa-miR-200b-3p	<a href="#">WASF1</a>	WAS protein family member 1
hsa-miR-200b-3p	<a href="#">INSM2</a>	INSM transcriptional repressor 2
hsa-miR-200b-3p	<a href="#">FLI1</a>	Fli-1 proto-oncogene, ETS transcription factor
hsa-miR-200b-3p	<a href="#">FAM118B</a>	family with sequence similarity 118 member B
hsa-miR-200b-3p	<a href="#">ERICH4</a>	glutamate rich 4
hsa-miR-200b-3p	<a href="#">SIX1</a>	SIX homeobox 1
hsa-miR-200b-3p	<a href="#">TMEM136</a>	transmembrane protein 136
hsa-miR-200b-3p	<a href="#">GTPBP10</a>	GTP binding protein 10
hsa-miR-200b-3p	<a href="#">CHRNA6</a>	cholinergic receptor nicotinic alpha 6 subunit
hsa-miR-200b-3p	<a href="#">EXD2</a>	exonuclease 3'-5' domain containing 2
hsa-miR-200b-3p	<a href="#">TLN1</a>	talin 1
hsa-miR-200b-3p	<a href="#">SNRPB2</a>	small nuclear ribonucleoprotein polypeptide B2
hsa-miR-200b-3p	<a href="#">ZC3H4</a>	zinc finger CCCH-type containing 4
hsa-miR-200b-3p	<a href="#">PI4KB</a>	phosphatidylinositol 4-kinase beta
hsa-miR-200b-3p	<a href="#">SLC39A14</a>	solute carrier family 39 member 14
hsa-miR-200b-3p	<a href="#">PPP2R1B</a>	protein phosphatase 2 scaffold subunit Abeta
hsa-miR-200b-3p	<a href="#">NUDT4</a>	nudix hydrolase 4
hsa-miR-200b-3p	<a href="#">PDIK1L</a>	PDLIM1 interacting kinase 1 like
hsa-miR-200b-3p	<a href="#">UBE2R2</a>	ubiquitin conjugating enzyme E2 R2
hsa-miR-200b-3p	<a href="#">CDYL2</a>	chromodomain Y like 2
hsa-miR-200b-3p	<a href="#">FIGN</a>	fidgetin, microtubule severing factor
hsa-miR-200b-3p	<a href="#">LIN7A</a>	lin-7 homolog A, crumbs cell polarity complex component
hsa-miR-200b-3p	<a href="#">RRP15</a>	ribosomal RNA processing 15 homolog
hsa-miR-200b-3p	<a href="#">HIPK1</a>	homeodomain interacting protein kinase 1
hsa-miR-200b-3p	<a href="#">SRI</a>	sorcin

hsa-miR-200b-3p	<a href="#">IKAMP</a>	JNK1/MAPK8 associated membrane protein
hsa-miR-200b-3p	<a href="#">SDC2</a>	syndecan 2
hsa-miR-200b-3p	<a href="#">PTBP3</a>	polypyrimidine tract binding protein 3
hsa-miR-200b-3p	<a href="#">CUX1</a>	cut like homeobox 1
hsa-miR-200b-3p	<a href="#">DACH1</a>	dachshund family transcription factor 1
hsa-miR-200b-3p	<a href="#">PPP1R10</a>	protein phosphatase 1 regulatory subunit 10
hsa-miR-200b-3p	<a href="#">RDX</a>	radixin
hsa-miR-200b-3p	<a href="#">SLC35E2B</a>	solute carrier family 35 member E2B
hsa-miR-200b-3p	<a href="#">YWHAB</a>	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein beta
hsa-miR-200b-3p	<a href="#">DDIT4L</a>	DNA damage inducible transcript 4 like
hsa-miR-200b-3p	<a href="#">SYVN1</a>	synoviolin 1
hsa-miR-200b-3p	<a href="#">DZIP1</a>	DAZ interacting zinc finger protein 1
hsa-miR-200b-3p	<a href="#">PPM1B</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1B
hsa-miR-200b-3p	<a href="#">SOX2</a>	SRY-box 2
hsa-miR-200b-3p	<a href="#">GLCCI1</a>	glucocorticoid induced 1
hsa-miR-200b-3p	<a href="#">BDP1</a>	B double prime 1, subunit of RNA polymerase III transcription initiation factor IIIB
hsa-miR-200b-3p	<a href="#">STRADB</a>	STE20 related adaptor beta
hsa-miR-200b-3p	<a href="#">HS3ST3A1</a>	heparan sulfate-glucosamine 3-sulfotransferase 3A1
hsa-miR-200b-3p	<a href="#">KIAA0355</a>	KIAA0355
hsa-miR-200b-3p	<a href="#">SLF2</a>	SMC5-SMC6 complex localization factor 2
hsa-miR-200b-3p	<a href="#">ARHGAP20</a>	Rho GTPase activating protein 20
hsa-miR-200b-3p	<a href="#">IKZF2</a>	IKAROS family zinc finger 2
hsa-miR-200b-3p	<a href="#">SLC35E2A</a>	solute carrier family 35 member E2A
hsa-miR-200b-3p	<a href="#">APOO</a>	apolipoprotein O
hsa-miR-200b-3p	<a href="#">SLC24A4</a>	solute carrier family 24 member 4
hsa-miR-200b-3p	<a href="#">FSTL1</a>	folliculin like 1
hsa-miR-200b-3p	<a href="#">CASZ1</a>	castor zinc finger 1
hsa-miR-200b-3p	<a href="#">CTDSPL2</a>	CTD small phosphatase like 2
hsa-miR-200b-3p	<a href="#">PCLAF</a>	PCNA clamp associated factor
hsa-miR-200b-3p	<a href="#">FNDC3B</a>	fibronectin type III domain containing 3B
hsa-miR-200b-3p	<a href="#">A1CF</a>	APOBEC1 complementation factor
hsa-miR-200b-3p	<a href="#">EIF4E2</a>	eukaryotic translation initiation factor 4E family member 2
hsa-miR-200b-3p	<a href="#">NECTIN4</a>	nectin cell adhesion molecule 4
hsa-miR-200b-3p	<a href="#">TMEM164</a>	transmembrane protein 164
hsa-miR-200b-3p	<a href="#">PPP1R9A</a>	protein phosphatase 1 regulatory subunit 9A
hsa-miR-200b-3p	<a href="#">SNX16</a>	sorting nexin 16
hsa-miR-200b-3p	<a href="#">GTF3C4</a>	general transcription factor IIIC subunit 4
hsa-miR-200b-3p	<a href="#">RGL1</a>	ral guanine nucleotide dissociation stimulator like 1
hsa-miR-200b-3p	<a href="#">SUZ12</a>	SUZ12, polycomb repressive complex 2 subunit
hsa-miR-200b-3p	<a href="#">CHSY1</a>	chondroitin sulfate synthase 1
hsa-miR-200b-3p	<a href="#">KANK2</a>	KN motif and ankyrin repeat domains 2
hsa-miR-200b-3p	<a href="#">GSTA4</a>	glutathione S-transferase alpha 4
hsa-miR-200b-3p	<a href="#">CLVS2</a>	clavesin 2

hsa-miR-200b-3p	<a href="#">NPC1</a>	NPC intracellular cholesterol transporter 1
hsa-miR-200b-3p	<a href="#">PLXNC1</a>	plexin C1
hsa-miR-200b-3p	<a href="#">ARID4B</a>	AT-rich interaction domain 4B
hsa-miR-200b-3p	<a href="#">TUBE</a>	tubulin beta class I
hsa-miR-200b-3p	<a href="#">NAB1</a>	NGFI-A binding protein 1
hsa-miR-200b-3p	<a href="#">MBNL2</a>	muscleblind like splicing regulator 2
hsa-miR-200b-3p	<a href="#">BICC1</a>	BicC family RNA binding protein 1
hsa-miR-200b-3p	<a href="#">CEP97</a>	centrosomal protein 97
hsa-miR-200b-3p	<a href="#">ANK3</a>	ankyrin 3
hsa-miR-200b-3p	<a href="#">MYZAP</a>	myocardial zonula adherens protein
hsa-miR-200b-3p	<a href="#">DPY19L3</a>	dpy-19 like C-mannosyltransferase 3
hsa-miR-200b-3p	<a href="#">SEMA3F</a>	semaphorin 3F
hsa-miR-200b-3p	<a href="#">IGF2R</a>	insulin like growth factor 2 receptor
hsa-miR-200b-3p	<a href="#">TAP2</a>	transporter 2, ATP binding cassette subfamily B member
hsa-miR-200b-3p	<a href="#">LEPR</a>	leptin receptor
hsa-miR-200b-3p	<a href="#">CASR</a>	calcium sensing receptor
hsa-miR-200b-3p	<a href="#">DCUN1D5</a>	defective in cullin neddylation 1 domain containing 5
hsa-miR-200b-3p	<a href="#">HNRNPD</a>	heterogeneous nuclear ribonucleoprotein D
hsa-miR-200b-3p	<a href="#">DENND1B</a>	DENN domain containing 1B
hsa-miR-200b-3p	<a href="#">MTF2</a>	metal response element binding transcription factor 2
hsa-miR-200b-3p	<a href="#">UBE2W</a>	ubiquitin conjugating enzyme E2 W
hsa-miR-200b-3p	<a href="#">TBCA</a>	tubulin folding cofactor A
hsa-miR-200b-3p	<a href="#">MYB</a>	MYB proto-oncogene, transcription factor
hsa-miR-200b-3p	<a href="#">PLPPR4</a>	phospholipid phosphatase related 4
hsa-miR-200b-3p	<a href="#">TRIM23</a>	tripartite motif containing 23
hsa-miR-200b-3p	<a href="#">IER5</a>	immediate early response 5
hsa-miR-200b-3p	<a href="#">CCNE2</a>	cyclin E2
hsa-miR-200b-3p	<a href="#">CRTAP</a>	cartilage associated protein
hsa-miR-200b-3p	<a href="#">NUFIP2</a>	nuclear FMR1 interacting protein 2
hsa-miR-200b-3p	<a href="#">SECISBP2L</a>	SECIS binding protein 2 like
hsa-miR-200b-3p	<a href="#">NOTCH1</a>	notch 1
hsa-miR-200b-3p	<a href="#">PRDM1</a>	PR/SET domain 1
hsa-miR-200b-3p	<a href="#">ALDH1A1</a>	aldehyde dehydrogenase 1 family member A1
hsa-miR-200b-3p	<a href="#">DNAJB14</a>	DnaJ heat shock protein family (Hsp40) member B14
hsa-miR-200b-3p	<a href="#">GATA4</a>	GATA binding protein 4
hsa-miR-200b-3p	<a href="#">GPATCH2L</a>	G-patch domain containing 2 like
hsa-miR-200b-3p	<a href="#">KIF14</a>	kinesin family member 14
hsa-miR-200b-3p	<a href="#">NYAP1</a>	neuronal tyrosine phosphorylated phosphoinositide-3-kinase adaptor 1
hsa-miR-200b-3p	<a href="#">SCN8A</a>	sodium voltage-gated channel alpha subunit 8
hsa-miR-200b-3p	<a href="#">ATP6V0A2</a>	ATPase H <sup>+</sup> transporting V0 subunit a2
hsa-miR-200b-3p	<a href="#">NRG1</a>	neuregulin 1
hsa-miR-200b-3p	<a href="#">ACVR1C</a>	activin A receptor type 1C
hsa-miR-200b-3p	<a href="#">MTSS1L</a>	MTSS1L, I-BAR domain containing
hsa-miR-200b-3p	<a href="#">ADH1B</a>	alcohol dehydrogenase 1B (class I), beta polypeptide

hsa-miR-200b-3p	<a href="#">GUCY1A1</a>	guanylate cyclase 1 soluble subunit alpha 1
hsa-miR-200b-3p	<a href="#">SBSPON</a>	somatomedin B and thrombospondin type 1 domain containing
hsa-miR-200b-3p	<a href="#">PICALM</a>	phosphatidylinositol binding clathrin assembly protein
hsa-miR-200b-3p	<a href="#">KLF6</a>	Kruppel like factor 6
hsa-miR-200b-3p	<a href="#">CHMP5</a>	charged multivesicular body protein 5
hsa-miR-200b-3p	<a href="#">EFNB2</a>	ephrin B2
hsa-miR-200b-3p	<a href="#">MEX3D</a>	mex-3 RNA binding family member D
hsa-miR-200b-3p	<a href="#">KCND2</a>	potassium voltage-gated channel subfamily D member 2
hsa-miR-200b-3p	<a href="#">SIKE1</a>	suppressor of IKBKE 1
hsa-miR-200b-3p	<a href="#">MSL2</a>	MSL complex subunit 2
hsa-miR-200b-3p	<a href="#">ZNF224</a>	zinc finger protein 224
hsa-miR-200b-3p	<a href="#">FRMD4B</a>	FERM domain containing 4B
hsa-miR-200b-3p	<a href="#">OXR1</a>	oxidation resistance 1
hsa-miR-200b-3p	<a href="#">CDH11</a>	cadherin 11
hsa-miR-200b-3p	<a href="#">IPO8</a>	importin 8
hsa-miR-200b-3p	<a href="#">BPTF</a>	bromodomain PHD finger transcription factor
hsa-miR-200b-3p	<a href="#">RSPRY1</a>	ring finger and SPRY domain containing 1
hsa-miR-200b-3p	<a href="#">NDN</a>	necdin, MAGE family member
hsa-miR-200b-3p	<a href="#">THSD7A</a>	thrombospondin type 1 domain containing 7A
hsa-miR-200b-3p	<a href="#">MMGT1</a>	membrane magnesium transporter 1
hsa-miR-200b-3p	<a href="#">STX17</a>	syntaxin 17
hsa-miR-200b-3p	<a href="#">PHF6</a>	PHD finger protein 6
hsa-miR-200b-3p	<a href="#">ARHGEF17</a>	Rho guanine nucleotide exchange factor 17
hsa-miR-200b-3p	<a href="#">RABIF</a>	RAB interacting factor
hsa-miR-200b-3p	<a href="#">ETV5</a>	ETS variant 5
hsa-miR-200b-3p	<a href="#">CADM1</a>	cell adhesion molecule 1
hsa-miR-200b-3p	<a href="#">TMBIM4</a>	transmembrane BAX inhibitor motif containing 4
hsa-miR-200b-3p	<a href="#">ANLN</a>	anillin actin binding protein
hsa-miR-200b-3p	<a href="#">NIN</a>	ninein
hsa-miR-200b-3p	<a href="#">TAF9B</a>	TATA-box binding protein associated factor 9b
hsa-miR-200b-3p	<a href="#">BAG5</a>	BCL2 associated athanogene 5
hsa-miR-200b-3p	<a href="#">PAPOLA</a>	poly(A) polymerase alpha
hsa-miR-200b-3p	<a href="#">NSD2</a>	nuclear receptor binding SET domain protein 2
hsa-miR-200b-3p	<a href="#">UBQLN1</a>	ubiquilin 1
hsa-miR-200b-3p	<a href="#">SHROOM2</a>	shroom family member 2
hsa-miR-200b-3p	<a href="#">LAMC1</a>	laminin subunit gamma 1
hsa-miR-200b-3p	<a href="#">SYNCRIP</a>	synaptotagmin binding cytoplasmic RNA interacting protein
hsa-miR-200b-3p	<a href="#">CPEB3</a>	cytoplasmic polyadenylation element binding protein 3
hsa-miR-200b-3p	<a href="#">DCT</a>	dopachrome tautomerase
hsa-miR-200b-3p	<a href="#">CYP11B1</a>	cytochrome P450 family 11 subfamily B member 1
hsa-miR-200b-3p	<a href="#">ROBO2</a>	roundabout guidance receptor 2
hsa-miR-200b-3p	<a href="#">XKR6</a>	XK related 6
hsa-miR-200b-3p	<a href="#">STXBP6</a>	syntaxin binding protein 6



hsa-miR-200b-3p	<a href="#">SWAP70</a>	switching B cell complex subunit SWAP70
hsa-miR-200b-3p	<a href="#">LATS2</a>	large tumor suppressor kinase 2
hsa-miR-200b-3p	<a href="#">FYN</a>	FYN proto-oncogene, Src family tyrosine kinase
hsa-miR-200b-3p	<a href="#">PPP1CB</a>	protein phosphatase 1 catalytic subunit beta
hsa-miR-200b-3p	<a href="#">RIMKLB</a>	ribosomal modification protein rimK like family member B
hsa-miR-200b-3p	<a href="#">SASH1</a>	SAM and SH3 domain containing 1
hsa-miR-200b-3p	<a href="#">NUP160</a>	nucleoporin 160
hsa-miR-200b-3p	<a href="#">SHOX2</a>	short stature homeobox 2
hsa-miR-200b-3p	<a href="#">HOXA5</a>	homeobox A5
hsa-miR-200b-3p	<a href="#">GABPA</a>	GA binding protein transcription factor subunit alpha
hsa-miR-200b-3p	<a href="#">SLC15A5</a>	solute carrier family 15 member 5
hsa-miR-200b-3p	<a href="#">KANK1</a>	KN motif and ankyrin repeat domains 1
hsa-miR-200b-3p	<a href="#">LMO7</a>	LIM domain 7
hsa-miR-200b-3p	<a href="#">TMA16</a>	translation machinery associated 16 homolog
hsa-miR-200b-3p	<a href="#">PCSK2</a>	proprotein convertase subtilisin/kexin type 2
hsa-miR-200b-3p	<a href="#">SH3GL1</a>	SH3 domain containing GRB2 like 1, endophilin A2
hsa-miR-200b-3p	<a href="#">SLC38A2</a>	solute carrier family 38 member 2
hsa-miR-200b-3p	<a href="#">CNN3</a>	calponin 3
hsa-miR-200b-3p	<a href="#">ZNF302</a>	zinc finger protein 302
hsa-miR-200b-3p	<a href="#">RNF5</a>	ring finger protein 5
hsa-miR-200b-3p	<a href="#">FSIP1</a>	fibrous sheath interacting protein 1
hsa-miR-200b-3p	<a href="#">LRRC58</a>	leucine rich repeat containing 58
hsa-miR-200b-3p	<a href="#">CNTFR</a>	ciliary neurotrophic factor receptor
hsa-miR-200b-3p	<a href="#">ZFHX4</a>	zinc finger homeobox 4
hsa-miR-200b-3p	<a href="#">ELMOD1</a>	ELMO domain containing 1
hsa-miR-200b-3p	<a href="#">CASP2</a>	caspase 2
hsa-miR-200b-3p	<a href="#">LCA5</a>	LCA5, lebercilin
hsa-miR-200b-3p	<a href="#">RAPGEF2</a>	Rap guanine nucleotide exchange factor 2
hsa-miR-200b-3p	<a href="#">IKBKB</a>	inhibitor of nuclear factor kappa B kinase subunit beta
hsa-miR-200b-3p	<a href="#">SPTSSA</a>	serine palmitoyltransferase small subunit A
hsa-miR-200b-3p	<a href="#">FUNDCl</a>	FUN14 domain containing 1
hsa-miR-200b-3p	<a href="#">UBXN8</a>	UBX domain protein 8
hsa-miR-200b-3p	<a href="#">SRP72</a>	signal recognition particle 72
hsa-miR-200b-3p	<a href="#">NFIB</a>	nuclear factor I B
hsa-miR-200b-3p	<a href="#">USP18</a>	ubiquitin specific peptidase 18
hsa-miR-200b-3p	<a href="#">TBCK</a>	TBC1 domain containing kinase
hsa-miR-200b-3p	<a href="#">LARP1B</a>	La ribonucleoprotein domain family member 1B
hsa-miR-200b-3p	<a href="#">RNF180</a>	ring finger protein 180
hsa-miR-200b-3p	<a href="#">UBE2D1</a>	ubiquitin conjugating enzyme E2 D1
hsa-miR-200b-3p	<a href="#">GTF2E1</a>	general transcription factor IIE subunit 1
hsa-miR-200b-3p	<a href="#">SBF1</a>	SET binding factor 1
hsa-miR-200b-3p	<a href="#">SIX3</a>	SIX homeobox 3
hsa-miR-200b-3p	<a href="#">UBA6</a>	ubiquitin like modifier activating enzyme 6
hsa-miR-200b-3p	<a href="#">PLK2</a>	polo like kinase 2
hsa-miR-200b-3p	<a href="#">SUPT20H</a>	SPT20 homolog, SAGA complex component

hsa-miR-200b-3p	<a href="#">YAP1</a>	Yes associated protein 1
hsa-miR-200b-3p	<a href="#">KLHL29</a>	kelch like family member 29
hsa-miR-200b-3p	<a href="#">ZBTB20</a>	zinc finger and BTB domain containing 20
hsa-miR-200b-3p	<a href="#">C6orf120</a>	chromosome 6 open reading frame 120
hsa-miR-200b-3p	<a href="#">TRIM71</a>	tripartite motif containing 71
hsa-miR-200b-3p	<a href="#">SLC16A2</a>	solute carrier family 16 member 2
hsa-miR-200b-3p	<a href="#">GNAI3</a>	G protein subunit alpha i3
hsa-miR-200b-3p	<a href="#">EFNA1</a>	ephrin A1
hsa-miR-200b-3p	<a href="#">USP43</a>	ubiquitin specific peptidase 43
hsa-miR-200b-3p	<a href="#">PAK6</a>	p21 (RAC1) activated kinase 6
hsa-miR-200b-3p	<a href="#">KMT2C</a>	lysine methyltransferase 2C
hsa-miR-200b-3p	<a href="#">AMBRA1</a>	autophagy and beclin 1 regulator 1
hsa-miR-200b-3p	<a href="#">RASSF6</a>	Ras association domain family member 6
hsa-miR-200b-3p	<a href="#">EPHA5</a>	EPH receptor A5
hsa-miR-200b-3p	<a href="#">KDSR</a>	3-ketodihydrosphingosine reductase
hsa-miR-200b-3p	<a href="#">MSANTD2</a>	Myb/SANT DNA binding domain containing 2
hsa-miR-200b-3p	<a href="#">ZNF697</a>	zinc finger protein 697
hsa-miR-200b-3p	<a href="#">PRKN</a>	parkin RBR E3 ubiquitin protein ligase
hsa-miR-200b-3p	<a href="#">CDR2</a>	cerebellar degeneration related protein 2
hsa-miR-200b-3p	<a href="#">ASH1L</a>	ASH1 like histone lysine methyltransferase
hsa-miR-200b-3p	<a href="#">TIFA</a>	TRAF interacting protein with forkhead associated domain
hsa-miR-200b-3p	<a href="#">SLC4A4</a>	solute carrier family 4 member 4
hsa-miR-200b-3p	<a href="#">ANO5</a>	anoctamin 5
hsa-miR-200b-3p	<a href="#">MXD4</a>	MAX dimerization protein 4
hsa-miR-200b-3p	<a href="#">NRXN1</a>	neurexin 1
hsa-miR-200b-3p	<a href="#">TMX1</a>	thioredoxin related transmembrane protein 1
hsa-miR-200b-3p	<a href="#">SLC39A8</a>	solute carrier family 39 member 8
hsa-miR-200b-3p	<a href="#">B4GALT6</a>	beta-1,4-galactosyltransferase 6
hsa-miR-200b-3p	<a href="#">GAB1</a>	GRB2 associated binding protein 1
hsa-miR-200b-3p	<a href="#">AAK1</a>	AP2 associated kinase 1
hsa-miR-200b-3p	<a href="#">DNAJB6</a>	DnaJ heat shock protein family (Hsp40) member B6
hsa-miR-200b-3p	<a href="#">STYX</a>	serine/threonine/tyrosine interacting protein
hsa-miR-200b-3p	<a href="#">TAF4</a>	TATA-box binding protein associated factor 4
hsa-miR-200b-3p	<a href="#">KCNMB1</a>	potassium calcium-activated channel subfamily M regulatory beta subunit 1
hsa-miR-200b-3p	<a href="#">RNF169</a>	ring finger protein 169
hsa-miR-200b-3p	<a href="#">C4orf46</a>	chromosome 4 open reading frame 46
hsa-miR-200b-3p	<a href="#">FAM227A</a>	family with sequence similarity 227 member A
hsa-miR-200b-3p	<a href="#">CPPED1</a>	calcineurin like phosphoesterase domain containing 1
hsa-miR-200b-3p	<a href="#">ICK</a>	intestinal cell kinase
hsa-miR-200b-3p	<a href="#">TMEM135</a>	transmembrane protein 135
hsa-miR-200b-3p	<a href="#">TBC1D22B</a>	TBC1 domain family member 22B
hsa-miR-200b-3p	<a href="#">CCDC186</a>	coiled-coil domain containing 186
hsa-miR-200b-3p	<a href="#">SLC35A2</a>	solute carrier family 35 member A2

hsa-miR-200b-3p	<a href="#">SEC24A</a>	SEC24 homolog A, COPII coat complex component
hsa-miR-200b-3p	<a href="#">DNAJC10</a>	DnaJ heat shock protein family (Hsp40) member C10
hsa-miR-200b-3p	<a href="#">GRAP2</a>	GRB2 related adaptor protein 2
hsa-miR-200b-3p	<a href="#">KPNA4</a>	karyopherin subunit alpha 4
hsa-miR-200b-3p	<a href="#">YTHDF3</a>	YTH N6-methyladenosine RNA binding protein 3
hsa-miR-200b-3p	<a href="#">NCOA7</a>	nuclear receptor coactivator 7
hsa-miR-200b-3p	<a href="#">FBXO22</a>	F-box protein 22
hsa-miR-200b-3p	<a href="#">UBE2I</a>	ubiquitin conjugating enzyme E2 I
hsa-miR-200b-3p	<a href="#">ADRB2</a>	adrenoceptor beta 2
hsa-miR-200b-3p	<a href="#">UBAC2</a>	UBA domain containing 2
hsa-miR-200b-3p	<a href="#">RAB8B</a>	RAB8B, member RAS oncogene family
hsa-miR-200b-3p	<a href="#">RFTN2</a>	raftlin family member 2
hsa-miR-200b-3p	<a href="#">ADCY9</a>	adenylate cyclase 9
hsa-miR-200b-3p	<a href="#">PCDH7</a>	protocadherin 7
hsa-miR-200b-3p	<a href="#">MIER3</a>	MIER family member 3
hsa-miR-200b-3p	<a href="#">PHACTR2</a>	phosphatase and actin regulator 2
hsa-miR-200b-3p	<a href="#">CACUL1</a>	CDK2 associated cullin domain 1
hsa-miR-200b-3p	<a href="#">BLOC1S6</a>	biogenesis of lysosomal organelles complex 1 subunit 6
hsa-miR-200b-3p	<a href="#">SOX1</a>	SRY-box 1
hsa-miR-200b-3p	<a href="#">KIAA1841</a>	KIAA1841
hsa-miR-200b-3p	<a href="#">PRKAR1A</a>	protein kinase cAMP-dependent type I regulatory subunit alpha
hsa-miR-200b-3p	<a href="#">HTR2A</a>	5-hydroxytryptamine receptor 2A
hsa-miR-200b-3p	<a href="#">FUT9</a>	fucosyltransferase 9
hsa-miR-200b-3p	<a href="#">ACVR2B</a>	activin A receptor type 2B
hsa-miR-200b-3p	<a href="#">LONRF2</a>	LON peptidase N-terminal domain and ring finger 2
hsa-miR-200b-3p	<a href="#">RRAS2</a>	RAS related 2
hsa-miR-200b-3p	<a href="#">ENOX2</a>	ecto-NOX disulfide-thiol exchanger 2
hsa-miR-200b-3p	<a href="#">ZFY</a>	zinc finger protein Y-linked
hsa-miR-200b-3p	<a href="#">TM7SF3</a>	transmembrane 7 superfamily member 3
hsa-miR-200b-3p	<a href="#">MTMR6</a>	myotubularin related protein 6
hsa-miR-200b-3p	<a href="#">MAGEC2</a>	MAGE family member C2
hsa-miR-200b-3p	<a href="#">ZFR</a>	zinc finger RNA binding protein
hsa-miR-200b-3p	<a href="#">AP1AR</a>	adaptor related protein complex 1 associated regulatory protein
hsa-miR-200b-3p	<a href="#">NCOA4</a>	nuclear receptor coactivator 4
hsa-miR-200b-3p	<a href="#">PSTPIP2</a>	proline-serine-threonine phosphatase interacting protein 2
hsa-miR-200b-3p	<a href="#">FUBP3</a>	far upstream element binding protein 3
hsa-miR-200b-3p	<a href="#">SHCBP1</a>	SHC binding and spindle associated 1
hsa-miR-200b-3p	<a href="#">TIAL1</a>	TIA1 cytotoxic granule associated RNA binding protein like 1
hsa-miR-200b-3p	<a href="#">MEX3B</a>	mex-3 RNA binding family member B
hsa-miR-200b-3p	<a href="#">GPR173</a>	G protein-coupled receptor 173
hsa-miR-200b-3p	<a href="#">SYNC</a>	syncoilin, intermediate filament protein
hsa-miR-200b-3p	<a href="#">GIGYF1</a>	GRB10 interacting GYF protein 1

hsa-miR-200b-3p	<a href="#">IQCI-SCHIP1</a>	IQCI-SCHIP1 readthrough
hsa-miR-200b-3p	<a href="#">XG</a>	Xg glycoprotein (Xg blood group)
hsa-miR-200b-3p	<a href="#">ZBTB8A</a>	zinc finger and BTB domain containing 8A
hsa-miR-200b-3p	<a href="#">TMEM170B</a>	transmembrane protein 170B
hsa-miR-200b-3p	<a href="#">UTY</a>	ubiquitously transcribed tetratricopeptide repeat containing, Y-linked
hsa-miR-200b-3p	<a href="#">EIF5B</a>	eukaryotic translation initiation factor 5B
hsa-miR-200b-3p	<a href="#">NCAM1</a>	neural cell adhesion molecule 1
hsa-miR-200b-3p	<a href="#">PAIP2</a>	poly(A) binding protein interacting protein 2
hsa-miR-200b-3p	<a href="#">RBFOX1</a>	RNA binding fox-1 homolog 1
hsa-miR-200b-3p	<a href="#">SNAP25</a>	synaptosome associated protein 25
hsa-miR-200b-3p	<a href="#">EP300</a>	E1A binding protein p300
hsa-miR-200b-3p	<a href="#">CERS6</a>	ceramide synthase 6
hsa-miR-200b-3p	<a href="#">GMFB</a>	glia maturation factor beta
hsa-miR-200b-3p	<a href="#">NFYA</a>	nuclear transcription factor Y subunit alpha
hsa-miR-200b-3p	<a href="#">PARD3B</a>	par-3 family cell polarity regulator beta
hsa-miR-200b-3p	<a href="#">HNF1B</a>	HNF1 homeobox B
hsa-miR-200b-3p	<a href="#">MARCH8</a>	membrane associated ring-CH-type finger 8
hsa-miR-200b-3p	<a href="#">ZDHHC17</a>	zinc finger DHHC-type containing 17
hsa-miR-200b-3p	<a href="#">C5orf24</a>	chromosome 5 open reading frame 24
hsa-miR-200b-3p	<a href="#">WDR91</a>	WD repeat domain 91
hsa-miR-200b-3p	<a href="#">COG6</a>	component of oligomeric golgi complex 6
hsa-miR-200b-3p	<a href="#">MSTN</a>	myostatin
hsa-miR-200b-3p	<a href="#">CREBBP</a>	CREB binding protein
hsa-miR-200b-3p	<a href="#">NDNF</a>	neuron derived neurotrophic factor
hsa-miR-200b-3p	<a href="#">ACACA</a>	acetyl-CoA carboxylase alpha
hsa-miR-200b-3p	<a href="#">OPRM1</a>	opioid receptor mu 1
hsa-miR-200b-3p	<a href="#">CALU</a>	calumenin
hsa-miR-200b-3p	<a href="#">RSRC2</a>	arginine and serine rich coiled-coil 2
hsa-miR-200b-3p	<a href="#">LPAR1</a>	lysophosphatidic acid receptor 1
hsa-miR-200b-3p	<a href="#">PTPN22</a>	protein tyrosine phosphatase, non-receptor type 22
hsa-miR-200b-3p	<a href="#">RHOT1</a>	ras homolog family member T1
hsa-miR-200b-3p	<a href="#">N4BP2</a>	NEDD4 binding protein 2
hsa-miR-200b-3p	<a href="#">RNF38</a>	ring finger protein 38
hsa-miR-200b-3p	<a href="#">RBM26</a>	RNA binding motif protein 26
hsa-miR-200b-3p	<a href="#">SLTM</a>	SAFB like transcription modulator
hsa-miR-200b-3p	<a href="#">CLOCK</a>	clock circadian regulator
hsa-miR-200b-3p	<a href="#">CDC73</a>	cell division cycle 73
hsa-miR-200b-3p	<a href="#">PLS3</a>	plastin 3
hsa-miR-200b-3p	<a href="#">ADCY2</a>	adenylate cyclase 2
hsa-miR-200b-3p	<a href="#">CALN1</a>	calneuron 1
hsa-miR-200b-3p	<a href="#">C15orf40</a>	chromosome 15 open reading frame 40
hsa-miR-200b-3p	<a href="#">TP73</a>	tumor protein p73
hsa-miR-200b-3p	<a href="#">FRMD4A</a>	FERM domain containing 4A
hsa-miR-200b-3p	<a href="#">TMEM170A</a>	transmembrane protein 170A

hsa-miR-200b-3p	<a href="#">DCAF17</a>	DDB1 and CUL4 associated factor 17
hsa-miR-200b-3p	<a href="#">ANGEL2</a>	angel homolog 2
hsa-miR-200b-3p	<a href="#">RPRD1A</a>	regulation of nuclear pre-mRNA domain containing 1A
hsa-miR-200b-3p	<a href="#">EHD1</a>	EH domain containing 1
hsa-miR-200b-3p	<a href="#">ACADSB</a>	acyl-CoA dehydrogenase short/branched chain
hsa-miR-200b-3p	<a href="#">ARL15</a>	ADP ribosylation factor like GTPase 15
hsa-miR-200b-3p	<a href="#">ALG2</a>	ALG2, alpha-1,3/1,6-mannosyltransferase
hsa-miR-200b-3p	<a href="#">PALM2</a>	paralemmin 2
hsa-miR-200b-3p	<a href="#">PPWD1</a>	peptidylprolyl isomerase domain and WD repeat containing 1
hsa-miR-200b-3p	<a href="#">ARGLU1</a>	arginine and glutamate rich 1
hsa-miR-200b-3p	<a href="#">TMEM33</a>	transmembrane protein 33
hsa-miR-200b-3p	<a href="#">PPARA</a>	peroxisome proliferator activated receptor alpha
hsa-miR-200b-3p	<a href="#">PTGER2</a>	prostaglandin E receptor 2
hsa-miR-200b-3p	<a href="#">C19orf12</a>	chromosome 19 open reading frame 12
hsa-miR-200b-3p	<a href="#">BAG6</a>	BCL2 associated athanogene 6
hsa-miR-200b-3p	<a href="#">TLL2</a>	tolloid like 2
hsa-miR-200b-3p	<a href="#">ANKRD33B</a>	ankyrin repeat domain 33B
hsa-miR-200b-3p	<a href="#">PNISR</a>	PNN interacting serine and arginine rich protein
hsa-miR-200b-3p	<a href="#">DOCK4</a>	dedicator of cytokinesis 4
hsa-miR-200b-3p	<a href="#">MTMR9</a>	myotubularin related protein 9
hsa-miR-200b-3p	<a href="#">ZNF557</a>	zinc finger protein 557
hsa-miR-200b-3p	<a href="#">C2CD6</a>	C2 calcium dependent domain containing 6
hsa-miR-200b-3p	<a href="#">FAM81A</a>	family with sequence similarity 81 member A
hsa-miR-200b-3p	<a href="#">FASTKD3</a>	FAST kinase domains 3
hsa-miR-200b-3p	<a href="#">TMEM245</a>	transmembrane protein 245
hsa-miR-200b-3p	<a href="#">MON2</a>	MON2 homolog, regulator of endosome-to-Golgi trafficking
hsa-miR-200b-3p	<a href="#">MXD3</a>	MAX dimerization protein 3
hsa-miR-200b-3p	<a href="#">KIF11</a>	kinesin family member 11
hsa-miR-200b-3p	<a href="#">AFF4</a>	AF4/FMR2 family member 4
hsa-miR-200b-3p	<a href="#">SLC6A15</a>	solute carrier family 6 member 15
hsa-miR-200b-3p	<a href="#">CNST</a>	consortin, connexin sorting protein
hsa-miR-200b-3p	<a href="#">PPP2CA</a>	protein phosphatase 2 catalytic subunit alpha
hsa-miR-200b-3p	<a href="#">CTNND2</a>	catenin delta 2
hsa-miR-200b-3p	<a href="#">PHC3</a>	polyhomeotic homolog 3
hsa-miR-200b-3p	<a href="#">ORMDL3</a>	ORMDL sphingolipid biosynthesis regulator 3
hsa-miR-200b-3p	<a href="#">SRF</a>	serum response factor
hsa-miR-200b-3p	<a href="#">CASK</a>	calcium/calmodulin dependent serine protein kinase
hsa-miR-200b-3p	<a href="#">LCORL</a>	ligand dependent nuclear receptor corepressor like
hsa-miR-200b-3p	<a href="#">YPEL1</a>	yippee like 1
hsa-miR-200b-3p	<a href="#">GABRB3</a>	gamma-aminobutyric acid type A receptor beta3 subunit
hsa-miR-200b-3p	<a href="#">TFPI</a>	tissue factor pathway inhibitor
hsa-miR-200b-3p	<a href="#">UNC80</a>	unc-80 homolog, NALCN channel complex subunit
hsa-miR-200b-3p	<a href="#">FLT4</a>	fms related tyrosine kinase 4

hsa-miR-200b-3p	<a href="#">MKLN1</a>	muskelin 1
hsa-miR-200b-3p	<a href="#">STARD13</a>	StAR related lipid transfer domain containing 13
hsa-miR-200b-3p	<a href="#">BPY2C</a>	basic charge Y-linked 2C
hsa-miR-200b-3p	<a href="#">MAMDC2</a>	MAM domain containing 2
hsa-miR-200b-3p	<a href="#">BPY2B</a>	basic charge Y-linked 2B
hsa-miR-200b-3p	<a href="#">SSR3</a>	signal sequence receptor subunit 3
hsa-miR-200b-3p	<a href="#">SLC25A27</a>	solute carrier family 25 member 27
hsa-miR-200b-3p	<a href="#">FUT4</a>	fucosyltransferase 4
hsa-miR-200b-3p	<a href="#">LFNG</a>	LFNG O-fucosylpeptide 3-beta-N-acetylglucosaminyltransferase
hsa-miR-200b-3p	<a href="#">UBE2V1</a>	ubiquitin conjugating enzyme E2 V1
hsa-miR-200b-3p	<a href="#">FHOD1</a>	formin homology 2 domain containing 1
hsa-miR-200b-3p	<a href="#">SYT1</a>	synaptotagmin 1
hsa-miR-200b-3p	<a href="#">TIGAR</a>	TP53 induced glycolysis regulatory phosphatase
hsa-miR-200b-3p	<a href="#">FBXW11</a>	F-box and WD repeat domain containing 11
hsa-miR-200b-3p	<a href="#">DSG1</a>	desmoglein 1
hsa-miR-200b-3p	<a href="#">LETM2</a>	leucine zipper and EF-hand containing transmembrane protein 2
hsa-miR-200b-3p	<a href="#">MYT1</a>	myelin transcription factor 1
hsa-miR-200b-3p	<a href="#">TAB3</a>	TGF-beta activated kinase 1 (MAP3K7) binding protein 3
hsa-miR-200b-3p	<a href="#">PCNX1</a>	pecanex 1
hsa-miR-200b-3p	<a href="#">ZNF292</a>	zinc finger protein 292
hsa-miR-200b-3p	<a href="#">TBX5</a>	T-box 5
hsa-miR-200b-3p	<a href="#">BPY2</a>	basic charge Y-linked 2
hsa-miR-200b-3p	<a href="#">MMD2</a>	monocyte to macrophage differentiation associated 2
hsa-miR-200b-3p	<a href="#">RAC1</a>	Rac family small GTPase 1
hsa-miR-200b-3p	<a href="#">TMEM189-UBE2V1</a>	TMEM189-UBE2V1 readthrough
hsa-miR-200b-3p	<a href="#">STAM2</a>	signal transducing adaptor molecule 2
hsa-miR-200b-3p	<a href="#">CHST2</a>	carbohydrate sulfotransferase 2
hsa-miR-200b-3p	<a href="#">GLRX3</a>	glutaredoxin 3
hsa-miR-200b-3p	<a href="#">NLGN4X</a>	neuroligin 4 X-linked
hsa-miR-200b-3p	<a href="#">BTF3L4</a>	basic transcription factor 3 like 4
hsa-miR-200b-3p	<a href="#">SOWAHC</a>	sosondowah ankyrin repeat domain family member C
hsa-miR-200b-3p	<a href="#">SGPP1</a>	sphingosine-1-phosphate phosphatase 1
hsa-miR-200b-3p	<a href="#">PRRG4</a>	proline rich and Gla domain 4
hsa-miR-200b-3p	<a href="#">ZC3H12B</a>	zinc finger CCCH-type containing 12B
hsa-miR-200b-3p	<a href="#">NPTX1</a>	neuronal pentraxin 1
hsa-miR-200b-3p	<a href="#">TMEM167A</a>	transmembrane protein 167A
hsa-miR-200b-3p	<a href="#">HNRNPH3</a>	heterogeneous nuclear ribonucleoprotein H3
hsa-miR-200b-3p	<a href="#">MTFR1</a>	mitochondrial fission regulator 1
hsa-miR-200b-3p	<a href="#">RBL1</a>	RB transcriptional corepressor like 1
hsa-miR-200b-3p	<a href="#">ELL</a>	elongation factor for RNA polymerase II
hsa-miR-200b-3p	<a href="#">TBX22</a>	T-box 22
hsa-miR-200b-3p	<a href="#">RLF</a>	rearranged L-myc fusion



hsa-miR-200b-3p	<a href="#">CNTN4</a>	contactin 4
hsa-miR-200b-3p	<a href="#">C6orf62</a>	chromosome 6 open reading frame 62
hsa-miR-200b-3p	<a href="#">CADM2</a>	cell adhesion molecule 2
hsa-miR-200b-3p	<a href="#">CNOT6L</a>	CCR4-NOT transcription complex subunit 6 like
hsa-miR-200b-3p	<a href="#">PMM1</a>	phosphomannomutase 1
hsa-miR-200b-3p	<a href="#">DIRAS2</a>	DIRAS family GTPase 2
hsa-miR-200b-3p	<a href="#">SHC4</a>	SHC adaptor protein 4
hsa-miR-200b-3p	<a href="#">TJAP1</a>	tight junction associated protein 1
hsa-miR-200b-3p	<a href="#">RBM12B</a>	RNA binding motif protein 12B
hsa-miR-200b-3p	<a href="#">LATS1</a>	large tumor suppressor kinase 1
hsa-miR-200b-3p	<a href="#">EIF5A2</a>	eukaryotic translation initiation factor 5A2
hsa-miR-200b-3p	<a href="#">UGCG</a>	UDP-glucose ceramide glucosyltransferase
hsa-miR-200b-3p	<a href="#">RAB33B</a>	RAB33B, member RAS oncogene family
hsa-miR-200b-3p	<a href="#">ZNF605</a>	zinc finger protein 605
hsa-miR-200b-3p	<a href="#">PLOD2</a>	procollagen-lysine,2-oxoglutarate 5-dioxygenase 2
hsa-miR-200b-3p	<a href="#">PHLDB1</a>	pleckstrin homology like domain family B member 1
hsa-miR-200b-3p	<a href="#">SRSF1</a>	serine and arginine rich splicing factor 1
hsa-miR-200b-3p	<a href="#">RPL22L1</a>	ribosomal protein L22 like 1
hsa-miR-200b-3p	<a href="#">ARFGEF3</a>	ARFGEF family member 3
hsa-miR-200b-3p	<a href="#">CYP1B1</a>	cytochrome P450 family 1 subfamily B member 1
hsa-miR-200b-3p	<a href="#">NGEF</a>	neuronal guanine nucleotide exchange factor
hsa-miR-200b-3p	<a href="#">TSTD3</a>	thiosulfate sulfurtransferase like domain containing 3
hsa-miR-200b-3p	<a href="#">EFHC2</a>	EF-hand domain containing 2
hsa-miR-200b-3p	<a href="#">PAK3</a>	p21 (RAC1) activated kinase 3
hsa-miR-200b-3p	<a href="#">STON2</a>	stonin 2
hsa-miR-200b-3p	<a href="#">SLC23A2</a>	solute carrier family 23 member 2
hsa-miR-200b-3p	<a href="#">KLRF1</a>	killer cell lectin like receptor F1
hsa-miR-200b-3p	<a href="#">ESM1</a>	endothelial cell specific molecule 1
hsa-miR-200b-3p	<a href="#">MED6</a>	mediator complex subunit 6
hsa-miR-200b-3p	<a href="#">SLC6A17</a>	solute carrier family 6 member 17
hsa-miR-200b-3p	<a href="#">PPP2R2C</a>	protein phosphatase 2 regulatory subunit Bgamma
hsa-miR-200b-3p	<a href="#">FAR2</a>	fatty acyl-CoA reductase 2
hsa-miR-200b-3p	<a href="#">ZNF652</a>	zinc finger protein 652
hsa-miR-200b-3p	<a href="#">LIN28B</a>	lin-28 homolog B
hsa-miR-200b-3p	<a href="#">LCOR</a>	ligand dependent nuclear receptor corepressor
hsa-miR-200b-3p	<a href="#">CALCR</a>	calcitonin receptor
hsa-miR-200b-3p	<a href="#">ALDH1A3</a>	aldehyde dehydrogenase 1 family member A3
hsa-miR-200b-3p	<a href="#">UBN2</a>	ubiquitin 2
hsa-miR-200b-3p	<a href="#">BTBD18</a>	BTB domain containing 18
hsa-miR-200b-3p	<a href="#">PDLIM5</a>	PDZ and LIM domain 5
hsa-miR-200b-3p	<a href="#">PAK5</a>	p21 (RAC1) activated kinase 5
hsa-miR-200b-3p	<a href="#">MSR1</a>	macrophage scavenger receptor 1
hsa-miR-200b-3p	<a href="#">GPX6</a>	glutathione peroxidase 6
hsa-miR-200b-3p	<a href="#">HIPK2</a>	homeodomain interacting protein kinase 2
hsa-miR-200b-3p	<a href="#">SIRPA</a>	signal regulatory protein alpha

hsa-miR-200b-3p	<a href="#">SLC35F4</a>	solute carrier family 35 member F4
hsa-miR-200b-3p	<a href="#">JMY</a>	junction mediating and regulatory protein, p53 cofactor
hsa-miR-200b-3p	<a href="#">ASF1A</a>	anti-silencing function 1A histone chaperone
hsa-miR-200b-3p	<a href="#">INPP4A</a>	inositol polyphosphate-4-phosphatase type I A
hsa-miR-200b-3p	<a href="#">SNAI2</a>	snail family transcriptional repressor 2
hsa-miR-200b-3p	<a href="#">LPIN1</a>	lipin 1
hsa-miR-200b-3p	<a href="#">TERF1</a>	telomeric repeat binding factor 1
hsa-miR-200b-3p	<a href="#">RUNX1T1</a>	RUNX1 translocation partner 1
hsa-miR-200b-3p	<a href="#">TAOK1</a>	TAO kinase 1
hsa-miR-200b-3p	<a href="#">TXLNG</a>	taxilin gamma
hsa-miR-200b-3p	<a href="#">NPNT</a>	nephronectin
hsa-miR-200b-3p	<a href="#">MAPK1IP1L</a>	mitogen-activated protein kinase 1 interacting protein 1 like
hsa-miR-200b-3p	<a href="#">SH3PXD2A</a>	SH3 and PX domains 2A
hsa-miR-200b-3p	<a href="#">ZNF555</a>	zinc finger protein 555
hsa-miR-200b-3p	<a href="#">ASXL3</a>	ASXL transcriptional regulator 3
hsa-miR-200b-3p	<a href="#">PCNP</a>	PEST proteolytic signal containing nuclear protein
hsa-miR-200b-3p	<a href="#">SHOC1</a>	shortage in chiasmata 1
hsa-miR-200b-3p	<a href="#">ZNF181</a>	zinc finger protein 181
hsa-miR-200b-3p	<a href="#">PIP4K2B</a>	phosphatidylinositol-5-phosphate 4-kinase type 2 beta
hsa-miR-200b-3p	<a href="#">PLEKHM3</a>	pleckstrin homology domain containing M3
hsa-miR-200b-3p	<a href="#">NCOA3</a>	nuclear receptor coactivator 3
hsa-miR-200b-3p	<a href="#">ARHGAP19</a>	Rho GTPase activating protein 19
hsa-miR-200b-3p	<a href="#">FXR2</a>	FMR1 autosomal homolog 2
hsa-miR-200b-3p	<a href="#">SNX13</a>	sorting nexin 13
hsa-miR-200b-3p	<a href="#">PLCG1</a>	phospholipase C gamma 1
hsa-miR-200b-3p	<a href="#">PHF21A</a>	PHD finger protein 21A
hsa-miR-200b-3p	<a href="#">GIN1</a>	gypsy retrotransposon integrase 1
hsa-miR-200b-3p	<a href="#">TRAM1L1</a>	translocation associated membrane protein 1 like 1
hsa-miR-200b-3p	<a href="#">THAP5</a>	THAP domain containing 5
hsa-miR-200b-3p	<a href="#">SNAPC1</a>	small nuclear RNA activating complex polypeptide 1
hsa-miR-200b-3p	<a href="#">C2orf49</a>	chromosome 2 open reading frame 49
hsa-miR-200b-3p	<a href="#">TPCN1</a>	two pore segment channel 1
hsa-miR-200b-3p	<a href="#">PTS</a>	6-pyruvoyltetrahydropterin synthase
hsa-miR-200b-3p	<a href="#">PARD6B</a>	par-6 family cell polarity regulator beta
hsa-miR-200b-3p	<a href="#">CDK15</a>	cyclin dependent kinase 15
hsa-miR-200b-3p	<a href="#">THRB</a>	thyroid hormone receptor beta
hsa-miR-200b-3p	<a href="#">MPP4</a>	membrane palmitoylated protein 4
hsa-miR-200b-3p	<a href="#">RELN</a>	reelin
hsa-miR-200b-3p	<a href="#">ZNF516</a>	zinc finger protein 516
hsa-miR-200b-3p	<a href="#">KLK7</a>	kallikrein related peptidase 7
hsa-miR-200b-3p	<a href="#">PAX6</a>	paired box 6
hsa-miR-200b-3p	<a href="#">KLHL31</a>	kelch like family member 31
hsa-miR-200b-3p	<a href="#">NCOR2</a>	nuclear receptor corepressor 2
hsa-miR-200b-3p	<a href="#">KCTD15</a>	potassium channel tetramerization domain containing 15

hsa-miR-200b-3p	<a href="#">PSPH</a>	phosphoserine phosphatase
hsa-miR-200b-3p	<a href="#">PIN1</a>	peptidylprolyl cis/trans isomerase, NIMA-interacting 1
hsa-miR-200b-3p	<a href="#">CHD2</a>	chromodomain helicase DNA binding protein 2
hsa-miR-200b-3p	<a href="#">MAP1LC3B</a>	microtubule associated protein 1 light chain 3 beta
hsa-miR-200b-3p	<a href="#">HPS5</a>	HPS5, biogenesis of lysosomal organelles complex 2 subunit 2
hsa-miR-200b-3p	<a href="#">TMCC1</a>	transmembrane and coiled-coil domain family 1
hsa-miR-200b-3p	<a href="#">PLPPR1</a>	phospholipid phosphatase related 1
hsa-miR-200b-3p	<a href="#">LYRM2</a>	LYR motif containing 2
hsa-miR-200b-3p	<a href="#">FAM169A</a>	family with sequence similarity 169 member A
hsa-miR-200b-3p	<a href="#">ITPR1</a>	inositol 1,4,5-trisphosphate receptor type 1
hsa-miR-200b-3p	<a href="#">HEG1</a>	heart development protein with EGF like domains 1
hsa-miR-200b-3p	<a href="#">CHST9</a>	carbohydrate sulfotransferase 9
hsa-miR-200b-3p	<a href="#">DMRT2</a>	doublesex and mab-3 related transcription factor 2
hsa-miR-200b-3p	<a href="#">PRKAR2B</a>	protein kinase cAMP-dependent type II regulatory subunit beta
hsa-miR-200b-3p	<a href="#">TIP1</a>	tight junction protein 1
hsa-miR-200b-3p	<a href="#">FAM218A</a>	family with sequence similarity 218 member A
hsa-miR-200b-3p	<a href="#">IQSEC1</a>	IQ motif and Sec7 domain 1
hsa-miR-200b-3p	<a href="#">HS6ST2</a>	heparan sulfate 6-O-sulfotransferase 2
hsa-miR-200b-3p	<a href="#">MYCN</a>	MYCN proto-oncogene, bHLH transcription factor
hsa-miR-200b-3p	<a href="#">LY75</a>	lymphocyte antigen 75
hsa-miR-200b-3p	<a href="#">REV3L</a>	REV3 like, DNA directed polymerase zeta catalytic subunit
hsa-miR-200b-3p	<a href="#">ARIH2</a>	ariadne RBR E3 ubiquitin protein ligase 2
hsa-miR-200b-3p	<a href="#">CHM</a>	CHM, Rab escort protein 1
hsa-miR-200b-3p	<a href="#">CSRNP3</a>	cysteine and serine rich nuclear protein 3
hsa-miR-200b-3p	<a href="#">KCNK2</a>	potassium two pore domain channel subfamily K member 2
hsa-miR-200b-3p	<a href="#">MARCH1</a>	membrane associated ring-CH-type finger 1
hsa-miR-200b-3p	<a href="#">ZNF274</a>	zinc finger protein 274
hsa-miR-200b-3p	<a href="#">NEGR1</a>	neuronal growth regulator 1
hsa-miR-200b-3p	<a href="#">FCAR</a>	Fc fragment of IgA receptor
hsa-miR-200b-3p	<a href="#">FAM3B</a>	family with sequence similarity 3 member B
hsa-miR-200b-3p	<a href="#">CFLAR</a>	CASP8 and FADD like apoptosis regulator
hsa-miR-200b-3p	<a href="#">PTBP1</a>	polypyrimidine tract binding protein 1
hsa-miR-200b-3p	<a href="#">FAM107B</a>	family with sequence similarity 107 member B
hsa-miR-200b-3p	<a href="#">LRP4</a>	LDL receptor related protein 4
hsa-miR-200b-3p	<a href="#">F2RL2</a>	coagulation factor II thrombin receptor like 2
hsa-miR-200b-3p	<a href="#">MTCP1</a>	mature T cell proliferation 1
hsa-miR-200b-3p	<a href="#">OTUD6B</a>	OTU domain containing 6B
hsa-miR-200b-3p	<a href="#">ZNF566</a>	zinc finger protein 566
hsa-miR-200b-3p	<a href="#">CA5B</a>	carbonic anhydrase 5B
hsa-miR-200b-3p	<a href="#">TRPV3</a>	transient receptor potential cation channel subfamily V member 3
hsa-miR-200b-3p	<a href="#">DCAF5</a>	DDB1 and CUL4 associated factor 5

hsa-miR-200b-3p	<a href="#">BASP1</a>	brain abundant membrane attached signal protein 1
hsa-miR-200b-3p	<a href="#">GSKIP</a>	GSK3B interacting protein
hsa-miR-200b-3p	<a href="#">TRPC3</a>	transient receptor potential cation channel subfamily C member 3
hsa-miR-200b-3p	<a href="#">PRRC2C</a>	proline rich coiled-coil 2C
hsa-miR-200b-3p	<a href="#">VPS13A</a>	vacuolar protein sorting 13 homolog A
hsa-miR-200b-3p	<a href="#">AP1M1</a>	adaptor related protein complex 1 subunit mu 1
hsa-miR-200b-3p	<a href="#">CNTD1</a>	cyclin N-terminal domain containing 1
hsa-miR-200b-3p	<a href="#">SCOC</a>	short coiled-coil protein
hsa-miR-200b-3p	<a href="#">BCLAF3</a>	BCLAF1 and THRAP3 family member 3
hsa-miR-200b-3p	<a href="#">TM4SF18</a>	transmembrane 4 L six family member 18
hsa-miR-200b-3p	<a href="#">SMAD5</a>	SMAD family member 5
hsa-miR-200b-3p	<a href="#">GFI1</a>	growth factor independent 1 transcriptional repressor
hsa-miR-200b-3p	<a href="#">ZNF365</a>	zinc finger protein 365
hsa-miR-200b-3p	<a href="#">ATP11A</a>	ATPase phospholipid transporting 11A
hsa-miR-200b-3p	<a href="#">NLRP11</a>	NLR family pyrin domain containing 11
hsa-miR-200b-3p	<a href="#">CDK12</a>	cyclin dependent kinase 12
hsa-miR-200b-3p	<a href="#">MUL1</a>	mitochondrial E3 ubiquitin protein ligase 1
hsa-miR-200b-3p	<a href="#">WSB1</a>	WD repeat and SOCS box containing 1
hsa-miR-200b-3p	<a href="#">PSMF1</a>	proteasome inhibitor subunit 1
hsa-miR-200b-3p	<a href="#">CDHR1</a>	cadherin related family member 1
hsa-miR-200b-3p	<a href="#">RIF1</a>	replication timing regulatory factor 1
hsa-miR-200b-3p	<a href="#">HNRNPH2</a>	heterogeneous nuclear ribonucleoprotein H2
hsa-miR-200b-3p	<a href="#">ZNF366</a>	zinc finger protein 366
hsa-miR-200b-3p	<a href="#">NAA50</a>	N(alpha)-acetyltransferase 50, NatE catalytic subunit
hsa-miR-200b-3p	<a href="#">SUB1</a>	SUB1 homolog, transcriptional regulator
hsa-miR-200b-3p	<a href="#">C22orf39</a>	chromosome 22 open reading frame 39
hsa-miR-200b-3p	<a href="#">SPIDR</a>	scaffold protein involved in DNA repair
hsa-miR-200b-3p	<a href="#">NIP7</a>	NIP7, nucleolar pre-rRNA processing protein
hsa-miR-200b-3p	<a href="#">TGFB3</a>	transforming growth factor beta receptor 3
hsa-miR-200b-3p	<a href="#">TMEM229B</a>	transmembrane protein 229B
hsa-miR-200b-3p	<a href="#">UTP25</a>	UTP25, small subunit processor component
hsa-miR-200b-3p	<a href="#">PI15</a>	peptidase inhibitor 15
hsa-miR-200b-3p	<a href="#">IRS2</a>	insulin receptor substrate 2
hsa-miR-200b-3p	<a href="#">ANKRD28</a>	ankyrin repeat domain 28
hsa-miR-200b-3p	<a href="#">WDR45B</a>	WD repeat domain 45B
hsa-miR-200b-3p	<a href="#">C21orf91</a>	chromosome 21 open reading frame 91
hsa-miR-200b-3p	<a href="#">FGD1</a>	FYVE, RhoGEF and PH domain containing 1
hsa-miR-200b-3p	<a href="#">FMR1</a>	fragile X mental retardation 1
hsa-miR-200b-3p	<a href="#">NFASC</a>	neurofascin
hsa-miR-200b-3p	<a href="#">RFC3</a>	replication factor C subunit 3
hsa-miR-200b-3p	<a href="#">RNASEL</a>	ribonuclease L
hsa-miR-200b-3p	<a href="#">OSR1</a>	odd-skipped related transcription factor 1
hsa-miR-200b-3p	<a href="#">FRS2</a>	fibroblast growth factor receptor substrate 2
hsa-miR-200b-3p	<a href="#">C2orf15</a>	chromosome 2 open reading frame 15

hsa-miR-200b-3p	<a href="#">NR2C1</a>	nuclear receptor subfamily 2 group C member 1
hsa-miR-200b-3p	<a href="#">ING5</a>	inhibitor of growth family member 5
hsa-miR-200b-3p	<a href="#">PENK</a>	proenkephalin
hsa-miR-200b-3p	<a href="#">SOCS6</a>	suppressor of cytokine signaling 6
hsa-miR-200b-3p	<a href="#">SEPHS1</a>	selenophosphate synthetase 1
hsa-miR-200b-3p	<a href="#">NEO1</a>	neogenin 1
hsa-miR-200b-3p	<a href="#">TP53INP1</a>	tumor protein p53 inducible nuclear protein 1
hsa-miR-200b-3p	<a href="#">TMEM43</a>	transmembrane protein 43
hsa-miR-200b-3p	<a href="#">RBM8A</a>	RNA binding motif protein 8A
hsa-miR-200b-3p	<a href="#">PLXNA4</a>	plexin A4
hsa-miR-200b-3p	<a href="#">RBM46</a>	RNA binding motif protein 46
hsa-miR-200b-3p	<a href="#">GRIP1</a>	glutamate receptor interacting protein 1
hsa-miR-200b-3p	<a href="#">MTAP</a>	methylthioadenosine phosphorylase
hsa-miR-200b-3p	<a href="#">NOC3L</a>	NOC3 like DNA replication regulator
hsa-miR-200b-3p	<a href="#">GATA2</a>	GATA binding protein 2
hsa-miR-200b-3p	<a href="#">EGLN3</a>	egl-9 family hypoxia inducible factor 3
hsa-miR-200b-3p	<a href="#">RASGEF1B</a>	RasGEF domain family member 1B
hsa-miR-200b-3p	<a href="#">HBS1L</a>	HBS1 like translational GTPase
hsa-miR-200b-3p	<a href="#">RAB30</a>	RAB30, member RAS oncogene family
hsa-miR-200b-3p	<a href="#">NR2C2</a>	nuclear receptor subfamily 2 group C member 2
hsa-miR-200b-3p	<a href="#">SOD2</a>	superoxide dismutase 2
hsa-miR-200b-3p	<a href="#">ZNF330</a>	zinc finger protein 330
hsa-miR-200b-3p	<a href="#">TAF3</a>	TATA-box binding protein associated factor 3
hsa-miR-200b-3p	<a href="#">ZNF260</a>	zinc finger protein 260
hsa-miR-200b-3p	<a href="#">MLLT10</a>	MLLT10, histone lysine methyltransferase DOT1L cofactor
hsa-miR-200b-3p	<a href="#">ITPRID2</a>	ITPR interacting domain containing 2
hsa-miR-200b-3p	<a href="#">NPR3</a>	natriuretic peptide receptor 3
hsa-miR-200b-3p	<a href="#">CRYZ</a>	crystallin zeta
hsa-miR-200b-3p	<a href="#">ONECUT2</a>	one cut homeobox 2
hsa-miR-200b-3p	<a href="#">YOD1</a>	YOD1 deubiquitinase
hsa-miR-200b-3p	<a href="#">LRRTM3</a>	leucine rich repeat transmembrane neuronal 3
hsa-miR-200b-3p	<a href="#">ARPP21</a>	cAMP regulated phosphoprotein 21
hsa-miR-200b-3p	<a href="#">CDK1</a>	cyclin dependent kinase 1
hsa-miR-200b-3p	<a href="#">NAA16</a>	N(alpha)-acetyltransferase 16, NatA auxiliary subunit
hsa-miR-200b-3p	<a href="#">TMEM123</a>	transmembrane protein 123
hsa-miR-200b-3p	<a href="#">DYRK2</a>	dual specificity tyrosine phosphorylation regulated kinase 2
hsa-miR-200b-3p	<a href="#">ACTC1</a>	actin, alpha, cardiac muscle 1
hsa-miR-200b-3p	<a href="#">FAM160B1</a>	family with sequence similarity 160 member B1
hsa-miR-200b-3p	<a href="#">UFSP2</a>	UFM1 specific peptidase 2
hsa-miR-200b-3p	<a href="#">ASPH</a>	aspartate beta-hydroxylase
hsa-miR-200b-3p	<a href="#">FUBP1</a>	far upstream element binding protein 1
hsa-miR-200b-3p	<a href="#">HIF1AN</a>	hypoxia inducible factor 1 subunit alpha inhibitor
hsa-miR-200b-3p	<a href="#">IL24</a>	interleukin 24

hsa-miR-200b-3p	<a href="#">DCX</a>	doublecortin
hsa-miR-200b-3p	<a href="#">CGGBP1</a>	CGG triplet repeat binding protein 1
hsa-miR-200b-3p	<a href="#">ST3GAL5</a>	ST3 beta-galactoside alpha-2,3-sialyltransferase 5
hsa-miR-200b-3p	<a href="#">CLIP2</a>	CAP-Gly domain containing linker protein 2
hsa-miR-200b-3p	<a href="#">CD58</a>	CD58 molecule
hsa-miR-200b-3p	<a href="#">ZNF550</a>	zinc finger protein 550
hsa-miR-200b-3p	<a href="#">CDK2</a>	cyclin dependent kinase 2
hsa-miR-200b-3p	<a href="#">TADA2B</a>	transcriptional adaptor 2B
hsa-miR-200b-3p	<a href="#">FBXL16</a>	F-box and leucine rich repeat protein 16
hsa-miR-200b-3p	<a href="#">TPD52L1</a>	TPD52 like 1
hsa-miR-200b-3p	<a href="#">GLS</a>	glutaminase
hsa-miR-200b-3p	<a href="#">SIRT1</a>	sirtuin 1
hsa-miR-200b-3p	<a href="#">SPART</a>	spartin
hsa-miR-200b-3p	<a href="#">ATMIN</a>	ATM interactor
hsa-miR-200b-3p	<a href="#">C2orf72</a>	chromosome 2 open reading frame 72
hsa-miR-200b-3p	<a href="#">C2orf68</a>	chromosome 2 open reading frame 68
hsa-miR-200b-3p	<a href="#">BUB1B-PAK6</a>	BUB1B-PAK6 readthrough
hsa-miR-200b-3p	<a href="#">CLCF1</a>	cardiotrophin like cytokine factor 1
hsa-miR-200b-3p	<a href="#">CSTF3</a>	cleavage stimulation factor subunit 3
hsa-miR-200b-3p	<a href="#">ADIPOQ</a>	adiponectin, C1Q and collagen domain containing
hsa-miR-200b-3p	<a href="#">CLCC1</a>	chloride channel CLIC like 1
hsa-miR-200b-3p	<a href="#">BORCS7</a>	BLOC-1 related complex subunit 7
hsa-miR-200b-3p	<a href="#">SERF2</a>	small EDRK-rich factor 2
hsa-miR-200b-3p	<a href="#">NPAP1</a>	nuclear pore associated protein 1
hsa-miR-200b-3p	<a href="#">TREM1</a>	triggering receptor expressed on myeloid cells 1
hsa-miR-200b-3p	<a href="#">ASXL1</a>	ASXL transcriptional regulator 1
hsa-miR-200b-3p	<a href="#">TRIM2</a>	tripartite motif containing 2
hsa-miR-200b-3p	<a href="#">RPL36A-HNRNPH2</a>	RPL36A-HNRNPH2 readthrough
hsa-miR-200b-3p	<a href="#">PRPF38A</a>	pre-mRNA processing factor 38A
hsa-miR-200b-3p	<a href="#">KLHL14</a>	kelch like family member 14
hsa-miR-200b-3p	<a href="#">RALGPS2</a>	Ral GEF with PH domain and SH3 binding motif 2
hsa-miR-200b-3p	<a href="#">LGSN</a>	lengsin, lens protein with glutamine synthetase domain
hsa-miR-200b-3p	<a href="#">PAN3</a>	poly(A) specific ribonuclease subunit PAN3
hsa-miR-200b-3p	<a href="#">SGCB</a>	sarcoglycan beta
hsa-miR-200b-3p	<a href="#">MEGF10</a>	multiple EGF like domains 10
hsa-miR-200b-3p	<a href="#">SLC16A7</a>	solute carrier family 16 member 7
hsa-miR-200b-3p	<a href="#">CCSER1</a>	coiled-coil serine rich protein 1
hsa-miR-200b-3p	<a href="#">BBS12</a>	Bardet-Biedl syndrome 12
hsa-miR-200b-3p	<a href="#">LRRC34</a>	leucine rich repeat containing 34
hsa-miR-200b-3p	<a href="#">USF3</a>	upstream transcription factor family member 3
hsa-miR-200b-3p	<a href="#">CASC4</a>	cancer susceptibility 4
hsa-miR-200b-3p	<a href="#">ITSN1</a>	intersectin 1
hsa-miR-200b-3p	<a href="#">ERBIN</a>	erbB2 interacting protein
hsa-miR-200b-3p	<a href="#">XRN2</a>	5'-3' exoribonuclease 2



hsa-miR-200b-3p	<a href="#">CTNNA3</a>	catenin alpha 3
hsa-miR-200b-3p	<a href="#">CREB5</a>	cAMP responsive element binding protein 5
hsa-miR-200b-3p	<a href="#">PPP1R12B</a>	protein phosphatase 1 regulatory subunit 12B
hsa-miR-200b-3p	<a href="#">MDM4</a>	MDM4, p53 regulator
hsa-miR-200b-3p	<a href="#">XKRY2</a>	XK related, Y-linked 2
hsa-miR-200b-3p	<a href="#">RBMXL2</a>	RBMX like 2
hsa-miR-200b-3p	<a href="#">TENM1</a>	teneurin transmembrane protein 1
hsa-miR-200b-3p	<a href="#">BHLHE41</a>	basic helix-loop-helix family member e41
hsa-miR-200b-3p	<a href="#">SNTB2</a>	syntrophin beta 2
hsa-miR-200b-3p	<a href="#">ATAT1</a>	alpha tubulin acetyltransferase 1
hsa-miR-200b-3p	<a href="#">SSH2</a>	slingshot protein phosphatase 2
hsa-miR-200b-3p	<a href="#">XKRY</a>	XK related, Y-linked
hsa-miR-200b-3p	<a href="#">STAM</a>	signal transducing adaptor molecule
hsa-miR-200b-3p	<a href="#">KIF13A</a>	kinesin family member 13A
hsa-miR-200b-3p	<a href="#">PIGM</a>	phosphatidylinositol glycan anchor biosynthesis class M
hsa-miR-200b-3p	<a href="#">LSM8</a>	LSM8 homolog, U6 small nuclear RNA associated
hsa-miR-200b-3p	<a href="#">ANKRD34B</a>	ankyrin repeat domain 34B
hsa-miR-200b-3p	<a href="#">CFAP97</a>	cilia and flagella associated protein 97
hsa-miR-200b-3p	<a href="#">CKLF</a>	chemokine like factor
hsa-miR-200b-3p	<a href="#">RBBP4</a>	RB binding protein 4, chromatin remodeling factor
hsa-miR-200b-3p	<a href="#">ALPI</a>	alkaline phosphatase, intestinal
hsa-miR-200b-3p	<a href="#">TMEM26</a>	transmembrane protein 26
hsa-miR-200b-3p	<a href="#">DARS</a>	aspartyl-tRNA synthetase
hsa-miR-200b-3p	<a href="#">GLIS2</a>	GLIS family zinc finger 2
hsa-miR-200b-3p	<a href="#">COL4A3</a>	collagen type IV alpha 3 chain
hsa-miR-200b-3p	<a href="#">MOSPD2</a>	motile sperm domain containing 2
hsa-miR-200b-3p	<a href="#">CA3</a>	carbonic anhydrase 3
hsa-miR-200b-3p	<a href="#">TOR1AIP2</a>	torsin 1A interacting protein 2
hsa-miR-200b-3p	<a href="#">TARDBP</a>	TAR DNA binding protein
hsa-miR-200b-3p	<a href="#">LRIG1</a>	leucine rich repeats and immunoglobulin like domains 1
hsa-miR-200b-3p	<a href="#">FAM217B</a>	family with sequence similarity 217 member B
hsa-miR-200b-3p	<a href="#">WWP2</a>	WW domain containing E3 ubiquitin protein ligase 2
hsa-miR-200b-3p	<a href="#">PM20D2</a>	peptidase M20 domain containing 2
hsa-miR-200b-3p	<a href="#">CEBPD</a>	CCAAT enhancer binding protein delta
hsa-miR-200b-3p	<a href="#">LRAT</a>	lecithin retinol acyltransferase
hsa-miR-200b-3p	<a href="#">NALCN</a>	sodium leak channel, non-selective
hsa-miR-200b-3p	<a href="#">NEK9</a>	NIMA related kinase 9
hsa-miR-200b-3p	<a href="#">TNFSF8</a>	TNF superfamily member 8
hsa-miR-200b-3p	<a href="#">RNGTT</a>	RNA guanylyltransferase and 5'-phosphatase
hsa-miR-200b-3p	<a href="#">IGSF3</a>	immunoglobulin superfamily member 3
hsa-miR-200b-3p	<a href="#">LDB3</a>	LIM domain binding 3
hsa-miR-200b-3p	<a href="#">SNX1</a>	sorting nexin 1
hsa-miR-200b-3p	<a href="#">KAT2B</a>	lysine acetyltransferase 2B
hsa-miR-200b-3p	<a href="#">SCN9A</a>	sodium voltage-gated channel alpha subunit 9

hsa-miR-200b-3p	<a href="#">SMARCA1</a>	SWI/SNF-related, matrix-associated actin-dependent regulator of chromatin, subfamily a, containing DEAD/H box 1
hsa-miR-200b-3p	<a href="#">GABPB1</a>	GA binding protein transcription factor subunit beta 1
hsa-miR-200b-3p	<a href="#">NUP153</a>	nucleoporin 153
hsa-miR-200b-3p	<a href="#">ABRA</a>	actin binding Rho activating protein
hsa-miR-200b-3p	<a href="#">ERI1</a>	exoribonuclease 1
hsa-miR-200b-3p	<a href="#">GABRA6</a>	gamma-aminobutyric acid type A receptor alpha6 subunit
hsa-miR-200b-3p	<a href="#">TUBB3</a>	tubulin beta 3 class III
hsa-miR-200b-3p	<a href="#">CPXCR1</a>	CPX chromosome region, candidate 1
hsa-miR-200b-3p	<a href="#">EDNRA</a>	endothelin receptor type A
hsa-miR-200b-3p	<a href="#">BDKRB2</a>	bradykinin receptor B2
hsa-miR-200b-3p	<a href="#">SHISA2</a>	shisa family member 2
hsa-miR-200b-3p	<a href="#">GPR85</a>	G protein-coupled receptor 85
hsa-miR-200b-3p	<a href="#">TNFRSF11B</a>	TNF receptor superfamily member 11b
hsa-miR-200b-3p	<a href="#">ZNF674</a>	zinc finger protein 674
hsa-miR-200b-3p	<a href="#">PDPK1</a>	3-phosphoinositide dependent protein kinase 1
hsa-miR-200b-3p	<a href="#">VTI1A</a>	vesicle transport through interaction with t-SNAREs 1A
hsa-miR-200b-3p	<a href="#">SLC25A30</a>	solute carrier family 25 member 30
hsa-miR-200b-3p	<a href="#">PARG</a>	poly(ADP-ribose) glycohydrolase
hsa-miR-200b-3p	<a href="#">TMEM38B</a>	transmembrane protein 38B
hsa-miR-200b-3p	<a href="#">TMEM14A</a>	transmembrane protein 14A
hsa-miR-200b-3p	<a href="#">PIK3CB</a>	phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit beta
hsa-miR-200b-3p	<a href="#">TMED4</a>	transmembrane p24 trafficking protein 4
hsa-miR-200b-3p	<a href="#">HLF</a>	HLF, PAR bZIP transcription factor
hsa-miR-200b-3p	<a href="#">SLC15A2</a>	solute carrier family 15 member 2
hsa-miR-200b-3p	<a href="#">COL9A2</a>	collagen type IX alpha 2 chain
hsa-miR-200b-3p	<a href="#">CREG1</a>	cellular repressor of E1A stimulated genes 1
hsa-miR-200b-3p	<a href="#">TENT5D</a>	terminal nucleotidyltransferase 5D
hsa-miR-200b-3p	<a href="#">AMACR</a>	alpha-methylacyl-CoA racemase
hsa-miR-200b-3p	<a href="#">MMS22L</a>	MMS22 like, DNA repair protein
hsa-miR-200b-3p	<a href="#">RWDD2A</a>	RWD domain containing 2A
hsa-miR-200b-3p	<a href="#">REFX7</a>	regulatory factor X7
hsa-miR-200b-3p	<a href="#">AMOTL2</a>	angiominin like 2
hsa-miR-200b-3p	<a href="#">DDX3Y</a>	DEAD-box helicase 3 Y-linked
hsa-miR-200b-3p	<a href="#">KBTBD6</a>	kelch repeat and BTB domain containing 6
hsa-miR-200b-3p	<a href="#">ZNF692</a>	zinc finger protein 692
hsa-miR-200b-3p	<a href="#">ZNF831</a>	zinc finger protein 831
hsa-miR-200b-3p	<a href="#">PIA2</a>	praja ring finger ubiquitin ligase 2
hsa-miR-200b-3p	<a href="#">GPR63</a>	G protein-coupled receptor 63
hsa-miR-200b-3p	<a href="#">PLEKHA8</a>	pleckstrin homology domain containing A8
hsa-miR-200b-3p	<a href="#">TRAT1</a>	T cell receptor associated transmembrane adaptor 1
hsa-miR-200b-3p	<a href="#">ARL6IP6</a>	ADP ribosylation factor like GTPase 6 interacting protein 6

hsa-miR-200b-3p	<a href="#">STX16</a>	syntaxin 16
hsa-miR-200b-3p	<a href="#">RELCH</a>	RAB11 binding and LisH domain, coiled-coil and HEAT repeat containing
hsa-miR-200b-3p	<a href="#">DDX1</a>	DEAD-box helicase 1
hsa-miR-200b-3p	<a href="#">SELENOK</a>	selenoprotein K
hsa-miR-200b-3p	<a href="#">SNX30</a>	sorting nexin family member 30
hsa-miR-200b-3p	<a href="#">DNAJC18</a>	DnaJ heat shock protein family (Hsp40) member C18
hsa-miR-200b-3p	<a href="#">SHROOM4</a>	shroom family member 4
hsa-miR-200b-3p	<a href="#">CDH6</a>	cadherin 6
hsa-miR-200b-3p	<a href="#">ZNF568</a>	zinc finger protein 568
hsa-miR-200b-3p	<a href="#">ARHGEF3</a>	Rho guanine nucleotide exchange factor 3
hsa-miR-200b-3p	<a href="#">NAPB</a>	NSF attachment protein beta
hsa-miR-200b-3p	<a href="#">RET</a>	ret proto-oncogene
hsa-miR-200b-3p	<a href="#">RAD18</a>	RAD18, E3 ubiquitin protein ligase
hsa-miR-200b-3p	<a href="#">HLA-DPA1</a>	major histocompatibility complex, class II, DP alpha 1
hsa-miR-200b-3p	<a href="#">ADGRL2</a>	adhesion G protein-coupled receptor L2
hsa-miR-200b-3p	<a href="#">SLC17A4</a>	solute carrier family 17 member 4
hsa-miR-200b-3p	<a href="#">ELAVL4</a>	ELAV like RNA binding protein 4
hsa-miR-200b-3p	<a href="#">ZBTB5</a>	zinc finger and BTB domain containing 5
hsa-miR-200b-3p	<a href="#">ENAH</a>	ENAH, actin regulator
hsa-miR-200b-3p	<a href="#">SLC25A24</a>	solute carrier family 25 member 24
hsa-miR-200b-3p	<a href="#">ZMYM4</a>	zinc finger MYM-type containing 4
hsa-miR-200b-3p	<a href="#">HNRNPU</a>	heterogeneous nuclear ribonucleoprotein U
hsa-miR-200b-3p	<a href="#">CALHM5</a>	calcium homeostasis modulator family member 5
hsa-miR-200b-3p	<a href="#">GDPD1</a>	glycerophosphodiester phosphodiesterase domain containing 1
hsa-miR-200b-3p	<a href="#">CRHBP</a>	corticotropin releasing hormone binding protein
hsa-miR-200b-3p	<a href="#">RBFA</a>	ribosome binding factor A
hsa-miR-200b-3p	<a href="#">EPM2AIP1</a>	EPM2A interacting protein 1
hsa-miR-200b-3p	<a href="#">MPPED1</a>	metallophosphoesterase domain containing 1
hsa-miR-200b-3p	<a href="#">RCN1</a>	reticulocalbin 1
hsa-miR-200b-3p	<a href="#">AK9</a>	adenylate kinase 9
hsa-miR-200b-3p	<a href="#">UXS1</a>	UDP-glucuronate decarboxylase 1
hsa-miR-200b-3p	<a href="#">LMAN1</a>	lectin, mannose binding 1
hsa-miR-200b-3p	<a href="#">CCSAP</a>	centriole, cilia and spindle associated protein
hsa-miR-200b-3p	<a href="#">KLF10</a>	Kruppel like factor 10
hsa-miR-200b-3p	<a href="#">COPS2</a>	COP9 signalosome subunit 2
hsa-miR-200b-3p	<a href="#">SLAIN1</a>	SLAIN motif family member 1
hsa-miR-200b-3p	<a href="#">ZDHHC15</a>	zinc finger DHHC-type containing 15
hsa-miR-200b-3p	<a href="#">SCHIP1</a>	schwannomin interacting protein 1
hsa-miR-200b-3p	<a href="#">MRPS35</a>	mitochondrial ribosomal protein S35
hsa-miR-200b-3p	<a href="#">CDC27</a>	cell division cycle 27
hsa-miR-200b-3p	<a href="#">GOSR2</a>	golgi SNAP receptor complex member 2
hsa-miR-200b-3p	<a href="#">IPMK</a>	inositol polyphosphate multikinase
hsa-miR-200b-3p	<a href="#">STAC</a>	SH3 and cysteine rich domain

hsa-miR-200b-3p	<a href="#">KLHL3</a>	kelch like family member 3
hsa-miR-200b-3p	<a href="#">USP47</a>	ubiquitin specific peptidase 47
hsa-miR-200b-3p	<a href="#">TP53TG3C</a>	TP53 target 3C
hsa-miR-200b-3p	<a href="#">TTC5</a>	tetratricopeptide repeat domain 5
hsa-miR-200b-3p	<a href="#">EIF2S1</a>	eukaryotic translation initiation factor 2 subunit alpha
hsa-miR-200b-3p	<a href="#">NOL12</a>	nucleolar protein 12
hsa-miR-200b-3p	<a href="#">GPC6</a>	glypican 6
hsa-miR-200b-3p	<a href="#">GPX8</a>	glutathione peroxidase 8 (putative)
hsa-miR-200b-3p	<a href="#">EXOSC3</a>	exosome component 3
hsa-miR-200b-3p	<a href="#">GREM2</a>	gremlin 2, DAN family BMP antagonist
hsa-miR-200b-3p	<a href="#">NSMCE3</a>	NSE3 homolog, SMC5-SMC6 complex component
hsa-miR-200b-3p	<a href="#">HMOX1</a>	heme oxygenase 1
hsa-miR-200b-3p	<a href="#">APLP2</a>	amyloid beta precursor like protein 2
hsa-miR-200b-3p	<a href="#">ATF7IP</a>	activating transcription factor 7 interacting protein
hsa-miR-200b-3p	<a href="#">CALHM1</a>	calcium homeostasis modulator 1
hsa-miR-200b-3p	<a href="#">CLDND1</a>	claudin domain containing 1
hsa-miR-200b-3p	<a href="#">TTC33</a>	tetratricopeptide repeat domain 33
hsa-miR-200b-3p	<a href="#">AVPR1A</a>	arginine vasopressin receptor 1A
hsa-miR-200b-3p	<a href="#">ASB13</a>	ankyrin repeat and SOCS box containing 13
hsa-miR-200b-3p	<a href="#">SAMD12</a>	sterile alpha motif domain containing 12
hsa-miR-200b-3p	<a href="#">ADD3</a>	adducin 3
hsa-miR-200b-3p	<a href="#">IFIT5</a>	interferon induced protein with tetratricopeptide repeats 5
hsa-miR-200b-3p	<a href="#">ENTPD5</a>	ectonucleoside triphosphate diphosphohydrolase 5
hsa-miR-200b-3p	<a href="#">CCDC144A</a>	coiled-coil domain containing 144A
hsa-miR-200b-3p	<a href="#">TTC21B</a>	tetratricopeptide repeat domain 21B
hsa-miR-200b-3p	<a href="#">DGKE</a>	diacylglycerol kinase epsilon
hsa-miR-200b-3p	<a href="#">JADE3</a>	jade family PHD finger 3
hsa-miR-200b-3p	<a href="#">PTPN13</a>	protein tyrosine phosphatase, non-receptor type 13
hsa-miR-200b-3p	<a href="#">NCBP3</a>	nuclear cap binding subunit 3
hsa-miR-200b-3p	<a href="#">MYEOV</a>	myeloma overexpressed
hsa-miR-200b-3p	<a href="#">RBM48</a>	RNA binding motif protein 48
hsa-miR-200b-3p	<a href="#">UCHL5</a>	ubiquitin C-terminal hydrolase L5
hsa-miR-200b-3p	<a href="#">ABI2</a>	abl interactor 2
hsa-miR-200b-3p	<a href="#">DR1</a>	down-regulator of transcription 1
hsa-miR-200b-3p	<a href="#">TAF5L</a>	TATA-box binding protein associated factor 5 like
hsa-miR-200b-3p	<a href="#">NECTIN1</a>	nectin cell adhesion molecule 1
hsa-miR-200b-3p	<a href="#">MAP2K5</a>	mitogen-activated protein kinase kinase 5
hsa-miR-200b-3p	<a href="#">FGF9</a>	fibroblast growth factor 9
hsa-miR-200b-3p	<a href="#">DNMT3A</a>	DNA methyltransferase 3 alpha
hsa-miR-200b-3p	<a href="#">ZDBF2</a>	zinc finger DBF-type containing 2
hsa-miR-200b-3p	<a href="#">CNDP2</a>	carnosine dipeptidase 2
hsa-miR-200b-3p	<a href="#">RALB</a>	RAS like proto-oncogene B
hsa-miR-200b-3p	<a href="#">RUFY2</a>	RUN and FYVE domain containing 2
hsa-miR-200b-3p	<a href="#">REL</a>	REL proto-oncogene, NF-kB subunit

hsa-miR-200b-3p	<a href="#">RHOA</a>	ras homolog family member A
hsa-miR-200b-3p	<a href="#">SH3TC2</a>	SH3 domain and tetratricopeptide repeats 2
hsa-miR-200b-3p	<a href="#">MPP5</a>	membrane palmitoylated protein 5
hsa-miR-200b-3p	<a href="#">CCDC62</a>	coiled-coil domain containing 62
hsa-miR-200b-3p	<a href="#">SLC5A3</a>	solute carrier family 5 member 3
hsa-miR-200b-3p	<a href="#">PRKAA2</a>	protein kinase AMP-activated catalytic subunit alpha 2
hsa-miR-200b-3p	<a href="#">HPF1</a>	histone PARylation factor 1
hsa-miR-200b-3p	<a href="#">TC2N</a>	tandem C2 domains, nuclear
hsa-miR-200b-3p	<a href="#">SMPX</a>	small muscle protein X-linked
hsa-miR-200b-3p	<a href="#">NRK</a>	Nik related kinase
hsa-miR-200b-3p	<a href="#">SLC16A1</a>	solute carrier family 16 member 1
hsa-miR-200b-3p	<a href="#">MGA</a>	MGA, MAX dimerization protein
hsa-miR-200c-3p	<a href="#">VASH2</a>	vasohibin 2
hsa-miR-200c-3p	<a href="#">HIPK3</a>	homeodomain interacting protein kinase 3
hsa-miR-200c-3p	<a href="#">MAP2</a>	microtubule associated protein 2
hsa-miR-200c-3p	<a href="#">ERRFI1</a>	ERBB receptor feedback inhibitor 1
hsa-miR-200c-3p	<a href="#">ZEB1</a>	zinc finger E-box binding homeobox 1
hsa-miR-200c-3p	<a href="#">NR5A2</a>	nuclear receptor subfamily 5 group A member 2
hsa-miR-200c-3p	<a href="#">ZEB2</a>	zinc finger E-box binding homeobox 2
hsa-miR-200c-3p	<a href="#">RECK</a>	reversion inducing cysteine rich protein with kazal motifs
hsa-miR-200c-3p	<a href="#">SLIT2</a>	slit guidance ligand 2
hsa-miR-200c-3p	<a href="#">WIPF1</a>	WAS/WASL interacting protein family member 1
hsa-miR-200c-3p	<a href="#">C11orf95</a>	chromosome 11 open reading frame 95
hsa-miR-200c-3p	<a href="#">FAM8A1</a>	family with sequence similarity 8 member A1
hsa-miR-200c-3p	<a href="#">LHFPL6</a>	LHFPL tetraspan subfamily member 6
hsa-miR-200c-3p	<a href="#">AP1S2</a>	adaptor related protein complex 1 subunit sigma 2
hsa-miR-200c-3p	<a href="#">SEC23A</a>	Sec23 homolog A, coat complex II component
hsa-miR-200c-3p	<a href="#">TBX18</a>	T-box 18
hsa-miR-200c-3p	<a href="#">PTPN21</a>	protein tyrosine phosphatase, non-receptor type 21
hsa-miR-200c-3p	<a href="#">DNAJC3</a>	DnaJ heat shock protein family (Hsp40) member C3
hsa-miR-200c-3p	<a href="#">QKI</a>	QKI, KH domain containing RNA binding
hsa-miR-200c-3p	<a href="#">RIC1</a>	RIC1 homolog, RAB6A GEF complex partner 1
hsa-miR-200c-3p	<a href="#">CCNI</a>	cyclin J
hsa-miR-200c-3p	<a href="#">PCMTD1</a>	protein-L-isoaspartate (D-aspartate) O-methyltransferase domain containing 1
hsa-miR-200c-3p	<a href="#">CFL2</a>	cofilin 2
hsa-miR-200c-3p	<a href="#">GPM6A</a>	glycoprotein M6A
hsa-miR-200c-3p	<a href="#">ARHGAP6</a>	Rho GTPase activating protein 6
hsa-miR-200c-3p	<a href="#">TFAP2A</a>	transcription factor AP-2 alpha
hsa-miR-200c-3p	<a href="#">SLC35B4</a>	solute carrier family 35 member B4
hsa-miR-200c-3p	<a href="#">BAP1</a>	BRCA1 associated protein 1
hsa-miR-200c-3p	<a href="#">RAB11FIP2</a>	RAB11 family interacting protein 2
hsa-miR-200c-3p	<a href="#">MSN</a>	moesin
hsa-miR-200c-3p	<a href="#">FBXW7</a>	F-box and WD repeat domain containing 7
hsa-miR-200c-3p	<a href="#">TRIM33</a>	tripartite motif containing 33

hsa-miR-200c-3p	<a href="#">CNOT6</a>	CCR4-NOT transcription complex subunit 6
hsa-miR-200c-3p	<a href="#">PRTG</a>	protogenin
hsa-miR-200c-3p	<a href="#">RPS6KB1</a>	ribosomal protein S6 kinase B1
hsa-miR-200c-3p	<a href="#">NOVA2</a>	NOVA alternative splicing regulator 2
hsa-miR-200c-3p	<a href="#">WASF3</a>	WAS protein family member 3
hsa-miR-200c-3p	<a href="#">KDM7A</a>	lysine demethylase 7A
hsa-miR-200c-3p	<a href="#">ELL2</a>	elongation factor for RNA polymerase II 2
hsa-miR-200c-3p	<a href="#">ATXN1</a>	ataxin 1
hsa-miR-200c-3p	<a href="#">SYNJ1</a>	synaptojanin 1
hsa-miR-200c-3p	<a href="#">MIEF1</a>	mitochondrial elongation factor 1
hsa-miR-200c-3p	<a href="#">MBNL3</a>	muscleblind like splicing regulator 3
hsa-miR-200c-3p	<a href="#">CSNK1G3</a>	casein kinase 1 gamma 3
hsa-miR-200c-3p	<a href="#">KHDRBS1</a>	KH RNA binding domain containing, signal transduction associated 1
hsa-miR-200c-3p	<a href="#">ELMOD2</a>	ELMO domain containing 2
hsa-miR-200c-3p	<a href="#">MCFD2</a>	multiple coagulation factor deficiency 2
hsa-miR-200c-3p	<a href="#">CRKL</a>	CRK like proto-oncogene, adaptor protein
hsa-miR-200c-3p	<a href="#">TENT4B</a>	terminal nucleotidyltransferase 4B
hsa-miR-200c-3p	<a href="#">MPRIIP</a>	myosin phosphatase Rho interacting protein
hsa-miR-200c-3p	<a href="#">PPP4R2</a>	protein phosphatase 4 regulatory subunit 2
hsa-miR-200c-3p	<a href="#">MGAT2</a>	mannosyl (alpha-1,6-)-glycoprotein beta-1,2-N-acetylglucosaminyltransferase
hsa-miR-200c-3p	<a href="#">FAM122C</a>	family with sequence similarity 122C
hsa-miR-200c-3p	<a href="#">NFIA</a>	nuclear factor I A
hsa-miR-200c-3p	<a href="#">SUSD5</a>	sushi domain containing 5
hsa-miR-200c-3p	<a href="#">FEZ2</a>	fasciculation and elongation protein zeta 2
hsa-miR-200c-3p	<a href="#">PRDM16</a>	PR/SET domain 16
hsa-miR-200c-3p	<a href="#">LRP1B</a>	LDL receptor related protein 1B
hsa-miR-200c-3p	<a href="#">PPP2R5E</a>	protein phosphatase 2 regulatory subunit B'epsilon
hsa-miR-200c-3p	<a href="#">PTPN14</a>	protein tyrosine phosphatase, non-receptor type 14
hsa-miR-200c-3p	<a href="#">OSTM1</a>	osteoclastogenesis associated transmembrane protein 1
hsa-miR-200c-3p	<a href="#">FAM126B</a>	family with sequence similarity 126 member B
hsa-miR-200c-3p	<a href="#">CDK17</a>	cyclin dependent kinase 17
hsa-miR-200c-3p	<a href="#">FRMD6</a>	FERM domain containing 6
hsa-miR-200c-3p	<a href="#">RBSN</a>	rabenosyn, RAB effector
hsa-miR-200c-3p	<a href="#">JAKMIP2</a>	janus kinase and microtubule interacting protein 2
hsa-miR-200c-3p	<a href="#">PIK3CA</a>	phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit alpha
hsa-miR-200c-3p	<a href="#">CCDC177</a>	coiled-coil domain containing 177
hsa-miR-200c-3p	<a href="#">ARIH1</a>	ariadne RBR E3 ubiquitin protein ligase 1
hsa-miR-200c-3p	<a href="#">ATP11C</a>	ATPase phospholipid transporting 11C
hsa-miR-200c-3p	<a href="#">RTF1</a>	RTF1 homolog, Paf1/RNA polymerase II complex component
hsa-miR-200c-3p	<a href="#">PPM1F</a>	protein phosphatase, Mg2+/Mn2+ dependent 1F
hsa-miR-200c-3p	<a href="#">RAP2C</a>	RAP2C, member of RAS oncogene family
hsa-miR-200c-3p	<a href="#">MMD</a>	monocyte to macrophage differentiation associated



hsa-miR-200c-3p	<a href="#">CHN2</a>	chimerin 2
hsa-miR-200c-3p	<a href="#">PHF21B</a>	PHD finger protein 21B
hsa-miR-200c-3p	<a href="#">SULF1</a>	sulfatase 1
hsa-miR-200c-3p	<a href="#">ARL2BP</a>	ADP ribosylation factor like GTPase 2 binding protein
hsa-miR-200c-3p	<a href="#">ADIPOR2</a>	adiponectin receptor 2
hsa-miR-200c-3p	<a href="#">ZNF532</a>	zinc finger protein 532
hsa-miR-200c-3p	<a href="#">PHACTR3</a>	phosphatase and actin regulator 3
hsa-miR-200c-3p	<a href="#">RASAA2</a>	RAS p21 protein activator 2
hsa-miR-200c-3p	<a href="#">ZNF711</a>	zinc finger protein 711
hsa-miR-200c-3p	<a href="#">SEMA6D</a>	semaphorin 6D
hsa-miR-200c-3p	<a href="#">VLDLR</a>	very low density lipoprotein receptor
hsa-miR-200c-3p	<a href="#">IGSF10</a>	immunoglobulin superfamily member 10
hsa-miR-200c-3p	<a href="#">WNT16</a>	Wnt family member 16
hsa-miR-200c-3p	<a href="#">CBL</a>	Cbl proto-oncogene
hsa-miR-200c-3p	<a href="#">EPS8</a>	epidermal growth factor receptor pathway substrate 8
hsa-miR-200c-3p	<a href="#">NANOS1</a>	nanos C2HC-type zinc finger 1
hsa-miR-200c-3p	<a href="#">TMOD3</a>	tropomodulin 3
hsa-miR-200c-3p	<a href="#">COL4A3BP</a>	collagen type IV alpha 3 binding protein
hsa-miR-200c-3p	<a href="#">KDELIC1</a>	KDEL motif containing 1
hsa-miR-200c-3p	<a href="#">MINDY2</a>	MINDY lysine 48 deubiquitinase 2
hsa-miR-200c-3p	<a href="#">RND3</a>	Rho family GTPase 3
hsa-miR-200c-3p	<a href="#">KDR</a>	kinase insert domain receptor
hsa-miR-200c-3p	<a href="#">OTUD4</a>	OTU deubiquitinase 4
hsa-miR-200c-3p	<a href="#">NCOA2</a>	nuclear receptor coactivator 2
hsa-miR-200c-3p	<a href="#">HMBOX1</a>	homeobox containing 1
hsa-miR-200c-3p	<a href="#">DUSP1</a>	dual specificity phosphatase 1
hsa-miR-200c-3p	<a href="#">ELOC</a>	elongin C
hsa-miR-200c-3p	<a href="#">C16orf72</a>	chromosome 16 open reading frame 72
hsa-miR-200c-3p	<a href="#">EGLN1</a>	egl-9 family hypoxia inducible factor 1
hsa-miR-200c-3p	<a href="#">CLASP1</a>	cytoplasmic linker associated protein 1
hsa-miR-200c-3p	<a href="#">ZFAND6</a>	zinc finger AN1-type containing 6
hsa-miR-200c-3p	<a href="#">FOXG1</a>	forkhead box G1
hsa-miR-200c-3p	<a href="#">KCNQ3</a>	potassium voltage-gated channel subfamily Q member 3
hsa-miR-200c-3p	<a href="#">MBOAT2</a>	membrane bound O-acyltransferase domain containing 2
hsa-miR-200c-3p	<a href="#">PHTF2</a>	putative homeodomain transcription factor 2
hsa-miR-200c-3p	<a href="#">BRWD3</a>	bromodomain and WD repeat domain containing 3
hsa-miR-200c-3p	<a href="#">NBR1</a>	NBR1, autophagy cargo receptor
hsa-miR-200c-3p	<a href="#">ZNF131</a>	zinc finger protein 131
hsa-miR-200c-3p	<a href="#">AFF3</a>	AF4/FMR2 family member 3
hsa-miR-200c-3p	<a href="#">ARL5A</a>	ADP ribosylation factor like GTPase 5A
hsa-miR-200c-3p	<a href="#">TMX4</a>	thioredoxin related transmembrane protein 4
hsa-miR-200c-3p	<a href="#">IMMP2L</a>	inner mitochondrial membrane peptidase subunit 2
hsa-miR-200c-3p	<a href="#">MAP3K1</a>	mitogen-activated protein kinase kinase kinase 1
hsa-miR-200c-3p	<a href="#">SGIP1</a>	SH3 domain GRB2 like endophilin interacting protein 1
hsa-miR-200c-3p	<a href="#">IPO7</a>	importin 7

hsa-miR-200c-3p	<a href="#">GOLGA7</a>	golgin A7
hsa-miR-200c-3p	<a href="#">DLC1</a>	DLC1 Rho GTPase activating protein
hsa-miR-200c-3p	<a href="#">XKR8</a>	XK related 8
hsa-miR-200c-3p	<a href="#">ELK4</a>	ELK4, ETS transcription factor
hsa-miR-200c-3p	<a href="#">FN1</a>	fibronectin 1
hsa-miR-200c-3p	<a href="#">SESN1</a>	sestrin 1
hsa-miR-200c-3p	<a href="#">JUN</a>	Jun proto-oncogene, AP-1 transcription factor subunit
hsa-miR-200c-3p	<a href="#">GPR158</a>	G protein-coupled receptor 158
hsa-miR-200c-3p	<a href="#">DGKH</a>	diacylglycerol kinase eta
hsa-miR-200c-3p	<a href="#">SYDE1</a>	synapse defective Rho GTPase homolog 1
hsa-miR-200c-3p	<a href="#">PPHLN1</a>	periphilin 1
hsa-miR-200c-3p	<a href="#">ZC3H6</a>	zinc finger CCCH-type containing 6
hsa-miR-200c-3p	<a href="#">PRKG1</a>	protein kinase cGMP-dependent 1
hsa-miR-200c-3p	<a href="#">SLC1A2</a>	solute carrier family 1 member 2
hsa-miR-200c-3p	<a href="#">RANBP9</a>	RAN binding protein 9
hsa-miR-200c-3p	<a href="#">GOLGA1</a>	golgin A1
hsa-miR-200c-3p	<a href="#">LOX</a>	lysyl oxidase
hsa-miR-200c-3p	<a href="#">GIT2</a>	GIT ArfGAP 2
hsa-miR-200c-3p	<a href="#">ARMCX5-GPRASP2</a>	ARMCX5-GPRASP2 readthrough
hsa-miR-200c-3p	<a href="#">MPDZ</a>	multiple PDZ domain crumbs cell polarity complex component
hsa-miR-200c-3p	<a href="#">PGM2L1</a>	phosphoglucomutase 2 like 1
hsa-miR-200c-3p	<a href="#">PRKACB</a>	protein kinase cAMP-activated catalytic subunit beta
hsa-miR-200c-3p	<a href="#">CDH20</a>	cadherin 20
hsa-miR-200c-3p	<a href="#">NTF3</a>	neurotrophin 3
hsa-miR-200c-3p	<a href="#">B3GNT2</a>	UDP-GlcNAc:betaGal beta-1,3-N-acetylglucosaminyltransferase 2
hsa-miR-200c-3p	<a href="#">PSAT1</a>	phosphoserine aminotransferase 1
hsa-miR-200c-3p	<a href="#">REEP1</a>	receptor accessory protein 1
hsa-miR-200c-3p	<a href="#">MED13</a>	mediator complex subunit 13
hsa-miR-200c-3p	<a href="#">TBK1</a>	TANK binding kinase 1
hsa-miR-200c-3p	<a href="#">TBC1D12</a>	TBC1 domain family member 12
hsa-miR-200c-3p	<a href="#">MAPK7</a>	mitogen-activated protein kinase 7
hsa-miR-200c-3p	<a href="#">WAPL</a>	WAPL cohesin release factor
hsa-miR-200c-3p	<a href="#">VEGFA</a>	vascular endothelial growth factor A
hsa-miR-200c-3p	<a href="#">RUSC2</a>	RUN and SH3 domain containing 2
hsa-miR-200c-3p	<a href="#">SFXN1</a>	sideroflexin 1
hsa-miR-200c-3p	<a href="#">ZFX</a>	zinc finger protein X-linked
hsa-miR-200c-3p	<a href="#">HS2ST1</a>	heparan sulfate 2-O-sulfotransferase 1
hsa-miR-200c-3p	<a href="#">BLCAP</a>	BLCAP, apoptosis inducing factor
hsa-miR-200c-3p	<a href="#">RAB21</a>	RAB21, member RAS oncogene family
hsa-miR-200c-3p	<a href="#">GPRASP2</a>	G protein-coupled receptor associated sorting protein 2
hsa-miR-200c-3p	<a href="#">DESI1</a>	desumoylating isopeptidase 1
hsa-miR-200c-3p	<a href="#">FOXF1</a>	forkhead box F1

hsa-miR-200c-3p	<a href="#">PTPRZ1</a>	protein tyrosine phosphatase, receptor type Z1
hsa-miR-200c-3p	<a href="#">TMEM17</a>	transmembrane protein 17
hsa-miR-200c-3p	<a href="#">FSCN1</a>	fascin actin-bundling protein 1
hsa-miR-200c-3p	<a href="#">PPP1R18</a>	protein phosphatase 1 regulatory subunit 18
hsa-miR-200c-3p	<a href="#">RNF2</a>	ring finger protein 2
hsa-miR-200c-3p	<a href="#">THAP1</a>	THAP domain containing 1
hsa-miR-200c-3p	<a href="#">CLIC4</a>	chloride intracellular channel 4
hsa-miR-200c-3p	<a href="#">CECR2</a>	CECR2, histone acetyl-lysine reader
hsa-miR-200c-3p	<a href="#">HOOK1</a>	hook microtubule tethering protein 1
hsa-miR-200c-3p	<a href="#">PPM1E</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1E
hsa-miR-200c-3p	<a href="#">CHRD1</a>	chordin like 1
hsa-miR-200c-3p	<a href="#">DTNA</a>	dystrobrevin alpha
hsa-miR-200c-3p	<a href="#">ZBTB10</a>	zinc finger and BTB domain containing 10
hsa-miR-200c-3p	<a href="#">B3GLCT</a>	beta 3-glucosyltransferase
hsa-miR-200c-3p	<a href="#">DNAJB9</a>	DnaJ heat shock protein family (Hsp40) member B9
hsa-miR-200c-3p	<a href="#">FAT3</a>	FAT atypical cadherin 3
hsa-miR-200c-3p	<a href="#">NR3C1</a>	nuclear receptor subfamily 3 group C member 1
hsa-miR-200c-3p	<a href="#">FAM227B</a>	family with sequence similarity 227 member B
hsa-miR-200c-3p	<a href="#">CSMD3</a>	CUB and Sushi multiple domains 3
hsa-miR-200c-3p	<a href="#">PPFIA1</a>	PTPRF interacting protein alpha 1
hsa-miR-200c-3p	<a href="#">KCTD8</a>	potassium channel tetramerization domain containing 8
hsa-miR-200c-3p	<a href="#">PI4K2B</a>	phosphatidylinositol 4-kinase type 2 beta
hsa-miR-200c-3p	<a href="#">ANKRD40</a>	ankyrin repeat domain 40
hsa-miR-200c-3p	<a href="#">VASH1</a>	vasohibin 1
hsa-miR-200c-3p	<a href="#">PDS5B</a>	PDS5 cohesin associated factor B
hsa-miR-200c-3p	<a href="#">SLK</a>	STE20 like kinase
hsa-miR-200c-3p	<a href="#">RTKN2</a>	rhotekin 2
hsa-miR-200c-3p	<a href="#">RNF19A</a>	ring finger protein 19A, RBR E3 ubiquitin protein ligase
hsa-miR-200c-3p	<a href="#">FHL1</a>	four and a half LIM domains 1
hsa-miR-200c-3p	<a href="#">SPAG9</a>	sperm associated antigen 9
hsa-miR-200c-3p	<a href="#">DPY19L1</a>	dpy-19 like C-mannosyltransferase 1
hsa-miR-200c-3p	<a href="#">AMFR</a>	autocrine motility factor receptor
hsa-miR-200c-3p	<a href="#">ELAVL2</a>	ELAV like RNA binding protein 2
hsa-miR-200c-3p	<a href="#">LBR</a>	lamin B receptor
hsa-miR-200c-3p	<a href="#">ZYG11B</a>	zyg-11 family member B, cell cycle regulator
hsa-miR-200c-3p	<a href="#">CLIP1</a>	CAP-Gly domain containing linker protein 1
hsa-miR-200c-3p	<a href="#">MOSMO</a>	modulator of smoothened
hsa-miR-200c-3p	<a href="#">WDR82</a>	WD repeat domain 82
hsa-miR-200c-3p	<a href="#">SERPINI1</a>	serpin family I member 1
hsa-miR-200c-3p	<a href="#">RASSF8</a>	Ras association domain family member 8
hsa-miR-200c-3p	<a href="#">JAZF1</a>	JAZF zinc finger 1
hsa-miR-200c-3p	<a href="#">TOB1</a>	transducer of ERBB2, 1
hsa-miR-200c-3p	<a href="#">EVI5</a>	ecotropic viral integration site 5
hsa-miR-200c-3p	<a href="#">B4GAT1</a>	beta-1,4-glucuronyltransferase 1
hsa-miR-200c-3p	<a href="#">POLK</a>	DNA polymerase kappa

hsa-miR-200c-3p	<a href="#">CHRM2</a>	cholinergic receptor muscarinic 2
hsa-miR-200c-3p	<a href="#">TRAPPC8</a>	trafficking protein particle complex 8
hsa-miR-200c-3p	<a href="#">PUM2</a>	pumilio RNA binding family member 2
hsa-miR-200c-3p	<a href="#">CDYL</a>	chromodomain Y like
hsa-miR-200c-3p	<a href="#">YWHAG</a>	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein gamma
hsa-miR-200c-3p	<a href="#">SLC6A11</a>	solute carrier family 6 member 11
hsa-miR-200c-3p	<a href="#">TCAIM</a>	T cell activation inhibitor, mitochondrial
hsa-miR-200c-3p	<a href="#">PKD1</a>	polycystin 1, transient receptor potential channel interacting
hsa-miR-200c-3p	<a href="#">FBXO30</a>	F-box protein 30
hsa-miR-200c-3p	<a href="#">DNMT3B</a>	DNA methyltransferase 3 beta
hsa-miR-200c-3p	<a href="#">FBXO33</a>	F-box protein 33
hsa-miR-200c-3p	<a href="#">ITGA1</a>	integrin subunit alpha 1
hsa-miR-200c-3p	<a href="#">OCLN</a>	occludin
hsa-miR-200c-3p	<a href="#">CEP85L</a>	centrosomal protein 85 like
hsa-miR-200c-3p	<a href="#">VAT1L</a>	vesicle amine transport 1 like
hsa-miR-200c-3p	<a href="#">SCAMP1</a>	secretory carrier membrane protein 1
hsa-miR-200c-3p	<a href="#">GABBR2</a>	gamma-aminobutyric acid type B receptor subunit 2
hsa-miR-200c-3p	<a href="#">CAB39</a>	calcium binding protein 39
hsa-miR-200c-3p	<a href="#">ADAMTS3</a>	ADAM metalloproteinase with thrombospondin type 1 motif 3
hsa-miR-200c-3p	<a href="#">SCAI</a>	suppressor of cancer cell invasion
hsa-miR-200c-3p	<a href="#">NEDD1</a>	neural precursor cell expressed, developmentally down-regulated 1
hsa-miR-200c-3p	<a href="#">LRRC8A</a>	leucine rich repeat containing 8 VRAC subunit A
hsa-miR-200c-3p	<a href="#">ANKRD44</a>	ankyrin repeat domain 44
hsa-miR-200c-3p	<a href="#">NRBP1</a>	nuclear receptor binding protein 1
hsa-miR-200c-3p	<a href="#">S100PBP</a>	S100P binding protein
hsa-miR-200c-3p	<a href="#">USP25</a>	ubiquitin specific peptidase 25
hsa-miR-200c-3p	<a href="#">MAP4K5</a>	mitogen-activated protein kinase kinase kinase kinase 5
hsa-miR-200c-3p	<a href="#">CAMSAP2</a>	calmodulin regulated spectrin associated protein family member 2
hsa-miR-200c-3p	<a href="#">HDAC9</a>	histone deacetylase 9
hsa-miR-200c-3p	<a href="#">PPP1R9B</a>	protein phosphatase 1 regulatory subunit 9B
hsa-miR-200c-3p	<a href="#">PMAIP1</a>	phorbol-12-myristate-13-acetate-induced protein 1
hsa-miR-200c-3p	<a href="#">MAP4K4</a>	mitogen-activated protein kinase kinase kinase kinase 4
hsa-miR-200c-3p	<a href="#">FSD1L</a>	fibronectin type III and SPRY domain containing 1 like
hsa-miR-200c-3p	<a href="#">STK4</a>	serine/threonine kinase 4
hsa-miR-200c-3p	<a href="#">TSC22D1</a>	TSC22 domain family member 1
hsa-miR-200c-3p	<a href="#">PSIP1</a>	PC4 and SFRS1 interacting protein 1
hsa-miR-200c-3p	<a href="#">MFAP5</a>	microfibril associated protein 5
hsa-miR-200c-3p	<a href="#">SLC4A7</a>	solute carrier family 4 member 7
hsa-miR-200c-3p	<a href="#">NOG</a>	noggin
hsa-miR-200c-3p	<a href="#">SLC6A1</a>	solute carrier family 6 member 1
hsa-miR-200c-3p	<a href="#">MIB1</a>	mindbomb E3 ubiquitin protein ligase 1

hsa-miR-200c-3p	<a href="#">DCBLD2</a>	discoidin, CUB and LCCL domain containing 2
hsa-miR-200c-3p	<a href="#">DENND5B</a>	DENN domain containing 5B
hsa-miR-200c-3p	<a href="#">CCNYL1</a>	cyclin Y like 1
hsa-miR-200c-3p	<a href="#">CKAP4</a>	cytoskeleton associated protein 4
hsa-miR-200c-3p	<a href="#">STRN</a>	striatin
hsa-miR-200c-3p	<a href="#">MARCH6</a>	membrane associated ring-CH-type finger 6
hsa-miR-200c-3p	<a href="#">TMEFF2</a>	transmembrane protein with EGF like and two follistatin like domains 2
hsa-miR-200c-3p	<a href="#">GAS2L3</a>	growth arrest specific 2 like 3
hsa-miR-200c-3p	<a href="#">TLN2</a>	talin 2
hsa-miR-200c-3p	<a href="#">HSPA13</a>	heat shock protein family A (Hsp70) member 13
hsa-miR-200c-3p	<a href="#">SLC14A1</a>	solute carrier family 14 member 1 (Kidd blood group)
hsa-miR-200c-3p	<a href="#">PAG1</a>	phosphoprotein membrane anchor with glycosphingolipid microdomains 1
hsa-miR-200c-3p	<a href="#">NTRK2</a>	neurotrophic receptor tyrosine kinase 2
hsa-miR-200c-3p	<a href="#">PIKFYVE</a>	phosphoinositide kinase, FYVE-type zinc finger containing
hsa-miR-200c-3p	<a href="#">COPS8</a>	COP9 signalosome subunit 8
hsa-miR-200c-3p	<a href="#">USP27X</a>	ubiquitin specific peptidase 27 X-linked
hsa-miR-200c-3p	<a href="#">KYNU</a>	kynureninase
hsa-miR-200c-3p	<a href="#">TSSK1B</a>	testis specific serine kinase 1B
hsa-miR-200c-3p	<a href="#">PTPN12</a>	protein tyrosine phosphatase, non-receptor type 12
hsa-miR-200c-3p	<a href="#">MARCKS</a>	myristoylated alanine rich protein kinase C substrate
hsa-miR-200c-3p	<a href="#">AGFG1</a>	ArfGAP with FG repeats 1
hsa-miR-200c-3p	<a href="#">CBX4</a>	chromobox 4
hsa-miR-200c-3p	<a href="#">CNOT9</a>	CCR4-NOT transcription complex subunit 9
hsa-miR-200c-3p	<a href="#">ATP5F1B</a>	ATP synthase F1 subunit beta
hsa-miR-200c-3p	<a href="#">ZKSCAN8</a>	zinc finger with KRAB and SCAN domains 8
hsa-miR-200c-3p	<a href="#">THAP2</a>	THAP domain containing 2
hsa-miR-200c-3p	<a href="#">TRMT9B</a>	tRNA methyltransferase 9B (putative)
hsa-miR-200c-3p	<a href="#">DIXDC1</a>	DIX domain containing 1
hsa-miR-200c-3p	<a href="#">NOVA1</a>	NOVA alternative splicing regulator 1
hsa-miR-200c-3p	<a href="#">DGKA</a>	diacylglycerol kinase alpha
hsa-miR-200c-3p	<a href="#">ZNF217</a>	zinc finger protein 217
hsa-miR-200c-3p	<a href="#">PCDH19</a>	protocadherin 19
hsa-miR-200c-3p	<a href="#">SCN5A</a>	sodium voltage-gated channel alpha subunit 5
hsa-miR-200c-3p	<a href="#">HS3ST1</a>	heparan sulfate-glucosamine 3-sulfotransferase 1
hsa-miR-200c-3p	<a href="#">PITPNM3</a>	PITPNM family member 3
hsa-miR-200c-3p	<a href="#">GXylT1</a>	glucoside xylosyltransferase 1
hsa-miR-200c-3p	<a href="#">PIM2</a>	Pim-2 proto-oncogene, serine/threonine kinase
hsa-miR-200c-3p	<a href="#">INTS8</a>	integrator complex subunit 8
hsa-miR-200c-3p	<a href="#">CRH</a>	corticotropin releasing hormone
hsa-miR-200c-3p	<a href="#">RIMS2</a>	regulating synaptic membrane exocytosis 2
hsa-miR-200c-3p	<a href="#">GLI3</a>	GLI family zinc finger 3
hsa-miR-200c-3p	<a href="#">TOGARAM1</a>	TOG array regulator of axonemal microtubules 1
hsa-miR-200c-3p	<a href="#">YPEL2</a>	yippee like 2

hsa-miR-200c-3p	<a href="#">ICAD</a>	junctional cadherin 5 associated
hsa-miR-200c-3p	<a href="#">HDHD2</a>	haloacid dehalogenase like hydrolase domain containing 2
hsa-miR-200c-3p	<a href="#">ENO4</a>	enolase 4
hsa-miR-200c-3p	<a href="#">DENND5A</a>	DENN domain containing 5A
hsa-miR-200c-3p	<a href="#">TIMP2</a>	TIMP metalloproteinase inhibitor 2
hsa-miR-200c-3p	<a href="#">SESN3</a>	sestrin 3
hsa-miR-200c-3p	<a href="#">USP6NL</a>	USP6 N-terminal like
hsa-miR-200c-3p	<a href="#">ERG</a>	ETS transcription factor ERG
hsa-miR-200c-3p	<a href="#">CEP350</a>	centrosomal protein 350
hsa-miR-200c-3p	<a href="#">ZNF326</a>	zinc finger protein 326
hsa-miR-200c-3p	<a href="#">OSBPL11</a>	oxysterol binding protein like 11
hsa-miR-200c-3p	<a href="#">NAP1L5</a>	nucleosome assembly protein 1 like 5
hsa-miR-200c-3p	<a href="#">RBFox2</a>	RNA binding fox-1 homolog 2
hsa-miR-200c-3p	<a href="#">CYTH3</a>	cytohesin 3
hsa-miR-200c-3p	<a href="#">DPH6</a>	diphthamine biosynthesis 6
hsa-miR-200c-3p	<a href="#">MATR3</a>	matrin 3
hsa-miR-200c-3p	<a href="#">DNA2</a>	DNA replication helicase/nuclease 2
hsa-miR-200c-3p	<a href="#">ATL2</a>	atlastin GTPase 2
hsa-miR-200c-3p	<a href="#">MAPRE1</a>	microtubule associated protein RP/EB family member 1
hsa-miR-200c-3p	<a href="#">ROCK2</a>	Rho associated coiled-coil containing protein kinase 2
hsa-miR-200c-3p	<a href="#">PROK2</a>	prokineticin 2
hsa-miR-200c-3p	<a href="#">DNAJB5</a>	DnaJ heat shock protein family (Hsp40) member B5
hsa-miR-200c-3p	<a href="#">ESRRG</a>	estrogen related receptor gamma
hsa-miR-200c-3p	<a href="#">GNAQ</a>	G protein subunit alpha q
hsa-miR-200c-3p	<a href="#">MAP4K3</a>	mitogen-activated protein kinase kinase kinase kinase 3
hsa-miR-200c-3p	<a href="#">CNEP1R1</a>	CTD nuclear envelope phosphatase 1 regulatory subunit 1
hsa-miR-200c-3p	<a href="#">RIPK2</a>	receptor interacting serine/threonine kinase 2
hsa-miR-200c-3p	<a href="#">ZBTB38</a>	zinc finger and BTB domain containing 38
hsa-miR-200c-3p	<a href="#">FIGNL2</a>	fidgetin like 2
hsa-miR-200c-3p	<a href="#">ATAD2B</a>	ATPase family, AAA domain containing 2B
hsa-miR-200c-3p	<a href="#">FOXN2</a>	forkhead box N2
hsa-miR-200c-3p	<a href="#">ETS1</a>	ETS proto-oncogene 1, transcription factor
hsa-miR-200c-3p	<a href="#">AKAP7</a>	A-kinase anchoring protein 7
hsa-miR-200c-3p	<a href="#">PLPP3</a>	phospholipid phosphatase 3
hsa-miR-200c-3p	<a href="#">SRGAP1</a>	SLIT-ROBO Rho GTPase activating protein 1
hsa-miR-200c-3p	<a href="#">HECTD2</a>	HECT domain E3 ubiquitin protein ligase 2
hsa-miR-200c-3p	<a href="#">ELK3</a>	ELK3, ETS transcription factor
hsa-miR-200c-3p	<a href="#">CEP41</a>	centrosomal protein 41
hsa-miR-200c-3p	<a href="#">CNKSR3</a>	CNKSR family member 3
hsa-miR-200c-3p	<a href="#">ULK2</a>	unc-51 like autophagy activating kinase 2
hsa-miR-200c-3p	<a href="#">ZFPM2</a>	zinc finger protein, FOG family member 2
hsa-miR-200c-3p	<a href="#">ZMAT3</a>	zinc finger matrin-type 3
hsa-miR-200c-3p	<a href="#">RDH10</a>	retinol dehydrogenase 10



hsa-miR-200c-3p	<a href="#">SLC25A36</a>	solute carrier family 25 member 36
hsa-miR-200c-3p	<a href="#">CCDC82</a>	coiled-coil domain containing 82
hsa-miR-200c-3p	<a href="#">SLC30A7</a>	solute carrier family 30 member 7
hsa-miR-200c-3p	<a href="#">SCD</a>	stearoyl-CoA desaturase
hsa-miR-200c-3p	<a href="#">XKR4</a>	XK related 4
hsa-miR-200c-3p	<a href="#">ZCCHC24</a>	zinc finger CCHC-type containing 24
hsa-miR-200c-3p	<a href="#">CNTN1</a>	contactin 1
hsa-miR-200c-3p	<a href="#">SMARCD1</a>	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily d, member 1
hsa-miR-200c-3p	<a href="#">NPM1</a>	nucleophosmin 1
hsa-miR-200c-3p	<a href="#">ZSWIM4</a>	zinc finger SWIM-type containing 4
hsa-miR-200c-3p	<a href="#">NCS1</a>	neuronal calcium sensor 1
hsa-miR-200c-3p	<a href="#">RO60</a>	Ro60, Y RNA binding protein
hsa-miR-200c-3p	<a href="#">PTAR1</a>	protein prenyltransferase alpha subunit repeat containing 1
hsa-miR-200c-3p	<a href="#">PLCL1</a>	phospholipase C like 1 (inactive)
hsa-miR-200c-3p	<a href="#">CYTH1</a>	cytohesin 1
hsa-miR-200c-3p	<a href="#">TRHDE</a>	thyrotropin releasing hormone degrading enzyme
hsa-miR-200c-3p	<a href="#">BCL11B</a>	BCL11B, BAF complex component
hsa-miR-200c-3p	<a href="#">EDEM3</a>	ER degradation enhancing alpha-mannosidase like protein 3
hsa-miR-200c-3p	<a href="#">FLII</a>	FLII, actin remodeling protein
hsa-miR-200c-3p	<a href="#">KRT80</a>	keratin 80
hsa-miR-200c-3p	<a href="#">EIF2B5</a>	eukaryotic translation initiation factor 2B subunit epsilon
hsa-miR-200c-3p	<a href="#">FERMT2</a>	fermitin family member 2
hsa-miR-200c-3p	<a href="#">SERINC1</a>	serine incorporator 1
hsa-miR-200c-3p	<a href="#">ASAP1</a>	ArfGAP with SH3 domain, ankyrin repeat and PH domain 1
hsa-miR-200c-3p	<a href="#">RANBP10</a>	RAN binding protein 10
hsa-miR-200c-3p	<a href="#">RBFOX3</a>	RNA binding fox-1 homolog 3
hsa-miR-200c-3p	<a href="#">HMGB3</a>	high mobility group box 3
hsa-miR-200c-3p	<a href="#">GIC1</a>	gap junction protein gamma 1
hsa-miR-200c-3p	<a href="#">CORO1C</a>	coronin 1C
hsa-miR-200c-3p	<a href="#">HOOK3</a>	hook microtubule tethering protein 3
hsa-miR-200c-3p	<a href="#">TAF12</a>	TATA-box binding protein associated factor 12
hsa-miR-200c-3p	<a href="#">MARF1</a>	meiosis regulator and mRNA stability factor 1
hsa-miR-200c-3p	<a href="#">NCK2</a>	NCK adaptor protein 2
hsa-miR-200c-3p	<a href="#">TSC22D2</a>	TSC22 domain family member 2
hsa-miR-200c-3p	<a href="#">CPED1</a>	cadherin like and PC-esterase domain containing 1
hsa-miR-200c-3p	<a href="#">TBL1XR1</a>	transducin beta like 1 X-linked receptor 1
hsa-miR-200c-3p	<a href="#">LRP1</a>	LDL receptor related protein 1
hsa-miR-200c-3p	<a href="#">FARP1</a>	FERM, ARH/RhoGEF and pleckstrin domain protein 1
hsa-miR-200c-3p	<a href="#">WWC3</a>	WWC family member 3
hsa-miR-200c-3p	<a href="#">BNC2</a>	basonuclein 2
hsa-miR-200c-3p	<a href="#">PHEX</a>	phosphate regulating endopeptidase homolog X-linked
hsa-miR-200c-3p	<a href="#">PKIA</a>	cAMP-dependent protein kinase inhibitor alpha

hsa-miR-200c-3p	<a href="#">RAP1B</a>	RAP1B, member of RAS oncogene family
hsa-miR-200c-3p	<a href="#">PTH1H</a>	parathyroid hormone like hormone
hsa-miR-200c-3p	<a href="#">UHRF1BP1</a>	UHRF1 binding protein 1
hsa-miR-200c-3p	<a href="#">GPR180</a>	G protein-coupled receptor 180
hsa-miR-200c-3p	<a href="#">C11orf87</a>	chromosome 11 open reading frame 87
hsa-miR-200c-3p	<a href="#">CLASP2</a>	cytoplasmic linker associated protein 2
hsa-miR-200c-3p	<a href="#">KLF4</a>	Kruppel like factor 4
hsa-miR-200c-3p	<a href="#">SCRT2</a>	scratch family transcriptional repressor 2
hsa-miR-200c-3p	<a href="#">RPS6KA3</a>	ribosomal protein S6 kinase A3
hsa-miR-200c-3p	<a href="#">GPATCH8</a>	G-patch domain containing 8
hsa-miR-200c-3p	<a href="#">GEM</a>	GTP binding protein overexpressed in skeletal muscle
hsa-miR-200c-3p	<a href="#">ZDHHC21</a>	zinc finger DHHC-type containing 21
hsa-miR-200c-3p	<a href="#">EXOGE</a>	exo/endonuclease G
hsa-miR-200c-3p	<a href="#">SGCE</a>	sarcoglycan epsilon
hsa-miR-200c-3p	<a href="#">SLITRK1</a>	SLIT and NTRK like family member 1
hsa-miR-200c-3p	<a href="#">WASF1</a>	WAS protein family member 1
hsa-miR-200c-3p	<a href="#">INSM2</a>	INSM transcriptional repressor 2
hsa-miR-200c-3p	<a href="#">FLI1</a>	Fli-1 proto-oncogene, ETS transcription factor
hsa-miR-200c-3p	<a href="#">FAM118B</a>	family with sequence similarity 118 member B
hsa-miR-200c-3p	<a href="#">ERIC4</a>	glutamate rich 4
hsa-miR-200c-3p	<a href="#">SIX1</a>	SIX homeobox 1
hsa-miR-200c-3p	<a href="#">TMEM136</a>	transmembrane protein 136
hsa-miR-200c-3p	<a href="#">GTPBP10</a>	GTP binding protein 10
hsa-miR-200c-3p	<a href="#">CHRNA6</a>	cholinergic receptor nicotinic alpha 6 subunit
hsa-miR-200c-3p	<a href="#">EXD2</a>	exonuclease 3'-5' domain containing 2
hsa-miR-200c-3p	<a href="#">TLN1</a>	talin 1
hsa-miR-200c-3p	<a href="#">SNRNPB2</a>	small nuclear ribonucleoprotein polypeptide B2
hsa-miR-200c-3p	<a href="#">ZC3H4</a>	zinc finger CCH-type containing 4
hsa-miR-200c-3p	<a href="#">PI4KB</a>	phosphatidylinositol 4-kinase beta
hsa-miR-200c-3p	<a href="#">SLC39A14</a>	solute carrier family 39 member 14
hsa-miR-200c-3p	<a href="#">PPP2R1B</a>	protein phosphatase 2 scaffold subunit Abeta
hsa-miR-200c-3p	<a href="#">NUDT4</a>	nudix hydrolase 4
hsa-miR-200c-3p	<a href="#">PDIK1L</a>	PDLIM1 interacting kinase 1 like
hsa-miR-200c-3p	<a href="#">UBE2R2</a>	ubiquitin conjugating enzyme E2 R2
hsa-miR-200c-3p	<a href="#">CDYL2</a>	chromodomain Y like 2
hsa-miR-200c-3p	<a href="#">FIGN</a>	fidgetin, microtubule severing factor
hsa-miR-200c-3p	<a href="#">LIN7A</a>	lin-7 homolog A, crumbs cell polarity complex component
hsa-miR-200c-3p	<a href="#">RRP15</a>	ribosomal RNA processing 15 homolog
hsa-miR-200c-3p	<a href="#">HIPK1</a>	homeodomain interacting protein kinase 1
hsa-miR-200c-3p	<a href="#">SRI</a>	sorcin
hsa-miR-200c-3p	<a href="#">JKAMP</a>	JNK1/MAPK8 associated membrane protein
hsa-miR-200c-3p	<a href="#">SDC2</a>	syndecan 2
hsa-miR-200c-3p	<a href="#">PTBP3</a>	polypyrimidine tract binding protein 3
hsa-miR-200c-3p	<a href="#">CUX1</a>	cut like homeobox 1
hsa-miR-200c-3p	<a href="#">DACH1</a>	dachshund family transcription factor 1

hsa-miR-200c-3p	<a href="#">PPP1R10</a>	protein phosphatase 1 regulatory subunit 10
hsa-miR-200c-3p	<a href="#">RDX</a>	radixin
hsa-miR-200c-3p	<a href="#">SLC35E2B</a>	solute carrier family 35 member E2B
hsa-miR-200c-3p	<a href="#">YWHAB</a>	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein beta
hsa-miR-200c-3p	<a href="#">DDIT4L</a>	DNA damage inducible transcript 4 like
hsa-miR-200c-3p	<a href="#">SYVN1</a>	synoviolin 1
hsa-miR-200c-3p	<a href="#">DZIP1</a>	DAZ interacting zinc finger protein 1
hsa-miR-200c-3p	<a href="#">PPM1B</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1B
hsa-miR-200c-3p	<a href="#">SOX2</a>	SRY-box 2
hsa-miR-200c-3p	<a href="#">GLCCI1</a>	glucocorticoid induced 1
hsa-miR-200c-3p	<a href="#">BDP1</a>	B double prime 1, subunit of RNA polymerase III transcription initiation factor IIIB
hsa-miR-200c-3p	<a href="#">STRADE</a>	STE20 related adaptor beta
hsa-miR-200c-3p	<a href="#">HS3ST3A1</a>	heparan sulfate-glucosamine 3-sulfotransferase 3A1
hsa-miR-200c-3p	<a href="#">KIAA0355</a>	KIAA0355
hsa-miR-200c-3p	<a href="#">SLF2</a>	SMC5-SMC6 complex localization factor 2
hsa-miR-200c-3p	<a href="#">ARHGAP20</a>	Rho GTPase activating protein 20
hsa-miR-200c-3p	<a href="#">IKZF2</a>	IKAROS family zinc finger 2
hsa-miR-200c-3p	<a href="#">SLC35E2A</a>	solute carrier family 35 member E2A
hsa-miR-200c-3p	<a href="#">APOO</a>	apolipoprotein O
hsa-miR-200c-3p	<a href="#">SLC24A4</a>	solute carrier family 24 member 4
hsa-miR-200c-3p	<a href="#">FSTL1</a>	follistatin like 1
hsa-miR-200c-3p	<a href="#">CASZ1</a>	castor zinc finger 1
hsa-miR-200c-3p	<a href="#">CTDSPL2</a>	CTD small phosphatase like 2
hsa-miR-200c-3p	<a href="#">PCLAF</a>	PCNA clamp associated factor
hsa-miR-200c-3p	<a href="#">FNDC3B</a>	fibronectin type III domain containing 3B
hsa-miR-200c-3p	<a href="#">A1CF</a>	APOBEC1 complementation factor
hsa-miR-200c-3p	<a href="#">EIF4E2</a>	eukaryotic translation initiation factor 4E family member 2
hsa-miR-200c-3p	<a href="#">NECTIN4</a>	nectin cell adhesion molecule 4
hsa-miR-200c-3p	<a href="#">PPP1R9A</a>	protein phosphatase 1 regulatory subunit 9A
hsa-miR-200c-3p	<a href="#">SNX16</a>	sorting nexin 16
hsa-miR-200c-3p	<a href="#">GTF3C4</a>	general transcription factor IIIC subunit 4
hsa-miR-200c-3p	<a href="#">RGL1</a>	ral guanine nucleotide dissociation stimulator like 1
hsa-miR-200c-3p	<a href="#">SUZ12</a>	SUZ12, polycomb repressive complex 2 subunit
hsa-miR-200c-3p	<a href="#">CHSY1</a>	chondroitin sulfate synthase 1
hsa-miR-200c-3p	<a href="#">KANK2</a>	KN motif and ankyrin repeat domains 2
hsa-miR-200c-3p	<a href="#">GSTA4</a>	glutathione S-transferase alpha 4
hsa-miR-200c-3p	<a href="#">CLVS2</a>	clavesin 2
hsa-miR-200c-3p	<a href="#">NPC1</a>	NPC intracellular cholesterol transporter 1
hsa-miR-200c-3p	<a href="#">PLXNC1</a>	plexin C1
hsa-miR-200c-3p	<a href="#">ARID4B</a>	AT-rich interaction domain 4B
hsa-miR-200c-3p	<a href="#">TUBE</a>	tubulin beta class I
hsa-miR-200c-3p	<a href="#">NAB1</a>	NGFI-A binding protein 1
hsa-miR-200c-3p	<a href="#">MBNL2</a>	muscleblind like splicing regulator 2

hsa-miR-200c-3p	<a href="#">BICC1</a>	BicC family RNA binding protein 1
hsa-miR-200c-3p	<a href="#">CEP97</a>	centrosomal protein 97
hsa-miR-200c-3p	<a href="#">ANK3</a>	ankyrin 3
hsa-miR-200c-3p	<a href="#">MYZAP</a>	myocardial zonula adherens protein
hsa-miR-200c-3p	<a href="#">DPY19L3</a>	dpy-19 like C-mannosyltransferase 3
hsa-miR-200c-3p	<a href="#">SEMA3F</a>	semaphorin 3F
hsa-miR-200c-3p	<a href="#">IGF2R</a>	insulin like growth factor 2 receptor
hsa-miR-200c-3p	<a href="#">TAP2</a>	transporter 2, ATP binding cassette subfamily B member
hsa-miR-200c-3p	<a href="#">LEPR</a>	leptin receptor
hsa-miR-200c-3p	<a href="#">CASR</a>	calcium sensing receptor
hsa-miR-200c-3p	<a href="#">DCUN1D5</a>	defective in cullin neddylation 1 domain containing 5
hsa-miR-200c-3p	<a href="#">HNRNPD</a>	heterogeneous nuclear ribonucleoprotein D
hsa-miR-200c-3p	<a href="#">DENND1B</a>	DENN domain containing 1B
hsa-miR-200c-3p	<a href="#">MTF2</a>	metal response element binding transcription factor 2
hsa-miR-200c-3p	<a href="#">UBE2W</a>	ubiquitin conjugating enzyme E2 W
hsa-miR-200c-3p	<a href="#">TBCA</a>	tubulin folding cofactor A
hsa-miR-200c-3p	<a href="#">MYB</a>	MYB proto-oncogene, transcription factor
hsa-miR-200c-3p	<a href="#">PLPPR4</a>	phospholipid phosphatase related 4
hsa-miR-200c-3p	<a href="#">TRIM23</a>	tripartite motif containing 23
hsa-miR-200c-3p	<a href="#">IER5</a>	immediate early response 5
hsa-miR-200c-3p	<a href="#">CCNE2</a>	cyclin E2
hsa-miR-200c-3p	<a href="#">CRTAP</a>	cartilage associated protein
hsa-miR-200c-3p	<a href="#">NUFIP2</a>	nuclear FMR1 interacting protein 2
hsa-miR-200c-3p	<a href="#">SECISBP2L</a>	SECIS binding protein 2 like
hsa-miR-200c-3p	<a href="#">NOTCH1</a>	notch 1
hsa-miR-200c-3p	<a href="#">PRDM1</a>	PR/SET domain 1
hsa-miR-200c-3p	<a href="#">ALDH1A1</a>	aldehyde dehydrogenase 1 family member A1
hsa-miR-200c-3p	<a href="#">DNAJB14</a>	DnaJ heat shock protein family (Hsp40) member B14
hsa-miR-200c-3p	<a href="#">GATA4</a>	GATA binding protein 4
hsa-miR-200c-3p	<a href="#">KIF14</a>	kinesin family member 14
hsa-miR-200c-3p	<a href="#">NYAP1</a>	neuronal tyrosine phosphorylated phosphoinositide-3-kinase adaptor 1
hsa-miR-200c-3p	<a href="#">SCN8A</a>	sodium voltage-gated channel alpha subunit 8
hsa-miR-200c-3p	<a href="#">ATP6V0A2</a>	ATPase H <sup>+</sup> transporting V0 subunit a2
hsa-miR-200c-3p	<a href="#">NRG1</a>	neuregulin 1
hsa-miR-200c-3p	<a href="#">ACVR1C</a>	activin A receptor type 1C
hsa-miR-200c-3p	<a href="#">MTSS1L</a>	MTSS1L, I-BAR domain containing
hsa-miR-200c-3p	<a href="#">ADH1B</a>	alcohol dehydrogenase 1B (class I), beta polypeptide
hsa-miR-200c-3p	<a href="#">GUCY1A1</a>	guanylate cyclase 1 soluble subunit alpha 1
hsa-miR-200c-3p	<a href="#">SBSPON</a>	somatomedin B and thrombospondin type 1 domain containing
hsa-miR-200c-3p	<a href="#">PICALM</a>	phosphatidylinositol binding clathrin assembly protein
hsa-miR-200c-3p	<a href="#">KLF6</a>	Kruppel like factor 6
hsa-miR-200c-3p	<a href="#">CHMP5</a>	charged multivesicular body protein 5
hsa-miR-200c-3p	<a href="#">EFNB2</a>	ephrin B2

hsa-miR-200c-3p	<a href="#">MEX3D</a>	mex-3 RNA binding family member D
hsa-miR-200c-3p	<a href="#">KCND2</a>	potassium voltage-gated channel subfamily D member 2
hsa-miR-200c-3p	<a href="#">SIKE1</a>	suppressor of IKBKE 1
hsa-miR-200c-3p	<a href="#">MSL2</a>	MSL complex subunit 2
hsa-miR-200c-3p	<a href="#">ZNF224</a>	zinc finger protein 224
hsa-miR-200c-3p	<a href="#">FRMD4B</a>	FERM domain containing 4B
hsa-miR-200c-3p	<a href="#">OXR1</a>	oxidation resistance 1
hsa-miR-200c-3p	<a href="#">CDH11</a>	cadherin 11
hsa-miR-200c-3p	<a href="#">IPO8</a>	importin 8
hsa-miR-200c-3p	<a href="#">BPTF</a>	bromodomain PHD finger transcription factor
hsa-miR-200c-3p	<a href="#">RSPRY1</a>	ring finger and SPRY domain containing 1
hsa-miR-200c-3p	<a href="#">NDN</a>	necdin, MAGE family member
hsa-miR-200c-3p	<a href="#">THSD7A</a>	thrombospondin type 1 domain containing 7A
hsa-miR-200c-3p	<a href="#">MMGT1</a>	membrane magnesium transporter 1
hsa-miR-200c-3p	<a href="#">STX17</a>	syntaxin 17
hsa-miR-200c-3p	<a href="#">PHF6</a>	PHD finger protein 6
hsa-miR-200c-3p	<a href="#">ARHGEF17</a>	Rho guanine nucleotide exchange factor 17
hsa-miR-200c-3p	<a href="#">RABIF</a>	RAB interacting factor
hsa-miR-200c-3p	<a href="#">ETV5</a>	ETS variant 5
hsa-miR-200c-3p	<a href="#">CADM1</a>	cell adhesion molecule 1
hsa-miR-200c-3p	<a href="#">TMBIM4</a>	transmembrane BAX inhibitor motif containing 4
hsa-miR-200c-3p	<a href="#">ANLN</a>	anillin actin binding protein
hsa-miR-200c-3p	<a href="#">NIN</a>	ninein
hsa-miR-200c-3p	<a href="#">TAF9B</a>	TATA-box binding protein associated factor 9b
hsa-miR-200c-3p	<a href="#">BAG5</a>	BCL2 associated athanogene 5
hsa-miR-200c-3p	<a href="#">PAPOLA</a>	poly(A) polymerase alpha
hsa-miR-200c-3p	<a href="#">UBQLN1</a>	ubiquilin 1
hsa-miR-200c-3p	<a href="#">SHROOM2</a>	shroom family member 2
hsa-miR-200c-3p	<a href="#">LAMC1</a>	laminin subunit gamma 1
hsa-miR-200c-3p	<a href="#">SYNCRIP</a>	synaptotagmin binding cytoplasmic RNA interacting protein
hsa-miR-200c-3p	<a href="#">CPEB3</a>	cytoplasmic polyadenylation element binding protein 3
hsa-miR-200c-3p	<a href="#">DCT</a>	dopachrome tautomerase
hsa-miR-200c-3p	<a href="#">CYP11B1</a>	cytochrome P450 family 11 subfamily B member 1
hsa-miR-200c-3p	<a href="#">GPATCH2L</a>	G-patch domain containing 2 like
hsa-miR-200c-3p	<a href="#">ROBO2</a>	roundabout guidance receptor 2
hsa-miR-200c-3p	<a href="#">XKR6</a>	XK related 6
hsa-miR-200c-3p	<a href="#">STXBP6</a>	syntaxin binding protein 6
hsa-miR-200c-3p	<a href="#">SWAP70</a>	switching B cell complex subunit SWAP70
hsa-miR-200c-3p	<a href="#">LATS2</a>	large tumor suppressor kinase 2
hsa-miR-200c-3p	<a href="#">FYN</a>	FYN proto-oncogene, Src family tyrosine kinase
hsa-miR-200c-3p	<a href="#">PPP1CB</a>	protein phosphatase 1 catalytic subunit beta
hsa-miR-200c-3p	<a href="#">RIMKLB</a>	ribosomal modification protein rimK like family member B
hsa-miR-200c-3p	<a href="#">SASH1</a>	SAM and SH3 domain containing 1
hsa-miR-200c-3p	<a href="#">NUP160</a>	nucleoporin 160

hsa-miR-200c-3p	<a href="#">SHOX2</a>	short stature homeobox 2
hsa-miR-200c-3p	<a href="#">HOXA5</a>	homeobox A5
hsa-miR-200c-3p	<a href="#">GABPA</a>	GA binding protein transcription factor subunit alpha
hsa-miR-200c-3p	<a href="#">SLC15A5</a>	solute carrier family 15 member 5
hsa-miR-200c-3p	<a href="#">KANK1</a>	KN motif and ankyrin repeat domains 1
hsa-miR-200c-3p	<a href="#">LMO7</a>	LIM domain 7
hsa-miR-200c-3p	<a href="#">TMA16</a>	translation machinery associated 16 homolog
hsa-miR-200c-3p	<a href="#">PCSK2</a>	proprotein convertase subtilisin/kexin type 2
hsa-miR-200c-3p	<a href="#">SH3GL1</a>	SH3 domain containing GRB2 like 1, endophilin A2
hsa-miR-200c-3p	<a href="#">SLC38A2</a>	solute carrier family 38 member 2
hsa-miR-200c-3p	<a href="#">CNN3</a>	calponin 3
hsa-miR-200c-3p	<a href="#">ZNF302</a>	zinc finger protein 302
hsa-miR-200c-3p	<a href="#">RNF5</a>	ring finger protein 5
hsa-miR-200c-3p	<a href="#">FSIP1</a>	fibrous sheath interacting protein 1
hsa-miR-200c-3p	<a href="#">LRRC58</a>	leucine rich repeat containing 58
hsa-miR-200c-3p	<a href="#">CNTFR</a>	ciliary neurotrophic factor receptor
hsa-miR-200c-3p	<a href="#">ZFHX4</a>	zinc finger homeobox 4
hsa-miR-200c-3p	<a href="#">ACACA</a>	acetyl-CoA carboxylase alpha
hsa-miR-200c-3p	<a href="#">ELMOD1</a>	ELMO domain containing 1
hsa-miR-200c-3p	<a href="#">CASP2</a>	caspase 2
hsa-miR-200c-3p	<a href="#">LCA5</a>	LCA5, lebercilin
hsa-miR-200c-3p	<a href="#">RAPGEF2</a>	Rap guanine nucleotide exchange factor 2
hsa-miR-200c-3p	<a href="#">IKBKB</a>	inhibitor of nuclear factor kappa B kinase subunit beta
hsa-miR-200c-3p	<a href="#">SPTSSA</a>	serine palmitoyltransferase small subunit A
hsa-miR-200c-3p	<a href="#">FUNDCl</a>	FUN14 domain containing 1
hsa-miR-200c-3p	<a href="#">UBXN8</a>	UBX domain protein 8
hsa-miR-200c-3p	<a href="#">NFIB</a>	nuclear factor I B
hsa-miR-200c-3p	<a href="#">USP18</a>	ubiquitin specific peptidase 18
hsa-miR-200c-3p	<a href="#">TBCK</a>	TBC1 domain containing kinase
hsa-miR-200c-3p	<a href="#">LARP1B</a>	La ribonucleoprotein domain family member 1B
hsa-miR-200c-3p	<a href="#">RNF180</a>	ring finger protein 180
hsa-miR-200c-3p	<a href="#">UBE2D1</a>	ubiquitin conjugating enzyme E2 D1
hsa-miR-200c-3p	<a href="#">GTF2E1</a>	general transcription factor IIE subunit 1
hsa-miR-200c-3p	<a href="#">SBF1</a>	SET binding factor 1
hsa-miR-200c-3p	<a href="#">SIX3</a>	SIX homeobox 3
hsa-miR-200c-3p	<a href="#">UBA6</a>	ubiquitin like modifier activating enzyme 6
hsa-miR-200c-3p	<a href="#">PLK2</a>	polo like kinase 2
hsa-miR-200c-3p	<a href="#">SUPT20H</a>	SPT20 homolog, SAGA complex component
hsa-miR-200c-3p	<a href="#">YAP1</a>	Yes associated protein 1
hsa-miR-200c-3p	<a href="#">KLHL29</a>	kelch like family member 29
hsa-miR-200c-3p	<a href="#">ZBTB20</a>	zinc finger and BTB domain containing 20
hsa-miR-200c-3p	<a href="#">C6orf120</a>	chromosome 6 open reading frame 120
hsa-miR-200c-3p	<a href="#">TRIM71</a>	tripartite motif containing 71
hsa-miR-200c-3p	<a href="#">SLC16A2</a>	solute carrier family 16 member 2
hsa-miR-200c-3p	<a href="#">GNAI3</a>	G protein subunit alpha i3



hsa-miR-200c-3p	<a href="#">EFNA1</a>	ephrin A1
hsa-miR-200c-3p	<a href="#">USP43</a>	ubiquitin specific peptidase 43
hsa-miR-200c-3p	<a href="#">PAK6</a>	p21 (RAC1) activated kinase 6
hsa-miR-200c-3p	<a href="#">KMT2C</a>	lysine methyltransferase 2C
hsa-miR-200c-3p	<a href="#">AMBRA1</a>	autophagy and beclin 1 regulator 1
hsa-miR-200c-3p	<a href="#">RASSF6</a>	Ras association domain family member 6
hsa-miR-200c-3p	<a href="#">EPHA5</a>	EPH receptor A5
hsa-miR-200c-3p	<a href="#">KDSR</a>	3-ketodihydrosphingosine reductase
hsa-miR-200c-3p	<a href="#">MSANTD2</a>	Myb/SANT DNA binding domain containing 2
hsa-miR-200c-3p	<a href="#">ZNF697</a>	zinc finger protein 697
hsa-miR-200c-3p	<a href="#">PRKN</a>	parkin RBR E3 ubiquitin protein ligase
hsa-miR-200c-3p	<a href="#">CDR2</a>	cerebellar degeneration related protein 2
hsa-miR-200c-3p	<a href="#">ASH1L</a>	ASH1 like histone lysine methyltransferase
hsa-miR-200c-3p	<a href="#">TIFA</a>	TRAF interacting protein with forkhead associated domain
hsa-miR-200c-3p	<a href="#">SLC4A4</a>	solute carrier family 4 member 4
hsa-miR-200c-3p	<a href="#">TMEM164</a>	transmembrane protein 164
hsa-miR-200c-3p	<a href="#">ANO5</a>	anoctamin 5
hsa-miR-200c-3p	<a href="#">MXD4</a>	MAX dimerization protein 4
hsa-miR-200c-3p	<a href="#">NRXN1</a>	neurexin 1
hsa-miR-200c-3p	<a href="#">TMX1</a>	thioredoxin related transmembrane protein 1
hsa-miR-200c-3p	<a href="#">SLC39A8</a>	solute carrier family 39 member 8
hsa-miR-200c-3p	<a href="#">B4GALT6</a>	beta-1,4-galactosyltransferase 6
hsa-miR-200c-3p	<a href="#">GAB1</a>	GRB2 associated binding protein 1
hsa-miR-200c-3p	<a href="#">AAK1</a>	AP2 associated kinase 1
hsa-miR-200c-3p	<a href="#">DNAJB6</a>	DnaJ heat shock protein family (Hsp40) member B6
hsa-miR-200c-3p	<a href="#">STYX</a>	serine/threonine/tyrosine interacting protein
hsa-miR-200c-3p	<a href="#">TAF4</a>	TATA-box binding protein associated factor 4
hsa-miR-200c-3p	<a href="#">KCNMB1</a>	potassium calcium-activated channel subfamily M regulatory beta subunit 1
hsa-miR-200c-3p	<a href="#">RNF169</a>	ring finger protein 169
hsa-miR-200c-3p	<a href="#">C4orf46</a>	chromosome 4 open reading frame 46
hsa-miR-200c-3p	<a href="#">FAM227A</a>	family with sequence similarity 227 member A
hsa-miR-200c-3p	<a href="#">CPPED1</a>	calcineurin like phosphoesterase domain containing 1
hsa-miR-200c-3p	<a href="#">ICK</a>	intestinal cell kinase
hsa-miR-200c-3p	<a href="#">TMEM135</a>	transmembrane protein 135
hsa-miR-200c-3p	<a href="#">TBC1D22B</a>	TBC1 domain family member 22B
hsa-miR-200c-3p	<a href="#">CCDC186</a>	coiled-coil domain containing 186
hsa-miR-200c-3p	<a href="#">SLC35A2</a>	solute carrier family 35 member A2
hsa-miR-200c-3p	<a href="#">SEC24A</a>	SEC24 homolog A, COPII coat complex component
hsa-miR-200c-3p	<a href="#">DNAJC10</a>	DnaJ heat shock protein family (Hsp40) member C10
hsa-miR-200c-3p	<a href="#">GRAP2</a>	GRB2 related adaptor protein 2
hsa-miR-200c-3p	<a href="#">KPNA4</a>	karyopherin subunit alpha 4
hsa-miR-200c-3p	<a href="#">YTHDF3</a>	YTH N6-methyladenosine RNA binding protein 3
hsa-miR-200c-3p	<a href="#">NCOA7</a>	nuclear receptor coactivator 7

hsa-miR-200c-3p	<a href="#">FBXO22</a>	F-box protein 22
hsa-miR-200c-3p	<a href="#">UBE2I</a>	ubiquitin conjugating enzyme E2 I
hsa-miR-200c-3p	<a href="#">ADRB2</a>	adrenoceptor beta 2
hsa-miR-200c-3p	<a href="#">MUL1</a>	mitochondrial E3 ubiquitin protein ligase 1
hsa-miR-200c-3p	<a href="#">UBAC2</a>	UBA domain containing 2
hsa-miR-200c-3p	<a href="#">RAB8B</a>	RAB8B, member RAS oncogene family
hsa-miR-200c-3p	<a href="#">RFTN2</a>	raftlin family member 2
hsa-miR-200c-3p	<a href="#">ADCY9</a>	adenylate cyclase 9
hsa-miR-200c-3p	<a href="#">PCDH7</a>	protocadherin 7
hsa-miR-200c-3p	<a href="#">MIER3</a>	MIER family member 3
hsa-miR-200c-3p	<a href="#">PHACTR2</a>	phosphatase and actin regulator 2
hsa-miR-200c-3p	<a href="#">CACUL1</a>	CDK2 associated cullin domain 1
hsa-miR-200c-3p	<a href="#">BLOC1S6</a>	biogenesis of lysosomal organelles complex 1 subunit 6
hsa-miR-200c-3p	<a href="#">SOX1</a>	SRY-box 1
hsa-miR-200c-3p	<a href="#">KIAA1841</a>	KIAA1841
hsa-miR-200c-3p	<a href="#">PRKAR1A</a>	protein kinase cAMP-dependent type I regulatory subunit alpha
hsa-miR-200c-3p	<a href="#">HTR2A</a>	5-hydroxytryptamine receptor 2A
hsa-miR-200c-3p	<a href="#">FUT9</a>	fucosyltransferase 9
hsa-miR-200c-3p	<a href="#">ACVR2B</a>	activin A receptor type 2B
hsa-miR-200c-3p	<a href="#">LONRF2</a>	LON peptidase N-terminal domain and ring finger 2
hsa-miR-200c-3p	<a href="#">RRAS2</a>	RAS related 2
hsa-miR-200c-3p	<a href="#">ENOX2</a>	ecto-NOX disulfide-thiol exchanger 2
hsa-miR-200c-3p	<a href="#">ZFY</a>	zinc finger protein Y-linked
hsa-miR-200c-3p	<a href="#">TM7SF3</a>	transmembrane 7 superfamily member 3
hsa-miR-200c-3p	<a href="#">MTMR6</a>	myotubularin related protein 6
hsa-miR-200c-3p	<a href="#">MAGEC2</a>	MAGE family member C2
hsa-miR-200c-3p	<a href="#">ZFR</a>	zinc finger RNA binding protein
hsa-miR-200c-3p	<a href="#">AP1AR</a>	adaptor related protein complex 1 associated regulatory protein
hsa-miR-200c-3p	<a href="#">NCOA4</a>	nuclear receptor coactivator 4
hsa-miR-200c-3p	<a href="#">PSTPIP2</a>	proline-serine-threonine phosphatase interacting protein 2
hsa-miR-200c-3p	<a href="#">FUBP3</a>	far upstream element binding protein 3
hsa-miR-200c-3p	<a href="#">SHCBP1</a>	SHC binding and spindle associated 1
hsa-miR-200c-3p	<a href="#">TIAL1</a>	TIA1 cytotoxic granule associated RNA binding protein like 1
hsa-miR-200c-3p	<a href="#">MEX3B</a>	mex-3 RNA binding family member B
hsa-miR-200c-3p	<a href="#">GPR173</a>	G protein-coupled receptor 173
hsa-miR-200c-3p	<a href="#">SYNC</a>	syncoilin, intermediate filament protein
hsa-miR-200c-3p	<a href="#">GIGYF1</a>	GRB10 interacting GYF protein 1
hsa-miR-200c-3p	<a href="#">IQCI-SCHIP1</a>	IQCI-SCHIP1 readthrough
hsa-miR-200c-3p	<a href="#">XG</a>	Xg glycoprotein (Xg blood group)
hsa-miR-200c-3p	<a href="#">ZBTB8A</a>	zinc finger and BTB domain containing 8A
hsa-miR-200c-3p	<a href="#">TMEM170B</a>	transmembrane protein 170B

hsa-miR-200c-3p	<a href="#">UTY</a>	ubiquitously transcribed tetratricopeptide repeat containing, Y-linked
hsa-miR-200c-3p	<a href="#">EIF5B</a>	eukaryotic translation initiation factor 5B
hsa-miR-200c-3p	<a href="#">NCAM1</a>	neural cell adhesion molecule 1
hsa-miR-200c-3p	<a href="#">PAIP2</a>	poly(A) binding protein interacting protein 2
hsa-miR-200c-3p	<a href="#">RBFox1</a>	RNA binding fox-1 homolog 1
hsa-miR-200c-3p	<a href="#">SNAP25</a>	synaptosome associated protein 25
hsa-miR-200c-3p	<a href="#">EP300</a>	E1A binding protein p300
hsa-miR-200c-3p	<a href="#">CERS6</a>	ceramide synthase 6
hsa-miR-200c-3p	<a href="#">GMFB</a>	glia maturation factor beta
hsa-miR-200c-3p	<a href="#">NFYA</a>	nuclear transcription factor Y subunit alpha
hsa-miR-200c-3p	<a href="#">PARD3B</a>	par-3 family cell polarity regulator beta
hsa-miR-200c-3p	<a href="#">HNF1B</a>	HNF1 homeobox B
hsa-miR-200c-3p	<a href="#">MARCH8</a>	membrane associated ring-CH-type finger 8
hsa-miR-200c-3p	<a href="#">ZDHHC17</a>	zinc finger DHHC-type containing 17
hsa-miR-200c-3p	<a href="#">C5orf24</a>	chromosome 5 open reading frame 24
hsa-miR-200c-3p	<a href="#">WDR91</a>	WD repeat domain 91
hsa-miR-200c-3p	<a href="#">COG6</a>	component of oligomeric golgi complex 6
hsa-miR-200c-3p	<a href="#">MSTN</a>	myostatin
hsa-miR-200c-3p	<a href="#">CREBBP</a>	CREB binding protein
hsa-miR-200c-3p	<a href="#">NDNF</a>	neuron derived neurotrophic factor
hsa-miR-200c-3p	<a href="#">OPRM1</a>	opioid receptor mu 1
hsa-miR-200c-3p	<a href="#">CALU</a>	calumenin
hsa-miR-200c-3p	<a href="#">RSRC2</a>	arginine and serine rich coiled-coil 2
hsa-miR-200c-3p	<a href="#">LPAR1</a>	lysophosphatidic acid receptor 1
hsa-miR-200c-3p	<a href="#">PTPN22</a>	protein tyrosine phosphatase, non-receptor type 22
hsa-miR-200c-3p	<a href="#">RHOT1</a>	ras homolog family member T1
hsa-miR-200c-3p	<a href="#">N4BP2</a>	NEDD4 binding protein 2
hsa-miR-200c-3p	<a href="#">RNF38</a>	ring finger protein 38
hsa-miR-200c-3p	<a href="#">RBM26</a>	RNA binding motif protein 26
hsa-miR-200c-3p	<a href="#">SLTM</a>	SAFB like transcription modulator
hsa-miR-200c-3p	<a href="#">CLOCK</a>	clock circadian regulator
hsa-miR-200c-3p	<a href="#">CDC73</a>	cell division cycle 73
hsa-miR-200c-3p	<a href="#">PLS3</a>	plastin 3
hsa-miR-200c-3p	<a href="#">ADCY2</a>	adenylate cyclase 2
hsa-miR-200c-3p	<a href="#">CALN1</a>	calneuron 1
hsa-miR-200c-3p	<a href="#">C15orf40</a>	chromosome 15 open reading frame 40
hsa-miR-200c-3p	<a href="#">TP73</a>	tumor protein p73
hsa-miR-200c-3p	<a href="#">FRMD4A</a>	FERM domain containing 4A
hsa-miR-200c-3p	<a href="#">TMEM170A</a>	transmembrane protein 170A
hsa-miR-200c-3p	<a href="#">DCAF17</a>	DDB1 and CUL4 associated factor 17
hsa-miR-200c-3p	<a href="#">ANGEL2</a>	angel homolog 2
hsa-miR-200c-3p	<a href="#">RPRD1A</a>	regulation of nuclear pre-mRNA domain containing 1A
hsa-miR-200c-3p	<a href="#">EHD1</a>	EH domain containing 1
hsa-miR-200c-3p	<a href="#">ACADSB</a>	acyl-CoA dehydrogenase short/branched chain

hsa-miR-200c-3p	<a href="#">ARL15</a>	ADP ribosylation factor like GTPase 15
hsa-miR-200c-3p	<a href="#">ALG2</a>	ALG2, alpha-1,3/1,6-mannosyltransferase
hsa-miR-200c-3p	<a href="#">PALM2</a>	paralemmin 2
hsa-miR-200c-3p	<a href="#">PPWD1</a>	peptidylprolyl isomerase domain and WD repeat containing 1
hsa-miR-200c-3p	<a href="#">SRP72</a>	signal recognition particle 72
hsa-miR-200c-3p	<a href="#">ARGLU1</a>	arginine and glutamate rich 1
hsa-miR-200c-3p	<a href="#">TMEM33</a>	transmembrane protein 33
hsa-miR-200c-3p	<a href="#">PPARA</a>	peroxisome proliferator activated receptor alpha
hsa-miR-200c-3p	<a href="#">PTGER2</a>	prostaglandin E receptor 2
hsa-miR-200c-3p	<a href="#">C19orf12</a>	chromosome 19 open reading frame 12
hsa-miR-200c-3p	<a href="#">BAG6</a>	BCL2 associated athanogene 6
hsa-miR-200c-3p	<a href="#">TLL2</a>	tolloid like 2
hsa-miR-200c-3p	<a href="#">ANKRD33B</a>	ankyrin repeat domain 33B
hsa-miR-200c-3p	<a href="#">PNISR</a>	PNN interacting serine and arginine rich protein
hsa-miR-200c-3p	<a href="#">DOCK4</a>	dedicator of cytokinesis 4
hsa-miR-200c-3p	<a href="#">MTMR9</a>	myotubularin related protein 9
hsa-miR-200c-3p	<a href="#">ZNF557</a>	zinc finger protein 557
hsa-miR-200c-3p	<a href="#">C2CD6</a>	C2 calcium dependent domain containing 6
hsa-miR-200c-3p	<a href="#">FAM81A</a>	family with sequence similarity 81 member A
hsa-miR-200c-3p	<a href="#">FASTKD3</a>	FAST kinase domains 3
hsa-miR-200c-3p	<a href="#">TMEM245</a>	transmembrane protein 245
hsa-miR-200c-3p	<a href="#">MON2</a>	MON2 homolog, regulator of endosome-to-Golgi trafficking
hsa-miR-200c-3p	<a href="#">MXD3</a>	MAX dimerization protein 3
hsa-miR-200c-3p	<a href="#">KIF11</a>	kinesin family member 11
hsa-miR-200c-3p	<a href="#">AFF4</a>	AF4/FMR2 family member 4
hsa-miR-200c-3p	<a href="#">SLC6A15</a>	solute carrier family 6 member 15
hsa-miR-200c-3p	<a href="#">CNST</a>	consortin, connexin sorting protein
hsa-miR-200c-3p	<a href="#">PPP2CA</a>	protein phosphatase 2 catalytic subunit alpha
hsa-miR-200c-3p	<a href="#">CTNND2</a>	catenin delta 2
hsa-miR-200c-3p	<a href="#">PHC3</a>	polyhomeotic homolog 3
hsa-miR-200c-3p	<a href="#">ORMDL3</a>	ORMDL sphingolipid biosynthesis regulator 3
hsa-miR-200c-3p	<a href="#">SRF</a>	serum response factor
hsa-miR-200c-3p	<a href="#">CASK</a>	calcium/calmodulin dependent serine protein kinase
hsa-miR-200c-3p	<a href="#">LCORL</a>	ligand dependent nuclear receptor corepressor like
hsa-miR-200c-3p	<a href="#">YPEL1</a>	yippee like 1
hsa-miR-200c-3p	<a href="#">GABRB3</a>	gamma-aminobutyric acid type A receptor beta3 subunit
hsa-miR-200c-3p	<a href="#">TFPI</a>	tissue factor pathway inhibitor
hsa-miR-200c-3p	<a href="#">UNC80</a>	unc-80 homolog, NALCN channel complex subunit
hsa-miR-200c-3p	<a href="#">MKLN1</a>	muskelin 1
hsa-miR-200c-3p	<a href="#">STARD13</a>	StAR related lipid transfer domain containing 13
hsa-miR-200c-3p	<a href="#">BPY2C</a>	basic charge Y-linked 2C
hsa-miR-200c-3p	<a href="#">MAMDC2</a>	MAM domain containing 2
hsa-miR-200c-3p	<a href="#">BPY2B</a>	basic charge Y-linked 2B

hsa-miR-200c-3p	<a href="#">SSR3</a>	signal sequence receptor subunit 3
hsa-miR-200c-3p	<a href="#">SLC25A27</a>	solute carrier family 25 member 27
hsa-miR-200c-3p	<a href="#">FUT4</a>	fucosyltransferase 4
hsa-miR-200c-3p	<a href="#">LFNG</a>	LFNG O-fucosylpeptide 3-beta-N-acetylglucosaminyltransferase
hsa-miR-200c-3p	<a href="#">UBE2V1</a>	ubiquitin conjugating enzyme E2 V1
hsa-miR-200c-3p	<a href="#">FHOD1</a>	formin homology 2 domain containing 1
hsa-miR-200c-3p	<a href="#">SYT1</a>	synaptotagmin 1
hsa-miR-200c-3p	<a href="#">TIGAR</a>	TP53 induced glycolysis regulatory phosphatase
hsa-miR-200c-3p	<a href="#">NPAP1</a>	nuclear pore associated protein 1
hsa-miR-200c-3p	<a href="#">FBXW11</a>	F-box and WD repeat domain containing 11
hsa-miR-200c-3p	<a href="#">DSG1</a>	desmoglein 1
hsa-miR-200c-3p	<a href="#">LETM2</a>	leucine zipper and EF-hand containing transmembrane protein 2
hsa-miR-200c-3p	<a href="#">MYT1</a>	myelin transcription factor 1
hsa-miR-200c-3p	<a href="#">TAB3</a>	TGF-beta activated kinase 1 (MAP3K7) binding protein 3
hsa-miR-200c-3p	<a href="#">PCNX1</a>	pecanex 1
hsa-miR-200c-3p	<a href="#">ZNF292</a>	zinc finger protein 292
hsa-miR-200c-3p	<a href="#">TBX5</a>	T-box 5
hsa-miR-200c-3p	<a href="#">BPY2</a>	basic charge Y-linked 2
hsa-miR-200c-3p	<a href="#">MMD2</a>	monocyte to macrophage differentiation associated 2
hsa-miR-200c-3p	<a href="#">RAC1</a>	Rac family small GTPase 1
hsa-miR-200c-3p	<a href="#">TMEM189-UBE2V1</a>	TMEM189-UBE2V1 readthrough
hsa-miR-200c-3p	<a href="#">STAM2</a>	signal transducing adaptor molecule 2
hsa-miR-200c-3p	<a href="#">CHST2</a>	carbohydrate sulfotransferase 2
hsa-miR-200c-3p	<a href="#">GLRX3</a>	glutaredoxin 3
hsa-miR-200c-3p	<a href="#">NLGN4X</a>	neuroligin 4 X-linked
hsa-miR-200c-3p	<a href="#">BTF3L4</a>	basic transcription factor 3 like 4
hsa-miR-200c-3p	<a href="#">SOWAHC</a>	sosondowah ankyrin repeat domain family member C
hsa-miR-200c-3p	<a href="#">SGPP1</a>	sphingosine-1-phosphate phosphatase 1
hsa-miR-200c-3p	<a href="#">PRRG4</a>	proline rich and Gla domain 4
hsa-miR-200c-3p	<a href="#">ZC3H12B</a>	zinc finger CCCH-type containing 12B
hsa-miR-200c-3p	<a href="#">NPTX1</a>	neuronal pentraxin 1
hsa-miR-200c-3p	<a href="#">TMEM167A</a>	transmembrane protein 167A
hsa-miR-200c-3p	<a href="#">HNRNPH3</a>	heterogeneous nuclear ribonucleoprotein H3
hsa-miR-200c-3p	<a href="#">MTFR1</a>	mitochondrial fission regulator 1
hsa-miR-200c-3p	<a href="#">RBL1</a>	RB transcriptional corepressor like 1
hsa-miR-200c-3p	<a href="#">ELL</a>	elongation factor for RNA polymerase II
hsa-miR-200c-3p	<a href="#">TBX22</a>	T-box 22
hsa-miR-200c-3p	<a href="#">RLF</a>	rearranged L-myc fusion
hsa-miR-200c-3p	<a href="#">CNTN4</a>	contactin 4
hsa-miR-200c-3p	<a href="#">C6orf62</a>	chromosome 6 open reading frame 62
hsa-miR-200c-3p	<a href="#">CADM2</a>	cell adhesion molecule 2
hsa-miR-200c-3p	<a href="#">CNOT6L</a>	CCR4-NOT transcription complex subunit 6 like

hsa-miR-200c-3p	<a href="#">PMM1</a>	phosphomannomutase 1
hsa-miR-200c-3p	<a href="#">DIRAS2</a>	DIRAS family GTPase 2
hsa-miR-200c-3p	<a href="#">SHC4</a>	SHC adaptor protein 4
hsa-miR-200c-3p	<a href="#">TJAP1</a>	tight junction associated protein 1
hsa-miR-200c-3p	<a href="#">RBM12B</a>	RNA binding motif protein 12B
hsa-miR-200c-3p	<a href="#">LATS1</a>	large tumor suppressor kinase 1
hsa-miR-200c-3p	<a href="#">EIF5A2</a>	eukaryotic translation initiation factor 5A2
hsa-miR-200c-3p	<a href="#">UGCG</a>	UDP-glucose ceramide glucosyltransferase
hsa-miR-200c-3p	<a href="#">RAB33B</a>	RAB33B, member RAS oncogene family
hsa-miR-200c-3p	<a href="#">ZNF605</a>	zinc finger protein 605
hsa-miR-200c-3p	<a href="#">PLOD2</a>	procollagen-lysine,2-oxoglutarate 5-dioxygenase 2
hsa-miR-200c-3p	<a href="#">NSD2</a>	nuclear receptor binding SET domain protein 2
hsa-miR-200c-3p	<a href="#">PHLDB1</a>	pleckstrin homology like domain family B member 1
hsa-miR-200c-3p	<a href="#">SRSF1</a>	serine and arginine rich splicing factor 1
hsa-miR-200c-3p	<a href="#">RPL22L1</a>	ribosomal protein L22 like 1
hsa-miR-200c-3p	<a href="#">ARFGEF3</a>	ARFGEF family member 3
hsa-miR-200c-3p	<a href="#">CYP1B1</a>	cytochrome P450 family 1 subfamily B member 1
hsa-miR-200c-3p	<a href="#">NGEF</a>	neuronal guanine nucleotide exchange factor
hsa-miR-200c-3p	<a href="#">TSTD3</a>	thiosulfate sulfurtransferase like domain containing 3
hsa-miR-200c-3p	<a href="#">EFHC2</a>	EF-hand domain containing 2
hsa-miR-200c-3p	<a href="#">PAK3</a>	p21 (RAC1) activated kinase 3
hsa-miR-200c-3p	<a href="#">SLC23A2</a>	solute carrier family 23 member 2
hsa-miR-200c-3p	<a href="#">KLRF1</a>	killer cell lectin like receptor F1
hsa-miR-200c-3p	<a href="#">ESM1</a>	endothelial cell specific molecule 1
hsa-miR-200c-3p	<a href="#">MED6</a>	mediator complex subunit 6
hsa-miR-200c-3p	<a href="#">SLC6A17</a>	solute carrier family 6 member 17
hsa-miR-200c-3p	<a href="#">PPP2R2C</a>	protein phosphatase 2 regulatory subunit Bgamma
hsa-miR-200c-3p	<a href="#">FAR2</a>	fatty acyl-CoA reductase 2
hsa-miR-200c-3p	<a href="#">ZNF652</a>	zinc finger protein 652
hsa-miR-200c-3p	<a href="#">LIN28B</a>	lin-28 homolog B
hsa-miR-200c-3p	<a href="#">LCOR</a>	ligand dependent nuclear receptor corepressor
hsa-miR-200c-3p	<a href="#">CALCR</a>	calcitonin receptor
hsa-miR-200c-3p	<a href="#">ALDH1A3</a>	aldehyde dehydrogenase 1 family member A3
hsa-miR-200c-3p	<a href="#">UBN2</a>	ubinuclein 2
hsa-miR-200c-3p	<a href="#">BTBD18</a>	BTB domain containing 18
hsa-miR-200c-3p	<a href="#">PDLIM5</a>	PDZ and LIM domain 5
hsa-miR-200c-3p	<a href="#">PAK5</a>	p21 (RAC1) activated kinase 5
hsa-miR-200c-3p	<a href="#">MSR1</a>	macrophage scavenger receptor 1
hsa-miR-200c-3p	<a href="#">GPX6</a>	glutathione peroxidase 6
hsa-miR-200c-3p	<a href="#">HIPK2</a>	homeodomain interacting protein kinase 2
hsa-miR-200c-3p	<a href="#">SIRPA</a>	signal regulatory protein alpha
hsa-miR-200c-3p	<a href="#">SLC35F4</a>	solute carrier family 35 member F4
hsa-miR-200c-3p	<a href="#">IMY</a>	junction mediating and regulatory protein, p53 cofactor
hsa-miR-200c-3p	<a href="#">ASF1A</a>	anti-silencing function 1A histone chaperone
hsa-miR-200c-3p	<a href="#">INPP4A</a>	inositol polyphosphate-4-phosphatase type I A



hsa-miR-200c-3p	<a href="#">SNAI2</a>	snail family transcriptional repressor 2
hsa-miR-200c-3p	<a href="#">LPIN1</a>	lipin 1
hsa-miR-200c-3p	<a href="#">TERF1</a>	telomeric repeat binding factor 1
hsa-miR-200c-3p	<a href="#">RUNX1T1</a>	RUNX1 translocation partner 1
hsa-miR-200c-3p	<a href="#">TAOK1</a>	TAO kinase 1
hsa-miR-200c-3p	<a href="#">TXLNG</a>	taxilin gamma
hsa-miR-200c-3p	<a href="#">NPNT</a>	nephronectin
hsa-miR-200c-3p	<a href="#">MAPK1IP1L</a>	mitogen-activated protein kinase 1 interacting protein 1 like
hsa-miR-200c-3p	<a href="#">SH3PXD2A</a>	SH3 and PX domains 2A
hsa-miR-200c-3p	<a href="#">ZNF555</a>	zinc finger protein 555
hsa-miR-200c-3p	<a href="#">ASXL3</a>	ASXL transcriptional regulator 3
hsa-miR-200c-3p	<a href="#">PCNP</a>	PEST proteolytic signal containing nuclear protein
hsa-miR-200c-3p	<a href="#">SHOC1</a>	shortage in chiasmata 1
hsa-miR-200c-3p	<a href="#">ZNF181</a>	zinc finger protein 181
hsa-miR-200c-3p	<a href="#">PIP4K2B</a>	phosphatidylinositol-5-phosphate 4-kinase type 2 beta
hsa-miR-200c-3p	<a href="#">PLEKHM3</a>	pleckstrin homology domain containing M3
hsa-miR-200c-3p	<a href="#">NCOA3</a>	nuclear receptor coactivator 3
hsa-miR-200c-3p	<a href="#">ARHGAP19</a>	Rho GTPase activating protein 19
hsa-miR-200c-3p	<a href="#">FXR2</a>	FMR1 autosomal homolog 2
hsa-miR-200c-3p	<a href="#">SNX13</a>	sorting nexin 13
hsa-miR-200c-3p	<a href="#">PLCG1</a>	phospholipase C gamma 1
hsa-miR-200c-3p	<a href="#">PHF21A</a>	PHD finger protein 21A
hsa-miR-200c-3p	<a href="#">GIN1</a>	gypsy retrotransposon integrase 1
hsa-miR-200c-3p	<a href="#">TRAM1L1</a>	translocation associated membrane protein 1 like 1
hsa-miR-200c-3p	<a href="#">THAP5</a>	THAP domain containing 5
hsa-miR-200c-3p	<a href="#">SNAPC1</a>	small nuclear RNA activating complex polypeptide 1
hsa-miR-200c-3p	<a href="#">C2orf49</a>	chromosome 2 open reading frame 49
hsa-miR-200c-3p	<a href="#">TPCN1</a>	two pore segment channel 1
hsa-miR-200c-3p	<a href="#">PTS</a>	6-pyruvoyltetrahydropterin synthase
hsa-miR-200c-3p	<a href="#">PARD6B</a>	par-6 family cell polarity regulator beta
hsa-miR-200c-3p	<a href="#">CDK15</a>	cyclin dependent kinase 15
hsa-miR-200c-3p	<a href="#">THRB</a>	thyroid hormone receptor beta
hsa-miR-200c-3p	<a href="#">MPP4</a>	membrane palmitoylated protein 4
hsa-miR-200c-3p	<a href="#">RELN</a>	reelin
hsa-miR-200c-3p	<a href="#">ZNF516</a>	zinc finger protein 516
hsa-miR-200c-3p	<a href="#">KLK7</a>	kallikrein related peptidase 7
hsa-miR-200c-3p	<a href="#">PAX6</a>	paired box 6
hsa-miR-200c-3p	<a href="#">KLHL31</a>	kelch like family member 31
hsa-miR-200c-3p	<a href="#">NCOR2</a>	nuclear receptor corepressor 2
hsa-miR-200c-3p	<a href="#">KCTD15</a>	potassium channel tetramerization domain containing 15
hsa-miR-200c-3p	<a href="#">PSPH</a>	phosphoserine phosphatase
hsa-miR-200c-3p	<a href="#">PIN1</a>	peptidylprolyl cis/trans isomerase, NIMA-interacting 1
hsa-miR-200c-3p	<a href="#">CHD2</a>	chromodomain helicase DNA binding protein 2
hsa-miR-200c-3p	<a href="#">MAP1LC3B</a>	microtubule associated protein 1 light chain 3 beta

hsa-miR-200c-3p	<a href="#">HPS5</a>	HPS5, biogenesis of lysosomal organelles complex 2 subunit 2
hsa-miR-200c-3p	<a href="#">TMCC1</a>	transmembrane and coiled-coil domain family 1
hsa-miR-200c-3p	<a href="#">PLPPR1</a>	phospholipid phosphatase related 1
hsa-miR-200c-3p	<a href="#">LYRM2</a>	LYR motif containing 2
hsa-miR-200c-3p	<a href="#">FAM169A</a>	family with sequence similarity 169 member A
hsa-miR-200c-3p	<a href="#">ITPR1</a>	inositol 1,4,5-trisphosphate receptor type 1
hsa-miR-200c-3p	<a href="#">HEG1</a>	heart development protein with EGF like domains 1
hsa-miR-200c-3p	<a href="#">CHST9</a>	carbohydrate sulfotransferase 9
hsa-miR-200c-3p	<a href="#">DMRT2</a>	doublesex and mab-3 related transcription factor 2
hsa-miR-200c-3p	<a href="#">PRKAR2B</a>	protein kinase cAMP-dependent type II regulatory subunit beta
hsa-miR-200c-3p	<a href="#">TJP1</a>	tight junction protein 1
hsa-miR-200c-3p	<a href="#">FAM218A</a>	family with sequence similarity 218 member A
hsa-miR-200c-3p	<a href="#">IQSEC1</a>	IQ motif and Sec7 domain 1
hsa-miR-200c-3p	<a href="#">HS6ST2</a>	heparan sulfate 6-O-sulfotransferase 2
hsa-miR-200c-3p	<a href="#">MYCN</a>	MYCN proto-oncogene, bHLH transcription factor
hsa-miR-200c-3p	<a href="#">LY75</a>	lymphocyte antigen 75
hsa-miR-200c-3p	<a href="#">REV3L</a>	REV3 like, DNA directed polymerase zeta catalytic subunit
hsa-miR-200c-3p	<a href="#">ARIH2</a>	ariadne RBR E3 ubiquitin protein ligase 2
hsa-miR-200c-3p	<a href="#">CHM</a>	CHM, Rab escort protein 1
hsa-miR-200c-3p	<a href="#">CSRNP3</a>	cysteine and serine rich nuclear protein 3
hsa-miR-200c-3p	<a href="#">KCNK2</a>	potassium two pore domain channel subfamily K member 2
hsa-miR-200c-3p	<a href="#">MARCH1</a>	membrane associated ring-CH-type finger 1
hsa-miR-200c-3p	<a href="#">ZNF274</a>	zinc finger protein 274
hsa-miR-200c-3p	<a href="#">NEGR1</a>	neuronal growth regulator 1
hsa-miR-200c-3p	<a href="#">STON2</a>	stonin 2
hsa-miR-200c-3p	<a href="#">FCAR</a>	Fc fragment of IgA receptor
hsa-miR-200c-3p	<a href="#">FAM3B</a>	family with sequence similarity 3 member B
hsa-miR-200c-3p	<a href="#">CFLAR</a>	CASP8 and FADD like apoptosis regulator
hsa-miR-200c-3p	<a href="#">PTBP1</a>	polypyrimidine tract binding protein 1
hsa-miR-200c-3p	<a href="#">FAM107B</a>	family with sequence similarity 107 member B
hsa-miR-200c-3p	<a href="#">LRP4</a>	LDL receptor related protein 4
hsa-miR-200c-3p	<a href="#">F2RL2</a>	coagulation factor II thrombin receptor like 2
hsa-miR-200c-3p	<a href="#">MTCP1</a>	mature T cell proliferation 1
hsa-miR-200c-3p	<a href="#">OTUD6B</a>	OTU domain containing 6B
hsa-miR-200c-3p	<a href="#">ZNF566</a>	zinc finger protein 566
hsa-miR-200c-3p	<a href="#">CA5B</a>	carbonic anhydrase 5B
hsa-miR-200c-3p	<a href="#">TRPV3</a>	transient receptor potential cation channel subfamily V member 3
hsa-miR-200c-3p	<a href="#">DCAF5</a>	DDB1 and CUL4 associated factor 5
hsa-miR-200c-3p	<a href="#">BASP1</a>	brain abundant membrane attached signal protein 1
hsa-miR-200c-3p	<a href="#">GSKIP</a>	GSK3B interacting protein
hsa-miR-200c-3p	<a href="#">TRPC3</a>	transient receptor potential cation channel subfamily C member 3

hsa-miR-200c-3p	<a href="#">PRRC2C</a>	proline rich coiled-coil 2C
hsa-miR-200c-3p	<a href="#">VPS13A</a>	vacuolar protein sorting 13 homolog A
hsa-miR-200c-3p	<a href="#">AP1M1</a>	adaptor related protein complex 1 subunit mu 1
hsa-miR-200c-3p	<a href="#">CNTD1</a>	cyclin N-terminal domain containing 1
hsa-miR-200c-3p	<a href="#">SCOC</a>	short coiled-coil protein
hsa-miR-200c-3p	<a href="#">BCLAF3</a>	BCLAF1 and THRAP3 family member 3
hsa-miR-200c-3p	<a href="#">TM4SF18</a>	transmembrane 4 L six family member 18
hsa-miR-200c-3p	<a href="#">SMAD5</a>	SMAD family member 5
hsa-miR-200c-3p	<a href="#">GFI1</a>	growth factor independent 1 transcriptional repressor
hsa-miR-200c-3p	<a href="#">ZNF365</a>	zinc finger protein 365
hsa-miR-200c-3p	<a href="#">ATP11A</a>	ATPase phospholipid transporting 11A
hsa-miR-200c-3p	<a href="#">NLRP11</a>	NLR family pyrin domain containing 11
hsa-miR-200c-3p	<a href="#">CDK12</a>	cyclin dependent kinase 12
hsa-miR-200c-3p	<a href="#">WSB1</a>	WD repeat and SOCS box containing 1
hsa-miR-200c-3p	<a href="#">PSMF1</a>	proteasome inhibitor subunit 1
hsa-miR-200c-3p	<a href="#">CDHR1</a>	cadherin related family member 1
hsa-miR-200c-3p	<a href="#">RIF1</a>	replication timing regulatory factor 1
hsa-miR-200c-3p	<a href="#">HNRNPH2</a>	heterogeneous nuclear ribonucleoprotein H2
hsa-miR-200c-3p	<a href="#">ZNF366</a>	zinc finger protein 366
hsa-miR-200c-3p	<a href="#">NAA50</a>	N(alpha)-acetyltransferase 50, NatE catalytic subunit
hsa-miR-200c-3p	<a href="#">SUB1</a>	SUB1 homolog, transcriptional regulator
hsa-miR-200c-3p	<a href="#">C22orf39</a>	chromosome 22 open reading frame 39
hsa-miR-200c-3p	<a href="#">SPIDR</a>	scaffold protein involved in DNA repair
hsa-miR-200c-3p	<a href="#">NIP7</a>	NIP7, nucleolar pre-rRNA processing protein
hsa-miR-200c-3p	<a href="#">TGFB3</a>	transforming growth factor beta receptor 3
hsa-miR-200c-3p	<a href="#">TMEM229B</a>	transmembrane protein 229B
hsa-miR-200c-3p	<a href="#">UTP25</a>	UTP25, small subunit processor component
hsa-miR-200c-3p	<a href="#">PI15</a>	peptidase inhibitor 15
hsa-miR-200c-3p	<a href="#">IRS2</a>	insulin receptor substrate 2
hsa-miR-200c-3p	<a href="#">ANKRD28</a>	ankyrin repeat domain 28
hsa-miR-200c-3p	<a href="#">WDR45B</a>	WD repeat domain 45B
hsa-miR-200c-3p	<a href="#">C21orf91</a>	chromosome 21 open reading frame 91
hsa-miR-200c-3p	<a href="#">FGD1</a>	FYVE, RhoGEF and PH domain containing 1
hsa-miR-200c-3p	<a href="#">FMR1</a>	fragile X mental retardation 1
hsa-miR-200c-3p	<a href="#">NFASC</a>	neurofascin
hsa-miR-200c-3p	<a href="#">RFC3</a>	replication factor C subunit 3
hsa-miR-200c-3p	<a href="#">RNASEL</a>	ribonuclease L
hsa-miR-200c-3p	<a href="#">OSR1</a>	odd-skipped related transcription factor 1
hsa-miR-200c-3p	<a href="#">FRS2</a>	fibroblast growth factor receptor substrate 2
hsa-miR-200c-3p	<a href="#">C2orf15</a>	chromosome 2 open reading frame 15
hsa-miR-200c-3p	<a href="#">NR2C1</a>	nuclear receptor subfamily 2 group C member 1
hsa-miR-200c-3p	<a href="#">ING5</a>	inhibitor of growth family member 5
hsa-miR-200c-3p	<a href="#">PENK</a>	proenkephalin
hsa-miR-200c-3p	<a href="#">SOCS6</a>	suppressor of cytokine signaling 6
hsa-miR-200c-3p	<a href="#">SEPHS1</a>	selenophosphate synthetase 1

hsa-miR-200c-3p	<a href="#">NEO1</a>	neogenin 1
hsa-miR-200c-3p	<a href="#">TP53INP1</a>	tumor protein p53 inducible nuclear protein 1
hsa-miR-200c-3p	<a href="#">TMEM43</a>	transmembrane protein 43
hsa-miR-200c-3p	<a href="#">RBM8A</a>	RNA binding motif protein 8A
hsa-miR-200c-3p	<a href="#">PLXNA4</a>	plexin A4
hsa-miR-200c-3p	<a href="#">GRIP1</a>	glutamate receptor interacting protein 1
hsa-miR-200c-3p	<a href="#">MTAP</a>	methylthioadenosine phosphorylase
hsa-miR-200c-3p	<a href="#">NOC3L</a>	NOC3 like DNA replication regulator
hsa-miR-200c-3p	<a href="#">GATA2</a>	GATA binding protein 2
hsa-miR-200c-3p	<a href="#">EGLN3</a>	egl-9 family hypoxia inducible factor 3
hsa-miR-200c-3p	<a href="#">RASGEF1B</a>	RasGEF domain family member 1B
hsa-miR-200c-3p	<a href="#">HBS1L</a>	HBS1 like translational GTPase
hsa-miR-200c-3p	<a href="#">RAB30</a>	RAB30, member RAS oncogene family
hsa-miR-200c-3p	<a href="#">NR2C2</a>	nuclear receptor subfamily 2 group C member 2
hsa-miR-200c-3p	<a href="#">SOD2</a>	superoxide dismutase 2
hsa-miR-200c-3p	<a href="#">ZNF330</a>	zinc finger protein 330
hsa-miR-200c-3p	<a href="#">ZNF260</a>	zinc finger protein 260
hsa-miR-200c-3p	<a href="#">MLLT10</a>	MLLT10, histone lysine methyltransferase DOT1L cofactor
hsa-miR-200c-3p	<a href="#">ITPRID2</a>	ITPR interacting domain containing 2
hsa-miR-200c-3p	<a href="#">NPR3</a>	natriuretic peptide receptor 3
hsa-miR-200c-3p	<a href="#">CRYZ</a>	crystallin zeta
hsa-miR-200c-3p	<a href="#">ONECUT2</a>	one cut homeobox 2
hsa-miR-200c-3p	<a href="#">YOD1</a>	YOD1 deubiquitinase
hsa-miR-200c-3p	<a href="#">LRRTM3</a>	leucine rich repeat transmembrane neuronal 3
hsa-miR-200c-3p	<a href="#">ARPP21</a>	cAMP regulated phosphoprotein 21
hsa-miR-200c-3p	<a href="#">CDK1</a>	cyclin dependent kinase 1
hsa-miR-200c-3p	<a href="#">NAA16</a>	N(alpha)-acetyltransferase 16, NatA auxiliary subunit
hsa-miR-200c-3p	<a href="#">TMEM123</a>	transmembrane protein 123
hsa-miR-200c-3p	<a href="#">DYRK2</a>	dual specificity tyrosine phosphorylation regulated kinase 2
hsa-miR-200c-3p	<a href="#">ACTC1</a>	actin, alpha, cardiac muscle 1
hsa-miR-200c-3p	<a href="#">FAM160B1</a>	family with sequence similarity 160 member B1
hsa-miR-200c-3p	<a href="#">UFSP2</a>	UFM1 specific peptidase 2
hsa-miR-200c-3p	<a href="#">ASPH</a>	aspartate beta-hydroxylase
hsa-miR-200c-3p	<a href="#">FUBP1</a>	far upstream element binding protein 1
hsa-miR-200c-3p	<a href="#">HIF1AN</a>	hypoxia inducible factor 1 subunit alpha inhibitor
hsa-miR-200c-3p	<a href="#">IL24</a>	interleukin 24
hsa-miR-200c-3p	<a href="#">DCX</a>	doublecortin
hsa-miR-200c-3p	<a href="#">CGGBP1</a>	CGG triplet repeat binding protein 1
hsa-miR-200c-3p	<a href="#">ST3GAL5</a>	ST3 beta-galactoside alpha-2,3-sialyltransferase 5
hsa-miR-200c-3p	<a href="#">CLIP2</a>	CAP-Gly domain containing linker protein 2
hsa-miR-200c-3p	<a href="#">CD58</a>	CD58 molecule
hsa-miR-200c-3p	<a href="#">ZNF550</a>	zinc finger protein 550
hsa-miR-200c-3p	<a href="#">CDK2</a>	cyclin dependent kinase 2

hsa-miR-200c-3p	<a href="#">TADA2B</a>	transcriptional adaptor 2B
hsa-miR-200c-3p	<a href="#">FBXL16</a>	F-box and leucine rich repeat protein 16
hsa-miR-200c-3p	<a href="#">TPD52L1</a>	TPD52 like 1
hsa-miR-200c-3p	<a href="#">GLS</a>	glutaminase
hsa-miR-200c-3p	<a href="#">SIRT1</a>	sirtuin 1
hsa-miR-200c-3p	<a href="#">SPART</a>	spartin
hsa-miR-200c-3p	<a href="#">ATMIN</a>	ATM interactor
hsa-miR-200c-3p	<a href="#">C2orf72</a>	chromosome 2 open reading frame 72
hsa-miR-200c-3p	<a href="#">C2orf68</a>	chromosome 2 open reading frame 68
hsa-miR-200c-3p	<a href="#">BUB1B-PAK6</a>	BUB1B-PAK6 readthrough
hsa-miR-200c-3p	<a href="#">CLCF1</a>	cardiotrophin like cytokine factor 1
hsa-miR-200c-3p	<a href="#">CSTF3</a>	cleavage stimulation factor subunit 3
hsa-miR-200c-3p	<a href="#">ADIPOQ</a>	adiponectin, C1Q and collagen domain containing
hsa-miR-200c-3p	<a href="#">CLCC1</a>	chloride channel CLIC like 1
hsa-miR-200c-3p	<a href="#">BORCS7</a>	BLOC-1 related complex subunit 7
hsa-miR-200c-3p	<a href="#">SERF2</a>	small EDRK-rich factor 2
hsa-miR-200c-3p	<a href="#">TREM1</a>	triggering receptor expressed on myeloid cells 1
hsa-miR-200c-3p	<a href="#">ASXL1</a>	ASXL transcriptional regulator 1
hsa-miR-200c-3p	<a href="#">TRIM2</a>	tripartite motif containing 2
hsa-miR-200c-3p	<a href="#">RPL36A-HNRNPH2</a>	RPL36A-HNRNPH2 readthrough
hsa-miR-200c-3p	<a href="#">PRPF38A</a>	pre-mRNA processing factor 38A
hsa-miR-200c-3p	<a href="#">KLHL14</a>	kelch like family member 14
hsa-miR-200c-3p	<a href="#">RALGPS2</a>	Ral GEF with PH domain and SH3 binding motif 2
hsa-miR-200c-3p	<a href="#">LGSN</a>	lengsin, lens protein with glutamine synthetase domain
hsa-miR-200c-3p	<a href="#">PAN3</a>	poly(A) specific ribonuclease subunit PAN3
hsa-miR-200c-3p	<a href="#">SGCB</a>	sarcoglycan beta
hsa-miR-200c-3p	<a href="#">MEGF10</a>	multiple EGF like domains 10
hsa-miR-200c-3p	<a href="#">SLC16A7</a>	solute carrier family 16 member 7
hsa-miR-200c-3p	<a href="#">CCSER1</a>	coiled-coil serine rich protein 1
hsa-miR-200c-3p	<a href="#">BBS12</a>	Bardet-Biedl syndrome 12
hsa-miR-200c-3p	<a href="#">LRRC34</a>	leucine rich repeat containing 34
hsa-miR-200c-3p	<a href="#">USF3</a>	upstream transcription factor family member 3
hsa-miR-200c-3p	<a href="#">CASC4</a>	cancer susceptibility 4
hsa-miR-200c-3p	<a href="#">ITSN1</a>	intersectin 1
hsa-miR-200c-3p	<a href="#">ERBIN</a>	erbB2 interacting protein
hsa-miR-200c-3p	<a href="#">XRN2</a>	5'-3' exoribonuclease 2
hsa-miR-200c-3p	<a href="#">CTNNA3</a>	catenin alpha 3
hsa-miR-200c-3p	<a href="#">CREB5</a>	cAMP responsive element binding protein 5
hsa-miR-200c-3p	<a href="#">PPP1R12B</a>	protein phosphatase 1 regulatory subunit 12B
hsa-miR-200c-3p	<a href="#">MDM4</a>	MDM4, p53 regulator
hsa-miR-200c-3p	<a href="#">XKRY2</a>	XK related, Y-linked 2
hsa-miR-200c-3p	<a href="#">RBMXL2</a>	RBMX like 2
hsa-miR-200c-3p	<a href="#">TENM1</a>	teneurin transmembrane protein 1
hsa-miR-200c-3p	<a href="#">BHLHE41</a>	basic helix-loop-helix family member e41

hsa-miR-200c-3p	<a href="#">SNTB2</a>	syntrophin beta 2
hsa-miR-200c-3p	<a href="#">ATAT1</a>	alpha tubulin acetyltransferase 1
hsa-miR-200c-3p	<a href="#">SSH2</a>	slingshot protein phosphatase 2
hsa-miR-200c-3p	<a href="#">XKRY</a>	XK related, Y-linked
hsa-miR-200c-3p	<a href="#">STAM</a>	signal transducing adaptor molecule
hsa-miR-200c-3p	<a href="#">KIF13A</a>	kinesin family member 13A
hsa-miR-200c-3p	<a href="#">PIGM</a>	phosphatidylinositol glycan anchor biosynthesis class M
hsa-miR-200c-3p	<a href="#">LSM8</a>	LSM8 homolog, U6 small nuclear RNA associated
hsa-miR-200c-3p	<a href="#">CFAP97</a>	cilia and flagella associated protein 97
hsa-miR-200c-3p	<a href="#">CKLF</a>	chemokine like factor
hsa-miR-200c-3p	<a href="#">RBBP4</a>	RB binding protein 4, chromatin remodeling factor
hsa-miR-200c-3p	<a href="#">ALPI</a>	alkaline phosphatase, intestinal
hsa-miR-200c-3p	<a href="#">TMEM26</a>	transmembrane protein 26
hsa-miR-200c-3p	<a href="#">DARS</a>	aspartyl-tRNA synthetase
hsa-miR-200c-3p	<a href="#">GLIS2</a>	GLIS family zinc finger 2
hsa-miR-200c-3p	<a href="#">COL4A3</a>	collagen type IV alpha 3 chain
hsa-miR-200c-3p	<a href="#">MOSPD2</a>	motile sperm domain containing 2
hsa-miR-200c-3p	<a href="#">CA3</a>	carbonic anhydrase 3
hsa-miR-200c-3p	<a href="#">TOR1AIP2</a>	torsin 1A interacting protein 2
hsa-miR-200c-3p	<a href="#">TARDBP</a>	TAR DNA binding protein
hsa-miR-200c-3p	<a href="#">LRIG1</a>	leucine rich repeats and immunoglobulin like domains 1
hsa-miR-200c-3p	<a href="#">FAM217B</a>	family with sequence similarity 217 member B
hsa-miR-200c-3p	<a href="#">WWP2</a>	WW domain containing E3 ubiquitin protein ligase 2
hsa-miR-200c-3p	<a href="#">PM20D2</a>	peptidase M20 domain containing 2
hsa-miR-200c-3p	<a href="#">CEBPD</a>	CCAAT enhancer binding protein delta
hsa-miR-200c-3p	<a href="#">LRAT</a>	lecithin retinol acyltransferase
hsa-miR-200c-3p	<a href="#">NALCN</a>	sodium leak channel, non-selective
hsa-miR-200c-3p	<a href="#">NEK9</a>	NIMA related kinase 9
hsa-miR-200c-3p	<a href="#">FLT4</a>	fms related tyrosine kinase 4
hsa-miR-200c-3p	<a href="#">IGSF3</a>	immunoglobulin superfamily member 3
hsa-miR-200c-3p	<a href="#">LDB3</a>	LIM domain binding 3
hsa-miR-200c-3p	<a href="#">SNX1</a>	sorting nexin 1
hsa-miR-200c-3p	<a href="#">KAT2B</a>	lysine acetyltransferase 2B
hsa-miR-200c-3p	<a href="#">SCN9A</a>	sodium voltage-gated channel alpha subunit 9
hsa-miR-200c-3p	<a href="#">SMARCAD1</a>	SWI/SNF-related, matrix-associated actin-dependent regulator of chromatin, subfamily a, containing DEAD/H box 1
hsa-miR-200c-3p	<a href="#">GABPB1</a>	GA binding protein transcription factor subunit beta 1
hsa-miR-200c-3p	<a href="#">NUP153</a>	nucleoporin 153
hsa-miR-200c-3p	<a href="#">ABRA</a>	actin binding Rho activating protein
hsa-miR-200c-3p	<a href="#">ERI1</a>	exoribonuclease 1
hsa-miR-200c-3p	<a href="#">GABRA6</a>	gamma-aminobutyric acid type A receptor alpha6 subunit
hsa-miR-200c-3p	<a href="#">TUBB3</a>	tubulin beta 3 class III
hsa-miR-200c-3p	<a href="#">CPXCR1</a>	CPX chromosome region, candidate 1



hsa-miR-200c-3p	<a href="#">EDNRA</a>	endothelin receptor type A
hsa-miR-200c-3p	<a href="#">BDKRB2</a>	bradykinin receptor B2
hsa-miR-200c-3p	<a href="#">SHISA2</a>	shisa family member 2
hsa-miR-200c-3p	<a href="#">GPR85</a>	G protein-coupled receptor 85
hsa-miR-200c-3p	<a href="#">TNFRSF11B</a>	TNF receptor superfamily member 11b
hsa-miR-200c-3p	<a href="#">ZNF674</a>	zinc finger protein 674
hsa-miR-200c-3p	<a href="#">PDPK1</a>	3-phosphoinositide dependent protein kinase 1
hsa-miR-200c-3p	<a href="#">CFHR5</a>	complement factor H related 5
hsa-miR-200c-3p	<a href="#">VTI1A</a>	vesicle transport through interaction with t-SNAREs 1A
hsa-miR-200c-3p	<a href="#">SLC25A30</a>	solute carrier family 25 member 30
hsa-miR-200c-3p	<a href="#">PARG</a>	poly(ADP-ribose) glycohydrolase
hsa-miR-200c-3p	<a href="#">TMEM38B</a>	transmembrane protein 38B
hsa-miR-200c-3p	<a href="#">TMEM14A</a>	transmembrane protein 14A
hsa-miR-200c-3p	<a href="#">PIK3CB</a>	phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit beta
hsa-miR-200c-3p	<a href="#">TMED4</a>	transmembrane p24 trafficking protein 4
hsa-miR-200c-3p	<a href="#">HLF</a>	HLF, PAR bZIP transcription factor
hsa-miR-200c-3p	<a href="#">SLC15A2</a>	solute carrier family 15 member 2
hsa-miR-200c-3p	<a href="#">COL9A2</a>	collagen type IX alpha 2 chain
hsa-miR-200c-3p	<a href="#">CREG1</a>	cellular repressor of E1A stimulated genes 1
hsa-miR-200c-3p	<a href="#">TENT5D</a>	terminal nucleotidyltransferase 5D
hsa-miR-200c-3p	<a href="#">AMACR</a>	alpha-methylacyl-CoA racemase
hsa-miR-200c-3p	<a href="#">MMS22L</a>	MMS22 like, DNA repair protein
hsa-miR-200c-3p	<a href="#">RWDD2A</a>	RWD domain containing 2A
hsa-miR-200c-3p	<a href="#">REFX7</a>	regulatory factor X7
hsa-miR-200c-3p	<a href="#">AMOTL2</a>	angiomotin like 2
hsa-miR-200c-3p	<a href="#">DDX3Y</a>	DEAD-box helicase 3 Y-linked
hsa-miR-200c-3p	<a href="#">KBTBD6</a>	kelch repeat and BTB domain containing 6
hsa-miR-200c-3p	<a href="#">ZNF692</a>	zinc finger protein 692
hsa-miR-200c-3p	<a href="#">ZNF831</a>	zinc finger protein 831
hsa-miR-200c-3p	<a href="#">PIA2</a>	praja ring finger ubiquitin ligase 2
hsa-miR-200c-3p	<a href="#">GPR63</a>	G protein-coupled receptor 63
hsa-miR-200c-3p	<a href="#">PLEKHA8</a>	pleckstrin homology domain containing A8
hsa-miR-200c-3p	<a href="#">TRAT1</a>	T cell receptor associated transmembrane adaptor 1
hsa-miR-200c-3p	<a href="#">ARL6IP6</a>	ADP ribosylation factor like GTPase 6 interacting protein 6
hsa-miR-200c-3p	<a href="#">STX16</a>	syntaxin 16
hsa-miR-200c-3p	<a href="#">RELCH</a>	RAB11 binding and LisH domain, coiled-coil and HEAT repeat containing
hsa-miR-200c-3p	<a href="#">DDX1</a>	DEAD-box helicase 1
hsa-miR-200c-3p	<a href="#">SELENOK</a>	selenoprotein K
hsa-miR-200c-3p	<a href="#">SNX30</a>	sorting nexin family member 30
hsa-miR-200c-3p	<a href="#">DNAJC18</a>	DnaJ heat shock protein family (Hsp40) member C18
hsa-miR-200c-3p	<a href="#">SHROOM4</a>	shroom family member 4
hsa-miR-200c-3p	<a href="#">CDH6</a>	cadherin 6
hsa-miR-200c-3p	<a href="#">ZNF568</a>	zinc finger protein 568

hsa-miR-200c-3p	<a href="#">ARHGEF3</a>	Rho guanine nucleotide exchange factor 3
hsa-miR-200c-3p	<a href="#">NAPB</a>	NSF attachment protein beta
hsa-miR-200c-3p	<a href="#">RET</a>	ret proto-oncogene
hsa-miR-200c-3p	<a href="#">RAD18</a>	RAD18, E3 ubiquitin protein ligase
hsa-miR-200c-3p	<a href="#">HLA-DPA1</a>	major histocompatibility complex, class II, DP alpha 1
hsa-miR-200c-3p	<a href="#">ADGRL2</a>	adhesion G protein-coupled receptor L2
hsa-miR-200c-3p	<a href="#">SLC17A4</a>	solute carrier family 17 member 4
hsa-miR-200c-3p	<a href="#">ELAVL4</a>	ELAV like RNA binding protein 4
hsa-miR-200c-3p	<a href="#">ZBTB5</a>	zinc finger and BTB domain containing 5
hsa-miR-200c-3p	<a href="#">ENAH</a>	ENAH, actin regulator
hsa-miR-200c-3p	<a href="#">SLC25A24</a>	solute carrier family 25 member 24
hsa-miR-200c-3p	<a href="#">ZMYM4</a>	zinc finger MYM-type containing 4
hsa-miR-200c-3p	<a href="#">HNRNPU</a>	heterogeneous nuclear ribonucleoprotein U
hsa-miR-200c-3p	<a href="#">CALHM5</a>	calcium homeostasis modulator family member 5
hsa-miR-200c-3p	<a href="#">GDPD1</a>	glycerophosphodiester phosphodiesterase domain containing 1
hsa-miR-200c-3p	<a href="#">RBFA</a>	ribosome binding factor A
hsa-miR-200c-3p	<a href="#">EPM2AIP1</a>	EPM2A interacting protein 1
hsa-miR-200c-3p	<a href="#">MPPED1</a>	metallophosphoesterase domain containing 1
hsa-miR-200c-3p	<a href="#">RCN1</a>	reticulocalbin 1
hsa-miR-200c-3p	<a href="#">AK9</a>	adenylate kinase 9
hsa-miR-200c-3p	<a href="#">UXS1</a>	UDP-glucuronate decarboxylase 1
hsa-miR-200c-3p	<a href="#">LMAN1</a>	lectin, mannose binding 1
hsa-miR-200c-3p	<a href="#">CCSAP</a>	centriole, cilia and spindle associated protein
hsa-miR-200c-3p	<a href="#">KLF10</a>	Kruppel like factor 10
hsa-miR-200c-3p	<a href="#">COPS2</a>	COP9 signalosome subunit 2
hsa-miR-200c-3p	<a href="#">SLAIN1</a>	SLAIN motif family member 1
hsa-miR-200c-3p	<a href="#">ZDHHC15</a>	zinc finger DHHC-type containing 15
hsa-miR-200c-3p	<a href="#">SCHIP1</a>	schwannomin interacting protein 1
hsa-miR-200c-3p	<a href="#">MRPS35</a>	mitochondrial ribosomal protein S35
hsa-miR-200c-3p	<a href="#">CDC27</a>	cell division cycle 27
hsa-miR-200c-3p	<a href="#">GOSR2</a>	golgi SNAP receptor complex member 2
hsa-miR-200c-3p	<a href="#">IPMK</a>	inositol polyphosphate multikinase
hsa-miR-200c-3p	<a href="#">STAC</a>	SH3 and cysteine rich domain
hsa-miR-200c-3p	<a href="#">KLHL3</a>	kelch like family member 3
hsa-miR-200c-3p	<a href="#">USP47</a>	ubiquitin specific peptidase 47
hsa-miR-200c-3p	<a href="#">TP53TG3C</a>	TP53 target 3C
hsa-miR-200c-3p	<a href="#">TTC5</a>	tetratricopeptide repeat domain 5
hsa-miR-200c-3p	<a href="#">EIF2S1</a>	eukaryotic translation initiation factor 2 subunit alpha
hsa-miR-200c-3p	<a href="#">NOL12</a>	nucleolar protein 12
hsa-miR-200c-3p	<a href="#">GPC6</a>	glypican 6
hsa-miR-200c-3p	<a href="#">GPX8</a>	glutathione peroxidase 8 (putative)
hsa-miR-200c-3p	<a href="#">EXOSC3</a>	exosome component 3
hsa-miR-200c-3p	<a href="#">GREM2</a>	gremlin 2, DAN family BMP antagonist
hsa-miR-200c-3p	<a href="#">NSMCE3</a>	NSE3 homolog, SMC5-SMC6 complex component

hsa-miR-200c-3p	<a href="#">HMOX1</a>	heme oxygenase 1
hsa-miR-200c-3p	<a href="#">APLP2</a>	amyloid beta precursor like protein 2
hsa-miR-200c-3p	<a href="#">ATF7IP</a>	activating transcription factor 7 interacting protein
hsa-miR-200c-3p	<a href="#">CALHM1</a>	calcium homeostasis modulator 1
hsa-miR-200c-3p	<a href="#">CLDND1</a>	claudin domain containing 1
hsa-miR-200c-3p	<a href="#">TTC33</a>	tetratricopeptide repeat domain 33
hsa-miR-200c-3p	<a href="#">AVPR1A</a>	arginine vasopressin receptor 1A
hsa-miR-200c-3p	<a href="#">ASB13</a>	ankyrin repeat and SOCS box containing 13
hsa-miR-200c-3p	<a href="#">SAMD12</a>	sterile alpha motif domain containing 12
hsa-miR-200c-3p	<a href="#">ADD3</a>	adducin 3
hsa-miR-200c-3p	<a href="#">ENTPD5</a>	ectonucleoside triphosphate diphosphohydrolase 5
hsa-miR-200c-3p	<a href="#">CCDC144A</a>	coiled-coil domain containing 144A
hsa-miR-200c-3p	<a href="#">TTC21B</a>	tetratricopeptide repeat domain 21B
hsa-miR-200c-3p	<a href="#">DGKE</a>	diacylglycerol kinase epsilon
hsa-miR-200c-3p	<a href="#">JADE3</a>	jade family PHD finger 3
hsa-miR-200c-3p	<a href="#">PTPN13</a>	protein tyrosine phosphatase, non-receptor type 13
hsa-miR-200c-3p	<a href="#">NCBP3</a>	nuclear cap binding subunit 3
hsa-miR-200c-3p	<a href="#">MYEOV</a>	myeloma overexpressed
hsa-miR-200c-3p	<a href="#">RBM48</a>	RNA binding motif protein 48
hsa-miR-200c-3p	<a href="#">UCHL5</a>	ubiquitin C-terminal hydrolase L5
hsa-miR-200c-3p	<a href="#">ABI2</a>	abl interactor 2
hsa-miR-200c-3p	<a href="#">DR1</a>	down-regulator of transcription 1
hsa-miR-200c-3p	<a href="#">TAF5L</a>	TATA-box binding protein associated factor 5 like
hsa-miR-200c-3p	<a href="#">NECTIN1</a>	nectin cell adhesion molecule 1
hsa-miR-200c-3p	<a href="#">MAP2K5</a>	mitogen-activated protein kinase kinase 5
hsa-miR-200c-3p	<a href="#">FGF9</a>	fibroblast growth factor 9
hsa-miR-200c-3p	<a href="#">DNMT3A</a>	DNA methyltransferase 3 alpha
hsa-miR-200c-3p	<a href="#">ZDBF2</a>	zinc finger DBF-type containing 2
hsa-miR-200c-3p	<a href="#">CNDP2</a>	carnosine dipeptidase 2
hsa-miR-200c-3p	<a href="#">RALB</a>	RAS like proto-oncogene B
hsa-miR-200c-3p	<a href="#">RUFY2</a>	RUN and FYVE domain containing 2
hsa-miR-200c-3p	<a href="#">REL</a>	REL proto-oncogene, NF-kB subunit
hsa-miR-200c-3p	<a href="#">RHOA</a>	ras homolog family member A
hsa-miR-200c-3p	<a href="#">RBM46</a>	RNA binding motif protein 46
hsa-miR-200c-3p	<a href="#">SH3TC2</a>	SH3 domain and tetratricopeptide repeats 2
hsa-miR-200c-3p	<a href="#">MPP5</a>	membrane palmitoylated protein 5
hsa-miR-200c-3p	<a href="#">CCDC62</a>	coiled-coil domain containing 62
hsa-miR-200c-3p	<a href="#">SLC5A3</a>	solute carrier family 5 member 3
hsa-miR-200c-3p	<a href="#">PRKAA2</a>	protein kinase AMP-activated catalytic subunit alpha 2
hsa-miR-200c-3p	<a href="#">HPF1</a>	histone PARylation factor 1
hsa-miR-200c-3p	<a href="#">TC2N</a>	tandem C2 domains, nuclear
hsa-miR-200c-3p	<a href="#">SMPX</a>	small muscle protein X-linked
hsa-miR-200c-3p	<a href="#">NRK</a>	Nik related kinase
hsa-miR-200c-3p	<a href="#">SLC16A1</a>	solute carrier family 16 member 1
hsa-miR-200c-3p	<a href="#">MGA</a>	MGA, MAX dimerization prote

hsa-miR-210-3p	<a href="#">IGF2</a>	insulin like growth factor 2
hsa-miR-210-3p	<a href="#">ISCU</a>	iron-sulfur cluster assembly enzyme
hsa-miR-210-3p	<a href="#">GALR2</a>	galanin receptor 2
hsa-miR-210-3p	<a href="#">KMT2D</a>	lysine methyltransferase 2D
hsa-miR-210-3p	<a href="#">AIFM3</a>	apoptosis inducing factor, mitochondria associated 3
hsa-miR-210-3p	<a href="#">FGFRL1</a>	fibroblast growth factor receptor like 1
hsa-miR-210-3p	<a href="#">NDUFA4</a>	NDUFA4, mitochondrial complex associated
hsa-miR-210-3p	<a href="#">MID1IP1</a>	MID1 interacting protein 1
hsa-miR-210-3p	<a href="#">BDNF</a>	brain derived neurotrophic factor
hsa-miR-210-3p	<a href="#">RUNX3</a>	runt related transcription factor 3
hsa-miR-210-3p	<a href="#">SHISAL2B</a>	shisa like 2B
hsa-miR-210-3p	<a href="#">DENND6A</a>	DENN domain containing 6A
hsa-miR-210-3p	<a href="#">GIT2</a>	GIT ArfGAP 2
hsa-miR-210-3p	<a href="#">TTC13</a>	tetratricopeptide repeat domain 13
hsa-miR-210-3p	<a href="#">SDF2</a>	stromal cell derived factor 2
hsa-miR-210-3p	<a href="#">ACVR1B</a>	activin A receptor type 1B
hsa-miR-210-3p	<a href="#">PCYT1B</a>	phosphate cytidylyltransferase 1, choline, beta
hsa-miR-210-3p	<a href="#">THSD7A</a>	thrombospondin type 1 domain containing 7A
hsa-miR-210-3p	<a href="#">B4GALT5</a>	beta-1,4-galactosyltransferase 5
hsa-miR-210-3p	<a href="#">ARMC1</a>	armadillo repeat containing 1
hsa-miR-210-3p	<a href="#">BARD1</a>	BRCA1 associated RING domain 1
hsa-miR-210-3p	<a href="#">FAM222A</a>	family with sequence similarity 222 member A
hsa-miR-210-3p	<a href="#">SIN3A</a>	SIN3 transcription regulator family member A
hsa-miR-210-3p	<a href="#">VAMP7</a>	vesicle associated membrane protein 7
hsa-miR-210-3p	<a href="#">DLX1</a>	distal-less homeobox 1
hsa-miR-210-3p	<a href="#">GPD1L</a>	glycerol-3-phosphate dehydrogenase 1 like
hsa-miR-210-3p	<a href="#">RRP1B</a>	ribosomal RNA processing 1B
hsa-miR-210-3p	<a href="#">ZNF37A</a>	zinc finger protein 37A
hsa-miR-210-3p	<a href="#">CYP4A22</a>	cytochrome P450 family 4 subfamily A member 22
hsa-miR-210-3p	<a href="#">DIMP1</a>	DIMP1 dimethyladenosine transferase 1 homolog
hsa-miR-210-3p	<a href="#">ST6GAL2</a>	ST6 beta-galactoside alpha-2,6-sialyltransferase 2
hsa-miR-210-3p	<a href="#">DCAF5</a>	DDB1 and CUL4 associated factor 5
hsa-miR-210-3p	<a href="#">SLC16A14</a>	solute carrier family 16 member 14
hsa-miR-210-3p	<a href="#">ATP11A</a>	ATPase phospholipid transporting 11A
hsa-miR-210-3p	<a href="#">ALDH5A1</a>	aldehyde dehydrogenase 5 family member A1
hsa-miR-210-3p	<a href="#">SH3BGR1</a>	SH3 domain binding glutamate rich protein like
hsa-miR-210-3p	<a href="#">SLC24A2</a>	solute carrier family 24 member 2
hsa-miR-210-3p	<a href="#">NPTX1</a>	neuronal pentraxin 1
hsa-miR-210-3p	<a href="#">DELE1</a>	DAP3 binding cell death enhancer 1
hsa-miR-210-3p	<a href="#">NCOR1</a>	nuclear receptor corepressor 1
hsa-miR-210-3p	<a href="#">CORO2B</a>	coronin 2B
hsa-miR-210-3p	<a href="#">ST3GAL3</a>	ST3 beta-galactoside alpha-2,3-sialyltransferase 3
hsa-miR-210-3p	<a href="#">CAMTA1</a>	calmodulin binding transcription activator 1
hsa-miR-210-3p	<a href="#">DHX58</a>	DExH-box helicase 58
hsa-miR-210-3p	<a href="#">SCARA3</a>	scavenger receptor class A member 3

hsa-miR-210-3p	<a href="#">TM4SF18</a>	transmembrane 4 L six family member 18
hsa-miR-210-3p	<a href="#">WLS</a>	Wnt ligand secretion mediator
hsa-miR-210-3p	<a href="#">SLC25A26</a>	solute carrier family 25 member 26
hsa-miR-210-3p	<a href="#">KPNA1</a>	karyopherin subunit alpha 1
hsa-miR-210-3p	<a href="#">NR1D2</a>	nuclear receptor subfamily 1 group D member 2
hsa-miR-210-3p	<a href="#">PANX3</a>	pannexin 3
hsa-miR-210-3p	<a href="#">FKBP1B</a>	FKBP prolyl isomerase 1B
hsa-miR-210-3p	<a href="#">ELFN2</a>	extracellular leucine rich repeat and fibronectin type III domain containing 2
hsa-miR-210-3p	<a href="#">MGRN1</a>	mahogunin ring finger 1
hsa-miR-210-3p	<a href="#">KIAA1143</a>	KIAA1143
hsa-miR-210-3p	<a href="#">PPM1K</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1K
hsa-miR-210-3p	<a href="#">KCMF1</a>	potassium channel modulatory factor 1
hsa-miR-210-3p	<a href="#">DSG1</a>	desmoglein 1
hsa-miR-210-3p	<a href="#">E2F3</a>	E2F transcription factor 3
hsa-miR-210-3p	<a href="#">TNPO3</a>	transportin 3
hsa-miR-210-3p	<a href="#">INHBB</a>	inhibin subunit beta B
hsa-miR-210-3p	<a href="#">NMNAT2</a>	nicotinamide nucleotide adenylyltransferase 2
hsa-miR-210-3p	<a href="#">MIGA2</a>	mitoguardin 2
hsa-miR-210-3p	<a href="#">CCDC32</a>	coiled-coil domain containing 32
hsa-miR-210-3p	<a href="#">ATP2B3</a>	ATPase plasma membrane Ca <sup>2+</sup> transporting 3
hsa-miR-210-3p	<a href="#">MLC1</a>	megalencephalic leukoencephalopathy with subcortical cysts 1
hsa-miR-210-3p	<a href="#">GGNBP2</a>	gametogenetin binding protein 2
hsa-miR-210-3p	<a href="#">CNTNAP5</a>	contactin associated protein like 5
hsa-miR-210-3p	<a href="#">SSX1</a>	SSX family member 1
hsa-miR-210-3p	<a href="#">USH2A</a>	usherin
hsa-miR-210-3p	<a href="#">HOXA9</a>	homeobox A9
hsa-miR-210-3p	<a href="#">MYORG</a>	myogenesis regulating glycosidase (putative)
hsa-miR-210-3p	<a href="#">SAMD12</a>	sterile alpha motif domain containing 12
hsa-miR-210-3p	<a href="#">ESCO2</a>	establishment of sister chromatid cohesion N-acetyltransferase 2
hsa-miR-210-3p	<a href="#">KLF12</a>	Kruppel like factor 12
hsa-miR-210-3p	<a href="#">RAB7A</a>	RAB7A, member RAS oncogene family
hsa-miR-210-3p	<a href="#">MZF1</a>	myeloid zinc finger 1
hsa-miR-210-3p	<a href="#">C5orf38</a>	chromosome 5 open reading frame 38
hsa-miR-210-3p	<a href="#">PIK3R5</a>	phosphoinositide-3-kinase regulatory subunit 5
hsa-miR-210-3p	<a href="#">CD22</a>	CD22 molecule
hsa-miR-210-3p	<a href="#">SDHD</a>	succinate dehydrogenase complex subunit D
hsa-miR-210-3p	<a href="#">MPEG1</a>	macrophage expressed 1
hsa-miR-210-3p	<a href="#">ADGRA1</a>	adhesion G protein-coupled recepto
hsa-miR-221-3p	<a href="#">RIMS3</a>	regulating synaptic membrane exocytosis 3
hsa-miR-221-3p	<a href="#">GABRA1</a>	gamma-aminobutyric acid type A receptor alpha1 subunit
hsa-miR-221-3p	<a href="#">CDKN1B</a>	cyclin dependent kinase inhibitor 1B
hsa-miR-221-3p	<a href="#">PAIP1</a>	poly(A) binding protein interacting protein 1

hsa-miR-221-3p	<a href="#">PANK3</a>	pantothenate kinase 3
hsa-miR-221-3p	<a href="#">TCF12</a>	transcription factor 12
hsa-miR-221-3p	<a href="#">HECTD2</a>	HECT domain E3 ubiquitin protein ligase 2
hsa-miR-221-3p	<a href="#">REFX7</a>	regulatory factor X7
hsa-miR-221-3p	<a href="#">RGS6</a>	regulator of G protein signaling 6
hsa-miR-221-3p	<a href="#">HMBOX1</a>	homeobox containing 1
hsa-miR-221-3p	<a href="#">EIF5A2</a>	eukaryotic translation initiation factor 5A2
hsa-miR-221-3p	<a href="#">KIT</a>	KIT proto-oncogene receptor tyrosine kinase
hsa-miR-221-3p	<a href="#">MIDN</a>	midnolin
hsa-miR-221-3p	<a href="#">EML6</a>	EMAP like 6
hsa-miR-221-3p	<a href="#">CLVS2</a>	clavesin 2
hsa-miR-221-3p	<a href="#">GNAI3</a>	G protein subunit alpha i3
hsa-miR-221-3p	<a href="#">GRB10</a>	growth factor receptor bound protein 10
hsa-miR-221-3p	<a href="#">ARHGEF38</a>	Rho guanine nucleotide exchange factor 38
hsa-miR-221-3p	<a href="#">GRIK1</a>	glutamate ionotropic receptor kainate type subunit 1
hsa-miR-221-3p	<a href="#">TGS1</a>	trimethylguanosine synthase 1
hsa-miR-221-3p	<a href="#">RAB18</a>	RAB18, member RAS oncogene family
hsa-miR-221-3p	<a href="#">ADAM22</a>	ADAM metallopeptidase domain 22
hsa-miR-221-3p	<a href="#">DENND1B</a>	DENN domain containing 1B
hsa-miR-221-3p	<a href="#">FNIP2</a>	folliculin interacting protein 2
hsa-miR-221-3p	<a href="#">MYLIP</a>	myosin regulatory light chain interacting protein
hsa-miR-221-3p	<a href="#">VAPB</a>	VAMP associated protein B and C
hsa-miR-221-3p	<a href="#">FNDCA3</a>	fibronectin type III domain containing 3A
hsa-miR-221-3p	<a href="#">LOC100506388</a>	uncharacterized LOC100506388
hsa-miR-221-3p	<a href="#">ZNF91</a>	zinc finger protein 91
hsa-miR-221-3p	<a href="#">WDR35</a>	WD repeat domain 35
hsa-miR-221-3p	<a href="#">C3orf70</a>	chromosome 3 open reading frame 70
hsa-miR-221-3p	<a href="#">MIER3</a>	MIER family member 3
hsa-miR-221-3p	<a href="#">GALNT3</a>	polypeptide N-acetylgalactosaminyltransferase 3
hsa-miR-221-3p	<a href="#">NRK</a>	Nik related kinase
hsa-miR-221-3p	<a href="#">TFG</a>	TRK-fused gene
hsa-miR-221-3p	<a href="#">PCMTD1</a>	protein-L-isoaspartate (D-aspartate) O-methyltransferase domain containing 1
hsa-miR-221-3p	<a href="#">POGZ</a>	pogo transposable element derived with ZNF domain
hsa-miR-221-3p	<a href="#">RSBN1L</a>	round spermatid basic protein 1 like
hsa-miR-221-3p	<a href="#">DCUN1D1</a>	defective in cullin neddylation 1 domain containing 1
hsa-miR-221-3p	<a href="#">CHSY1</a>	chondroitin sulfate synthase 1
hsa-miR-221-3p	<a href="#">AGTPBP1</a>	ATP/GTP binding protein 1
hsa-miR-221-3p	<a href="#">SEC62</a>	SEC62 homolog, preprotein translocation factor
hsa-miR-221-3p	<a href="#">RIT2</a>	Ras like without CAAX 2
hsa-miR-221-3p	<a href="#">ERBB4</a>	erb-b2 receptor tyrosine kinase 4
hsa-miR-221-3p	<a href="#">DMRT3</a>	doublesex and mab-3 related transcription factor 3
hsa-miR-221-3p	<a href="#">PPP3R1</a>	protein phosphatase 3 regulatory subunit B, alpha
hsa-miR-221-3p	<a href="#">CCN1</a>	cellular communication network factor 1
hsa-miR-221-3p	<a href="#">NAA25</a>	N(alpha)-acetyltransferase 25, NatB auxiliary subunit



hsa-miR-221-3p	<a href="#">ARF4</a>	ADP ribosylation factor 4
hsa-miR-221-3p	<a href="#">CDH2</a>	cadherin 2
hsa-miR-221-3p	<a href="#">ZFPM2</a>	zinc finger protein, FOG family member 2
hsa-miR-221-3p	<a href="#">HNRNPH3</a>	heterogeneous nuclear ribonucleoprotein H3
hsa-miR-221-3p	<a href="#">KIF16B</a>	kinesin family member 16B
hsa-miR-221-3p	<a href="#">KIF20A</a>	kinesin family member 20A
hsa-miR-221-3p	<a href="#">FMR1</a>	fragile X mental retardation 1
hsa-miR-221-3p	<a href="#">ATXN1</a>	ataxin 1
hsa-miR-221-3p	<a href="#">FOXN2</a>	forkhead box N2
hsa-miR-221-3p	<a href="#">MRAP2</a>	melanocortin 2 receptor accessory protein 2
hsa-miR-221-3p	<a href="#">CBWD5</a>	COBW domain containing 5
hsa-miR-221-3p	<a href="#">CASZ1</a>	castor zinc finger 1
hsa-miR-221-3p	<a href="#">CBWD1</a>	COBW domain containing 1
hsa-miR-221-3p	<a href="#">SUN2</a>	Sad1 and UNC84 domain containing 2
hsa-miR-221-3p	<a href="#">CBWD6</a>	COBW domain containing 6
hsa-miR-221-3p	<a href="#">DCAF12</a>	DDB1 and CUL4 associated factor 12
hsa-miR-221-3p	<a href="#">VASH1</a>	vasohibin 1
hsa-miR-221-3p	<a href="#">TMCC1</a>	transmembrane and coiled-coil domain family 1
hsa-miR-221-3p	<a href="#">TP53BP2</a>	tumor protein p53 binding protein 2
hsa-miR-221-3p	<a href="#">CBWD3</a>	COBW domain containing 3
hsa-miR-221-3p	<a href="#">ETV3</a>	ETS variant 3
hsa-miR-221-3p	<a href="#">MARK1</a>	microtubule affinity regulating kinase 1
hsa-miR-221-3p	<a href="#">PHACTR4</a>	phosphatase and actin regulator 4
hsa-miR-221-3p	<a href="#">SYT10</a>	synaptotagmin 10
hsa-miR-221-3p	<a href="#">PIK3R1</a>	phosphoinositide-3-kinase regulatory subunit 1
hsa-miR-221-3p	<a href="#">CBWD2</a>	COBW domain containing 2
hsa-miR-221-3p	<a href="#">APOLD1</a>	apolipoprotein L domain containing 1
hsa-miR-221-3p	<a href="#">LHFPL2</a>	LHFPL tetraspan subfamily member 2
hsa-miR-221-3p	<a href="#">FERMT2</a>	fermitin family member 2
hsa-miR-221-3p	<a href="#">KLF7</a>	Kruppel like factor 7
hsa-miR-221-3p	<a href="#">CXCL12</a>	C-X-C motif chemokine ligand 12
hsa-miR-221-3p	<a href="#">CCDC18</a>	coiled-coil domain containing 18
hsa-miR-221-3p	<a href="#">NXPH1</a>	neurexophilin 1
hsa-miR-221-3p	<a href="#">BICDL1</a>	BICD family like cargo adaptor 1
hsa-miR-221-3p	<a href="#">BCL2L11</a>	BCL2 like 11
hsa-miR-221-3p	<a href="#">BRWD1</a>	bromodomain and WD repeat domain containing 1
hsa-miR-221-3p	<a href="#">C6</a>	complement C6
hsa-miR-221-3p	<a href="#">RFX8</a>	RFX family member 8, lacking RFX DNA binding domain
hsa-miR-221-3p	<a href="#">C6orf118</a>	chromosome 6 open reading frame 118
hsa-miR-221-3p	<a href="#">PPP2R2A</a>	protein phosphatase 2 regulatory subunit Balpha
hsa-miR-221-3p	<a href="#">MARF1</a>	meiosis regulator and mRNA stability factor 1
hsa-miR-221-3p	<a href="#">FAM214A</a>	family with sequence similarity 214 member A
hsa-miR-221-3p	<a href="#">PIEZO2</a>	piezo type mechanosensitive ion channel component 2
hsa-miR-221-3p	<a href="#">DPH6</a>	diphthamine biosynthesis 6
hsa-miR-221-3p	<a href="#">PLCL2</a>	phospholipase C like 2

hsa-miR-221-3p	<a href="#">ZNF615</a>	zinc finger protein 615
hsa-miR-221-3p	<a href="#">GABRG1</a>	gamma-aminobutyric acid type A receptor gamma1 subunit
hsa-miR-221-3p	<a href="#">CDK19</a>	cyclin dependent kinase 19
hsa-miR-221-3p	<a href="#">HIPK1</a>	homeodomain interacting protein kinase 1
hsa-miR-221-3p	<a href="#">GUCY1A2</a>	guanylate cyclase 1 soluble subunit alpha 2
hsa-miR-221-3p	<a href="#">WDR47</a>	WD repeat domain 47
hsa-miR-221-3p	<a href="#">SESN3</a>	sestrin 3
hsa-miR-221-3p	<a href="#">USP27X</a>	ubiquitin specific peptidase 27 X-linked
hsa-miR-221-3p	<a href="#">AP3B2</a>	adaptor related protein complex 3 subunit beta 2
hsa-miR-221-3p	<a href="#">ESR1</a>	estrogen receptor 1
hsa-miR-221-3p	<a href="#">TUB</a>	tubby bipartite transcription factor
hsa-miR-221-3p	<a href="#">ASPA</a>	aspartoacylase
hsa-miR-221-3p	<a href="#">SYBU</a>	syntabulin
hsa-miR-221-3p	<a href="#">CTDSPL2</a>	CTD small phosphatase like 2
hsa-miR-221-3p	<a href="#">SBK1</a>	SH3 domain binding kinase 1
hsa-miR-221-3p	<a href="#">DDIT4</a>	DNA damage inducible transcript 4
hsa-miR-221-3p	<a href="#">CLRN1</a>	clarin 1
hsa-miR-221-3p	<a href="#">SLC4A7</a>	solute carrier family 4 member 7
hsa-miR-221-3p	<a href="#">TLE3</a>	TLE family member 3, transcriptional corepressor
hsa-miR-221-3p	<a href="#">RFX3</a>	regulatory factor X3
hsa-miR-221-3p	<a href="#">EIF3I</a>	eukaryotic translation initiation factor 3 subunit J
hsa-miR-221-3p	<a href="#">ANKRD12</a>	ankyrin repeat domain 12
hsa-miR-221-3p	<a href="#">CREBL2</a>	cAMP responsive element binding protein like 2
hsa-miR-221-3p	<a href="#">TSPAN13</a>	tetraspanin 13
hsa-miR-221-3p	<a href="#">ZMYM2</a>	zinc finger MYM-type containing 2
hsa-miR-221-3p	<a href="#">DPP8</a>	dipeptidyl peptidase 8
hsa-miR-221-3p	<a href="#">AQP3</a>	aquaporin 3 (Gill blood group)
hsa-miR-221-3p	<a href="#">SHLD2</a>	shieldin complex subunit 2
hsa-miR-221-3p	<a href="#">MIA3</a>	MIA SH3 domain ER export factor 3
hsa-miR-221-3p	<a href="#">IRX5</a>	iroquois homeobox 5
hsa-miR-221-3p	<a href="#">CLGN</a>	calmegin
hsa-miR-221-3p	<a href="#">PGPEP1L</a>	pyroglutamyl-peptidase I like
hsa-miR-221-3p	<a href="#">KIAA1841</a>	KIAA1841
hsa-miR-221-3p	<a href="#">BEND4</a>	BEN domain containing 4
hsa-miR-221-3p	<a href="#">LYPLA1</a>	lysophospholipase 1
hsa-miR-221-3p	<a href="#">SEMA3C</a>	semaphorin 3C
hsa-miR-221-3p	<a href="#">PAF1</a>	PAF1 homolog, Paf1/RNA polymerase II complex component
hsa-miR-221-3p	<a href="#">TRPC3</a>	transient receptor potential cation channel subfamily C member 3
hsa-miR-221-3p	<a href="#">RNPS1</a>	RNA binding protein with serine rich domain 1
hsa-miR-221-3p	<a href="#">NIPAL4</a>	NIPA like domain containing 4
hsa-miR-221-3p	<a href="#">UBE2I1</a>	ubiquitin conjugating enzyme E2 J1
hsa-miR-221-3p	<a href="#">ZNF385A</a>	zinc finger protein 385A
hsa-miR-221-3p	<a href="#">TSC22D3</a>	TSC22 domain family member 3

hsa-miR-221-3p	<a href="#">ZNF181</a>	zinc finger protein 181
hsa-miR-221-3p	<a href="#">BEAN1</a>	brain expressed associated with NEDD4 1
hsa-miR-221-3p	<a href="#">KDR</a>	kinase insert domain receptor
hsa-miR-221-3p	<a href="#">GPBP1</a>	GC-rich promoter binding protein 1
hsa-miR-221-3p	<a href="#">SNX4</a>	sorting nexin 4
hsa-miR-221-3p	<a href="#">L3MBTL1</a>	L3MBTL1, histone methyl-lysine binding protein
hsa-miR-221-3p	<a href="#">AIDA</a>	axin interactor, dorsalization associated
hsa-miR-221-3p	<a href="#">GDF9</a>	growth differentiation factor 9
hsa-miR-221-3p	<a href="#">FGF14</a>	fibroblast growth factor 14
hsa-miR-221-3p	<a href="#">NYAP2</a>	neuronal tyrosine-phosphorylated phosphoinositide-3-kinase adaptor 2
hsa-miR-221-3p	<a href="#">MYBL1</a>	MYB proto-oncogene like 1
hsa-miR-221-3p	<a href="#">BRWD3</a>	bromodomain and WD repeat domain containing 3
hsa-miR-221-3p	<a href="#">POLR3E</a>	RNA polymerase III subunit E
hsa-miR-221-3p	<a href="#">IRF2</a>	interferon regulatory factor 2
hsa-miR-221-3p	<a href="#">ATP1B1</a>	ATPase Na <sup>+</sup> /K <sup>+</sup> transporting subunit beta 1
hsa-miR-221-3p	<a href="#">TUBA1A</a>	tubulin alpha 1a
hsa-miR-221-3p	<a href="#">SNRNP48</a>	small nuclear ribonucleoprotein U11/U12 subunit 48
hsa-miR-221-3p	<a href="#">RNF4</a>	ring finger protein 4
hsa-miR-221-3p	<a href="#">DNAJC6</a>	DnaJ heat shock protein family (Hsp40) member C6
hsa-miR-221-3p	<a href="#">FXN</a>	frataxin
hsa-miR-221-3p	<a href="#">NAP1L5</a>	nucleosome assembly protein 1 like 5
hsa-miR-221-3p	<a href="#">BBC3</a>	BCL2 binding component 3
hsa-miR-221-3p	<a href="#">WNK3</a>	WNK lysine deficient protein kinase 3
hsa-miR-221-3p	<a href="#">SLC2A13</a>	solute carrier family 2 member 13
hsa-miR-221-3p	<a href="#">PLXNC1</a>	plexin C1
hsa-miR-221-3p	<a href="#">LBR</a>	lamin B receptor
hsa-miR-221-3p	<a href="#">RDX</a>	radixin
hsa-miR-221-3p	<a href="#">SYNCRIP</a>	synaptotagmin binding cytoplasmic RNA interacting protein
hsa-miR-221-3p	<a href="#">TDRP</a>	testis development related protein
hsa-miR-221-3p	<a href="#">SNAP29</a>	synaptosome associated protein 29
hsa-miR-221-3p	<a href="#">ATAD2B</a>	ATPase family, AAA domain containing 2B
hsa-miR-221-3p	<a href="#">AKAP5</a>	A-kinase anchoring protein 5
hsa-miR-221-3p	<a href="#">RBP2</a>	retinol binding protein 2
hsa-miR-221-3p	<a href="#">INA</a>	internexin neuronal intermediate filament protein alpha
hsa-miR-221-3p	<a href="#">LUZP2</a>	leucine zipper protein 2
hsa-miR-221-3p	<a href="#">SMARCA5</a>	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member 5
hsa-miR-221-3p	<a href="#">SVIP</a>	small VCP interacting protein
hsa-miR-221-3p	<a href="#">ZFYVE16</a>	zinc finger FYVE-type containing 16
hsa-miR-221-3p	<a href="#">PMEPA1</a>	prostate transmembrane protein, androgen induced 1
hsa-miR-221-3p	<a href="#">ZFP36L2</a>	ZFP36 ring finger protein like 2
hsa-miR-221-3p	<a href="#">ZNF624</a>	zinc finger protein 624
hsa-miR-221-3p	<a href="#">SEC24C</a>	SEC24 homolog C, COPII coat complex component
hsa-miR-221-3p	<a href="#">RALA</a>	RAS like proto-oncogene A

hsa-miR-221-3p	<a href="#">SLC6A4</a>	solute carrier family 6 member 4
hsa-miR-221-3p	<a href="#">RAB1A</a>	RAB1A, member RAS oncogene family
hsa-miR-221-3p	<a href="#">TNRC6C</a>	trinucleotide repeat containing 6C
hsa-miR-221-3p	<a href="#">HSPA8</a>	heat shock protein family A (Hsp70) member 8
hsa-miR-221-3p	<a href="#">CASR</a>	calcium sensing receptor
hsa-miR-221-3p	<a href="#">PRRC2B</a>	proline rich coiled-coil 2B
hsa-miR-221-3p	<a href="#">NFIYB</a>	nuclear transcription factor Y subunit beta
hsa-miR-221-3p	<a href="#">NTF3</a>	neurotrophin 3
hsa-miR-221-3p	<a href="#">CMTM4</a>	CKLF like MARVEL transmembrane domain containing 4
hsa-miR-221-3p	<a href="#">PARP9</a>	poly(ADP-ribose) polymerase family member 9
hsa-miR-221-3p	<a href="#">NANOS1</a>	nanos C2HC-type zinc finger 1
hsa-miR-221-3p	<a href="#">ANGPTL2</a>	angiopoietin like 2
hsa-miR-221-3p	<a href="#">AMMECR1</a>	Alport syndrome, mental retardation, midface hypoplasia and elliptocytosis chromosomal region gene 1
hsa-miR-221-3p	<a href="#">OSTM1</a>	osteoclastogenesis associated transmembrane protein 1
hsa-miR-221-3p	<a href="#">SOX10</a>	SRY-box 10
hsa-miR-221-3p	<a href="#">DIRAS3</a>	DIRAS family GTPase 3
hsa-miR-221-3p	<a href="#">ADAM17</a>	ADAM metallopeptidase domain 17
hsa-miR-221-3p	<a href="#">LRFN2</a>	leucine rich repeat and fibronectin type III domain containing 2
hsa-miR-221-3p	<a href="#">ZNF275</a>	zinc finger protein 275
hsa-miR-221-3p	<a href="#">NFATC3</a>	nuclear factor of activated T cells 3
hsa-miR-221-3p	<a href="#">PTPN4</a>	protein tyrosine phosphatase, non-receptor type 4
hsa-miR-221-3p	<a href="#">ANKRD52</a>	ankyrin repeat domain 52
hsa-miR-221-3p	<a href="#">NFATC2</a>	nuclear factor of activated T cells 2
hsa-miR-221-3p	<a href="#">MAP4K5</a>	mitogen-activated protein kinase kinase kinase kinase 5
hsa-miR-221-3p	<a href="#">KMT2A</a>	lysine methyltransferase 2A
hsa-miR-221-3p	<a href="#">PLCXD3</a>	phosphatidylinositol specific phospholipase C X domain containing 3
hsa-miR-221-3p	<a href="#">ZFAND5</a>	zinc finger AN1-type containing 5
hsa-miR-221-3p	<a href="#">KCNH8</a>	potassium voltage-gated channel subfamily H member 8
hsa-miR-221-3p	<a href="#">NDST3</a>	N-deacetylase and N-sulfotransferase 3
hsa-miR-221-3p	<a href="#">SLC30A6</a>	solute carrier family 30 member 6
hsa-miR-221-3p	<a href="#">NCKAP5</a>	NCK associated protein 5
hsa-miR-221-3p	<a href="#">ANXA3</a>	annexin A3
hsa-miR-221-3p	<a href="#">EOGT</a>	EGF domain specific O-linked N-acetylglucosamine transferase
hsa-miR-221-3p	<a href="#">ZBTB5</a>	zinc finger and BTB domain containing 5
hsa-miR-221-3p	<a href="#">BMF</a>	Bcl2 modifying factor
hsa-miR-221-3p	<a href="#">CUX2</a>	cut like homeobox 2
hsa-miR-221-3p	<a href="#">PRDM1</a>	PR/SET domain 1
hsa-miR-221-3p	<a href="#">FRY</a>	FRY microtubule binding protein
hsa-miR-221-3p	<a href="#">CLDN11</a>	claudin 11
hsa-miR-221-3p	<a href="#">PLPPR1</a>	phospholipid phosphatase related 1
hsa-miR-221-3p	<a href="#">PPDPFL</a>	pancreatic progenitor cell differentiation and proliferation factor like

hsa-miR-221-3p	<a href="#">CNR1</a>	cannabinoid receptor 1
hsa-miR-221-3p	<a href="#">TRAF3IP2</a>	TRAF3 interacting protein 2
hsa-miR-221-3p	<a href="#">ITGB3</a>	integrin subunit beta 3
hsa-miR-221-3p	<a href="#">ZNF629</a>	zinc finger protein 629
hsa-miR-221-3p	<a href="#">ZFP30</a>	ZFP30 zinc finger protein
hsa-miR-221-3p	<a href="#">SNCB</a>	synuclein beta
hsa-miR-221-3p	<a href="#">CPEB3</a>	cytoplasmic polyadenylation element binding protein 3
hsa-miR-221-3p	<a href="#">GALNT18</a>	polypeptide N-acetylgalactosaminyltransferase 18
hsa-miR-221-3p	<a href="#">PRICKLE2</a>	prickle planar cell polarity protein 2
hsa-miR-221-3p	<a href="#">MEGF9</a>	multiple EGF like domains 9
hsa-miR-221-3p	<a href="#">PAIP2</a>	poly(A) binding protein interacting protein 2
hsa-miR-221-3p	<a href="#">PCDHA1</a>	protocadherin alpha 1
hsa-miR-221-3p	<a href="#">CBFB</a>	core-binding factor subunit beta
hsa-miR-221-3p	<a href="#">C11orf87</a>	chromosome 11 open reading frame 87
hsa-miR-221-3p	<a href="#">PCDHA4</a>	protocadherin alpha 4
hsa-miR-221-3p	<a href="#">PCDHA7</a>	protocadherin alpha 7
hsa-miR-221-3p	<a href="#">PCDHA3</a>	protocadherin alpha 3
hsa-miR-221-3p	<a href="#">PCDHA12</a>	protocadherin alpha 12
hsa-miR-221-3p	<a href="#">GBX2</a>	gastrulation brain homeobox 2
hsa-miR-221-3p	<a href="#">ZNF704</a>	zinc finger protein 704
hsa-miR-221-3p	<a href="#">C6orf120</a>	chromosome 6 open reading frame 120
hsa-miR-221-3p	<a href="#">PCDHA11</a>	protocadherin alpha 11
hsa-miR-221-3p	<a href="#">PCDHA2</a>	protocadherin alpha 2
hsa-miR-221-3p	<a href="#">DCUN1D4</a>	defective in cullin neddylation 1 domain containing 4
hsa-miR-221-3p	<a href="#">FBXO47</a>	F-box protein 47
hsa-miR-221-3p	<a href="#">XIRP2</a>	xin actin binding repeat containing 2
hsa-miR-221-3p	<a href="#">PCDHA6</a>	protocadherin alpha 6
hsa-miR-221-3p	<a href="#">MAGI1</a>	membrane associated guanylate kinase, WW and PDZ domain containing 1
hsa-miR-221-3p	<a href="#">PCDHA5</a>	protocadherin alpha 5
hsa-miR-221-3p	<a href="#">ZKSCAN8</a>	zinc finger with KRAB and SCAN domains 8
hsa-miR-221-3p	<a href="#">PCDHA10</a>	protocadherin alpha 10
hsa-miR-221-3p	<a href="#">PCDHAC1</a>	protocadherin alpha subfamily C, 1
hsa-miR-221-3p	<a href="#">PCDHA8</a>	protocadherin alpha 8
hsa-miR-221-3p	<a href="#">PCDHA13</a>	protocadherin alpha 13
hsa-miR-221-3p	<a href="#">PCDHAC2</a>	protocadherin alpha subfamily C, 2
hsa-miR-221-3p	<a href="#">CPNE8</a>	copine 8
hsa-miR-221-3p	<a href="#">PPARGC1A</a>	PPARG coactivator 1 alpha
hsa-miR-221-3p	<a href="#">TMEM132C</a>	transmembrane protein 132C
hsa-miR-221-3p	<a href="#">ABHD3</a>	abhydrolase domain containing 3
hsa-miR-221-3p	<a href="#">MPZL1</a>	myelin protein zero like 1
hsa-miR-221-3p	<a href="#">VGLL4</a>	vestigial like family member 4
hsa-miR-221-3p	<a href="#">SRD5A3</a>	steroid 5 alpha-reductase 3
hsa-miR-221-3p	<a href="#">RORB</a>	RAR related orphan receptor B
hsa-miR-221-3p	<a href="#">SCD5</a>	stearoyl-CoA desaturase 5

hsa-miR-221-3p	<a href="#">RALGAPA1</a>	Ral GTPase activating protein catalytic alpha subunit 1
hsa-miR-221-3p	<a href="#">MRPS7</a>	mitochondrial ribosomal protein S7
hsa-miR-221-3p	<a href="#">FANCD2</a>	FA complementation group D2
hsa-miR-221-3p	<a href="#">CLDND1</a>	claudin domain containing 1
hsa-miR-221-3p	<a href="#">SYCE2</a>	synaptonemal complex central element protein 2
hsa-miR-221-3p	<a href="#">YWHAG</a>	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein gamma
hsa-miR-221-3p	<a href="#">TGOLN2</a>	trans-golgi network protein 2
hsa-miR-221-3p	<a href="#">KLC1</a>	kinesin light chain 1
hsa-miR-221-3p	<a href="#">ABCA8</a>	ATP binding cassette subfamily A member 8
hsa-miR-221-3p	<a href="#">ZNF93</a>	zinc finger protein 93
hsa-miR-221-3p	<a href="#">SGIP1</a>	SH3 domain GRB2 like endophilin interacting protein 1
hsa-miR-221-3p	<a href="#">PDIK1L</a>	PDLIM1 interacting kinase 1 like
hsa-miR-221-3p	<a href="#">ARAP2</a>	ArfGAP with RhoGAP domain, ankyrin repeat and PH domain 2
hsa-miR-221-3p	<a href="#">WSB2</a>	WD repeat and SOCS box containing 2
hsa-miR-221-3p	<a href="#">SPART</a>	spartin
hsa-miR-221-3p	<a href="#">PTBP3</a>	polypyrimidine tract binding protein 3
hsa-miR-221-3p	<a href="#">NIPBL</a>	NIPBL, cohesin loading factor
hsa-miR-221-3p	<a href="#">NOVA1</a>	NOVA alternative splicing regulator 1
hsa-miR-221-3p	<a href="#">ZNF74</a>	zinc finger protein 74
hsa-miR-221-3p	<a href="#">GAB1</a>	GRB2 associated binding protein 1
hsa-miR-221-3p	<a href="#">GTF2E1</a>	general transcription factor IIE subunit 1
hsa-miR-221-3p	<a href="#">CAMTA1</a>	calmodulin binding transcription activator 1
hsa-miR-221-3p	<a href="#">ONECUT2</a>	one cut homeobox 2
hsa-miR-221-3p	<a href="#">PLSCR4</a>	phospholipid scramblase 4
hsa-miR-221-3p	<a href="#">SERPINB2</a>	serpin family B member 2
hsa-miR-221-3p	<a href="#">EVI2A</a>	ecotropic viral integration site 2A
hsa-miR-221-3p	<a href="#">PDS5A</a>	PDS5 cohesin associated factor A
hsa-miR-221-3p	<a href="#">TLNRD1</a>	talin rod domain containing 1
hsa-miR-221-3p	<a href="#">DYNC1LI2</a>	dynein cytoplasmic 1 light intermediate chain 2
hsa-miR-221-3p	<a href="#">MAN2A1</a>	mannosidase alpha class 2A member 1
hsa-miR-221-3p	<a href="#">AGPS</a>	alkylglycerone phosphate synthase
hsa-miR-221-3p	<a href="#">TBXT</a>	T-box transcription factor T
hsa-miR-221-3p	<a href="#">DBT</a>	dihydrolipoamide branched chain transacylase E2
hsa-miR-221-3p	<a href="#">ENAH</a>	ENAH, actin regulator
hsa-miR-221-3p	<a href="#">LRRCC1</a>	leucine rich repeat and coiled-coil centrosomal protein 1
hsa-miR-221-3p	<a href="#">CREBZF</a>	CREB/ATF bZIP transcription factor
hsa-miR-221-3p	<a href="#">CDKN2AIP</a>	CDKN2A interacting protein
hsa-miR-221-3p	<a href="#">CYLD</a>	CYLD lysine 63 deubiquitinase
hsa-miR-221-3p	<a href="#">RBM24</a>	RNA binding motif protein 24
hsa-miR-221-3p	<a href="#">KIAA0586</a>	KIAA0586
hsa-miR-221-3p	<a href="#">ARHGEF7</a>	Rho guanine nucleotide exchange factor 7
hsa-miR-221-3p	<a href="#">ITPR2</a>	inositol 1,4,5-trisphosphate receptor type 2
hsa-miR-221-3p	<a href="#">KPNA2</a>	karyopherin subunit alpha 2



hsa-miR-221-3p	<a href="#">ZNF25</a>	zinc finger protein 25
hsa-miR-221-3p	<a href="#">PDLIM2</a>	PDZ and LIM domain 2
hsa-miR-221-3p	<a href="#">TOX</a>	thymocyte selection associated high mobility group box
hsa-miR-221-3p	<a href="#">PRKAB2</a>	protein kinase AMP-activated non-catalytic subunit beta 2
hsa-miR-221-3p	<a href="#">NSMCE4A</a>	NSE4 homolog A, SMC5-SMC6 complex component
hsa-miR-221-3p	<a href="#">SEC24B</a>	SEC24 homolog B, COPII coat complex component
hsa-miR-221-3p	<a href="#">TRPS1</a>	transcriptional repressor GATA binding 1
hsa-miR-221-3p	<a href="#">CLIC2</a>	chloride intracellular channel 2
hsa-miR-221-3p	<a href="#">NAP1L1</a>	nucleosome assembly protein 1 like 1
hsa-miR-221-3p	<a href="#">LRRTM2</a>	leucine rich repeat transmembrane neuronal 2
hsa-miR-221-3p	<a href="#">IL17RB</a>	interleukin 17 receptor B
hsa-miR-221-3p	<a href="#">SEMA6D</a>	semaphorin 6D
hsa-miR-221-3p	<a href="#">HNRNPA0</a>	heterogeneous nuclear ribonucleoprotein A0
hsa-miR-221-3p	<a href="#">GJC3</a>	gap junction protein gamma 3
hsa-miR-221-3p	<a href="#">CYREN</a>	cell cycle regulator of NHEJ
hsa-miR-221-3p	<a href="#">SOCS3</a>	suppressor of cytokine signaling 3
hsa-miR-221-3p	<a href="#">CYP4X1</a>	cytochrome P450 family 4 subfamily X member 1
hsa-miR-221-3p	<a href="#">KPNA1</a>	karyopherin subunit alpha 1
hsa-miR-221-3p	<a href="#">ANKRD10</a>	ankyrin repeat domain 10
hsa-miR-221-3p	<a href="#">NLK</a>	nemo like kinase
hsa-miR-221-3p	<a href="#">MEX3A</a>	mex-3 RNA binding family member A
hsa-miR-221-3p	<a href="#">HLTF</a>	helicase like transcription factor
hsa-miR-221-3p	<a href="#">IFIT2</a>	interferon induced protein with tetratricopeptide repeats 2
hsa-miR-221-3p	<a href="#">ANKS1B</a>	ankyrin repeat and sterile alpha motif domain containing 1B
hsa-miR-221-3p	<a href="#">UGT2B15</a>	UDP glucuronosyltransferase family 2 member B15
hsa-miR-221-3p	<a href="#">CHD7</a>	chromodomain helicase DNA binding protein 7
hsa-miR-221-3p	<a href="#">IGF2BP2</a>	insulin like growth factor 2 mRNA binding protein 2
hsa-miR-221-3p	<a href="#">YTHDF3</a>	YTH N6-methyladenosine RNA binding protein 3
hsa-miR-221-3p	<a href="#">NGRN</a>	neugrin, neurite outgrowth associated
hsa-miR-221-3p	<a href="#">COBL1</a>	cordon-bleu WH2 repeat protein like 1
hsa-miR-221-3p	<a href="#">CEP41</a>	centrosomal protein 41
hsa-miR-221-3p	<a href="#">ASB4</a>	ankyrin repeat and SOCS box containing 4
hsa-miR-221-3p	<a href="#">PDCD10</a>	programmed cell death 10
hsa-miR-221-3p	<a href="#">MASTL</a>	microtubule associated serine/threonine kinase like
hsa-miR-221-3p	<a href="#">RUNX2</a>	runt related transcription factor 2
hsa-miR-221-3p	<a href="#">TRABD2B</a>	TraB domain containing 2B
hsa-miR-221-3p	<a href="#">PTPRZ1</a>	protein tyrosine phosphatase, receptor type Z1
hsa-miR-221-3p	<a href="#">FAT2</a>	FAT atypical cadherin 2
hsa-miR-221-3p	<a href="#">FAM160B1</a>	family with sequence similarity 160 member B1
hsa-miR-221-3p	<a href="#">KANK4</a>	KN motif and ankyrin repeat domains 4
hsa-miR-221-3p	<a href="#">ZNF652</a>	zinc finger protein 652
hsa-miR-221-3p	<a href="#">CD164</a>	CD164 molecule
hsa-miR-221-3p	<a href="#">NRG1</a>	neuregulin 1

hsa-miR-221-3p	<a href="#">GNB1</a>	G protein subunit beta 1
hsa-miR-221-3p	<a href="#">CEP70</a>	centrosomal protein 70
hsa-miR-221-3p	<a href="#">CCSAP</a>	centriole, cilia and spindle associated protein
hsa-miR-221-3p	<a href="#">KHDRBS2</a>	KH RNA binding domain containing, signal transduction associated 2
hsa-miR-221-3p	<a href="#">ERCC4</a>	ERCC excision repair 4, endonuclease catalytic subunit
hsa-miR-221-3p	<a href="#">ACVR2B</a>	activin A receptor type 2B
hsa-miR-221-3p	<a href="#">RASSF8</a>	Ras association domain family member 8
hsa-miR-221-3p	<a href="#">RNF20</a>	ring finger protein 20
hsa-miR-221-3p	<a href="#">ALDH16A1</a>	aldehyde dehydrogenase 16 family member A1
hsa-miR-221-3p	<a href="#">SPTBN1</a>	spectrin beta, non-erythrocytic 1
hsa-miR-221-3p	<a href="#">ANTXR2</a>	ANTXR cell adhesion molecule 2
hsa-miR-221-3p	<a href="#">ANKHD1</a>	ankyrin repeat and KH domain containing 1
hsa-miR-221-3p	<a href="#">SLC4A4</a>	solute carrier family 4 member 4
hsa-miR-221-3p	<a href="#">ZNF3</a>	zinc finger protein 3
hsa-miR-221-3p	<a href="#">CALM1</a>	calmodulin 1
hsa-miR-221-3p	<a href="#">BCL2L14</a>	BCL2 like 14
hsa-miR-221-3p	<a href="#">TYMSOS</a>	TYMS opposite strand
hsa-miR-221-3p	<a href="#">CARE</a>	calcium responsive transcription factor
hsa-miR-221-3p	<a href="#">USP6NL</a>	USP6 N-terminal like
hsa-miR-221-3p	<a href="#">ZC3H13</a>	zinc finger CCCH-type containing 13
hsa-miR-221-3p	<a href="#">DLD</a>	dihydrolipoamide dehydrogenase
hsa-miR-221-3p	<a href="#">FBXO28</a>	F-box protein 28
hsa-miR-221-3p	<a href="#">MON2</a>	MON2 homolog, regulator of endosome-to-Golgi trafficking
hsa-miR-221-3p	<a href="#">STN1</a>	STN1, CST complex subunit
hsa-miR-221-3p	<a href="#">ETS1</a>	ETS proto-oncogene 1, transcription factor
hsa-miR-221-3p	<a href="#">CACNB4</a>	calcium voltage-gated channel auxiliary subunit beta 4
hsa-miR-221-3p	<a href="#">PDCD6IP</a>	programmed cell death 6 interacting protein
hsa-miR-221-3p	<a href="#">GOLGA1</a>	golgin A1
hsa-miR-221-3p	<a href="#">ZFH3</a>	zinc finger homeobox 3
hsa-miR-221-3p	<a href="#">TMEM132B</a>	transmembrane protein 132B
hsa-miR-221-3p	<a href="#">C22orf39</a>	chromosome 22 open reading frame 39
hsa-miR-221-3p	<a href="#">CCT5</a>	chaperonin containing TCP1 subunit 5
hsa-miR-221-3p	<a href="#">KSR1</a>	kinase suppressor of ras 1
hsa-miR-221-3p	<a href="#">NUFIP2</a>	nuclear FMR1 interacting protein 2
hsa-miR-221-3p	<a href="#">AGFG1</a>	ArfGAP with FG repeats 1
hsa-miR-221-3p	<a href="#">TCF7L2</a>	transcription factor 7 like 2
hsa-miR-221-3p	<a href="#">PPP4R2</a>	protein phosphatase 4 regulatory subunit 2
hsa-miR-221-3p	<a href="#">STK24</a>	serine/threonine kinase 24
hsa-miR-221-3p	<a href="#">CDON</a>	cell adhesion associated, oncogene regulated
hsa-miR-221-3p	<a href="#">FAM222B</a>	family with sequence similarity 222 member B
hsa-miR-221-3p	<a href="#">DGKH</a>	diacylglycerol kinase eta
hsa-miR-221-3p	<a href="#">HDLBP</a>	high density lipoprotein binding protein
hsa-miR-221-3p	<a href="#">SHANK2</a>	SH3 and multiple ankyrin repeat domains 2

hsa-miR-221-3p	<a href="#">CFAP161</a>	cilia and flagella associated protein 161
hsa-miR-221-3p	<a href="#">CRHBP</a>	corticotropin releasing hormone binding protein
hsa-miR-221-3p	<a href="#">CDV3</a>	CDV3 homolog
hsa-miR-221-3p	<a href="#">URI1</a>	URI1, prefoldin like chaperone
hsa-miR-221-3p	<a href="#">CD47</a>	CD47 molecule
hsa-miR-221-3p	<a href="#">SPPL3</a>	signal peptide peptidase like 3
hsa-miR-221-3p	<a href="#">CD4</a>	CD4 molecule
hsa-miR-221-3p	<a href="#">LRRC19</a>	leucine rich repeat containing 19
hsa-miR-221-3p	<a href="#">EMX2</a>	empty spiracles homeobox 2
hsa-miR-221-3p	<a href="#">PRDM11</a>	PR/SET domain 11
hsa-miR-221-3p	<a href="#">PTPRR</a>	protein tyrosine phosphatase, receptor type R
hsa-miR-221-3p	<a href="#">IGDCC4</a>	immunoglobulin superfamily DCC subclass member 4
hsa-miR-221-3p	<a href="#">CDKN2B</a>	cyclin dependent kinase inhibitor 2B
hsa-miR-221-3p	<a href="#">TMEM25</a>	transmembrane protein 25
hsa-miR-221-3p	<a href="#">CAMK1D</a>	calcium/calmodulin dependent protein kinase ID
hsa-miR-221-3p	<a href="#">MGAT4A</a>	alpha-1,3-mannosyl-glycoprotein 4-beta-N-acetylglucosaminyltransferase A
hsa-miR-221-3p	<a href="#">ZFP90</a>	ZFP90 zinc finger protein
hsa-miR-221-3p	<a href="#">ERMN</a>	ermin
hsa-miR-221-3p	<a href="#">RPS3</a>	ribosomal protein S3
hsa-miR-221-3p	<a href="#">CCP110</a>	centriolar coiled-coil protein 110
hsa-miR-221-3p	<a href="#">NBPF3</a>	NBPF member 3
hsa-miR-221-3p	<a href="#">CRKL</a>	CRK like proto-oncogene, adaptor protein
hsa-miR-221-3p	<a href="#">REV3L</a>	REV3 like, DNA directed polymerase zeta catalytic subunit
hsa-miR-221-3p	<a href="#">STYX</a>	serine/threonine/tyrosine interacting protein
hsa-miR-221-3p	<a href="#">ZNF83</a>	zinc finger protein 83
hsa-miR-221-3p	<a href="#">ST8SIA1</a>	ST8 alpha-N-acetyl-neuraminide alpha-2,8-sialyltransferase 1
hsa-miR-221-3p	<a href="#">SOD2</a>	superoxide dismutase 2
hsa-miR-221-3p	<a href="#">sept-14</a>	septin 14
hsa-miR-221-3p	<a href="#">GPD2</a>	glycerol-3-phosphate dehydrogenase 2
hsa-miR-221-3p	<a href="#">HIPK2</a>	homeodomain interacting protein kinase 2
hsa-miR-221-3p	<a href="#">HOXC10</a>	homeobox C10
hsa-miR-221-3p	<a href="#">STOX2</a>	storkhead box 2
hsa-miR-221-3p	<a href="#">PSAP</a>	prosaposin
hsa-miR-221-3p	<a href="#">DIRAS2</a>	DIRAS family GTPase 2
hsa-miR-221-3p	<a href="#">C2CD4A</a>	C2 calcium dependent domain containing 4A
hsa-miR-221-3p	<a href="#">SLC26A3</a>	solute carrier family 26 member 3
hsa-miR-221-3p	<a href="#">DLG2</a>	discs large MAGUK scaffold protein 2
hsa-miR-221-3p	<a href="#">PRDM2</a>	PR/SET domain 2
hsa-miR-221-3p	<a href="#">C18orf54</a>	chromosome 18 open reading frame 54
hsa-miR-221-3p	<a href="#">CRX</a>	cone-rod homeobox
hsa-miR-221-3p	<a href="#">CAVIN3</a>	caveolae associated protein 3
hsa-miR-221-3p	<a href="#">STK38L</a>	serine/threonine kinase 38 like
hsa-miR-221-3p	<a href="#">CCDC126</a>	coiled-coil domain containing 126

hsa-miR-221-3p	<a href="#">GLMN</a>	glomulin, FKBP associated protein
hsa-miR-221-3p	<a href="#">LGI2</a>	leucine rich repeat LGI family member 2
hsa-miR-221-3p	<a href="#">KBTBD11</a>	kelch repeat and BTB domain containing 11
hsa-miR-221-3p	<a href="#">PLEKHA2</a>	pleckstrin homology domain containing A2
hsa-miR-221-3p	<a href="#">SLITRK5</a>	SLIT and NTRK like family member 5
hsa-miR-221-3p	<a href="#">THBS1</a>	thrombospondin 1
hsa-miR-221-3p	<a href="#">PCDHA9</a>	protocadherin alpha 9
hsa-miR-221-3p	<a href="#">GLS</a>	glutaminase
hsa-miR-221-3p	<a href="#">CCDC148</a>	coiled-coil domain containing 148
hsa-miR-221-3p	<a href="#">SLC10A7</a>	solute carrier family 10 member 7
hsa-miR-221-3p	<a href="#">MSL2</a>	MSL complex subunit 2
hsa-miR-221-3p	<a href="#">MBD2</a>	methyl-CpG binding domain protein 2
hsa-miR-221-3p	<a href="#">PLPP3</a>	phospholipid phosphatase 3
hsa-miR-221-3p	<a href="#">TMEM237</a>	transmembrane protein 237
hsa-miR-221-3p	<a href="#">PROM2</a>	prominin 2
hsa-miR-221-3p	<a href="#">UBE2V1</a>	ubiquitin conjugating enzyme E2 V1
hsa-miR-221-3p	<a href="#">MAPK10</a>	mitogen-activated protein kinase 10
hsa-miR-221-3p	<a href="#">ADIPOR1</a>	adiponectin receptor 1
hsa-miR-221-3p	<a href="#">TMEM167A</a>	transmembrane protein 167A
hsa-miR-221-3p	<a href="#">KCNQ3</a>	potassium voltage-gated channel subfamily Q member 3
hsa-miR-221-3p	<a href="#">LDHAL6B</a>	lactate dehydrogenase A like 6B
hsa-miR-221-3p	<a href="#">ANKIB1</a>	ankyrin repeat and IBR domain containing 1
hsa-miR-221-3p	<a href="#">ECPAS</a>	Ecm29 proteasome adaptor and scaffold
hsa-miR-221-3p	<a href="#">MRE11</a>	MRE11 homolog, double strand break repair nuclease
hsa-miR-221-3p	<a href="#">DCAF7</a>	DDB1 and CUL4 associated factor 7
hsa-miR-221-3p	<a href="#">ZNF547</a>	zinc finger protein 547
hsa-miR-221-3p	<a href="#">GRM1</a>	glutamate metabotropic receptor 1
hsa-miR-221-3p	<a href="#">GPM6A</a>	glycoprotein M6A
hsa-miR-221-3p	<a href="#">BRD1</a>	bromodomain containing 1
hsa-miR-221-3p	<a href="#">FBN2</a>	fibrillin 2
hsa-miR-221-3p	<a href="#">SLC25A37</a>	solute carrier family 25 member 37
hsa-miR-221-3p	<a href="#">TMSB15B</a>	thymosin beta 15B
hsa-miR-221-3p	<a href="#">CSTF2T</a>	cleavage stimulation factor subunit 2 tau variant
hsa-miR-221-3p	<a href="#">RECK</a>	reversion inducing cysteine rich protein with kazal motifs
hsa-miR-221-3p	<a href="#">TBC1D22B</a>	TBC1 domain family member 22B
hsa-miR-221-3p	<a href="#">SH3PXD2B</a>	SH3 and PX domains 2B
hsa-miR-221-3p	<a href="#">MYO10</a>	myosin X
hsa-miR-221-3p	<a href="#">ACADM</a>	acyl-CoA dehydrogenase medium chain
hsa-miR-221-3p	<a href="#">PRUNE1</a>	prune exopolyphosphatase 1
hsa-miR-221-3p	<a href="#">MRAP</a>	melanocortin 2 receptor accessory protein
hsa-miR-221-3p	<a href="#">PALM2</a>	paralemmin 2
hsa-miR-221-3p	<a href="#">IFRD1</a>	interferon related developmental regulator 1
hsa-miR-221-3p	<a href="#">CDK8</a>	cyclin dependent kinase 8
hsa-miR-221-3p	<a href="#">ACTC1</a>	actin, alpha, cardiac muscle 1
hsa-miR-221-3p	<a href="#">CNPY2</a>	canopy FGF signaling regulator 2

hsa-miR-221-3p	<a href="#">MAGEL2</a>	MAGE family member L2
hsa-miR-221-3p	<a href="#">TMEM165</a>	transmembrane protein 165
hsa-miR-221-3p	<a href="#">AADAC</a>	arylacetamide deacetylase
hsa-miR-221-3p	<a href="#">PLXDC2</a>	plexin domain containing 2
hsa-miR-221-3p	<a href="#">SKP1</a>	S-phase kinase associated protein 1
hsa-miR-221-3p	<a href="#">NDFIP1</a>	Nedd4 family interacting protein 1
hsa-miR-221-3p	<a href="#">CTTN</a>	cortactin
hsa-miR-221-3p	<a href="#">RETREG1</a>	reticulophagy regulator 1
hsa-miR-221-3p	<a href="#">CFHR5</a>	complement factor H related 5
hsa-miR-221-3p	<a href="#">HLA-F</a>	major histocompatibility complex, class I, F
hsa-miR-221-3p	<a href="#">C16orf45</a>	chromosome 16 open reading frame 45
hsa-miR-221-3p	<a href="#">NDUFA1</a>	NADH:ubiquinone oxidoreductase subunit A1
hsa-miR-221-3p	<a href="#">ENTPD7</a>	ectonucleoside triphosphate diphosphohydrolase 7
hsa-miR-221-3p	<a href="#">PTPRM</a>	protein tyrosine phosphatase, receptor type M
hsa-miR-221-3p	<a href="#">DEPDC4</a>	DEP domain containing 4
hsa-miR-221-3p	<a href="#">LRRN1</a>	leucine rich repeat neuronal 1
hsa-miR-221-3p	<a href="#">KCNK2</a>	potassium two pore domain channel subfamily K member 2
hsa-miR-221-3p	<a href="#">CTCF</a>	CCCTC-binding factor
hsa-miR-221-3p	<a href="#">KLF3</a>	Kruppel like factor 3
hsa-miR-221-3p	<a href="#">HTT</a>	huntingtin
hsa-miR-221-3p	<a href="#">HEXIM1</a>	HEXIM P-TEFb complex subunit 1
hsa-miR-221-3p	<a href="#">SATB1</a>	SATB homeobox 1
hsa-miR-221-3p	<a href="#">OLA1</a>	Obg like ATPase 1
hsa-miR-221-3p	<a href="#">SLC25A46</a>	solute carrier family 25 member 46
hsa-miR-221-3p	<a href="#">OSBPL3</a>	oxysterol binding protein like 3
hsa-miR-221-3p	<a href="#">IPO5</a>	importin 5
hsa-miR-221-3p	<a href="#">FKTN</a>	fukutin
hsa-miR-221-3p	<a href="#">SOX11</a>	SRY-box 11
hsa-miR-221-3p	<a href="#">SLC40A1</a>	solute carrier family 40 member 1
hsa-miR-221-3p	<a href="#">SPATS2L</a>	spermatogenesis associated serine rich 2 like
hsa-miR-221-3p	<a href="#">MAPK8</a>	mitogen-activated protein kinase 8
hsa-miR-221-3p	<a href="#">GALC</a>	galactosylceramidase
hsa-miR-221-3p	<a href="#">FIGNL2</a>	fidgetin like 2
hsa-miR-221-3p	<a href="#">RREB1</a>	ras responsive element binding protein 1
hsa-miR-221-3p	<a href="#">MCMDC2</a>	minichromosome maintenance domain containing 2
hsa-miR-221-3p	<a href="#">BBS4</a>	Bardet-Biedl syndrome 4
hsa-miR-221-3p	<a href="#">PGGT1B</a>	protein geranylgeranyltransferase type I subunit beta
hsa-miR-221-3p	<a href="#">FOS</a>	Fos proto-oncogene, AP-1 transcription factor subunit
hsa-miR-221-3p	<a href="#">TDRKH</a>	tudor and KH domain containing
hsa-miR-221-3p	<a href="#">PRKAA2</a>	protein kinase AMP-activated catalytic subunit alpha 2
hsa-miR-221-3p	<a href="#">SLITRK6</a>	SLIT and NTRK like family member 6
hsa-miR-221-3p	<a href="#">RBM18</a>	RNA binding motif protein 18
hsa-miR-221-3p	<a href="#">TAOK1</a>	TAO kinase 1
hsa-miR-221-3p	<a href="#">CXCL11</a>	C-X-C motif chemokine ligand 11

hsa-miR-221-3p	<a href="#">ETS2</a>	ETS proto-oncogene 2, transcription factor
hsa-miR-221-3p	<a href="#">COX15</a>	cytochrome c oxidase assembly homolog COX15
hsa-miR-221-3p	<a href="#">ATP2B3</a>	ATPase plasma membrane Ca <sup>2+</sup> transporting 3
hsa-miR-221-3p	<a href="#">ARID1A</a>	AT-rich interaction domain 1A
hsa-miR-221-3p	<a href="#">RAB14</a>	RAB14, member RAS oncogene family
hsa-miR-221-3p	<a href="#">NAV3</a>	neuron navigator 3
hsa-miR-221-3p	<a href="#">ZNF595</a>	zinc finger protein 595
hsa-miR-221-3p	<a href="#">ASB7</a>	ankyrin repeat and SOCS box containing 7
hsa-miR-221-3p	<a href="#">ADHFE1</a>	alcohol dehydrogenase, iron containing 1
hsa-miR-221-3p	<a href="#">KBTBD8</a>	kelch repeat and BTB domain containing 8
hsa-miR-221-3p	<a href="#">PDZRN4</a>	PDZ domain containing ring finger 4
hsa-miR-221-3p	<a href="#">STMN1</a>	stathmin 1
hsa-miR-221-3p	<a href="#">PAFAH1B2</a>	platelet activating factor acetylhydrolase 1b catalytic subunit 2
hsa-miR-221-3p	<a href="#">CASP3</a>	caspase 3
hsa-miR-221-3p	<a href="#">MAT2A</a>	methionine adenosyltransferase 2A
hsa-miR-221-3p	<a href="#">BCHE</a>	butyrylcholinesterase
hsa-miR-221-3p	<a href="#">DDX42</a>	DEAD-box helicase 42
hsa-miR-221-3p	<a href="#">GTF2B</a>	general transcription factor IIB
hsa-miR-221-3p	<a href="#">PITPNM2</a>	phosphatidylinositol transfer protein membrane associated 2
hsa-miR-221-3p	<a href="#">KLHL18</a>	kelch like family member 18
hsa-miR-221-3p	<a href="#">RNF44</a>	ring finger protein 44
hsa-miR-221-3p	<a href="#">SLC45A3</a>	solute carrier family 45 member 3
hsa-miR-221-3p	<a href="#">SLC6A9</a>	solute carrier family 6 member 9
hsa-miR-221-3p	<a href="#">LIFR</a>	LIF receptor alpha
hsa-miR-221-3p	<a href="#">ARHGAP42</a>	Rho GTPase activating protein 42
hsa-miR-221-3p	<a href="#">VEZF1</a>	vascular endothelial zinc finger 1
hsa-miR-221-3p	<a href="#">RAB3GAP2</a>	RAB3 GTPase activating non-catalytic protein subunit 2
hsa-miR-221-3p	<a href="#">MTMR6</a>	myotubularin related protein 6
hsa-miR-221-3p	<a href="#">MED1</a>	mediator complex subunit 1
hsa-miR-221-3p	<a href="#">COL6A5</a>	collagen type VI alpha 5 chain
hsa-miR-221-3p	<a href="#">USP49</a>	ubiquitin specific peptidase 49
hsa-miR-221-3p	<a href="#">RGS8</a>	regulator of G protein signaling 8
hsa-miR-221-3p	<a href="#">CD8A</a>	CD8a molecule
hsa-miR-221-3p	<a href="#">MPRIIP</a>	myosin phosphatase Rho interacting protein
hsa-miR-221-3p	<a href="#">KIAA1549L</a>	KIAA1549 like
hsa-miR-221-3p	<a href="#">C12orf77</a>	chromosome 12 open reading frame 77
hsa-miR-221-3p	<a href="#">PRAMEF13</a>	PRAME family member 13
hsa-miR-221-3p	<a href="#">NIPA1</a>	NIPA magnesium transporter 1
hsa-miR-221-3p	<a href="#">RANBP2</a>	RAN binding protein 2
hsa-miR-221-3p	<a href="#">PRAMEF14</a>	PRAME family member 14
hsa-miR-221-3p	<a href="#">KCNH1</a>	potassium voltage-gated channel subfamily H member 1
hsa-miR-221-3p	<a href="#">SLC16A6</a>	solute carrier family 16 member 6
hsa-miR-221-3p	<a href="#">PCDH11X</a>	protocadherin 11 X-linked



hsa-miR-221-3p	<a href="#">CHORDC1</a>	cysteine and histidine rich domain containing 1
hsa-miR-221-3p	<a href="#">PCDH11Y</a>	protocadherin 11 Y-linked
hsa-miR-221-3p	<a href="#">BCL11B</a>	BCL11B, BAF complex component
hsa-miR-221-3p	<a href="#">C4orf33</a>	chromosome 4 open reading frame 33
hsa-miR-221-3p	<a href="#">PRSS37</a>	serine protease 37
hsa-miR-221-3p	<a href="#">KCNA1</a>	potassium voltage-gated channel subfamily A member 1
hsa-miR-221-3p	<a href="#">LRP10</a>	LDL receptor related protein 10
hsa-miR-221-3p	<a href="#">DYRK1A</a>	dual specificity tyrosine phosphorylation regulated kinase 1A
hsa-miR-221-3p	<a href="#">SLAIN2</a>	SLAIN motif family member 2
hsa-miR-221-3p	<a href="#">DDX58</a>	DExD/H-box helicase 58
hsa-miR-221-3p	<a href="#">TAF9B</a>	TATA-box binding protein associated factor 9b
hsa-miR-221-3p	<a href="#">CYP1B1</a>	cytochrome P450 family 1 subfamily B member 1
hsa-miR-221-3p	<a href="#">UBN2</a>	ubiquitin 2
hsa-miR-221-3p	<a href="#">GPATCH2L</a>	G-patch domain containing 2 like
hsa-miR-221-3p	<a href="#">SNCA</a>	synuclein alpha
hsa-miR-221-3p	<a href="#">WDR77</a>	WD repeat domain 77
hsa-miR-221-3p	<a href="#">IL1RAP</a>	interleukin 1 receptor accessory protein
hsa-miR-221-3p	<a href="#">CHFR</a>	checkpoint with forkhead and ring finger domains
hsa-miR-221-3p	<a href="#">C16orf82</a>	chromosome 16 open reading frame 82
hsa-miR-221-3p	<a href="#">ZBTB20</a>	zinc finger and BTB domain containing 20
hsa-miR-221-3p	<a href="#">ESYT1</a>	extended synaptotagmin 1
hsa-miR-221-3p	<a href="#">KRT81</a>	keratin 81
hsa-miR-221-3p	<a href="#">DICER1</a>	dicer 1, ribonuclease III
hsa-miR-221-3p	<a href="#">MDM2</a>	MDM2 proto-oncogene
hsa-miR-221-3p	<a href="#">ZBTB41</a>	zinc finger and BTB domain containing 41
hsa-miR-221-3p	<a href="#">NCAM1</a>	neural cell adhesion molecule 1
hsa-miR-221-3p	<a href="#">MAP4K4</a>	mitogen-activated protein kinase kinase kinase kinase 4
hsa-miR-221-3p	<a href="#">MYOD1</a>	myogenic differentiation 1
hsa-miR-221-3p	<a href="#">GNB3</a>	G protein subunit beta 3
hsa-miR-221-3p	<a href="#">MMD2</a>	monocyte to macrophage differentiation associated 2
hsa-miR-221-3p	<a href="#">SLC25A21</a>	solute carrier family 25 member 21
hsa-miR-221-3p	<a href="#">ITPRID1</a>	ITPR interacting domain containing 1
hsa-miR-221-3p	<a href="#">CAVIN4</a>	caveolae associated protein 4
hsa-miR-221-3p	<a href="#">AGO4</a>	argonaute RISC catalytic component 4
hsa-miR-221-3p	<a href="#">AJAP1</a>	adherens junctions associated protein 1
hsa-miR-221-3p	<a href="#">ITIH5</a>	inter-alpha-trypsin inhibitor heavy chain family member 5
hsa-miR-221-3p	<a href="#">CNKSR3</a>	CNKSR family member 3
hsa-miR-221-3p	<a href="#">CT45A5</a>	cancer/testis antigen family 45 member A5
hsa-miR-221-3p	<a href="#">PKDCC</a>	protein kinase domain containing, cytoplasmic
hsa-miR-221-3p	<a href="#">STAT2</a>	signal transducer and activator of transcription 2
hsa-miR-221-3p	<a href="#">A4GNT</a>	alpha-1,4-N-acetylglucosaminyltransferase
hsa-miR-221-3p	<a href="#">CT45A10</a>	cancer/testis antigen family 45 member A10
hsa-miR-221-3p	<a href="#">GCNT1</a>	glucosaminyl (N-acetyl) transferase 1

hsa-miR-221-3p	<a href="#">ERI2</a>	ERI1 exoribonuclease family member 2
hsa-miR-221-3p	<a href="#">APAF1</a>	apoptotic peptidase activating factor 1
hsa-miR-221-3p	<a href="#">CLDN12</a>	claudin 12
hsa-miR-221-3p	<a href="#">SAR1A</a>	secretion associated Ras related GTPase 1A
hsa-miR-424-5p	<a href="#">PAPPA</a>	pappalysin 1
hsa-miR-424-5p	<a href="#">FASN</a>	fatty acid synthase
hsa-miR-424-5p	<a href="#">UNC80</a>	unc-80 homolog, NALCN channel complex subunit
hsa-miR-424-5p	<a href="#">FGF2</a>	fibroblast growth factor 2
hsa-miR-424-5p	<a href="#">TNRC6B</a>	trinucleotide repeat containing 6B
hsa-miR-424-5p	<a href="#">PTPN4</a>	protein tyrosine phosphatase, non-receptor type 4
hsa-miR-424-5p	<a href="#">PHF19</a>	PHD finger protein 19
hsa-miR-424-5p	<a href="#">UBE2Q1</a>	ubiquitin conjugating enzyme E2 Q1
hsa-miR-424-5p	<a href="#">LSM11</a>	LSM11, U7 small nuclear RNA associated
hsa-miR-424-5p	<a href="#">ANKUB1</a>	ankyrin repeat and ubiquitin domain containing 1
hsa-miR-424-5p	<a href="#">CCNE1</a>	cyclin E1
hsa-miR-424-5p	<a href="#">ATG14</a>	autophagy related 14
hsa-miR-424-5p	<a href="#">SLC13A3</a>	solute carrier family 13 member 3
hsa-miR-424-5p	<a href="#">ARIH1</a>	ariadne RBR E3 ubiquitin protein ligase 1
hsa-miR-424-5p	<a href="#">BTRC</a>	beta-transducin repeat containing E3 ubiquitin protein ligase
hsa-miR-424-5p	<a href="#">SPRYD3</a>	SPRY domain containing 3
hsa-miR-424-5p	<a href="#">ARL2</a>	ADP ribosylation factor like GTPase 2
hsa-miR-424-5p	<a href="#">CASK</a>	calcium/calmodulin dependent serine protein kinase
hsa-miR-424-5p	<a href="#">NUP50</a>	nucleoporin 50
hsa-miR-424-5p	<a href="#">DCLK1</a>	doublecortin like kinase 1
hsa-miR-424-5p	<a href="#">DESI1</a>	desumoylating isopeptidase 1
hsa-miR-424-5p	<a href="#">ZBTB46</a>	zinc finger and BTB domain containing 46
hsa-miR-424-5p	<a href="#">FGF7</a>	fibroblast growth factor 7
hsa-miR-424-5p	<a href="#">RECK</a>	reversion inducing cysteine rich protein with kazal motifs
hsa-miR-424-5p	<a href="#">AXIN2</a>	axin 2
hsa-miR-424-5p	<a href="#">GPR63</a>	G protein-coupled receptor 63
hsa-miR-424-5p	<a href="#">SYNJ1</a>	synaptojanin 1
hsa-miR-424-5p	<a href="#">NECTIN1</a>	nectin cell adhesion molecule 1
hsa-miR-424-5p	<a href="#">GAREM1</a>	GRB2 associated regulator of MAPK1 subtype 1
hsa-miR-424-5p	<a href="#">ABL2</a>	ABL proto-oncogene 2, non-receptor tyrosine kinase
hsa-miR-424-5p	<a href="#">FBXO21</a>	F-box protein 21
hsa-miR-424-5p	<a href="#">C2orf42</a>	chromosome 2 open reading frame 42
hsa-miR-424-5p	<a href="#">KIF1B</a>	kinesin family member 1B
hsa-miR-424-5p	<a href="#">LUZP1</a>	leucine zipper protein 1
hsa-miR-424-5p	<a href="#">TBL1XR1</a>	transducin beta like 1 X-linked receptor 1
hsa-miR-424-5p	<a href="#">SLC11A2</a>	solute carrier family 11 member 2
hsa-miR-424-5p	<a href="#">MOB3B</a>	MOB kinase activator 3B
hsa-miR-424-5p	<a href="#">ZBTB44</a>	zinc finger and BTB domain containing 44
hsa-miR-424-5p	<a href="#">DMPK</a>	DM1 protein kinase

hsa-miR-424-5p	<a href="#">MGAT4A</a>	alpha-1,3-mannosyl-glycoprotein 4-beta-N-acetylglucosaminyltransferase A
hsa-miR-424-5p	<a href="#">EPHB2</a>	EPH receptor B2
hsa-miR-424-5p	<a href="#">ANO3</a>	anoctamin 3
hsa-miR-424-5p	<a href="#">SLC9A6</a>	solute carrier family 9 member A6
hsa-miR-424-5p	<a href="#">APLN</a>	apelin
hsa-miR-424-5p	<a href="#">IPO7</a>	importin 7
hsa-miR-424-5p	<a href="#">RASGEF1B</a>	RasGEF domain family member 1B
hsa-miR-424-5p	<a href="#">ATG9A</a>	autophagy related 9A
hsa-miR-424-5p	<a href="#">CPEB2</a>	cytoplasmic polyadenylation element binding protein 2
hsa-miR-424-5p	<a href="#">AHCYL2</a>	adenosylhomocysteinase like 2
hsa-miR-424-5p	<a href="#">UBE4B</a>	ubiquitination factor E4B
hsa-miR-424-5p	<a href="#">CYB561A3</a>	cytochrome b561 family member A3
hsa-miR-424-5p	<a href="#">ARL3</a>	ADP ribosylation factor like GTPase 3
hsa-miR-424-5p	<a href="#">PLAG1</a>	PLAG1 zinc finger
hsa-miR-424-5p	<a href="#">CDCA4</a>	cell division cycle associated 4
hsa-miR-424-5p	<a href="#">CACNA1E</a>	calcium voltage-gated channel subunit alpha1 E
hsa-miR-424-5p	<a href="#">PISD</a>	phosphatidylserine decarboxylase
hsa-miR-424-5p	<a href="#">KCNJ2</a>	potassium voltage-gated channel subfamily J member 2
hsa-miR-424-5p	<a href="#">UBE2V1</a>	ubiquitin conjugating enzyme E2 V1
hsa-miR-424-5p	<a href="#">SPRED1</a>	sprouty related EVH1 domain containing 1
hsa-miR-424-5p	<a href="#">PPM1E</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1E
hsa-miR-424-5p	<a href="#">MTMR3</a>	myotubularin related protein 3
hsa-miR-424-5p	<a href="#">SHOC2</a>	SHOC2, leucine rich repeat scaffold protein
hsa-miR-424-5p	<a href="#">TLK1</a>	tousled like kinase 1
hsa-miR-424-5p	<a href="#">LURAP1L</a>	leucine rich adaptor protein 1 like
hsa-miR-424-5p	<a href="#">PTPN3</a>	protein tyrosine phosphatase, non-receptor type 3
hsa-miR-424-5p	<a href="#">TMEM100</a>	transmembrane protein 100
hsa-miR-424-5p	<a href="#">RASSF8</a>	Ras association domain family member 8
hsa-miR-424-5p	<a href="#">FBXW7</a>	F-box and WD repeat domain containing 7
hsa-miR-424-5p	<a href="#">AKT3</a>	AKT serine/threonine kinase 3
hsa-miR-424-5p	<a href="#">MYB</a>	MYB proto-oncogene, transcription factor
hsa-miR-424-5p	<a href="#">GRM7</a>	glutamate metabotropic receptor 7
hsa-miR-424-5p	<a href="#">CCND2</a>	cyclin D2
hsa-miR-424-5p	<a href="#">WEE1</a>	WEE1 G2 checkpoint kinase
hsa-miR-424-5p	<a href="#">STOX2</a>	storkhead box 2
hsa-miR-424-5p	<a href="#">UBN2</a>	ubiquitin 2
hsa-miR-424-5p	<a href="#">CYP26B1</a>	cytochrome P450 family 26 subfamily B member 1
hsa-miR-424-5p	<a href="#">ZCCHC3</a>	zinc finger CCHC-type containing 3
hsa-miR-424-5p	<a href="#">RNF144B</a>	ring finger protein 144B
hsa-miR-424-5p	<a href="#">SALL4</a>	spalt like transcription factor 4
hsa-miR-424-5p	<a href="#">TBPL1</a>	TATA-box binding protein like 1
hsa-miR-424-5p	<a href="#">KDSR</a>	3-ketodihydrosphingosine reductase
hsa-miR-424-5p	<a href="#">SCN8A</a>	sodium voltage-gated channel alpha subunit 8
hsa-miR-424-5p	<a href="#">SEMA6D</a>	semaphorin 6D

hsa-miR-424-5p	<a href="#">SREK1</a>	splicing regulatory glutamic acid and lysine rich protein 1
hsa-miR-424-5p	<a href="#">HTR2A</a>	5-hydroxytryptamine receptor 2A
hsa-miR-424-5p	<a href="#">RAB11FIP2</a>	RAB11 family interacting protein 2
hsa-miR-424-5p	<a href="#">DNAJB4</a>	DnaJ heat shock protein family (Hsp40) member B4
hsa-miR-424-5p	<a href="#">KIF5C</a>	kinesin family member 5C
hsa-miR-424-5p	<a href="#">GPATCH8</a>	G-patch domain containing 8
hsa-miR-424-5p	<a href="#">N4BP1</a>	NEDD4 binding protein 1
hsa-miR-424-5p	<a href="#">ZNF691</a>	zinc finger protein 691
hsa-miR-424-5p	<a href="#">MAMSTR</a>	MEF2 activating motif and SAP domain containing transcriptional regulator
hsa-miR-424-5p	<a href="#">ZMAT3</a>	zinc finger matrin-type 3
hsa-miR-424-5p	<a href="#">UBFD1</a>	ubiquitin family domain containing 1
hsa-miR-424-5p	<a href="#">ARMH4</a>	armadillo-like helical domain containing 4
hsa-miR-424-5p	<a href="#">HIPK2</a>	homeodomain interacting protein kinase 2
hsa-miR-424-5p	<a href="#">CEP55</a>	centrosomal protein 55
hsa-miR-424-5p	<a href="#">MKX</a>	mohawk homeobox
hsa-miR-424-5p	<a href="#">KIF23</a>	kinesin family member 23
hsa-miR-424-5p	<a href="#">CFAP45</a>	cilia and flagella associated protein 45
hsa-miR-424-5p	<a href="#">CNOT6L</a>	CCR4-NOT transcription complex subunit 6 like
hsa-miR-424-5p	<a href="#">RFX3</a>	regulatory factor X3
hsa-miR-424-5p	<a href="#">TFAP2A</a>	transcription factor AP-2 alpha
hsa-miR-424-5p	<a href="#">PCMT1</a>	protein-L-isoaspartate (D-aspartate) O-methyltransferase
hsa-miR-424-5p	<a href="#">EDA</a>	ectodysplasin A
hsa-miR-424-5p	<a href="#">SEC24A</a>	SEC24 homolog A, COPII coat complex component
hsa-miR-424-5p	<a href="#">PAFAH1B1</a>	platelet activating factor acetylhydrolase 1b regulatory subunit 1
hsa-miR-424-5p	<a href="#">SLC25A37</a>	solute carrier family 25 member 37
hsa-miR-424-5p	<a href="#">DDX3X</a>	DEAD-box helicase 3 X-linked
hsa-miR-424-5p	<a href="#">MYLK</a>	myosin light chain kinase
hsa-miR-424-5p	<a href="#">SETD3</a>	SET domain containing 3, actin histidine methyltransferase
hsa-miR-424-5p	<a href="#">CCDC6</a>	coiled-coil domain containing 6
hsa-miR-424-5p	<a href="#">ARHGDIA</a>	Rho GDP dissociation inhibitor alpha
hsa-miR-424-5p	<a href="#">NAPG</a>	NSF attachment protein gamma
hsa-miR-424-5p	<a href="#">GABARAPL1</a>	GABA type A receptor associated protein like 1
hsa-miR-424-5p	<a href="#">FGFR1</a>	fibroblast growth factor receptor 1
hsa-miR-424-5p	<a href="#">JPH3</a>	junctophilin 3
hsa-miR-424-5p	<a href="#">USP42</a>	ubiquitin specific peptidase 42
hsa-miR-424-5p	<a href="#">STRADE</a>	STE20 related adaptor beta
hsa-miR-424-5p	<a href="#">LRRN3</a>	leucine rich repeat neuronal 3
hsa-miR-424-5p	<a href="#">STXBP5</a>	syntaxin binding protein 5
hsa-miR-424-5p	<a href="#">ZFHx4</a>	zinc finger homeobox 4
hsa-miR-424-5p	<a href="#">ZNF622</a>	zinc finger protein 622
hsa-miR-424-5p	<a href="#">OOEP</a>	oocyte expressed protein
hsa-miR-424-5p	<a href="#">CBX2</a>	chromobox 2

hsa-miR-424-5p	<a href="#">SRPRA</a>	SRP receptor subunit alpha
hsa-miR-424-5p	<a href="#">KLHL2</a>	kelch like family member 2
hsa-miR-424-5p	<a href="#">VEGFA</a>	vascular endothelial growth factor A
hsa-miR-424-5p	<a href="#">ZBTB34</a>	zinc finger and BTB domain containing 34
hsa-miR-424-5p	<a href="#">KIF5B</a>	kinesin family member 5B
hsa-miR-424-5p	<a href="#">MYO5A</a>	myosin VA
hsa-miR-424-5p	<a href="#">CASR</a>	calcium sensing receptor
hsa-miR-424-5p	<a href="#">LRIG2</a>	leucine rich repeats and immunoglobulin like domains 2
hsa-miR-424-5p	<a href="#">SMURF1</a>	SMAD specific E3 ubiquitin protein ligase 1
hsa-miR-424-5p	<a href="#">ZNF367</a>	zinc finger protein 367
hsa-miR-424-5p	<a href="#">USP25</a>	ubiquitin specific peptidase 25
hsa-miR-424-5p	<a href="#">ACTR2</a>	ARP2 actin related protein 2 homolog
hsa-miR-424-5p	<a href="#">PLPP1</a>	phospholipid phosphatase 1
hsa-miR-424-5p	<a href="#">RNF217</a>	ring finger protein 217
hsa-miR-424-5p	<a href="#">BTAF1</a>	B-TFIID TATA-box binding protein associated factor 1
hsa-miR-424-5p	<a href="#">TRANK1</a>	tetratricopeptide repeat and ankyrin repeat containing 1
hsa-miR-424-5p	<a href="#">CHAC1</a>	ChaC glutathione specific gamma-glutamylcyclotransferase 1
hsa-miR-424-5p	<a href="#">PTPRR</a>	protein tyrosine phosphatase, receptor type R
hsa-miR-424-5p	<a href="#">TNFSF13B</a>	TNF superfamily member 13b
hsa-miR-424-5p	<a href="#">IPPK</a>	inositol-pentakisphosphate 2-kinase
hsa-miR-424-5p	<a href="#">ZBTB39</a>	zinc finger and BTB domain containing 39
hsa-miR-424-5p	<a href="#">WNK3</a>	WNK lysine deficient protein kinase 3
hsa-miR-424-5p	<a href="#">SUO</a>	SUN domain containing ossification factor
hsa-miR-424-5p	<a href="#">LATS1</a>	large tumor suppressor kinase 1
hsa-miR-424-5p	<a href="#">MAP2K1</a>	mitogen-activated protein kinase kinase 1
hsa-miR-424-5p	<a href="#">AMOTL1</a>	angiomin like 1
hsa-miR-424-5p	<a href="#">RBPJ</a>	recombination signal binding protein for immunoglobulin kappa J region
hsa-miR-424-5p	<a href="#">TMEM183A</a>	transmembrane protein 183A
hsa-miR-424-5p	<a href="#">STXBP3</a>	syntaxin binding protein 3
hsa-miR-424-5p	<a href="#">DCP1A</a>	decapping mRNA 1A
hsa-miR-424-5p	<a href="#">MYBL1</a>	MYB proto-oncogene like 1
hsa-miR-424-5p	<a href="#">KIF21A</a>	kinesin family member 21A
hsa-miR-424-5p	<a href="#">GHR</a>	growth hormone receptor
hsa-miR-424-5p	<a href="#">SUMO3</a>	small ubiquitin-like modifier 3
hsa-miR-424-5p	<a href="#">AVL9</a>	AVL9 cell migration associated
hsa-miR-424-5p	<a href="#">PIAS2</a>	protein inhibitor of activated STAT 2
hsa-miR-424-5p	<a href="#">FBXL20</a>	F-box and leucine rich repeat protein 20
hsa-miR-424-5p	<a href="#">UBE4A</a>	ubiquitination factor E4A
hsa-miR-424-5p	<a href="#">SLIT2</a>	slit guidance ligand 2
hsa-miR-424-5p	<a href="#">XPO7</a>	exportin 7
hsa-miR-424-5p	<a href="#">MFN2</a>	mitofusin 2
hsa-miR-424-5p	<a href="#">CHD2</a>	chromodomain helicase DNA binding protein 2
hsa-miR-424-5p	<a href="#">POU2F1</a>	POU class 2 homeobox 1

hsa-miR-424-5p	<a href="#">HSPA4L</a>	heat shock protein family A (Hsp70) member 4 like
hsa-miR-424-5p	<a href="#">COP1</a>	COP1, E3 ubiquitin ligase
hsa-miR-424-5p	<a href="#">ADAMTS3</a>	ADAM metalloproteinase with thrombospondin type 1 motif 3
hsa-miR-424-5p	<a href="#">P3H2</a>	prolyl 3-hydroxylase 2
hsa-miR-424-5p	<a href="#">RAD23B</a>	RAD23 homolog B, nucleotide excision repair protein
hsa-miR-424-5p	<a href="#">FOXK1</a>	forkhead box K1
hsa-miR-424-5p	<a href="#">RNF10</a>	ring finger protein 10
hsa-miR-424-5p	<a href="#">PLXNA4</a>	plexin A4
hsa-miR-424-5p	<a href="#">PPM1A</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1A
hsa-miR-424-5p	<a href="#">LITAF</a>	lipopolysaccharide induced TNF factor
hsa-miR-424-5p	<a href="#">RETREG2</a>	reticulophagy regulator family member 2
hsa-miR-424-5p	<a href="#">KANK1</a>	KN motif and ankyrin repeat domains 1
hsa-miR-424-5p	<a href="#">PPP2R1B</a>	protein phosphatase 2 scaffold subunit Abeta
hsa-miR-424-5p	<a href="#">SYDE2</a>	synapse defective Rho GTPase homolog 2
hsa-miR-424-5p	<a href="#">RPS6KA3</a>	ribosomal protein S6 kinase A3
hsa-miR-424-5p	<a href="#">CHEK1</a>	checkpoint kinase 1
hsa-miR-424-5p	<a href="#">OMG</a>	oligodendrocyte myelin glycoprotein
hsa-miR-424-5p	<a href="#">PCDH17</a>	protocadherin 17
hsa-miR-424-5p	<a href="#">PLXNC1</a>	plexin C1
hsa-miR-424-5p	<a href="#">GALNT13</a>	polypeptide N-acetylgalactosaminyltransferase 13
hsa-miR-424-5p	<a href="#">CBX4</a>	chromobox 4
hsa-miR-424-5p	<a href="#">ACVR2A</a>	activin A receptor type 2A
hsa-miR-424-5p	<a href="#">ATXN2</a>	ataxin 2
hsa-miR-424-5p	<a href="#">SIK1</a>	salt inducible kinase 1
hsa-miR-424-5p	<a href="#">SMAD7</a>	SMAD family member 7
hsa-miR-424-5p	<a href="#">SALL1</a>	spalt like transcription factor 1
hsa-miR-424-5p	<a href="#">YTHDC1</a>	YTH domain containing 1
hsa-miR-424-5p	<a href="#">ZNRF3</a>	zinc and ring finger 3
hsa-miR-424-5p	<a href="#">CLOCK</a>	clock circadian regulator
hsa-miR-424-5p	<a href="#">KRTAP4-6</a>	keratin associated protein 4-6
hsa-miR-424-5p	<a href="#">ADGRL1</a>	adhesion G protein-coupled receptor L1
hsa-miR-424-5p	<a href="#">AGO4</a>	argonaute RISC catalytic component 4
hsa-miR-424-5p	<a href="#">ASH1L</a>	ASH1 like histone lysine methyltransferase
hsa-miR-424-5p	<a href="#">ZFX3</a>	zinc finger homeobox 3
hsa-miR-424-5p	<a href="#">USP31</a>	ubiquitin specific peptidase 31
hsa-miR-424-5p	<a href="#">HSPG2</a>	heparan sulfate proteoglycan 2
hsa-miR-424-5p	<a href="#">CD2AP</a>	CD2 associated protein
hsa-miR-424-5p	<a href="#">CCNT1</a>	cyclin T1
hsa-miR-424-5p	<a href="#">PPP1R11</a>	protein phosphatase 1 regulatory inhibitor subunit 11
hsa-miR-424-5p	<a href="#">COL12A1</a>	collagen type XII alpha 1 chain
hsa-miR-424-5p	<a href="#">GATAD2A</a>	GATA zinc finger domain containing 2A
hsa-miR-424-5p	<a href="#">RARβ</a>	retinoic acid receptor beta
hsa-miR-424-5p	<a href="#">LAMP3</a>	lysosomal associated membrane protein 3
hsa-miR-424-5p	<a href="#">TMEM245</a>	transmembrane protein 245



hsa-miR-424-5p	<a href="#">MEOX2</a>	mesenchyme homeobox 2
hsa-miR-424-5p	<a href="#">DIXDC1</a>	DIX domain containing 1
hsa-miR-424-5p	<a href="#">TGFB3</a>	transforming growth factor beta receptor 3
hsa-miR-424-5p	<a href="#">CCND1</a>	cyclin D1
hsa-miR-424-5p	<a href="#">FAM133B</a>	family with sequence similarity 133 member B
hsa-miR-424-5p	<a href="#">ELMSAN1</a>	ELM2 and Myb/SANT domain containing 1
hsa-miR-424-5p	<a href="#">STK33</a>	serine/threonine kinase 33
hsa-miR-424-5p	<a href="#">AK4</a>	adenylate kinase 4
hsa-miR-424-5p	<a href="#">C1orf21</a>	chromosome 1 open reading frame 21
hsa-miR-424-5p	<a href="#">SOCS6</a>	suppressor of cytokine signaling 6
hsa-miR-424-5p	<a href="#">SLC12A2</a>	solute carrier family 12 member 2
hsa-miR-424-5p	<a href="#">INSR</a>	insulin receptor
hsa-miR-424-5p	<a href="#">TMCC1</a>	transmembrane and coiled-coil domain family 1
hsa-miR-424-5p	<a href="#">SEL1L3</a>	SEL1L family member 3
hsa-miR-424-5p	<a href="#">UNC5D</a>	unc-5 netrin receptor D
hsa-miR-424-5p	<a href="#">JARID2</a>	jumonji and AT-rich interaction domain containing 2
hsa-miR-424-5p	<a href="#">SIRT4</a>	sirtuin 4
hsa-miR-424-5p	<a href="#">TMEM178B</a>	transmembrane protein 178B
hsa-miR-424-5p	<a href="#">SEMA3A</a>	semaphorin 3A
hsa-miR-424-5p	<a href="#">LRIG1</a>	leucine rich repeats and immunoglobulin like domains 1
hsa-miR-424-5p	<a href="#">TMC7</a>	transmembrane channel like 7
hsa-miR-424-5p	<a href="#">RPS6KA6</a>	ribosomal protein S6 kinase A6
hsa-miR-424-5p	<a href="#">EZH1</a>	enhancer of zeste 1 polycomb repressive complex 2 subunit
hsa-miR-424-5p	<a href="#">PTH</a>	parathyroid hormone
hsa-miR-424-5p	<a href="#">PAFAH1B2</a>	platelet activating factor acetylhydrolase 1b catalytic subunit 2
hsa-miR-424-5p	<a href="#">SPTLC1</a>	serine palmitoyltransferase long chain base subunit 1
hsa-miR-424-5p	<a href="#">KRTAP11-1</a>	keratin associated protein 11-1
hsa-miR-424-5p	<a href="#">DENND1B</a>	DENN domain containing 1B
hsa-miR-424-5p	<a href="#">ZNF449</a>	zinc finger protein 449
hsa-miR-424-5p	<a href="#">AMOT</a>	angiomotin
hsa-miR-424-5p	<a href="#">DLL1</a>	delta like canonical Notch ligand 1
hsa-miR-424-5p	<a href="#">SLC20A2</a>	solute carrier family 20 member 2
hsa-miR-424-5p	<a href="#">FERMT2</a>	fermitin family member 2
hsa-miR-424-5p	<a href="#">ILDR2</a>	immunoglobulin like domain containing receptor 2
hsa-miR-424-5p	<a href="#">CSRNP1</a>	cysteine and serine rich nuclear protein 1
hsa-miR-424-5p	<a href="#">NAA25</a>	N(alpha)-acetyltransferase 25, NatB auxiliary subunit
hsa-miR-424-5p	<a href="#">ELL</a>	elongation factor for RNA polymerase II
hsa-miR-424-5p	<a href="#">ZC3H13</a>	zinc finger CCCH-type containing 13
hsa-miR-424-5p	<a href="#">CSDE1</a>	cold shock domain containing E1
hsa-miR-424-5p	<a href="#">CPEB3</a>	cytoplasmic polyadenylation element binding protein 3
hsa-miR-424-5p	<a href="#">MEX3C</a>	mex-3 RNA binding family member C
hsa-miR-424-5p	<a href="#">BAG4</a>	BCL2 associated athanogene 4
hsa-miR-424-5p	<a href="#">VPS33B</a>	VPS33B, late endosome and lysosome associated

hsa-miR-424-5p	<a href="#">CACUL1</a>	CDK2 associated cullin domain 1
hsa-miR-424-5p	<a href="#">TBP</a>	TATA-box binding protein
hsa-miR-424-5p	<a href="#">ARFGAP2</a>	ADP ribosylation factor GTPase activating protein 2
hsa-miR-424-5p	<a href="#">TRIM66</a>	tripartite motif containing 66
hsa-miR-424-5p	<a href="#">E2F3</a>	E2F transcription factor 3
hsa-miR-424-5p	<a href="#">WNT3A</a>	Wnt family member 3A
hsa-miR-424-5p	<a href="#">ABHD2</a>	abhydrolase domain containing 2
hsa-miR-424-5p	<a href="#">ZNRF2</a>	zinc and ring finger 2
hsa-miR-424-5p	<a href="#">ATXN1L</a>	ataxin 1 like
hsa-miR-424-5p	<a href="#">CC2D1B</a>	coiled-coil and C2 domain containing 1B
hsa-miR-424-5p	<a href="#">KCNK10</a>	potassium two pore domain channel subfamily K member 10
hsa-miR-424-5p	<a href="#">SIK1B</a>	salt inducible kinase 1B (putative)
hsa-miR-424-5p	<a href="#">SYNRG</a>	synergin gamma
hsa-miR-424-5p	<a href="#">CBX6</a>	chromobox 6
hsa-miR-424-5p	<a href="#">CD47</a>	CD47 molecule
hsa-miR-424-5p	<a href="#">TAB3</a>	TGF-beta activated kinase 1 (MAP3K7) binding protein 3
hsa-miR-424-5p	<a href="#">NOS1</a>	nitric oxide synthase 1
hsa-miR-424-5p	<a href="#">IFT74</a>	intraflagellar transport 74
hsa-miR-424-5p	<a href="#">SERBP1</a>	SERPINE1 mRNA binding protein 1
hsa-miR-424-5p	<a href="#">ETNK1</a>	ethanolamine kinase 1
hsa-miR-424-5p	<a href="#">G2E3</a>	G2/M-phase specific E3 ubiquitin protein ligase
hsa-miR-424-5p	<a href="#">ATXN7L2</a>	ataxin 7 like 2
hsa-miR-424-5p	<a href="#">AMER1</a>	APC membrane recruitment protein 1
hsa-miR-424-5p	<a href="#">TRABD2B</a>	TraB domain containing 2B
hsa-miR-424-5p	<a href="#">SEMA5B</a>	semaphorin 5B
hsa-miR-424-5p	<a href="#">NHLRC2</a>	NHL repeat containing 2
hsa-miR-424-5p	<a href="#">NR2C2</a>	nuclear receptor subfamily 2 group C member 2
hsa-miR-424-5p	<a href="#">SMIM13</a>	small integral membrane protein 13
hsa-miR-424-5p	<a href="#">CDC25A</a>	cell division cycle 25A
hsa-miR-424-5p	<a href="#">DDX3Y</a>	DEAD-box helicase 3 Y-linked
hsa-miR-424-5p	<a href="#">TCAIM</a>	T cell activation inhibitor, mitochondrial
hsa-miR-424-5p	<a href="#">WIPI2</a>	WD repeat domain, phosphoinositide interacting 2
hsa-miR-424-5p	<a href="#">TMEM268</a>	transmembrane protein 268
hsa-miR-424-5p	<a href="#">ZMYM2</a>	zinc finger MYM-type containing 2
hsa-miR-424-5p	<a href="#">RASEF</a>	RAS and EF-hand domain containing
hsa-miR-424-5p	<a href="#">ATXN7L1</a>	ataxin 7 like 1
hsa-miR-424-5p	<a href="#">PDZD8</a>	PDZ domain containing 8
hsa-miR-424-5p	<a href="#">EGLN1</a>	egl-9 family hypoxia inducible factor 1
hsa-miR-424-5p	<a href="#">sept-02</a>	septin 2
hsa-miR-424-5p	<a href="#">MAP3K13</a>	mitogen-activated protein kinase kinase kinase 13
hsa-miR-424-5p	<a href="#">RBM6</a>	RNA binding motif protein 6
hsa-miR-424-5p	<a href="#">CDC37L1</a>	cell division cycle 37 like 1
hsa-miR-424-5p	<a href="#">MED26</a>	mediator complex subunit 26

hsa-miR-424-5p	<a href="#">HERC6</a>	HECT and RLD domain containing E3 ubiquitin protein ligase family member 6
hsa-miR-424-5p	<a href="#">DRD1</a>	dopamine receptor D1
hsa-miR-424-5p	<a href="#">CXCR5</a>	C-X-C motif chemokine receptor 5
hsa-miR-424-5p	<a href="#">PDIA6</a>	protein disulfide isomerase family A member 6
hsa-miR-424-5p	<a href="#">RBBP6</a>	RB binding protein 6, ubiquitin ligase
hsa-miR-424-5p	<a href="#">GSTCD</a>	glutathione S-transferase C-terminal domain containing
hsa-miR-424-5p	<a href="#">USP15</a>	ubiquitin specific peptidase 15
hsa-miR-424-5p	<a href="#">SYT3</a>	synaptotagmin 3
hsa-miR-424-5p	<a href="#">PAG1</a>	phosphoprotein membrane anchor with glycosphingolipid microdomains 1
hsa-miR-424-5p	<a href="#">MKNK1</a>	MAP kinase interacting serine/threonine kinase 1
hsa-miR-424-5p	<a href="#">TLL1</a>	tolloid like 1
hsa-miR-424-5p	<a href="#">WNT7A</a>	Wnt family member 7A
hsa-miR-424-5p	<a href="#">QKI</a>	QKI, KH domain containing RNA binding
hsa-miR-424-5p	<a href="#">RAB9B</a>	RAB9B, member RAS oncogene family
hsa-miR-424-5p	<a href="#">BCL11B</a>	BCL11B, BAF complex component
hsa-miR-424-5p	<a href="#">TMEM189-UBE2V1</a>	TMEM189-UBE2V1 readthrough
hsa-miR-424-5p	<a href="#">LRP6</a>	LDL receptor related protein 6
hsa-miR-424-5p	<a href="#">RS1</a>	retinoschisin 1
hsa-miR-424-5p	<a href="#">SON</a>	SON DNA binding protein
hsa-miR-424-5p	<a href="#">BZW1</a>	basic leucine zipper and W2 domains 1
hsa-miR-424-5p	<a href="#">PIP4P2</a>	phosphatidylinositol-4,5-bisphosphate 4-phosphatase 2
hsa-miR-424-5p	<a href="#">KCNG4</a>	potassium voltage-gated channel modifier subfamily G member 4
hsa-miR-424-5p	<a href="#">TFCP2L1</a>	transcription factor CP2 like 1
hsa-miR-424-5p	<a href="#">DYRK1B</a>	dual specificity tyrosine phosphorylation regulated kinase 1B
hsa-miR-424-5p	<a href="#">CLUH</a>	clustered mitochondria homolog
hsa-miR-424-5p	<a href="#">CACNA2D1</a>	calcium voltage-gated channel auxiliary subunit alpha2delta 1
hsa-miR-424-5p	<a href="#">RREB1</a>	ras responsive element binding protein 1
hsa-miR-424-5p	<a href="#">SLC36A1</a>	solute carrier family 36 member 1
hsa-miR-424-5p	<a href="#">ZSCAN31</a>	zinc finger and SCAN domain containing 31
hsa-miR-424-5p	<a href="#">TENM2</a>	teneurin transmembrane protein 2
hsa-miR-424-5p	<a href="#">PDE3B</a>	phosphodiesterase 3B
hsa-miR-424-5p	<a href="#">ATXN7L3</a>	ataxin 7 like 3
hsa-miR-424-5p	<a href="#">UBQLNL</a>	ubiquilin like
hsa-miR-424-5p	<a href="#">CHUK</a>	conserved helix-loop-helix ubiquitous kinase
hsa-miR-424-5p	<a href="#">WWC1</a>	WW and C2 domain containing 1
hsa-miR-424-5p	<a href="#">CDC42SE2</a>	CDC42 small effector 2
hsa-miR-424-5p	<a href="#">CUX1</a>	cut like homeobox 1
hsa-miR-424-5p	<a href="#">SNX16</a>	sorting nexin 16
hsa-miR-424-5p	<a href="#">PARVA</a>	parvin alpha
hsa-miR-424-5p	<a href="#">VPS4A</a>	vacuolar protein sorting 4 homolog A

hsa-miR-424-5p	<a href="#">IVNS1ABP</a>	influenza virus NS1A binding protein
hsa-miR-424-5p	<a href="#">SNRPB2</a>	small nuclear ribonucleoprotein polypeptide B2
hsa-miR-424-5p	<a href="#">MASP1</a>	mannan binding lectin serine peptidase 1
hsa-miR-424-5p	<a href="#">NAV1</a>	neuron navigator 1
hsa-miR-424-5p	<a href="#">LARGE2</a>	LARGE xylosyl- and glucuronyltransferase 2
hsa-miR-424-5p	<a href="#">RET</a>	ret proto-oncogene
hsa-miR-424-5p	<a href="#">MTFR1L</a>	mitochondrial fission regulator 1 like
hsa-miR-424-5p	<a href="#">C12orf76</a>	chromosome 12 open reading frame 76
hsa-miR-424-5p	<a href="#">CLCN4</a>	chloride voltage-gated channel 4
hsa-miR-424-5p	<a href="#">DEPDC4</a>	DEP domain containing 4
hsa-miR-424-5p	<a href="#">CDK5R1</a>	cyclin dependent kinase 5 regulatory subunit 1
hsa-miR-424-5p	<a href="#">TARBP2</a>	TARBP2, RISC loading complex RNA binding subunit
hsa-miR-424-5p	<a href="#">IKBKB</a>	inhibitor of nuclear factor kappa B kinase subunit beta
hsa-miR-424-5p	<a href="#">USP3</a>	ubiquitin specific peptidase 3
hsa-miR-424-5p	<a href="#">GALNT7</a>	polypeptide N-acetylgalactosaminyltransferase 7
hsa-miR-424-5p	<a href="#">CDK17</a>	cyclin dependent kinase 17
hsa-miR-424-5p	<a href="#">ROCK2</a>	Rho associated coiled-coil containing protein kinase 2
hsa-miR-424-5p	<a href="#">LGR5</a>	leucine rich repeat containing G protein-coupled receptor 5
hsa-miR-424-5p	<a href="#">SCOC</a>	short coiled-coil protein
hsa-miR-424-5p	<a href="#">ISLR</a>	immunoglobulin superfamily containing leucine rich repeat
hsa-miR-424-5p	<a href="#">NRN1</a>	neuritin 1
hsa-miR-424-5p	<a href="#">ARHGAP12</a>	Rho GTPase activating protein 12
hsa-miR-424-5p	<a href="#">KIF3B</a>	kinesin family member 3B
hsa-miR-424-5p	<a href="#">SYPL1</a>	synaptophysin like 1
hsa-miR-424-5p	<a href="#">OGT</a>	O-linked N-acetylglucosamine (GlcNAc) transferase
hsa-miR-424-5p	<a href="#">MNT</a>	MAX network transcriptional repressor
hsa-miR-424-5p	<a href="#">YWHAH</a>	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein eta
hsa-miR-424-5p	<a href="#">LRRK1</a>	leucine rich repeat kinase 1
hsa-miR-424-5p	<a href="#">IARS</a>	isoleucyl-tRNA synthetase
hsa-miR-424-5p	<a href="#">TUBA4A</a>	tubulin alpha 4a
hsa-miR-424-5p	<a href="#">ANKS1A</a>	ankyrin repeat and sterile alpha motif domain containing 1A
hsa-miR-424-5p	<a href="#">DPY19L4</a>	dpy-19 like 4
hsa-miR-424-5p	<a href="#">COPS7B</a>	COP9 signalosome subunit 7B
hsa-miR-424-5p	<a href="#">ARHGAP32</a>	Rho GTPase activating protein 32
hsa-miR-424-5p	<a href="#">FAM91A1</a>	family with sequence similarity 91 member A1
hsa-miR-424-5p	<a href="#">SGK1</a>	serum/glucocorticoid regulated kinase 1
hsa-miR-424-5p	<a href="#">NOB1</a>	NIN1 (RPN12) binding protein 1 homolog
hsa-miR-424-5p	<a href="#">MOB4</a>	MOB family member 4, phocein
hsa-miR-424-5p	<a href="#">MYO5B</a>	myosin VB
hsa-miR-424-5p	<a href="#">PCDH9</a>	protocadherin 9
hsa-miR-424-5p	<a href="#">NFATC3</a>	nuclear factor of activated T cells 3
hsa-miR-424-5p	<a href="#">RAB9A</a>	RAB9A, member RAS oncogene family

hsa-miR-424-5p	<a href="#">RBM12</a>	RNA binding motif protein 12
hsa-miR-424-5p	<a href="#">CEP85L</a>	centrosomal protein 85 like
hsa-miR-424-5p	<a href="#">ZNHIT6</a>	zinc finger HIT-type containing 6
hsa-miR-424-5p	<a href="#">SYT4</a>	synaptotagmin 4
hsa-miR-424-5p	<a href="#">PDK4</a>	pyruvate dehydrogenase kinase 4
hsa-miR-424-5p	<a href="#">PRDM4</a>	PR/SET domain 4
hsa-miR-424-5p	<a href="#">CPD</a>	carboxypeptidase D
hsa-miR-424-5p	<a href="#">RUNDC3B</a>	RUN domain containing 3B
hsa-miR-424-5p	<a href="#">SKI</a>	SKI proto-oncogene
hsa-miR-424-5p	<a href="#">ADRB2</a>	adrenoceptor beta 2
hsa-miR-424-5p	<a href="#">SSTR3</a>	somatostatin receptor 3
hsa-miR-424-5p	<a href="#">SEH1L</a>	SEH1 like nucleoporin
hsa-miR-424-5p	<a href="#">FAM81A</a>	family with sequence similarity 81 member A
hsa-miR-424-5p	<a href="#">MAP3K9</a>	mitogen-activated protein kinase kinase kinase 9
hsa-miR-424-5p	<a href="#">CAPRIN1</a>	cell cycle associated protein 1
hsa-miR-424-5p	<a href="#">RBM24</a>	RNA binding motif protein 24
hsa-miR-424-5p	<a href="#">BTG2</a>	BTG anti-proliferation factor 2
hsa-miR-424-5p	<a href="#">PTPRD</a>	protein tyrosine phosphatase, receptor type D
hsa-miR-424-5p	<a href="#">PRRC2C</a>	proline rich coiled-coil 2C
hsa-miR-424-5p	<a href="#">EXOC3L2</a>	exocyst complex component 3 like 2
hsa-miR-424-5p	<a href="#">CD80</a>	CD80 molecule
hsa-miR-424-5p	<a href="#">NSG1</a>	neuronal vesicle trafficking associated 1
hsa-miR-424-5p	<a href="#">FLT3</a>	fms related tyrosine kinase 3
hsa-miR-424-5p	<a href="#">GNAT1</a>	G protein subunit alpha transducin 1
hsa-miR-424-5p	<a href="#">SSR1</a>	signal sequence receptor subunit 1
hsa-miR-424-5p	<a href="#">SAV1</a>	salvador family WW domain containing protein 1
hsa-miR-424-5p	<a href="#">PEX13</a>	peroxisomal biogenesis factor 13
hsa-miR-424-5p	<a href="#">UNC13A</a>	unc-13 homolog A
hsa-miR-424-5p	<a href="#">SOBP</a>	sine oculis binding protein homolog
hsa-miR-424-5p	<a href="#">HECTD1</a>	HECT domain E3 ubiquitin protein ligase 1
hsa-miR-424-5p	<a href="#">GFAP</a>	glial fibrillary acidic protein
hsa-miR-424-5p	<a href="#">CMPK1</a>	cytidine/uridine monophosphate kinase 1
hsa-miR-424-5p	<a href="#">ZDHHC15</a>	zinc finger DHHC-type containing 15
hsa-miR-424-5p	<a href="#">BCL2L2</a>	BCL2 like 2
hsa-miR-424-5p	<a href="#">CCDC88C</a>	coiled-coil domain containing 88C
hsa-miR-424-5p	<a href="#">PELI2</a>	pellino E3 ubiquitin protein ligase family member 2
hsa-miR-424-5p	<a href="#">CHPT1</a>	choline phosphotransferase 1
hsa-miR-424-5p	<a href="#">TMEM154</a>	transmembrane protein 154
hsa-miR-424-5p	<a href="#">ARMCX2</a>	armadillo repeat containing X-linked 2
hsa-miR-424-5p	<a href="#">HMBOX1</a>	homeobox containing 1
hsa-miR-424-5p	<a href="#">EPHA7</a>	EPH receptor A7
hsa-miR-424-5p	<a href="#">KCTD8</a>	potassium channel tetramerization domain containing 8
hsa-miR-424-5p	<a href="#">PPT2</a>	palmitoyl-protein thioesterase 2
hsa-miR-424-5p	<a href="#">CARM1</a>	coactivator associated arginine methyltransferase 1
hsa-miR-424-5p	<a href="#">RFK</a>	riboflavin kinase

hsa-miR-424-5p	<a href="#">ST8SIA3</a>	ST8 alpha-N-acetyl-neuraminide alpha-2,8-sialyltransferase 3
hsa-miR-424-5p	<a href="#">AGO1</a>	argonaute RISC catalytic component 1
hsa-miR-424-5p	<a href="#">RICTOR</a>	RPTOR independent companion of MTOR complex 2
hsa-miR-424-5p	<a href="#">PNPLA6</a>	patatin like phospholipase domain containing 6
hsa-miR-424-5p	<a href="#">ATXN7L3B</a>	ataxin 7 like 3B
hsa-miR-424-5p	<a href="#">EPC1</a>	enhancer of polycomb homolog 1
hsa-miR-424-5p	<a href="#">SIPA1L2</a>	signal induced proliferation associated 1 like 2
hsa-miR-424-5p	<a href="#">CHIC1</a>	cysteine rich hydrophobic domain 1
hsa-miR-424-5p	<a href="#">AMMECR1</a>	Alport syndrome, mental retardation, midface hypoplasia and elliptocytosis chromosomal region gene 1
hsa-miR-424-5p	<a href="#">SLC39A10</a>	solute carrier family 39 member 10
hsa-miR-424-5p	<a href="#">HEPHL1</a>	hephaestin like 1
hsa-miR-424-5p	<a href="#">PIK3R1</a>	phosphoinositide-3-kinase regulatory subunit 1
hsa-miR-424-5p	<a href="#">RUNX1T1</a>	RUNX1 translocation partner 1
hsa-miR-424-5p	<a href="#">HIGD1A</a>	HIG1 hypoxia inducible domain family member 1A
hsa-miR-424-5p	<a href="#">KCNN4</a>	potassium calcium-activated channel subfamily N member 4
hsa-miR-424-5p	<a href="#">SESN1</a>	sestrin 1
hsa-miR-424-5p	<a href="#">DENND4A</a>	DENN domain containing 4A
hsa-miR-424-5p	<a href="#">DYNC1L1</a>	dynein cytoplasmic 1 light intermediate chain 2
hsa-miR-424-5p	<a href="#">WBP11</a>	WW domain binding protein 11
hsa-miR-424-5p	<a href="#">DENND2C</a>	DENN domain containing 2C
hsa-miR-424-5p	<a href="#">GLS2</a>	glutaminase 2
hsa-miR-424-5p	<a href="#">SOX6</a>	SRY-box 6
hsa-miR-424-5p	<a href="#">HMGA1</a>	high mobility group AT-hook 1
hsa-miR-424-5p	<a href="#">NUFIP2</a>	nuclear FMR1 interacting protein 2
hsa-miR-424-5p	<a href="#">LDLRAD2</a>	low density lipoprotein receptor class A domain containing 2
hsa-miR-424-5p	<a href="#">FAM122B</a>	family with sequence similarity 122B
hsa-miR-424-5p	<a href="#">ANKRD46</a>	ankyrin repeat domain 46
hsa-miR-424-5p	<a href="#">ATF6</a>	activating transcription factor 6
hsa-miR-424-5p	<a href="#">COBL1</a>	cordon-bleu WH2 repeat protein like 1
hsa-miR-424-5p	<a href="#">ELMOD1</a>	ELMO domain containing 1
hsa-miR-424-5p	<a href="#">HTR4</a>	5-hydroxytryptamine receptor 4
hsa-miR-424-5p	<a href="#">TSC22D2</a>	TSC22 domain family member 2
hsa-miR-424-5p	<a href="#">UTP25</a>	UTP25, small subunit processor component
hsa-miR-424-5p	<a href="#">USP44</a>	ubiquitin specific peptidase 44
hsa-miR-424-5p	<a href="#">EYA1</a>	EYA transcriptional coactivator and phosphatase 1
hsa-miR-424-5p	<a href="#">MYEF2</a>	myelin expression factor 2
hsa-miR-424-5p	<a href="#">UBR3</a>	ubiquitin protein ligase E3 component n-recogin 3
hsa-miR-424-5p	<a href="#">MCU</a>	mitochondrial calcium uniporter
hsa-miR-424-5p	<a href="#">ATG13</a>	autophagy related 13
hsa-miR-424-5p	<a href="#">PLRG1</a>	pleiotropic regulator 1
hsa-miR-424-5p	<a href="#">FAM110C</a>	family with sequence similarity 110 member C
hsa-miR-424-5p	<a href="#">IGF2R</a>	insulin like growth factor 2 receptor



hsa-miR-424-5p	<a href="#">SLC4A4</a>	solute carrier family 4 member 4
hsa-miR-424-5p	<a href="#">PIP4P1</a>	phosphatidylinositol-4,5-bisphosphate 4-phosphatase 1
hsa-miR-424-5p	<a href="#">MAN2A2</a>	mannosidase alpha class 2A member 2
hsa-miR-424-5p	<a href="#">CDK8</a>	cyclin dependent kinase 8
hsa-miR-424-5p	<a href="#">CYP2S1</a>	cytochrome P450 family 2 subfamily S member 1
hsa-miR-424-5p	<a href="#">ZCCHC2</a>	zinc finger CCHC-type containing 2
hsa-miR-424-5p	<a href="#">OTX1</a>	orthodenticle homeobox 1
hsa-miR-424-5p	<a href="#">NF1</a>	neurofibromin 1
hsa-miR-424-5p	<a href="#">DMTF1</a>	cyclin D binding myb like transcription factor 1
hsa-miR-424-5p	<a href="#">TMEM199</a>	transmembrane protein 199
hsa-miR-424-5p	<a href="#">RELN</a>	reelin
hsa-miR-424-5p	<a href="#">ZBTB20</a>	zinc finger and BTB domain containing 20
hsa-miR-424-5p	<a href="#">FAM89A</a>	family with sequence similarity 89 member A
hsa-miR-424-5p	<a href="#">NSMF</a>	NMDA receptor synaptonuclear signaling and neuronal migration factor
hsa-miR-424-5p	<a href="#">ST7L</a>	suppression of tumorigenicity 7 like
hsa-miR-424-5p	<a href="#">SPTBN2</a>	spectrin beta, non-erythrocytic 2
hsa-miR-424-5p	<a href="#">TGIF2</a>	TGFB induced factor homeobox 2
hsa-miR-424-5p	<a href="#">RAD50</a>	RAD50 double strand break repair protein
hsa-miR-424-5p	<a href="#">CAPZA2</a>	capping actin protein of muscle Z-line subunit alpha 2
hsa-miR-424-5p	<a href="#">CREBRF</a>	CREB3 regulatory factor
hsa-miR-424-5p	<a href="#">CD3E</a>	CD3e molecule
hsa-miR-424-5p	<a href="#">FAM135A</a>	family with sequence similarity 135 member A
hsa-miR-424-5p	<a href="#">C1QL3</a>	complement C1q like 3
hsa-miR-424-5p	<a href="#">TMEM135</a>	transmembrane protein 135
hsa-miR-424-5p	<a href="#">NRP2</a>	neuropilin 2
hsa-miR-424-5p	<a href="#">SLC2A14</a>	solute carrier family 2 member 14
hsa-miR-424-5p	<a href="#">LRP2</a>	LDL receptor related protein 2
hsa-miR-424-5p	<a href="#">ACOX1</a>	acyl-CoA oxidase 1
hsa-miR-424-5p	<a href="#">SLC35G1</a>	solute carrier family 35 member G1
hsa-miR-424-5p	<a href="#">GCC2</a>	GRIP and coiled-coil domain containing 2
hsa-miR-424-5p	<a href="#">RSPO3</a>	R-spondin 3
hsa-miR-424-5p	<a href="#">SH3GL2</a>	SH3 domain containing GRB2 like 2, endophilin A1
hsa-miR-424-5p	<a href="#">TRAM1</a>	translocation associated membrane protein 1
hsa-miR-424-5p	<a href="#">UROS</a>	uroporphyrinogen III synthase
hsa-miR-424-5p	<a href="#">SNTB2</a>	syntrophin beta 2
hsa-miR-424-5p	<a href="#">CMC4</a>	C-X9-C motif containing 4
hsa-miR-424-5p	<a href="#">SLC6A11</a>	solute carrier family 6 member 11
hsa-miR-424-5p	<a href="#">ENAH</a>	ENAH, actin regulator
hsa-miR-424-5p	<a href="#">PPP6R3</a>	protein phosphatase 6 regulatory subunit 3
hsa-miR-424-5p	<a href="#">HELZ</a>	helicase with zinc finger
hsa-miR-424-5p	<a href="#">ELAC1</a>	elaC ribonuclease Z 1
hsa-miR-424-5p	<a href="#">ARHGAP20</a>	Rho GTPase activating protein 20
hsa-miR-424-5p	<a href="#">PLEKHA1</a>	pleckstrin homology domain containing A1
hsa-miR-424-5p	<a href="#">ZC2HC1A</a>	zinc finger C2HC-type containing 1A

hsa-miR-424-5p	<a href="#">SAMD10</a>	sterile alpha motif domain containing 10
hsa-miR-424-5p	<a href="#">NCS1</a>	neuronal calcium sensor 1
hsa-miR-424-5p	<a href="#">ACVR2B</a>	activin A receptor type 2B
hsa-miR-424-5p	<a href="#">SVIP</a>	small VCP interacting protein
hsa-miR-424-5p	<a href="#">GGA3</a>	golgi associated, gamma adaptin ear containing, ARF binding protein 3
hsa-miR-424-5p	<a href="#">CPSF7</a>	cleavage and polyadenylation specific factor 7
hsa-miR-424-5p	<a href="#">MYRIP</a>	myosin VIIA and Rab interacting protein
hsa-miR-424-5p	<a href="#">NRBP1</a>	nuclear receptor binding protein 1
hsa-miR-424-5p	<a href="#">SLC2A3</a>	solute carrier family 2 member 3
hsa-miR-424-5p	<a href="#">RAB30</a>	RAB30, member RAS oncogene family
hsa-miR-424-5p	<a href="#">RSBN1</a>	round spermatid basic protein 1
hsa-miR-424-5p	<a href="#">AREL1</a>	apoptosis resistant E3 ubiquitin protein ligase 1
hsa-miR-424-5p	<a href="#">LCOR</a>	ligand dependent nuclear receptor corepressor
hsa-miR-424-5p	<a href="#">ABCF3</a>	ATP binding cassette subfamily F member 3
hsa-miR-424-5p	<a href="#">WDTC1</a>	WD and tetratricopeptide repeats 1
hsa-miR-424-5p	<a href="#">LAMC1</a>	laminin subunit gamma 1
hsa-miR-424-5p	<a href="#">VTI1B</a>	vesicle transport through interaction with t-SNAREs 1B
hsa-miR-424-5p	<a href="#">ANXA11</a>	annexin A11
hsa-miR-424-5p	<a href="#">SLC35B2</a>	solute carrier family 35 member B2
hsa-miR-424-5p	<a href="#">MOV10</a>	Mov10 RISC complex RNA helicase
hsa-miR-424-5p	<a href="#">PLXNA2</a>	plexin A2
hsa-miR-424-5p	<a href="#">KPNA3</a>	karyopherin subunit alpha 3
hsa-miR-424-5p	<a href="#">IHH</a>	Indian hedgehog signaling molecule
hsa-miR-424-5p	<a href="#">LOC100130451</a>	uncharacterized LOC100130451
hsa-miR-424-5p	<a href="#">ADAMTS6</a>	ADAM metallopeptidase with thrombospondin type 1 motif 6
hsa-miR-424-5p	<a href="#">MDN1</a>	midasin AAA ATPase 1
hsa-miR-424-5p	<a href="#">SLC15A4</a>	solute carrier family 15 member 4
hsa-miR-424-5p	<a href="#">YRDC</a>	yrnC N6-threonylcarbamoyltransferase domain containing
hsa-miR-424-5p	<a href="#">IGF1R</a>	insulin like growth factor 1 receptor
hsa-miR-424-5p	<a href="#">RIMKB</a>	ribosomal modification protein rimK like family member B
hsa-miR-424-5p	<a href="#">GPN1</a>	GPN-loop GTPase 1
hsa-miR-424-5p	<a href="#">LYPLA2</a>	lysophospholipase 2
hsa-miR-424-5p	<a href="#">CDC27</a>	cell division cycle 27
hsa-miR-424-5p	<a href="#">PTCH1</a>	patched 1
hsa-miR-424-5p	<a href="#">SUZ12</a>	SUZ12, polycomb repressive complex 2 subunit
hsa-miR-424-5p	<a href="#">CUL2</a>	cullin 2
hsa-miR-424-5p	<a href="#">EXT2</a>	exostosin glycosyltransferase 2
hsa-miR-424-5p	<a href="#">NCBP3</a>	nuclear cap binding subunit 3
hsa-miR-424-5p	<a href="#">HOXA10</a>	homeobox A10
hsa-miR-424-5p	<a href="#">CCNJL</a>	cyclin J like
hsa-miR-424-5p	<a href="#">SEMA3D</a>	semaphorin 3D
hsa-miR-424-5p	<a href="#">MAP7</a>	microtubule associated protein 7
hsa-miR-424-5p	<a href="#">ATP13A3</a>	ATPase 13A3

hsa-miR-424-5p	<a href="#">LOC390877</a>	adenylate kinase isoenzyme 1-like
hsa-miR-424-5p	<a href="#">ZNF548</a>	zinc finger protein 548
hsa-miR-424-5p	<a href="#">BCAP29</a>	B cell receptor associated protein 29
hsa-miR-424-5p	<a href="#">SLC1A2</a>	solute carrier family 1 member 2
hsa-miR-424-5p	<a href="#">MAPRE1</a>	microtubule associated protein RP/EB family member 1
hsa-miR-424-5p	<a href="#">FKBP1A</a>	FKBP prolyl isomerase 1A
hsa-miR-424-5p	<a href="#">PDCD1</a>	programmed cell death 1
hsa-miR-424-5p	<a href="#">TMEM121B</a>	transmembrane protein 121B
hsa-miR-424-5p	<a href="#">RTF1</a>	RTF1 homolog, Paf1/RNA polymerase II complex component
hsa-miR-424-5p	<a href="#">PRDM11</a>	PR/SET domain 11
hsa-miR-424-5p	<a href="#">CNTNAP1</a>	contactin associated protein 1
hsa-miR-424-5p	<a href="#">CAMSAP1</a>	calmodulin regulated spectrin associated protein 1
hsa-miR-424-5p	<a href="#">RGMA</a>	repulsive guidance molecule BMP co-receptor a
hsa-miR-424-5p	<a href="#">NEDD9</a>	neural precursor cell expressed, developmentally down-regulated 9
hsa-miR-424-5p	<a href="#">SPAG7</a>	sperm associated antigen 7
hsa-miR-424-5p	<a href="#">RAB40AL</a>	RAB40A like
hsa-miR-424-5p	<a href="#">PTAR1</a>	protein prenyltransferase alpha subunit repeat containing 1
hsa-miR-424-5p	<a href="#">SUSD6</a>	sushi domain containing 6
hsa-miR-424-5p	<a href="#">PID1</a>	phosphotyrosine interaction domain containing 1
hsa-miR-424-5p	<a href="#">MMD</a>	monocyte to macrophage differentiation associated
hsa-miR-424-5p	<a href="#">CCDC85C</a>	coiled-coil domain containing 85C
hsa-miR-424-5p	<a href="#">DNAJA2</a>	DnaJ heat shock protein family (Hsp40) member A2
hsa-miR-424-5p	<a href="#">ZSWIM3</a>	zinc finger SWIM-type containing 3
hsa-miR-424-5p	<a href="#">PDIK1L</a>	PDLIM1 interacting kinase 1 like
hsa-miR-424-5p	<a href="#">SESTD1</a>	SEC14 and spectrin domain containing 1
hsa-miR-424-5p	<a href="#">IL7R</a>	interleukin 7 receptor
hsa-miR-424-5p	<a href="#">SMURF2</a>	SMAD specific E3 ubiquitin protein ligase 2
hsa-miR-424-5p	<a href="#">CCDC83</a>	coiled-coil domain containing 83
hsa-miR-424-5p	<a href="#">SLC39A9</a>	solute carrier family 39 member 9
hsa-miR-424-5p	<a href="#">DLEU7</a>	deleted in lymphocytic leukemia 7
hsa-miR-424-5p	<a href="#">GNAQ</a>	G protein subunit alpha q
hsa-miR-424-5p	<a href="#">TMEM74B</a>	transmembrane protein 74B
hsa-miR-424-5p	<a href="#">CLDN2</a>	claudin 2
hsa-miR-424-5p	<a href="#">TTC14</a>	tetratricopeptide repeat domain 14
hsa-miR-424-5p	<a href="#">MIGA1</a>	mitoguardin 1
hsa-miR-424-5p	<a href="#">ACSL4</a>	acyl-CoA synthetase long chain family member 4
hsa-miR-424-5p	<a href="#">BCL2</a>	BCL2, apoptosis regulator
hsa-miR-424-5p	<a href="#">CARD10</a>	caspase recruitment domain family member 10
hsa-miR-424-5p	<a href="#">FNTA</a>	farnesyltransferase, CAAX box, alpha
hsa-miR-424-5p	<a href="#">SIAH1</a>	siah E3 ubiquitin protein ligase 1
hsa-miR-424-5p	<a href="#">BMPRI1A</a>	bone morphogenetic protein receptor type 1A
hsa-miR-424-5p	<a href="#">HECTD4</a>	HECT domain E3 ubiquitin protein ligase 4
hsa-miR-424-5p	<a href="#">MLYCD</a>	malonyl-CoA decarboxylase

hsa-miR-424-5p	<a href="#">GNAI3</a>	G protein subunit alpha i3
hsa-miR-424-5p	<a href="#">PHACTR2</a>	phosphatase and actin regulator 2
hsa-miR-424-5p	<a href="#">GLRX</a>	glutaredoxin
hsa-miR-424-5p	<a href="#">KBTBD2</a>	kelch repeat and BTB domain containing 2
hsa-miR-424-5p	<a href="#">PTPRI</a>	protein tyrosine phosphatase, receptor type J
hsa-miR-424-5p	<a href="#">EIF3A</a>	eukaryotic translation initiation factor 3 subunit A
hsa-miR-424-5p	<a href="#">GOLGA1</a>	golgin A1
hsa-miR-424-5p	<a href="#">HSPE1-MOB4</a>	HSPE1-MOB4 readthrough
hsa-miR-424-5p	<a href="#">C16orf72</a>	chromosome 16 open reading frame 72
hsa-miR-424-5p	<a href="#">MBNL2</a>	muscleblind like splicing regulator 2
hsa-miR-424-5p	<a href="#">FGF9</a>	fibroblast growth factor 9
hsa-miR-424-5p	<a href="#">MIB1</a>	mindbomb E3 ubiquitin protein ligase 1
hsa-miR-424-5p	<a href="#">PRKAR2A</a>	protein kinase cAMP-dependent type II regulatory subunit alpha
hsa-miR-424-5p	<a href="#">MYT1L</a>	myelin transcription factor 1 like
hsa-miR-424-5p	<a href="#">KCNU1</a>	potassium calcium-activated channel subfamily U member 1
hsa-miR-424-5p	<a href="#">IST1</a>	IST1, ESCRT-III associated factor
hsa-miR-424-5p	<a href="#">PSKH1</a>	protein serine kinase H1
hsa-miR-424-5p	<a href="#">SLC13A1</a>	solute carrier family 13 member 1
hsa-miR-424-5p	<a href="#">ZNF117</a>	zinc finger protein 117
hsa-miR-424-5p	<a href="#">ESRRA</a>	estrogen related receptor alpha
hsa-miR-424-5p	<a href="#">KL</a>	klotho
hsa-miR-424-5p	<a href="#">PPFIA2</a>	PTPRF interacting protein alpha 2
hsa-miR-424-5p	<a href="#">BCL7A</a>	BCL7A, BAF complex component
hsa-miR-424-5p	<a href="#">USP12</a>	ubiquitin specific peptidase 12
hsa-miR-424-5p	<a href="#">SCAI</a>	suppressor of cancer cell invasion
hsa-miR-424-5p	<a href="#">ARPP19</a>	cAMP regulated phosphoprotein 19
hsa-miR-424-5p	<a href="#">KPNA1</a>	karyopherin subunit alpha 1
hsa-miR-424-5p	<a href="#">ZNF704</a>	zinc finger protein 704
hsa-miR-424-5p	<a href="#">E2F7</a>	E2F transcription factor 7
hsa-miR-424-5p	<a href="#">GOLT1B</a>	golgi transport 1B
hsa-miR-424-5p	<a href="#">EPB41L4B</a>	erythrocyte membrane protein band 4.1 like 4B
hsa-miR-424-5p	<a href="#">NF2</a>	neurofibromin 2
hsa-miR-424-5p	<a href="#">NUAK2</a>	NUAK family kinase 2
hsa-miR-424-5p	<a href="#">CCNT2</a>	cyclin T2
hsa-miR-424-5p	<a href="#">SCUBE3</a>	signal peptide, CUB domain and EGF like domain containing 3
hsa-miR-424-5p	<a href="#">TRIP11</a>	thyroid hormone receptor interactor 11
hsa-miR-424-5p	<a href="#">WNT4</a>	Wnt family member 4
hsa-miR-424-5p	<a href="#">G0S2</a>	G0/G1 switch 2
hsa-miR-424-5p	<a href="#">DLL4</a>	delta like canonical Notch ligand 4
hsa-miR-424-5p	<a href="#">CDHR1</a>	cadherin related family member 1
hsa-miR-424-5p	<a href="#">HPSE2</a>	heparanase 2 (inactive)
hsa-miR-424-5p	<a href="#">ASNSD1</a>	asparagine synthetase domain containing 1
hsa-miR-424-5p	<a href="#">OTUD4</a>	OTU deubiquitinase 4

hsa-miR-424-5p	<a href="#">ENTPD7</a>	ectonucleoside triphosphate diphosphohydrolase 7
hsa-miR-424-5p	<a href="#">RORA</a>	RAR related orphan receptor A
hsa-miR-424-5p	<a href="#">ELL2</a>	elongation factor for RNA polymerase II 2
hsa-miR-424-5p	<a href="#">SALL3</a>	spalt like transcription factor 3
hsa-miR-424-5p	<a href="#">RNF43</a>	ring finger protein 43
hsa-miR-424-5p	<a href="#">CLDN12</a>	claudin 12
hsa-miR-424-5p	<a href="#">RAB10</a>	RAB10, member RAS oncogene family
hsa-miR-424-5p	<a href="#">FAM122A</a>	family with sequence similarity 122A
hsa-miR-424-5p	<a href="#">TLR1</a>	toll like receptor 1
hsa-miR-424-5p	<a href="#">ISM2</a>	isthmin 2
hsa-miR-424-5p	<a href="#">USP9X</a>	ubiquitin specific peptidase 9 X-linked
hsa-miR-424-5p	<a href="#">CARNMT1</a>	carosine N-methyltransferase 1
hsa-miR-424-5p	<a href="#">ERC2</a>	ELKS/RAB6-interacting/CAST family member 2
hsa-miR-424-5p	<a href="#">PPIF</a>	peptidylprolyl isomerase F
hsa-miR-424-5p	<a href="#">NUCKS1</a>	nuclear casein kinase and cyclin dependent kinase substrate 1
hsa-miR-424-5p	<a href="#">CRIM1</a>	cysteine rich transmembrane BMP regulator 1
hsa-miR-424-5p	<a href="#">ANLN</a>	anillin actin binding protein
hsa-miR-424-5p	<a href="#">BOLA3</a>	bolA family member 3
hsa-miR-424-5p	<a href="#">KCNQ5</a>	potassium voltage-gated channel subfamily Q member 5
hsa-miR-424-5p	<a href="#">ATG4B</a>	autophagy related 4B cysteine peptidase
hsa-miR-424-5p	<a href="#">TRIM35</a>	tripartite motif containing 35
hsa-miR-424-5p	<a href="#">MXD3</a>	MAX dimerization protein 3
hsa-miR-424-5p	<a href="#">CLCN3</a>	chloride voltage-gated channel 3
hsa-miR-424-5p	<a href="#">LY9</a>	lymphocyte antigen 9
hsa-miR-424-5p	<a href="#">IP6K1</a>	inositol hexakisphosphate kinase 1
hsa-miR-424-5p	<a href="#">LRRFIP2</a>	LRR binding FLII interacting protein 2
hsa-miR-424-5p	<a href="#">DNAJC16</a>	DnaJ heat shock protein family (Hsp40) member C16
hsa-miR-424-5p	<a href="#">ACSS2</a>	acyl-CoA synthetase short chain family member 2
hsa-miR-424-5p	<a href="#">CASZ1</a>	castor zinc finger 1
hsa-miR-424-5p	<a href="#">LHX3</a>	LIM homeobox 3
hsa-miR-424-5p	<a href="#">STXBP1</a>	syntaxin binding protein 1
hsa-miR-424-5p	<a href="#">CBFA2T3</a>	CBFA2/RUNX1 translocation partner 3
hsa-miR-424-5p	<a href="#">FAM160B1</a>	family with sequence similarity 160 member B1
hsa-miR-424-5p	<a href="#">TTC1</a>	tetratricopeptide repeat domain 1
hsa-miR-424-5p	<a href="#">PNISR</a>	PNN interacting serine and arginine rich protein
hsa-miR-424-5p	<a href="#">KIF1C</a>	kinesin family member 1C
hsa-miR-424-5p	<a href="#">SNRK</a>	SNF related kinase
hsa-miR-424-5p	<a href="#">FAT3</a>	FAT atypical cadherin 3
hsa-miR-424-5p	<a href="#">IRAK2</a>	interleukin 1 receptor associated kinase 2
hsa-miR-424-5p	<a href="#">EML6</a>	EMAP like 6
hsa-miR-424-5p	<a href="#">NOTCH2</a>	notch 2
hsa-miR-424-5p	<a href="#">SRSF11</a>	serine and arginine rich splicing factor 11
hsa-miR-424-5p	<a href="#">CREBL2</a>	cAMP responsive element binding protein like 2
hsa-miR-424-5p	<a href="#">ADSS</a>	adenylosuccinate synthase

hsa-miR-424-5p	<a href="#">ATP7A</a>	ATPase copper transporting alpha
hsa-miR-424-5p	<a href="#">KLHL18</a>	kelch like family member 18
hsa-miR-424-5p	<a href="#">INSYN2</a>	inhibitory synaptic factor 2A
hsa-miR-424-5p	<a href="#">RAPH1</a>	Ras association (RalGDS/AF-6) and pleckstrin homology domains 1
hsa-miR-424-5p	<a href="#">TRMT9B</a>	tRNA methyltransferase 9B (putative)
hsa-miR-424-5p	<a href="#">SLC6A4</a>	solute carrier family 6 member 4
hsa-miR-424-5p	<a href="#">ADAMTSL3</a>	ADAMTS like 3
hsa-miR-424-5p	<a href="#">NAA15</a>	N(alpha)-acetyltransferase 15, NatA auxiliary subunit
hsa-miR-424-5p	<a href="#">ENTPD1</a>	ectonucleoside triphosphate diphosphohydrolase 1
hsa-miR-424-5p	<a href="#">POLR3F</a>	RNA polymerase III subunit F
hsa-miR-424-5p	<a href="#">TFAP2D</a>	transcription factor AP-2 delta
hsa-miR-424-5p	<a href="#">ZNF264</a>	zinc finger protein 264
hsa-miR-424-5p	<a href="#">DOLPP1</a>	dolichyldiphosphatase 1
hsa-miR-424-5p	<a href="#">ARHGAP5</a>	Rho GTPase activating protein 5
hsa-miR-424-5p	<a href="#">OSCP1</a>	organic solute carrier partner 1
hsa-miR-424-5p	<a href="#">ZNF423</a>	zinc finger protein 423
hsa-miR-424-5p	<a href="#">RAF1</a>	Raf-1 proto-oncogene, serine/threonine kinase
hsa-miR-424-5p	<a href="#">PRTG</a>	protogenin
hsa-miR-424-5p	<a href="#">RIC1</a>	RIC1 homolog, RAB6A GEF complex partner 1
hsa-miR-424-5p	<a href="#">HPCAL4</a>	hippocalcin like 4
hsa-miR-424-5p	<a href="#">ESPN</a>	espin
hsa-miR-424-5p	<a href="#">IL10RA</a>	interleukin 10 receptor subunit alpha
hsa-miR-424-5p	<a href="#">SATB2</a>	SATB homeobox 2
hsa-miR-424-5p	<a href="#">YAP1</a>	Yes associated protein 1
hsa-miR-424-5p	<a href="#">RIF1</a>	replication timing regulatory factor 1
hsa-miR-424-5p	<a href="#">EN2</a>	engrailed homeobox 2
hsa-miR-424-5p	<a href="#">MAPK9</a>	mitogen-activated protein kinase 9
hsa-miR-424-5p	<a href="#">RTN4</a>	reticulon 4
hsa-miR-424-5p	<a href="#">MARCH4</a>	membrane associated ring-CH-type finger 4
hsa-miR-424-5p	<a href="#">HMGA2</a>	high mobility group AT-hook 2
hsa-miR-424-5p	<a href="#">ZDHHC23</a>	zinc finger DHHC-type containing 23
hsa-miR-424-5p	<a href="#">RNF41</a>	ring finger protein 41
hsa-miR-424-5p	<a href="#">SLC35A4</a>	solute carrier family 35 member A4
hsa-miR-424-5p	<a href="#">YWHAQ</a>	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein theta
hsa-miR-424-5p	<a href="#">AFF4</a>	AF4/FMR2 family member 4
hsa-miR-424-5p	<a href="#">C2orf72</a>	chromosome 2 open reading frame 72
hsa-miR-424-5p	<a href="#">ABCB5</a>	ATP binding cassette subfamily B member 5
hsa-miR-424-5p	<a href="#">TMEM43</a>	transmembrane protein 43
hsa-miR-424-5p	<a href="#">SLC25A22</a>	solute carrier family 25 member 22
hsa-miR-424-5p	<a href="#">DEPDC5</a>	DEP domain containing 5
hsa-miR-424-5p	<a href="#">UHMK1</a>	U2AF homology motif kinase 1
hsa-miR-424-5p	<a href="#">TACC1</a>	transforming acidic coiled-coil containing protein 1
hsa-miR-424-5p	<a href="#">TMEM255A</a>	transmembrane protein 255A



hsa-miR-424-5p	<a href="#">SOS2</a>	SOS Ras/Rho guanine nucleotide exchange factor 2
hsa-miR-424-5p	<a href="#">PANK2</a>	pantothenate kinase 2
hsa-miR-424-5p	<a href="#">ZNF275</a>	zinc finger protein 275
hsa-miR-424-5p	<a href="#">FZD6</a>	frizzled class receptor 6
hsa-miR-424-5p	<a href="#">MTHFR</a>	methylenetetrahydrofolate reductase
hsa-miR-424-5p	<a href="#">NPAS3</a>	neuronal PAS domain protein 3
hsa-miR-424-5p	<a href="#">ALDH1A3</a>	aldehyde dehydrogenase 1 family member A3
hsa-miR-424-5p	<a href="#">ABCC5</a>	ATP binding cassette subfamily C member 5
hsa-miR-424-5p	<a href="#">GLYATL3</a>	glycine-N-acyltransferase like 3
hsa-miR-424-5p	<a href="#">ZDHHC16</a>	zinc finger DHHC-type containing 16
hsa-miR-424-5p	<a href="#">PDK3</a>	pyruvate dehydrogenase kinase 3
hsa-miR-424-5p	<a href="#">PRKG1</a>	protein kinase cGMP-dependent 1
hsa-miR-424-5p	<a href="#">MFAP5</a>	microfibril associated protein 5
hsa-miR-424-5p	<a href="#">MTMR4</a>	myotubularin related protein 4
hsa-miR-424-5p	<a href="#">ATP1B4</a>	ATPase Na <sup>+</sup> /K <sup>+</sup> transporting family member beta 4
hsa-miR-424-5p	<a href="#">CALU</a>	calumenin
hsa-miR-424-5p	<a href="#">ABTB2</a>	ankyrin repeat and BTB domain containing 2
hsa-miR-424-5p	<a href="#">FURIN</a>	furin, paired basic amino acid cleaving enzyme
hsa-miR-424-5p	<a href="#">KIF5A</a>	kinesin family member 5A
hsa-miR-424-5p	<a href="#">YOD1</a>	YOD1 deubiquitinase
hsa-miR-424-5p	<a href="#">TSPAN5</a>	tetraspanin 5
hsa-miR-424-5p	<a href="#">PSAT1</a>	phosphoserine aminotransferase 1
hsa-miR-424-5p	<a href="#">SPRTN</a>	SprT-like N-terminal domain
hsa-miR-424-5p	<a href="#">LATS2</a>	large tumor suppressor kinase 2
hsa-miR-424-5p	<a href="#">KLHDC8B</a>	kelch domain containing 8B
hsa-miR-424-5p	<a href="#">TSPYL2</a>	TSPY like 2
hsa-miR-424-5p	<a href="#">NISCH</a>	nischarin
hsa-miR-424-5p	<a href="#">CAAP1</a>	caspase activity and apoptosis inhibitor 1
hsa-miR-424-5p	<a href="#">ANKRD33B</a>	ankyrin repeat domain 33B
hsa-miR-424-5p	<a href="#">ZBTB33</a>	zinc finger and BTB domain containing 33
hsa-miR-424-5p	<a href="#">NTRK2</a>	neurotrophic receptor tyrosine kinase 2
hsa-miR-424-5p	<a href="#">TMEM221</a>	transmembrane protein 221
hsa-miR-424-5p	<a href="#">CREG1</a>	cellular repressor of E1A stimulated genes 1
hsa-miR-424-5p	<a href="#">DEF8</a>	differentially expressed in FDCP 8 homolog
hsa-miR-424-5p	<a href="#">WWP1</a>	WW domain containing E3 ubiquitin protein ligase 1
hsa-miR-424-5p	<a href="#">RTN3</a>	reticulon 3
hsa-miR-424-5p	<a href="#">PAQR3</a>	progesterin and adipoQ receptor family member 3
hsa-miR-424-5p	<a href="#">LRRC27</a>	leucine rich repeat containing 27
hsa-miR-424-5p	<a href="#">PARP12</a>	poly(ADP-ribose) polymerase family member 12
hsa-miR-424-5p	<a href="#">SPRY4</a>	sprouty RTK signaling antagonist 4
hsa-miR-424-5p	<a href="#">DENND6A</a>	DENN domain containing 6A
hsa-miR-424-5p	<a href="#">EXTL3</a>	exostosin like glycosyltransferase 3
hsa-miR-424-5p	<a href="#">TOX3</a>	TOX high mobility group box family member 3
hsa-miR-424-5p	<a href="#">TXNDC17</a>	thioredoxin domain containing 17
hsa-miR-424-5p	<a href="#">ZFYVE1</a>	zinc finger FYVE-type containing 1

hsa-miR-424-5p	<a href="#">ELK4</a>	ELK4, ETS transcription factor
hsa-miR-424-5p	<a href="#">LDLRAD4</a>	low density lipoprotein receptor class A domain containing 4
hsa-miR-424-5p	<a href="#">FAM189B</a>	family with sequence similarity 189 member B
hsa-miR-424-5p	<a href="#">ANK2</a>	ankyrin 2
hsa-miR-424-5p	<a href="#">DCAF8</a>	DDB1 and CUL4 associated factor 8
hsa-miR-424-5p	<a href="#">CDC42EP2</a>	CDC42 effector protein 2
hsa-miR-424-5p	<a href="#">TPD52L3</a>	TPD52 like 3
hsa-miR-424-5p	<a href="#">ADAMTSL1</a>	ADAMTS like 1
hsa-miR-424-5p	<a href="#">SCAF11</a>	SR-related CTD associated factor 11
hsa-miR-424-5p	<a href="#">PPM1D</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1D
hsa-miR-424-5p	<a href="#">RAPGEFL1</a>	Rap guanine nucleotide exchange factor like 1
hsa-miR-424-5p	<a href="#">METTL8</a>	methyltransferase like 8
hsa-miR-424-5p	<a href="#">PPP2R5C</a>	protein phosphatase 2 regulatory subunit B'gamma
hsa-miR-424-5p	<a href="#">ZNF705E</a>	zinc finger protein 705E
hsa-miR-424-5p	<a href="#">SPSB4</a>	splA/ryanodine receptor domain and SOCS box containing 4
hsa-miR-424-5p	<a href="#">APP</a>	amyloid beta precursor protein
hsa-miR-424-5p	<a href="#">NOL4L</a>	nucleolar protein 4 like
hsa-miR-424-5p	<a href="#">PHKA1</a>	phosphorylase kinase regulatory subunit alpha 1
hsa-miR-424-5p	<a href="#">MMS19</a>	MMS19 homolog, cytosolic iron-sulfur assembly component
hsa-miR-424-5p	<a href="#">CCND3</a>	cyclin D3
hsa-miR-424-5p	<a href="#">RAB40B</a>	RAB40B, member RAS oncogene family
hsa-miR-424-5p	<a href="#">PLBD2</a>	phospholipase B domain containing 2
hsa-miR-424-5p	<a href="#">ADAMTS5</a>	ADAM metallopeptidase with thrombospondin type 1 motif 5
hsa-miR-424-5p	<a href="#">FRMPD1</a>	FERM and PDZ domain containing 1
hsa-miR-424-5p	<a href="#">PIEZO1</a>	piezo type mechanosensitive ion channel component 1
hsa-miR-424-5p	<a href="#">FAT4</a>	FAT atypical cadherin 4
hsa-miR-424-5p	<a href="#">OTUD5</a>	OTU deubiquitinase 5
hsa-miR-424-5p	<a href="#">CLSPN</a>	claspin
hsa-miR-424-5p	<a href="#">RIMS3</a>	regulating synaptic membrane exocytosis 3
hsa-miR-424-5p	<a href="#">COPS7A</a>	COP9 signalosome subunit 7A
hsa-miR-424-5p	<a href="#">KMT2A</a>	lysine methyltransferase 2A
hsa-miR-424-5p	<a href="#">TCIM</a>	transcriptional and immune response regulator
hsa-miR-424-5p	<a href="#">RBM20</a>	RNA binding motif protein 20
hsa-miR-424-5p	<a href="#">BTLA</a>	B and T lymphocyte associated
hsa-miR-424-5p	<a href="#">TPM2</a>	tropomyosin 2
hsa-miR-424-5p	<a href="#">TNFAIP8L3</a>	TNF alpha induced protein 8 like 3
hsa-miR-424-5p	<a href="#">DLGAP1</a>	DLG associated protein 1
hsa-miR-424-5p	<a href="#">DEPTOR</a>	DEP domain containing MTOR interacting protein
hsa-miR-424-5p	<a href="#">LIPE</a>	lipase E, hormone sensitive type
hsa-miR-424-5p	<a href="#">YIF1B</a>	Yip1 interacting factor homolog B, membrane trafficking protein
hsa-miR-424-5p	<a href="#">ZBTB10</a>	zinc finger and BTB domain containing 10

hsa-miR-424-5p	<a href="#">NEBL</a>	nebullette
hsa-miR-424-5p	<a href="#">ETFRF1</a>	electron transfer flavoprotein regulatory factor 1
hsa-miR-424-5p	<a href="#">PWWP2B</a>	PWWP domain containing 2B
hsa-miR-424-5p	<a href="#">LRRC7</a>	leucine rich repeat containing 7
hsa-miR-424-5p	<a href="#">KCNAB1</a>	potassium voltage-gated channel subfamily A member regulatory beta subunit 1
hsa-miR-424-5p	<a href="#">SINHCAF</a>	SIN3-HDAC complex associated factor
hsa-miR-424-5p	<a href="#">C5orf63</a>	chromosome 5 open reading frame 63
hsa-miR-424-5p	<a href="#">DYNC1I1</a>	dynein cytoplasmic 1 intermediate chain 1
hsa-miR-424-5p	<a href="#">SRPRB</a>	SRP receptor subunit beta
hsa-miR-424-5p	<a href="#">PLPP3</a>	phospholipid phosphatase 3
hsa-miR-424-5p	<a href="#">CCNI</a>	cyclin J
hsa-miR-424-5p	<a href="#">RNF125</a>	ring finger protein 125
hsa-miR-424-5p	<a href="#">PHF20</a>	PHD finger protein 20
hsa-miR-424-5p	<a href="#">PLSCR4</a>	phospholipid scramblase 4
hsa-miR-424-5p	<a href="#">MINDY2</a>	MINDY lysine 48 deubiquitinase 2
hsa-miR-424-5p	<a href="#">BDNF</a>	brain derived neurotrophic factor
hsa-miR-424-5p	<a href="#">PPM1K</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1K
hsa-miR-424-5p	<a href="#">PCBP4</a>	poly(rC) binding protein 4
hsa-miR-424-5p	<a href="#">SLITRK1</a>	SLIT and NTRK like family member 1
hsa-miR-424-5p	<a href="#">DCUN1D1</a>	defective in cullin neddylation 1 domain containing 1
hsa-miR-424-5p	<a href="#">ADCY5</a>	adenylate cyclase 5
hsa-miR-424-5p	<a href="#">ZNF267</a>	zinc finger protein 267
hsa-miR-424-5p	<a href="#">PACRG</a>	parkin coregulated
hsa-miR-424-5p	<a href="#">TSC1</a>	TSC complex subunit 1
hsa-miR-424-5p	<a href="#">RGS8</a>	regulator of G protein signaling 8
hsa-miR-424-5p	<a href="#">USP49</a>	ubiquitin specific peptidase 49
hsa-miR-424-5p	<a href="#">ASB1</a>	ankyrin repeat and SOCS box containing 1
hsa-miR-424-5p	<a href="#">ZNF559-ZNF177</a>	ZNF559-ZNF177 readthrough
hsa-miR-424-5p	<a href="#">ZNF177</a>	zinc finger protein 177
hsa-miR-424-5p	<a href="#">CRKL</a>	CRK like proto-oncogene, adaptor protein
hsa-miR-424-5p	<a href="#">POM121C</a>	POM121 transmembrane nucleoporin C
hsa-miR-424-5p	<a href="#">RAB4B</a>	RAB4B, member RAS oncogene family
hsa-miR-424-5p	<a href="#">TTC25</a>	tetratricopeptide repeat domain 25
hsa-miR-424-5p	<a href="#">ELAC2</a>	elaC ribonuclease Z 2
hsa-miR-424-5p	<a href="#">RAB11FIP1</a>	RAB11 family interacting protein 1
hsa-miR-424-5p	<a href="#">WSB1</a>	WD repeat and SOCS box containing 1
hsa-miR-424-5p	<a href="#">ZBTB43</a>	zinc finger and BTB domain containing 43
hsa-miR-424-5p	<a href="#">PPM1H</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1H
hsa-miR-424-5p	<a href="#">CD40</a>	CD40 molecule
hsa-miR-424-5p	<a href="#">OSCAR</a>	osteoclast associated, immunoglobulin-like receptor
hsa-miR-424-5p	<a href="#">HSPA1B</a>	heat shock protein family A (Hsp70) member 1B
hsa-miR-424-5p	<a href="#">SLC38A4</a>	solute carrier family 38 member 4
hsa-miR-424-5p	<a href="#">PCDHA8</a>	protocadherin alpha 8
hsa-miR-424-5p	<a href="#">PCDHAC1</a>	protocadherin alpha subfamily C, 1

hsa-miR-424-5p	<a href="#">C8orf58</a>	chromosome 8 open reading frame 58
hsa-miR-424-5p	<a href="#">PANK1</a>	pantothenate kinase 1
hsa-miR-424-5p	<a href="#">PAM</a>	peptidylglycine alpha-amidating monooxygenase
hsa-miR-424-5p	<a href="#">SIDT2</a>	SID1 transmembrane family member 2
hsa-miR-424-5p	<a href="#">PCDHAC2</a>	protocadherin alpha subfamily C, 2
hsa-miR-424-5p	<a href="#">PCDHA13</a>	protocadherin alpha 13
hsa-miR-424-5p	<a href="#">ESRRG</a>	estrogen related receptor gamma
hsa-miR-424-5p	<a href="#">FGF18</a>	fibroblast growth factor 18
hsa-miR-424-5p	<a href="#">PCDHA10</a>	protocadherin alpha 10
hsa-miR-424-5p	<a href="#">PCDHA5</a>	protocadherin alpha 5
hsa-miR-424-5p	<a href="#">BORCS6</a>	BLOC-1 related complex subunit 6
hsa-miR-424-5p	<a href="#">PRR13</a>	proline rich 13
hsa-miR-424-5p	<a href="#">FNDC3B</a>	fibronectin type III domain containing 3B
hsa-miR-424-5p	<a href="#">UNC5B</a>	unc-5 netrin receptor B
hsa-miR-424-5p	<a href="#">PCDHA6</a>	protocadherin alpha 6
hsa-miR-424-5p	<a href="#">PCDHA11</a>	protocadherin alpha 11
hsa-miR-424-5p	<a href="#">RAB23</a>	RAB23, member RAS oncogene family
hsa-miR-424-5p	<a href="#">PCDHA3</a>	protocadherin alpha 3
hsa-miR-424-5p	<a href="#">RNF183</a>	ring finger protein 183
hsa-miR-424-5p	<a href="#">UBE2I1</a>	ubiquitin conjugating enzyme E2 J1
hsa-miR-424-5p	<a href="#">KY</a>	kyphoscoliosis peptidase
hsa-miR-424-5p	<a href="#">PDPR</a>	pyruvate dehydrogenase phosphatase regulatory subunit
hsa-miR-424-5p	<a href="#">MAPK8</a>	mitogen-activated protein kinase 8
hsa-miR-424-5p	<a href="#">COL4A3BP</a>	collagen type IV alpha 3 binding protein
hsa-miR-424-5p	<a href="#">MAP3K21</a>	mitogen-activated protein kinase kinase kinase 21
hsa-miR-424-5p	<a href="#">PCDHA4</a>	protocadherin alpha 4
hsa-miR-424-5p	<a href="#">ABCG4</a>	ATP binding cassette subfamily G member 4
hsa-miR-424-5p	<a href="#">LYPLAL1</a>	lysophospholipase like 1
hsa-miR-424-5p	<a href="#">CDS2</a>	CDP-diacylglycerol synthase 2
hsa-miR-424-5p	<a href="#">HOXC8</a>	homeobox C8
hsa-miR-424-5p	<a href="#">PCDHA1</a>	protocadherin alpha 1
hsa-miR-424-5p	<a href="#">NFS1</a>	NFS1, cysteine desulfurase
hsa-miR-424-5p	<a href="#">PCDHA7</a>	protocadherin alpha 7
hsa-miR-424-5p	<a href="#">PCDHA2</a>	protocadherin alpha 2
hsa-miR-424-5p	<a href="#">PSMA5</a>	proteasome subunit alpha 5
hsa-miR-424-5p	<a href="#">PCDHA12</a>	protocadherin alpha 12
hsa-miR-424-5p	<a href="#">UBE3C</a>	ubiquitin protein ligase E3C
hsa-miR-424-5p	<a href="#">ZNF705A</a>	zinc finger protein 705A
hsa-miR-424-5p	<a href="#">FCHSD2</a>	FCH and double SH3 domains 2
hsa-miR-424-5p	<a href="#">CHORDC1</a>	cysteine and histidine rich domain containing 1
hsa-miR-424-5p	<a href="#">UBAC1</a>	UBA domain containing 1
hsa-miR-424-5p	<a href="#">SNIP1</a>	Smad nuclear interacting protein 1
hsa-miR-424-5p	<a href="#">GRK3</a>	G protein-coupled receptor kinase 3
hsa-miR-424-5p	<a href="#">DHRS7</a>	dehydrogenase/reductase 7

hsa-miR-424-5p	<a href="#">XDH</a>	xanthine dehydrogenase
hsa-miR-424-5p	<a href="#">GEN1</a>	GEN1, Holliday junction 5' flap endonuclease
hsa-miR-424-5p	<a href="#">NLRX1</a>	NLR family member X1
hsa-miR-424-5p	<a href="#">DACH1</a>	dachshund family transcription factor 1
hsa-miR-424-5p	<a href="#">ATP5MC3</a>	ATP synthase membrane subunit c locus 3
hsa-miR-424-5p	<a href="#">TVP23C</a>	trans-golgi network vesicle protein 23 homolog C
hsa-miR-424-5p	<a href="#">RUBCNL</a>	rubicon like autophagy enhancer
hsa-miR-424-5p	<a href="#">WAPL</a>	WAPL cohesin release factor
hsa-miR-424-5p	<a href="#">BACE1</a>	beta-secretase 1
hsa-miR-424-5p	<a href="#">BMX</a>	BMX non-receptor tyrosine kinase
hsa-miR-424-5p	<a href="#">RHPN2</a>	rhophilin Rho GTPase binding protein 2
hsa-miR-424-5p	<a href="#">VSIR</a>	V-set immunoregulatory receptor
hsa-miR-424-5p	<a href="#">IRS1</a>	insulin receptor substrate 1
hsa-miR-424-5p	<a href="#">SGCA</a>	sarcoglycan alpha
hsa-miR-424-5p	<a href="#">CCDC18</a>	coiled-coil domain containing 18
hsa-miR-424-5p	<a href="#">PFKFB4</a>	6-phosphofructo-2-kinase/fructose-2,6-biphosphatase 4
hsa-miR-424-5p	<a href="#">NAT8L</a>	N-acetyltransferase 8 like
hsa-miR-424-5p	<a href="#">NAPEPLD</a>	N-acyl phosphatidylethanolamine phospholipase D
hsa-miR-424-5p	<a href="#">DCAF7</a>	DDB1 and CUL4 associated factor 7
hsa-miR-424-5p	<a href="#">KCNIP1</a>	potassium voltage-gated channel interacting protein 1
hsa-miR-424-5p	<a href="#">RYBP</a>	RING1 and YY1 binding protein
hsa-miR-424-5p	<a href="#">PEX12</a>	peroxisomal biogenesis factor 12
hsa-miR-424-5p	<a href="#">GRB10</a>	growth factor receptor bound protein 10
hsa-miR-424-5p	<a href="#">MAP2K3</a>	mitogen-activated protein kinase kinase 3
hsa-miR-424-5p	<a href="#">EMC4</a>	ER membrane protein complex subunit 4
hsa-miR-424-5p	<a href="#">AP1S2</a>	adaptor related protein complex 1 subunit sigma 2
hsa-miR-424-5p	<a href="#">HARS2</a>	histidyl-tRNA synthetase 2, mitochondrial
hsa-miR-424-5p	<a href="#">TREM1</a>	triggering receptor expressed on myeloid cells 1
hsa-miR-424-5p	<a href="#">RAP2C</a>	RAP2C, member of RAS oncogene family
hsa-miR-424-5p	<a href="#">CRACR2B</a>	calcium release activated channel regulator 2B
hsa-miR-424-5p	<a href="#">SLC30A8</a>	solute carrier family 30 member 8
hsa-miR-424-5p	<a href="#">HAS2</a>	hyaluronan synthase 2
hsa-miR-424-5p	<a href="#">LRP1B</a>	LDL receptor related protein 1B
hsa-miR-424-5p	<a href="#">SEC61A1</a>	Sec61 translocon alpha 1 subunit
hsa-miR-424-5p	<a href="#">MIEF2</a>	mitochondrial elongation factor 2
hsa-miR-424-5p	<a href="#">GRB2</a>	growth factor receptor bound protein 2
hsa-miR-424-5p	<a href="#">PDLIM5</a>	PDZ and LIM domain 5
hsa-miR-424-5p	<a href="#">ANOS1</a>	anosmin 1
hsa-miR-424-5p	<a href="#">CDV3</a>	CDV3 homolog
hsa-miR-424-5p	<a href="#">SMPD1</a>	sphingomyelin phosphodiesterase 1
hsa-miR-424-5p	<a href="#">CPSF6</a>	cleavage and polyadenylation specific factor 6
hsa-miR-424-5p	<a href="#">FRYL</a>	FRY like transcription coactivator
hsa-miR-424-5p	<a href="#">EIF4E</a>	eukaryotic translation initiation factor 4E
hsa-miR-424-5p	<a href="#">SLC24A3</a>	solute carrier family 24 member 3

hsa-miR-424-5p	<a href="#">CLU</a>	clusterin
hsa-miR-424-5p	<a href="#">IPO9</a>	importin 9
hsa-miR-424-5p	<a href="#">COL24A1</a>	collagen type XXIV alpha 1 chain
hsa-miR-424-5p	<a href="#">TEX19</a>	testis expressed 19
hsa-miR-424-5p	<a href="#">OCRL</a>	OCRL, inositol polyphosphate-5-phosphatase
hsa-miR-424-5p	<a href="#">MTAP</a>	methylthioadenosine phosphorylase
hsa-miR-424-5p	<a href="#">ZNF705D</a>	zinc finger protein 705D
hsa-miR-424-5p	<a href="#">UMOD</a>	uromodulin
hsa-miR-424-5p	<a href="#">PARD6B</a>	par-6 family cell polarity regulator beta
hsa-miR-424-5p	<a href="#">VSX1</a>	visual system homeobox 1
hsa-miR-424-5p	<a href="#">EFCAB5</a>	EF-hand calcium binding domain 5
hsa-miR-424-5p	<a href="#">TATDN3</a>	TatD DNase domain containing 3
hsa-miR-424-5p	<a href="#">PLS1</a>	plastin 1
hsa-miR-424-5p	<a href="#">CCDC179</a>	coiled-coil domain containing 179
hsa-miR-424-5p	<a href="#">AJUBA</a>	ajuba LIM protein
hsa-miR-424-5p	<a href="#">TUBA1A</a>	tubulin alpha 1a
hsa-miR-424-5p	<a href="#">ELMO2</a>	engulfment and cell motility 2
hsa-miR-424-5p	<a href="#">CACNA2D4</a>	calcium voltage-gated channel auxiliary subunit alpha2delta 4
hsa-miR-424-5p	<a href="#">CDC23</a>	cell division cycle 23
hsa-miR-424-5p	<a href="#">AP5B1</a>	adaptor related protein complex 5 subunit beta 1
hsa-miR-424-5p	<a href="#">FRY</a>	FRY microtubule binding protein
hsa-miR-424-5p	<a href="#">MED14OS</a>	MED14 opposite strand
hsa-miR-424-5p	<a href="#">TARBP1</a>	TAR (HIV-1) RNA binding protein 1
hsa-miR-424-5p	<a href="#">KCNC2</a>	potassium voltage-gated channel subfamily C member 2
hsa-miR-424-5p	<a href="#">NFRKB</a>	nuclear factor related to kappaB binding protein
hsa-miR-424-5p	<a href="#">RBSN</a>	rabenosyn, RAB effector
hsa-miR-424-5p	<a href="#">ITGA10</a>	integrin subunit alpha 10
hsa-miR-424-5p	<a href="#">DRAM1</a>	DNA damage regulated autophagy modulator 1
hsa-miR-424-5p	<a href="#">AQP11</a>	aquaporin 11
hsa-miR-424-5p	<a href="#">TBCK</a>	TBC1 domain containing kinase
hsa-miR-424-5p	<a href="#">SSRP1</a>	structure specific recognition protein 1
hsa-miR-424-5p	<a href="#">TASP1</a>	taspase 1
hsa-miR-424-5p	<a href="#">SARM1</a>	sterile alpha and TIR motif containing 1
hsa-miR-424-5p	<a href="#">RNF138</a>	ring finger protein 138
hsa-miR-424-5p	<a href="#">B4GALT1</a>	beta-1,4-galactosyltransferase 1
hsa-miR-424-5p	<a href="#">ZC3H11A</a>	zinc finger CCCH-type containing 11A
hsa-miR-424-5p	<a href="#">CYB561D1</a>	cytochrome b561 family member D1
hsa-miR-424-5p	<a href="#">ITPR1</a>	inositol 1,4,5-trisphosphate receptor type 1
hsa-miR-424-5p	<a href="#">UBE2B</a>	ubiquitin conjugating enzyme E2 B
hsa-miR-424-5p	<a href="#">TFPI2</a>	tissue factor pathway inhibitor 2
hsa-miR-424-5p	<a href="#">RBMS1</a>	RNA binding motif single stranded interacting protein 1
hsa-miR-424-5p	<a href="#">CYB5B</a>	cytochrome b5 type B
hsa-miR-424-5p	<a href="#">SEN5</a>	SUMO specific peptidase 5
hsa-miR-424-5p	<a href="#">GRM1</a>	glutamate metabotropic receptor 1



hsa-miR-424-5p	<a href="#">FCHSD1</a>	FCH and double SH3 domains 1
hsa-miR-424-5p	<a href="#">SIDT1</a>	SID1 transmembrane family member 1
hsa-miR-424-5p	<a href="#">SYNDIG1</a>	synapse differentiation inducing 1
hsa-miR-424-5p	<a href="#">SLITRK6</a>	SLIT and NTRK like family member 6
hsa-miR-424-5p	<a href="#">ARRDC4</a>	arrestin domain containing 4
hsa-miR-424-5p	<a href="#">SAMD4A</a>	sterile alpha motif domain containing 4A
hsa-miR-424-5p	<a href="#">MYLK4</a>	myosin light chain kinase family member 4
hsa-miR-424-5p	<a href="#">CYB561</a>	cytochrome b561
hsa-miR-424-5p	<a href="#">CCDC28A</a>	coiled-coil domain containing 28A
hsa-miR-424-5p	<a href="#">KLF7</a>	Kruppel like factor 7
hsa-miR-424-5p	<a href="#">TMEM143</a>	transmembrane protein 143
hsa-miR-424-5p	<a href="#">EPHA1</a>	EPH receptor A1
hsa-miR-424-5p	<a href="#">CCDC149</a>	coiled-coil domain containing 149
hsa-miR-424-5p	<a href="#">ACACB</a>	acetyl-CoA carboxylase beta
hsa-miR-424-5p	<a href="#">LYNX1</a>	Ly6/neurotoxin 1
hsa-miR-424-5p	<a href="#">HSPA8</a>	heat shock protein family A (Hsp70) member 8
hsa-miR-424-5p	<a href="#">BACE2</a>	beta-secretase 2
hsa-miR-424-5p	<a href="#">C15orf40</a>	chromosome 15 open reading frame 40
hsa-miR-424-5p	<a href="#">SRPK1</a>	SRSF protein kinase 1
hsa-miR-424-5p	<a href="#">RPS6KB1</a>	ribosomal protein S6 kinase B1
hsa-miR-424-5p	<a href="#">NHSL1</a>	NHS like 1
hsa-miR-424-5p	<a href="#">MAP3K4</a>	mitogen-activated protein kinase kinase kinase 4
hsa-miR-424-5p	<a href="#">VEGFD</a>	vascular endothelial growth factor D
hsa-miR-424-5p	<a href="#">LGI2</a>	leucine rich repeat LGI family member 2
hsa-miR-424-5p	<a href="#">FAM189A1</a>	family with sequence similarity 189 member A1
hsa-miR-424-5p	<a href="#">BRK1</a>	BRICK1, SCAR/WAVE actin nucleating complex subunit
hsa-miR-424-5p	<a href="#">TXNRD2</a>	thioredoxin reductase 2
hsa-miR-424-5p	<a href="#">ERLIN2</a>	ER lipid raft associated 2
hsa-miR-424-5p	<a href="#">PLEKHB2</a>	pleckstrin homology domain containing B2
hsa-miR-424-5p	<a href="#">GATAD2B</a>	GATA zinc finger domain containing 2B
hsa-miR-424-5p	<a href="#">SNX29</a>	sorting nexin 29
hsa-miR-424-5p	<a href="#">CSMD1</a>	CUB and Sushi multiple domains 1
hsa-miR-424-5p	<a href="#">ESYT3</a>	extended synaptotagmin 3
hsa-miR-424-5p	<a href="#">SKIL</a>	SKI like proto-oncogene
hsa-miR-424-5p	<a href="#">SLC4A8</a>	solute carrier family 4 member 8
hsa-miR-424-5p	<a href="#">OTUB2</a>	OTU deubiquitinase, ubiquitin aldehyde binding 2
hsa-miR-424-5p	<a href="#">PHIP</a>	pleckstrin homology domain interacting protein
hsa-miR-424-5p	<a href="#">ISOC1</a>	isochorismatase domain containing 1
hsa-miR-424-5p	<a href="#">TTPAL</a>	alpha tocopherol transfer protein like
hsa-miR-424-5p	<a href="#">HS3ST5</a>	heparan sulfate-glucosamine 3-sulfotransferase 5
hsa-miR-424-5p	<a href="#">CNNM2</a>	cyclin and CBS domain divalent metal cation transport mediator 2
hsa-miR-424-5p	<a href="#">C11orf24</a>	chromosome 11 open reading frame 24
hsa-miR-424-5p	<a href="#">ASTN1</a>	astrotactin 1
hsa-miR-424-5p	<a href="#">SF3B3</a>	splicing factor 3b subunit 3

hsa-miR-424-5p	<a href="#">SLC16A6</a>	solute carrier family 16 member 6
hsa-miR-424-5p	<a href="#">KCNMA1</a>	potassium calcium-activated channel subfamily M alpha 1
hsa-miR-424-5p	<a href="#">CXorf40B</a>	chromosome X open reading frame 40B
hsa-miR-424-5p	<a href="#">DSEL</a>	dermatan sulfate epimerase like
hsa-miR-424-5p	<a href="#">CACNB4</a>	calcium voltage-gated channel auxiliary subunit beta 4
hsa-miR-424-5p	<a href="#">ELAVL4</a>	ELAV like RNA binding protein 4
hsa-miR-424-5p	<a href="#">GLUD1</a>	glutamate dehydrogenase 1
hsa-miR-424-5p	<a href="#">PTPN14</a>	protein tyrosine phosphatase, non-receptor type 14
hsa-miR-424-5p	<a href="#">DNAJC24</a>	DnaJ heat shock protein family (Hsp40) member C24
hsa-miR-424-5p	<a href="#">PSMD7</a>	proteasome 26S subunit, non-ATPase 7
hsa-miR-424-5p	<a href="#">PKDCC</a>	protein kinase domain containing, cytoplasmic
hsa-miR-424-5p	<a href="#">ZBTB7A</a>	zinc finger and BTB domain containing 7A
hsa-miR-424-5p	<a href="#">PLEKHH1</a>	pleckstrin homology, MyTH4 and FERM domain containing H1
hsa-miR-424-5p	<a href="#">RNF111</a>	ring finger protein 111
hsa-miR-424-5p	<a href="#">GABRA1</a>	gamma-aminobutyric acid type A receptor alpha1 subunit
hsa-miR-424-5p	<a href="#">LAMTOR4</a>	late endosomal/lysosomal adaptor, MAPK and MTOR activator 4
hsa-miR-424-5p	<a href="#">MAMLD1</a>	mastermind like domain containing 1
hsa-miR-424-5p	<a href="#">IL17RE</a>	interleukin 17 receptor E
hsa-miR-424-5p	<a href="#">NACC2</a>	NACC family member 2
hsa-miR-424-5p	<a href="#">DPP8</a>	dipeptidyl peptidase 8
hsa-miR-424-5p	<a href="#">FCRL2</a>	Fc receptor like 2
hsa-miR-424-5p	<a href="#">NRARP</a>	NOTCH regulated ankyrin repeat protein
hsa-miR-424-5p	<a href="#">RAB3IP</a>	RAB3A interacting protein
hsa-miR-424-5p	<a href="#">ZBTB2</a>	zinc finger and BTB domain containing 2
hsa-miR-424-5p	<a href="#">PCDHA9</a>	protocadherin alpha 9
hsa-miR-424-5p	<a href="#">BTN1A1</a>	butyrophilin subfamily 1 member A1
hsa-miR-424-5p	<a href="#">XPR1</a>	xenotropic and polytropic retrovirus receptor 1
hsa-miR-424-5p	<a href="#">NDP</a>	NDP, norrin cystine knot growth factor
hsa-miR-424-5p	<a href="#">LHFPL4</a>	LHFPL tetraspan subfamily member 4
hsa-miR-424-5p	<a href="#">GABRP</a>	gamma-aminobutyric acid type A receptor pi subunit
hsa-miR-424-5p	<a href="#">RAB40A</a>	RAB40A, member RAS oncogene family
hsa-miR-424-5p	<a href="#">MAFK</a>	MAF bZIP transcription factor K
hsa-miR-424-5p	<a href="#">BACH2</a>	BTB domain and CNC homolog 2
hsa-miR-424-5p	<a href="#">SGPL1</a>	sphingosine-1-phosphate lyase 1
hsa-miR-424-5p	<a href="#">VSTM2A</a>	V-set and transmembrane domain containing 2A
hsa-miR-424-5p	<a href="#">FDFT1</a>	farnesyl-diphosphate farnesyltransferase 1
hsa-miR-424-5p	<a href="#">RANBP3</a>	RAN binding protein 3
hsa-miR-424-5p	<a href="#">TBC1D9</a>	TBC1 domain family member 9
hsa-miR-424-5p	<a href="#">KLHL15</a>	kelch like family member 15
hsa-miR-424-5p	<a href="#">COMT</a>	catechol-O-methyltransferase
hsa-miR-424-5p	<a href="#">IRF2BP2</a>	interferon regulatory factor 2 binding protein 2
hsa-miR-424-5p	<a href="#">ANKIB1</a>	ankyrin repeat and IBR domain containing 1

hsa-miR-424-5p	<a href="#">ODAPH</a>	odontogenesis associated phosphoprotein
hsa-miR-424-5p	<a href="#">STX1A</a>	syntaxin 1A
hsa-miR-424-5p	<a href="#">TTC39A</a>	tetratricopeptide repeat domain 39A
hsa-miR-424-5p	<a href="#">MICAL2</a>	microtubule associated monooxygenase, calponin and LIM domain containing 2
hsa-miR-424-5p	<a href="#">MAP3K7</a>	mitogen-activated protein kinase kinase kinase 7
hsa-miR-424-5p	<a href="#">LHPP</a>	phospholysine phosphohistidine inorganic pyrophosphate phosphatase
hsa-miR-424-5p	<a href="#">SYDE1</a>	synapse defective Rho GTPase homolog 1
hsa-miR-424-5p	<a href="#">ARHGEF12</a>	Rho guanine nucleotide exchange factor 12
hsa-miR-424-5p	<a href="#">RELT</a>	RELT, TNF receptor
hsa-miR-424-5p	<a href="#">USP14</a>	ubiquitin specific peptidase 14
hsa-miR-424-5p	<a href="#">CD28</a>	CD28 molecule
hsa-miR-424-5p	<a href="#">PIP4K2C</a>	phosphatidylinositol-5-phosphate 4-kinase type 2 gamma
hsa-miR-424-5p	<a href="#">ELP1</a>	elongator complex protein 1
hsa-miR-424-5p	<a href="#">GNA12</a>	G protein subunit alpha 12
hsa-miR-424-5p	<a href="#">NMD3</a>	NMD3 ribosome export adaptor
hsa-miR-424-5p	<a href="#">CAB39</a>	calcium binding protein 39
hsa-miR-424-5p	<a href="#">PTPRM</a>	protein tyrosine phosphatase, receptor type M
hsa-miR-424-5p	<a href="#">MYO1C</a>	myosin IC
hsa-miR-424-5p	<a href="#">CXCR3</a>	C-X-C motif chemokine receptor 3
hsa-miR-424-5p	<a href="#">CNIH2</a>	cornichon family AMPA receptor auxiliary protein 2
hsa-miR-424-5p	<a href="#">PAFAH2</a>	platelet activating factor acetylhydrolase 2
hsa-miR-424-5p	<a href="#">BPIFA1</a>	BPI fold containing family A member 1
hsa-miR-424-5p	<a href="#">TAOK1</a>	TAO kinase 1
hsa-miR-424-5p	<a href="#">LHFPL5</a>	LHFPL tetraspan subfamily member 5
hsa-miR-424-5p	<a href="#">GLCE</a>	glucuronic acid epimerase
hsa-miR-424-5p	<a href="#">TNIK</a>	TRAF2 and NCK interacting kinase
hsa-miR-424-5p	<a href="#">SSU72</a>	SSU72 homolog, RNA polymerase II CTD phosphatase
hsa-miR-424-5p	<a href="#">M6PR</a>	mannose-6-phosphate receptor, cation dependent
hsa-miR-424-5p	<a href="#">SVEP1</a>	sushi, von Willebrand factor type A, EGF and pentraxin domain containing 1
hsa-miR-424-5p	<a href="#">DCN</a>	decorin
hsa-miR-424-5p	<a href="#">SEC14L4</a>	SEC14 like lipid binding 4
hsa-miR-424-5p	<a href="#">C6orf222</a>	chromosome 6 open reading frame 222
hsa-miR-424-5p	<a href="#">RBMS2</a>	RNA binding motif single stranded interacting protein 2
hsa-miR-424-5p	<a href="#">VAMP1</a>	vesicle associated membrane protein 1
hsa-miR-424-5p	<a href="#">NIM1K</a>	NIM1 serine/threonine protein kinase
hsa-miR-424-5p	<a href="#">CMTM4</a>	CKLF like MARVEL transmembrane domain containing 4
hsa-miR-424-5p	<a href="#">GHSR</a>	growth hormone secretagogue receptor
hsa-miR-424-5p	<a href="#">IGSF23</a>	immunoglobulin superfamily member 23
hsa-miR-424-5p	<a href="#">KCTD1</a>	potassium channel tetramerization domain containing 1
hsa-miR-424-5p	<a href="#">TAF5</a>	TATA-box binding protein associated factor 5
hsa-miR-424-5p	<a href="#">MYADM</a>	myeloid associated differentiation marker
hsa-miR-424-5p	<a href="#">LCP1</a>	lymphocyte cytosolic protein 1

hsa-miR-424-5p	<a href="#">TRIM37</a>	tripartite motif containing 37
hsa-miR-424-5p	<a href="#">FSTL4</a>	follistatin like 4
hsa-miR-424-5p	<a href="#">TRAF6</a>	TNF receptor associated factor 6
hsa-miR-424-5p	<a href="#">VWA8</a>	von Willebrand factor A domain containing 8
hsa-miR-424-5p	<a href="#">RAB3D</a>	RAB3D, member RAS oncogene family
hsa-miR-424-5p	<a href="#">CDC42</a>	cell division cycle 42
hsa-miR-424-5p	<a href="#">TTL</a>	tubulin tyrosine ligase
hsa-miR-424-5p	<a href="#">PIAS1</a>	protein inhibitor of activated STAT 1
hsa-miR-424-5p	<a href="#">GRAMD2B</a>	GRAM domain containing 2B
hsa-miR-424-5p	<a href="#">TBC1D16</a>	TBC1 domain family member 16
hsa-miR-424-5p	<a href="#">ZNF662</a>	zinc finger protein 662
hsa-miR-424-5p	<a href="#">MLLT6</a>	MLLT6, PHD finger containing
hsa-miR-424-5p	<a href="#">DEDD</a>	death effector domain containing
hsa-miR-424-5p	<a href="#">KLHL26</a>	kelch like family member 26
hsa-miR-424-5p	<a href="#">AP2B1</a>	adaptor related protein complex 2 subunit beta 1
hsa-miR-424-5p	<a href="#">ASB7</a>	ankyrin repeat and SOCS box containing 7
hsa-miR-424-5p	<a href="#">SLC22A17</a>	solute carrier family 22 member 17
hsa-miR-424-5p	<a href="#">ZER1</a>	zyg-11 related cell cycle regulator
hsa-miR-424-5p	<a href="#">NFE2L1</a>	nuclear factor, erythroid 2 like 1
hsa-miR-424-5p	<a href="#">PPP1R2</a>	protein phosphatase 1 regulatory inhibitor subunit 2
hsa-miR-424-5p	<a href="#">SOGA1</a>	suppressor of glucose, autophagy associated 1
hsa-miR-424-5p	<a href="#">CWC15</a>	CWC15 spliceosome associated protein homolog
hsa-miR-424-5p	<a href="#">PPIL4</a>	peptidylprolyl isomerase like 4
hsa-miR-424-5p	<a href="#">CHD6</a>	chromodomain helicase DNA binding protein 6
hsa-miR-424-5p	<a href="#">ARMC8</a>	armadillo repeat containing 8
hsa-miR-424-5p	<a href="#">CABLES2</a>	Cdk5 and Abl enzyme substrate 2
hsa-miR-424-5p	<a href="#">GRPR</a>	gastrin releasing peptide receptor
hsa-miR-424-5p	<a href="#">RAB35</a>	RAB35, member RAS oncogene family
hsa-miR-424-5p	<a href="#">FAM174B</a>	family with sequence similarity 174 member B
hsa-miR-424-5p	<a href="#">ACTR1A</a>	ARP1 actin related protein 1 homolog A
hsa-miR-424-5p	<a href="#">C5orf64</a>	chromosome 5 open reading frame 64
hsa-miR-424-5p	<a href="#">TMPRSS15</a>	transmembrane serine protease 15
hsa-miR-424-5p	<a href="#">TMEM138</a>	transmembrane protein 138
hsa-miR-424-5p	<a href="#">PITPNA</a>	phosphatidylinositol transfer protein alpha
hsa-miR-424-5p	<a href="#">ESRP1</a>	epithelial splicing regulatory protein 1
hsa-miR-424-5p	<a href="#">LOC100996842</a>	uncharacterized LOC100996842
hsa-miR-424-5p	<a href="#">VAPB</a>	VAMP associated protein B and C
hsa-miR-424-5p	<a href="#">PTCD3</a>	pentatricopeptide repeat domain 3
hsa-miR-424-5p	<a href="#">PAGR1</a>	PAXIP1 associated glutamate rich protein 1
hsa-miR-424-5p	<a href="#">ZDHHC21</a>	zinc finger DHHC-type containing 21
hsa-miR-424-5p	<a href="#">HIPK3</a>	homeodomain interacting protein kinase 3
hsa-miR-424-5p	<a href="#">FBXO33</a>	F-box protein 33
hsa-miR-424-5p	<a href="#">ARMC1</a>	armadillo repeat containing 1
hsa-miR-424-5p	<a href="#">PDCD4</a>	programmed cell death 4
hsa-miR-424-5p	<a href="#">AK9</a>	adenylate kinase 9

hsa-miR-424-5p	<a href="#">ANKRD13B</a>	ankyrin repeat domain 13B
hsa-miR-424-5p	<a href="#">ADAM10</a>	ADAM metalloproteinase domain 10
hsa-miR-424-5p	<a href="#">VAMP8</a>	vesicle associated membrane protein 8
hsa-miR-424-5p	<a href="#">TMEM33</a>	transmembrane protein 33
hsa-miR-424-5p	<a href="#">SCN4B</a>	sodium voltage-gated channel beta subunit 4
hsa-miR-424-5p	<a href="#">GOLGA4</a>	golgin A4
hsa-miR-424-5p	<a href="#">RAD9A</a>	RAD9 checkpoint clamp component A
hsa-miR-424-5p	<a href="#">DTNA</a>	dystrobrevin alpha
hsa-miR-424-5p	<a href="#">BHLHE41</a>	basic helix-loop-helix family member e41
hsa-miR-424-5p	<a href="#">PRR15L</a>	proline rich 15 like
hsa-miR-424-5p	<a href="#">CADM1</a>	cell adhesion molecule 1
hsa-miR-424-5p	<a href="#">PLPP6</a>	phospholipid phosphatase 6
hsa-miR-424-5p	<a href="#">PEX5</a>	peroxisomal biogenesis factor 5
hsa-miR-424-5p	<a href="#">SH2D2A</a>	SH2 domain containing 2A
hsa-miR-424-5p	<a href="#">TPM3</a>	tropomyosin 3
hsa-miR-424-5p	<a href="#">C8orf86</a>	chromosome 8 open reading frame 86
hsa-miR-424-5p	<a href="#">EYA4</a>	EYA transcriptional coactivator and phosphatase 4
hsa-miR-424-5p	<a href="#">POM121</a>	POM121 transmembrane nucleoporin
hsa-miR-424-5p	<a href="#">HOXA3</a>	homeobox A3
hsa-miR-424-5p	<a href="#">NXPH1</a>	neurexophilin 1
hsa-miR-424-5p	<a href="#">CHRNA2</a>	cholinergic receptor nicotinic beta 2 subunit
hsa-miR-424-5p	<a href="#">GDI2</a>	GDP dissociation inhibitor 2
hsa-miR-424-5p	<a href="#">WASL</a>	Wiskott-Aldrich syndrome like
hsa-miR-424-5p	<a href="#">PGM2L1</a>	phosphoglucomutase 2 like 1
hsa-miR-424-5p	<a href="#">CPNE1</a>	copine 1
hsa-miR-424-5p	<a href="#">CDK6</a>	cyclin dependent kinase 6
hsa-miR-424-5p	<a href="#">NECAP1</a>	NECAP endocytosis associated 1
hsa-miR-424-5p	<a href="#">ESS2</a>	ess-2 splicing factor homolog
hsa-miR-424-5p	<a href="#">SCN2A</a>	sodium voltage-gated channel alpha subunit 2
hsa-miR-424-5p	<a href="#">ORC4</a>	origin recognition complex subunit 4
hsa-miR-424-5p	<a href="#">FBXO22</a>	F-box protein 22
hsa-miR-424-5p	<a href="#">sept-11</a>	septin 11
hsa-miR-424-5p	<a href="#">AEBP2</a>	AE binding protein 2
hsa-miR-424-5p	<a href="#">ZNF436</a>	zinc finger protein 436
hsa-miR-424-5p	<a href="#">CAST</a>	calpastatin
hsa-miR-424-5p	<a href="#">RASGEF5</a>	Ras association domain family member 5
hsa-miR-424-5p	<a href="#">THSD4</a>	thrombospondin type 1 domain containing 4
hsa-miR-424-5p	<a href="#">CCDC81</a>	coiled-coil domain containing 81
hsa-miR-424-5p	<a href="#">SLC4A7</a>	solute carrier family 4 member 7
hsa-miR-424-5p	<a href="#">MRAS</a>	muscle RAS oncogene homolog
hsa-miR-424-5p	<a href="#">SBNB1</a>	strawberry notch homolog 1
hsa-miR-424-5p	<a href="#">CXorf40A</a>	chromosome X open reading frame 40A
hsa-miR-424-5p	<a href="#">TFEC</a>	transcription factor EC
hsa-miR-424-5p	<a href="#">AATK</a>	apoptosis associated tyrosine kinase
hsa-miR-424-5p	<a href="#">SLC9B2</a>	solute carrier family 9 member B2

hsa-miR-424-5p	<a href="#">DAZAP2</a>	DAZ associated protein 2
hsa-miR-424-5p	<a href="#">PRKAA1</a>	protein kinase AMP-activated catalytic subunit alpha 1
hsa-miR-424-5p	<a href="#">B3GNT2</a>	UDP-GlcNAc:betaGal beta-1,3-N-acetylglucosaminyltransferase 2
hsa-miR-424-5p	<a href="#">ZNF609</a>	zinc finger protein 609
hsa-miR-424-5p	<a href="#">GORASP1</a>	golgi reassembly stacking protein 1
hsa-miR-424-5p	<a href="#">RDH13</a>	retinol dehydrogenase 13
hsa-miR-424-5p	<a href="#">FSD1</a>	fibronectin type III and SPRY domain containing 1
hsa-miR-424-5p	<a href="#">ADAP1</a>	ArfGAP with dual PH domains 1
hsa-miR-424-5p	<a href="#">SWAP70</a>	switching B cell complex subunit SWAP70
hsa-miR-424-5p	<a href="#">MIPOL1</a>	mirror-image polydactyly 1
hsa-miR-424-5p	<a href="#">MBTPS2</a>	membrane bound transcription factor peptidase, site 2
hsa-miR-424-5p	<a href="#">MYLK3</a>	myosin light chain kinase 3
hsa-miR-424-5p	<a href="#">THUMPD1</a>	THUMP domain containing 1
hsa-miR-424-5p	<a href="#">NEXMIF</a>	neurite extension and migration factor
hsa-miR-424-5p	<a href="#">ZDHC14</a>	zinc finger DHHC-type containing 14
hsa-miR-424-5p	<a href="#">FLCN</a>	folliculin
hsa-miR-424-5p	<a href="#">KLC4</a>	kinesin light chain 4
hsa-miR-424-5p	<a href="#">PSME3</a>	proteasome activator subunit 3
hsa-miR-424-5p	<a href="#">ZNF699</a>	zinc finger protein 699
hsa-miR-424-5p	<a href="#">SLC9A8</a>	solute carrier family 9 member A8
hsa-miR-424-5p	<a href="#">EFNB2</a>	ephrin B2
hsa-miR-424-5p	<a href="#">PPP2R1A</a>	protein phosphatase 2 scaffold subunit Aalpha
hsa-miR-424-5p	<a href="#">CDC14A</a>	cell division cycle 14A
hsa-miR-424-5p	<a href="#">RPRD1B</a>	regulation of nuclear pre-mRNA domain containing 1B
hsa-miR-424-5p	<a href="#">TLE4</a>	TLE family member 4, transcriptional corepressor
hsa-miR-424-5p	<a href="#">CLCN5</a>	chloride voltage-gated channel 5
hsa-miR-424-5p	<a href="#">SH3BP2</a>	SH3 domain binding protein 2
hsa-miR-424-5p	<a href="#">VCL</a>	vinculin
hsa-miR-424-5p	<a href="#">GNPDA2</a>	glucosamine-6-phosphate deaminase 2
hsa-miR-424-5p	<a href="#">ABI2</a>	abl interactor 2
hsa-miR-424-5p	<a href="#">TTC38</a>	tetratricopeptide repeat domain 38
hsa-miR-424-5p	<a href="#">CNNM3</a>	cyclin and CBS domain divalent metal cation transport mediator 3
hsa-miR-424-5p	<a href="#">BVES</a>	blood vessel epicardial substance
hsa-miR-424-5p	<a href="#">PEAK1</a>	pseudopodium enriched atypical kinase 1
hsa-miR-424-5p	<a href="#">TMEM68</a>	transmembrane protein 68
hsa-miR-424-5p	<a href="#">AMMECR1L</a>	AMMECR1 like
hsa-miR-424-5p	<a href="#">AHNAK2</a>	AHNAK nucleoprotein 2
hsa-miR-424-5p	<a href="#">SRP72</a>	signal recognition particle 72
hsa-miR-424-5p	<a href="#">DNAJC5</a>	DnaJ heat shock protein family (Hsp40) member C5
hsa-miR-424-5p	<a href="#">PLAGL1</a>	PLAG1 like zinc finger 1
hsa-miR-424-5p	<a href="#">C11orf53</a>	chromosome 11 open reading frame 53
hsa-miR-424-5p	<a href="#">DNAJA1</a>	DnaJ heat shock protein family (Hsp40) member A1
hsa-miR-424-5p	<a href="#">FGFR4</a>	fibroblast growth factor receptor 4



hsa-miR-424-5p	<a href="#">PIM1</a>	Pim-1 proto-oncogene, serine/threonine kinase
hsa-miR-424-5p	<a href="#">ZNF362</a>	zinc finger protein 362
hsa-miR-424-5p	<a href="#">PURA</a>	purine rich element binding protein A
hsa-miR-424-5p	<a href="#">MCRIP1</a>	MAPK regulated corepressor interacting protein 1
hsa-miR-424-5p	<a href="#">RNMT</a>	RNA guanine-7 methyltransferase
hsa-miR-424-5p	<a href="#">PSMF1</a>	proteasome inhibitor subunit 1
hsa-miR-424-5p	<a href="#">MRPS2</a>	mitochondrial ribosomal protein S2
hsa-miR-424-5p	<a href="#">TXN2</a>	thioredoxin 2
hsa-miR-424-5p	<a href="#">SNRNP48</a>	small nuclear ribonucleoprotein U11/U12 subunit 48
hsa-miR-424-5p	<a href="#">CNN1</a>	calponin 1
hsa-miR-424-5p	<a href="#">A4GNT</a>	alpha-1,4-N-acetylglucosaminyltransferase
hsa-miR-424-5p	<a href="#">IDH3A</a>	isocitrate dehydrogenase 3 (NAD(+)) alpha
hsa-miR-424-5p	<a href="#">UBL3</a>	ubiquitin like 3
hsa-miR-424-5p	<a href="#">GDPD1</a>	glycerophosphodiester phosphodiesterase domain containing 1
hsa-miR-424-5p	<a href="#">EPB41L1</a>	erythrocyte membrane protein band 4.1 like 1
hsa-miR-424-5p	<a href="#">FOSL1</a>	FOS like 1, AP-1 transcription factor subunit
hsa-miR-424-5p	<a href="#">USP38</a>	ubiquitin specific peptidase 38
hsa-miR-424-5p	<a href="#">GABRE</a>	gamma-aminobutyric acid type A receptor epsilon subunit
hsa-miR-424-5p	<a href="#">PHF21A</a>	PHD finger protein 21A
hsa-miR-424-5p	<a href="#">CA8</a>	carbonic anhydrase 8
hsa-miR-424-5p	<a href="#">ZNF697</a>	zinc finger protein 697
hsa-miR-424-5p	<a href="#">ATP4B</a>	ATPase H+/K+ transporting subunit beta
hsa-miR-424-5p	<a href="#">LMAN2L</a>	lectin, mannose binding 2 like
hsa-miR-424-5p	<a href="#">TECPR2</a>	tectonin beta-propeller repeat containing 2
hsa-miR-424-5p	<a href="#">RNF213</a>	ring finger protein 213
hsa-miR-424-5p	<a href="#">MCFD2</a>	multiple coagulation factor deficiency 2
hsa-miR-424-5p	<a href="#">KCNJ11</a>	potassium voltage-gated channel subfamily J member 11
hsa-miR-424-5p	<a href="#">FBXO10</a>	F-box protein 10
hsa-miR-424-5p	<a href="#">SNCG</a>	synuclein gamma
hsa-miR-424-5p	<a href="#">TRAF3</a>	TNF receptor associated factor 3
hsa-miR-424-5p	<a href="#">TRIM36</a>	tripartite motif containing 36
hsa-miR-424-5p	<a href="#">PDCD11</a>	programmed cell death 11
hsa-miR-424-5p	<a href="#">RLIM</a>	ring finger protein, LIM domain interacting
hsa-miR-424-5p	<a href="#">HIRA</a>	histone cell cycle regulator
hsa-miR-424-5p	<a href="#">KIAA1549</a>	KIAA1549
hsa-miR-424-5p	<a href="#">PARM1</a>	prostate androgen-regulated mucin-like protein 1
hsa-miR-424-5p	<a href="#">BTF3</a>	basic transcription factor 3
hsa-miR-424-5p	<a href="#">KRTAP4-4</a>	keratin associated protein 4-4
hsa-miR-424-5p	<a href="#">TPRG1L</a>	tumor protein p63 regulated 1 like
hsa-miR-424-5p	<a href="#">MTMR11</a>	myotubularin related protein 11
hsa-miR-424-5p	<a href="#">WNT2B</a>	Wnt family member 2B
hsa-miR-424-5p	<a href="#">DCAF17</a>	DDB1 and CUL4 associated factor 17
hsa-miR-424-5p	<a href="#">ABHD13</a>	abhydrolase domain containing 13

hsa-miR-424-5p	<a href="#">TUBGCP2</a>	tubulin gamma complex associated protein 2
hsa-miR-424-5p	<a href="#">LRRTM2</a>	leucine rich repeat transmembrane neuronal 2
hsa-miR-424-5p	<a href="#">ADNP2</a>	ADNP homeobox 2
hsa-miR-424-5p	<a href="#">ODF2L</a>	outer dense fiber of sperm tails 2 like
hsa-miR-424-5p	<a href="#">LYZL4</a>	lysozyme like 4
hsa-miR-424-5p	<a href="#">SELENOI</a>	selenoprotein I
hsa-miR-424-5p	<a href="#">PIK3C2A</a>	phosphatidylinositol-4-phosphate 3-kinase catalytic subunit type 2 alpha
hsa-miR-424-5p	<a href="#">PLEKHA5</a>	pleckstrin homology domain containing A5
hsa-miR-424-5p	<a href="#">FAM161A</a>	FAM161A, centrosomal protein
hsa-miR-424-5p	<a href="#">PIGB</a>	phosphatidylinositol glycan anchor biosynthesis class B
hsa-miR-424-5p	<a href="#">REEP1</a>	receptor accessory protein 1
hsa-miR-424-5p	<a href="#">BCL9L</a>	BCL9 like
hsa-miR-424-5p	<a href="#">SLC7A2</a>	solute carrier family 7 member 2
hsa-miR-424-5p	<a href="#">DENR</a>	density regulated re-initiation and release factor
hsa-miR-424-5p	<a href="#">TP53INP1</a>	tumor protein p53 inducible nuclear protein 1
hsa-miR-424-5p	<a href="#">UBAP1</a>	ubiquitin associated protein 1
hsa-miR-424-5p	<a href="#">MOCS3</a>	molybdenum cofactor synthesis 3
hsa-miR-424-5p	<a href="#">XIRP2</a>	xin actin binding repeat containing 2
hsa-miR-424-5p	<a href="#">CHFR</a>	checkpoint with forkhead and ring finger domains
hsa-miR-424-5p	<a href="#">C11orf68</a>	chromosome 11 open reading frame 68
hsa-miR-424-5p	<a href="#">GCNT3</a>	glucosaminyl (N-acetyl) transferase 3, mucin type
hsa-miR-424-5p	<a href="#">MAP3K3</a>	mitogen-activated protein kinase kinase kinase 3
hsa-miR-424-5p	<a href="#">FAM84B</a>	family with sequence similarity 84 member B
hsa-miR-424-5p	<a href="#">KARS</a>	lysyl-tRNA synthetase
hsa-miR-424-5p	<a href="#">FRS2</a>	fibroblast growth factor receptor substrate 2
hsa-miR-424-5p	<a href="#">USP32</a>	ubiquitin specific peptidase 32
hsa-miR-424-5p	<a href="#">PPP6C</a>	protein phosphatase 6 catalytic subunit
hsa-miR-424-5p	<a href="#">TIMM10B</a>	translocase of inner mitochondrial membrane 10B
hsa-miR-424-5p	<a href="#">ADGRD1</a>	adhesion G protein-coupled receptor D1
hsa-miR-424-5p	<a href="#">C17orf51</a>	chromosome 17 open reading frame 51
hsa-miR-424-5p	<a href="#">CNTN3</a>	contactin 3
hsa-miR-424-5p	<a href="#">NSMCE3</a>	NSE3 homolog, SMC5-SMC6 complex component
hsa-miR-424-5p	<a href="#">PRR11</a>	proline rich 11
hsa-miR-424-5p	<a href="#">ALDH6A1</a>	aldehyde dehydrogenase 6 family member A1
hsa-miR-424-5p	<a href="#">ONECUT2</a>	one cut homeobox 2
hsa-miR-424-5p	<a href="#">C1orf226</a>	chromosome 1 open reading frame 226
hsa-miR-424-5p	<a href="#">DICER1</a>	dicer 1, ribonuclease III
hsa-miR-424-5p	<a href="#">RRAGA</a>	Ras related GTP binding A
hsa-miR-424-5p	<a href="#">SELENOO</a>	selenoprotein O
hsa-miR-424-5p	<a href="#">PMM1</a>	phosphomannomutase 1
hsa-miR-424-5p	<a href="#">SENP2</a>	SUMO specific peptidase 2
hsa-miR-424-5p	<a href="#">TIGAR</a>	TP53 induced glycolysis regulatory phosphatase
hsa-miR-424-5p	<a href="#">PCNX1</a>	pecanex 1

hsa-miR-424-5p	<a href="#">TRPC1</a>	transient receptor potential cation channel subfamily C member 1
hsa-miR-424-5p	<a href="#">ADORA2A</a>	adenosine A2a receptor
hsa-miR-424-5p	<a href="#">TM7SF3</a>	transmembrane 7 superfamily member 3
hsa-miR-424-5p	<a href="#">CASC1</a>	cancer susceptibility 1
hsa-miR-424-5p	<a href="#">RGS5</a>	regulator of G protein signaling 5
hsa-miR-424-5p	<a href="#">OTUD6A</a>	OTU deubiquitinase 6A
hsa-miR-424-5p	<a href="#">ANKRD11</a>	ankyrin repeat domain 11
hsa-miR-424-5p	<a href="#">KLC1</a>	kinesin light chain 1
hsa-miR-424-5p	<a href="#">NSD2</a>	nuclear receptor binding SET domain protein 2
hsa-miR-424-5p	<a href="#">ZHX1</a>	zinc fingers and homeoboxes 1
hsa-miR-424-5p	<a href="#">PPM1L</a>	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1L
hsa-miR-424-5p	<a href="#">AKAP12</a>	A-kinase anchoring protein 12
hsa-miR-424-5p	<a href="#">PXMP4</a>	peroxisomal membrane protein 4
hsa-miR-451-5p	<a href="#">OSR1</a>	odd-skipped related transcription factor 1
hsa-miR-451-5p	<a href="#">CUX2</a>	cut like homeobox 2
hsa-miR-451-5p	<a href="#">PSMB8</a>	proteasome subunit beta 8
hsa-miR-451-5p	<a href="#">CXCL16</a>	C-X-C motif chemokine ligand 16
hsa-miR-451-5p	<a href="#">TARP</a>	TCR gamma alternate reading frame protein
hsa-miR-451-5p	<a href="#">ST8SIA4</a>	ST8 alpha-N-acetyl-neuraminide alpha-2,8-sialyltransferase 4
hsa-miR-451-5p	<a href="#">CDKN2D</a>	cyclin dependent kinase inhibitor 2D
hsa-miR-451-5p	<a href="#">MIF</a>	macrophage migration inhibitory factor
hsa-miR-451-5p	<a href="#">FBLN5</a>	fibulin 5
hsa-miR-451-5p	<a href="#">SAMD4B</a>	sterile alpha motif domain containing 4B
hsa-miR-451-5p	<a href="#">CERK</a>	ceramide kinase
hsa-miR-451-5p	<a href="#">CAB39</a>	calcium binding protein 39
hsa-miR-451-5p	<a href="#">VAPA</a>	VAMP associated protein A
hsa-miR-451-5p	<a href="#">LETM2</a>	leucine zipper and EF-hand containing transmembrane protein 2
hsa-miR-451-5p	<a href="#">CMTM6</a>	CKLF like MARVEL transmembrane domain containing 6
hsa-miR-451-5p	<a href="#">USP46</a>	ubiquitin specific peptidase 46
hsa-miR-451-5p	<a href="#">MEX3C</a>	mex-3 RNA binding family member C
hsa-miR-451-5p	<a href="#">PMM2</a>	phosphomannomutase 2
hsa-miR-451-5p	<a href="#">TBC1D9B</a>	TBC1 domain family member 9B
hsa-miR-451-5p	<a href="#">KIAA1217</a>	KIAA1217
hsa-miR-451-5p	<a href="#">MAU2</a>	MAU2 sister chromatid cohesion factor
hsa-miR-451-5p	<a href="#">RNF217</a>	ring finger protein 217
hsa-miR-451-5p	<a href="#">S1PR2</a>	sphingosine-1-phosphate receptor 2
hsa-miR-451-5p	<a href="#">MEGF6</a>	multiple EGF like domains 6
hsa-miR-451-5p	<a href="#">EVL</a>	Enah/Vasp-like
hsa-miR-451-5p	<a href="#">FBXO33</a>	F-box protein 33
hsa-miR-451-5p	<a href="#">CDKN2B</a>	cyclin dependent kinase inhibitor 2B
hsa-miR-451-5p	<a href="#">UCK1</a>	uridine-cytidine kinase 1
hsa-miR-451-5p	<a href="#">ATF2</a>	activating transcription factor 2
hsa-miR-451-5p	<a href="#">CAV1</a>	caveolin 1

hsa-miR-451-5p	<a href="#">C16orf72</a>	chromosome 16 open reading frame 72
hsa-miR-451-5p	<a href="#">DCAF5</a>	DDB1 and CUL4 associated factor 5
hsa-miR-451-5p	<a href="#">RAB5A</a>	RAB5A, member RAS oncogene family
hsa-miR-451-5p	<a href="#">CACHD1</a>	cache domain containing 1
hsa-miR-451-5p	<a href="#">LUZP2</a>	leucine zipper protein 2
hsa-miR-451-5p	<a href="#">EIF2AK3</a>	eukaryotic translation initiation factor 2 alpha kinase 3
hsa-miR-451-5p	<a href="#">AKTIP</a>	AKT interacting protein
hsa-miR-451-5p	<a href="#">FAM171A1</a>	family with sequence similarity 171 member A1
hsa-miR-451-5p	<a href="#">TTN</a>	titin
hsa-miR-451-5p	<a href="#">NEDD9</a>	neural precursor cell expressed, developmentally down-regulated 9

**Table S3:** delta-CT detail for each of pro-angiogenic and/or pro-hypoxic microRNA of 8 non tumoral brain tissues from patients without glioma who underwent surgery to for epilepsy

	deltaCT (CT <sup>mirX</sup> - CT <sup>RNU48</sup> )									
Normal brain tissue	mir-100-5p	mir-126-5p	mir-128-3p	mir-132-3p	mir-200b-3p	mir-200c-3p	mir-210-3p	mir-221-3p	mir-424-5p	mir-451-5p
1	-1.36	6.71	-4.16	0.05	8.07	7.14	5.17	-1.83	7.98	-1.89
2	-1.02	6.23	-3.86	-0.25	7.88	8.07	4.92	-1.69	6.66	-0.40
3	-1.32	5.01	-5.09	-0.43	8.47	7.96	6.04	-2.19	6.74	-0.26
4	-0.78	6.23	-3.88	0.13	8.11	8.45	4.41	-1.45	7.73	0.05
5	-0.69	6.52	-3.87	-0.53	8.09	8.25	3.81	-1.64	7.87	0.80
6	-1.04	6.63	-3.41	0.26	8.37	8.40	4.32	-1.31	8.54	0.25
7	-2.29	4.73	-5.13	-0.71	7.79	6.96	4.05	-2.87	6.45	-1.86
8	-0.60	6.42	-3.61	-0.23	8.59	8.58	4.99	-1.56	7.00	-1.14
deltaCT (mean $\pm$ SD)	-1.14 $\pm$ 0.54	6.06 $\pm$ 0.76	-4.12 $\pm$ 0.64	-0.22 $\pm$ 0.34	8.17 $\pm$ 0.28	7.97 $\pm$ 0.61	4.71 $\pm$ 0.72	-1.82 $\pm$ 0.50	7.37 $\pm$ 0.76	-0.66 $\pm$ 0.98

CT: cycle threshold. SD: standard deviation

RNU48: internal control

**Table S4.** Comparison of pro-angiogenic and/or pro-hypoxic miRNA effects between WHO 2016 classes.

	OS	PFS
	p interaction*	p interaction*
mir-200b-3p	0.19	0.15
mir-200c-3p	NC <sup>†</sup>	0.21
mir-210-3p	0.26	NC <sup>†</sup>
mir-100-5p	0.17	<b>0.013</b>
mir-126-5p	0.49	0.46
mir-132-3p	0.72	0.72
mir-221-3p	0.71	0.87
mir-424-5p	0.30	0.061
mir-128-3p	0.72	<b>0.033</b>
mir-451-5p	NC <sup>†</sup>	0.26

\* comparison of the Hazard Ratios of the 6 classes, † not calculable (too few people), OS: Overall survival; PFS: Progression Free Survival; WHO: World Health Organization