

Table S1: Number of total animals measured in the 10 replicates of the 6-day experiment as well as the ANOVA F-values of the respective statistics (Fig 1). All shown ANOVAs had 3 degrees of freedom (DF).

Day	1	2	3	4	5	6						
	ANOVA		ANOVA		ANOVA		ANOVA		ANOVA		ANOVA	
	n	F-value										
Treatment	Body length	Body width										
tap water control	84		69		45		63		73		55	
<i>Ceratophyllum</i>	37	3.38	30	6.6	35	14.15	25	17.42	44	32.95	29	29.21
fed <i>Utricularia</i>	79	3.07	72	1.14	42	4.52	50	6.45	50	14.72	43	17.25
unfed <i>Utricularia</i>	69		59		38		49		64		43	

Table S2: Mean body length and body width in mm ±SD of *C. dubia* over the 6 days of the experiment.

Treatment	Day 1		Day 2		Day 3		Day 4		Day 5		Day 6	
	Body length	Body width										
tap	0.49±0.03	0.30±0.02	0.59±0.05	0.36±0.04	0.66±0.05	0.41±0.04	0.71±0.07	0.49±0.07	0.74±0.06	0.52±0.05	0.77±0.05	0.56±0.05
water control												
<i>Ceratophyllum</i>	0.50±0.03	0.30±0.02	0.60±0.05	0.37±0.04	0.64±0.07	0.42±0.07	0.67±0.06	0.45±0.07	0.71±0.07	0.49±0.07	0.76±0.06	0.54±0.06
fed <i>Utricularia</i>	0.48±0.03	0.29±0.02	0.55±0.07	0.33±0.05	0.57±0.09	0.35±0.08	0.62±0.07	0.41±0.07	0.63±0.08	0.42±0.08	0.67±0.06	0.46±0.06
unfed <i>Utricularia</i>	0.50±0.05	0.30±0.03	0.57±0.07	0.36±0.05	0.60±0.06	0.38±0.04	0.65±0.06	0.44±0.06	0.67±0.05	0.45±0.05	0.71±0.05	0.49±0.05

Table S3: Bonferroni corrected pairwise t-test results for 2D morphology body length analysis. Significant results marked in red.

Day	1			2			3		
	Tap water ctrl	fed <i>Utric.</i>	<i>Cer. ctrl</i>	Tap water ctrl	fed <i>Utric.</i>	<i>Cer. ctrl</i>	Tap water ctrl	fed <i>Utric.</i>	<i>Cer. ctrl</i>
fed <i>Utricularia</i>	0.197			0.0022			4.9e-8		
<i>Ceratophyllum ctrl</i>	1	0.176		1	0.0013		1	4.5e-5	
unfed <i>Utricularia</i>	1	0.023	1	1	0.187	0.3159	0.0042	0.0954	0.1835
Day	4			5			6		
	Tap water ctrl	fed <i>Utric.</i>	<i>Cer. ctrl</i>	Tap water ctrl	fed <i>Utric.</i>	<i>Cer. ctrl</i>	Tap water ctrl	fed <i>Utric.</i>	<i>Cer. ctrl</i>
fed <i>Utricularia</i>	2.8e-10			<2e-16			2.6e-14		
<i>Ceratophyllum ctrl</i>	0.1649	0.0077		0.2034	6.8e-9		1	4.2e-9	
unfed <i>Utricularia</i>	5.3e-5	0.1474	0.9692	2.7e-8	0.0025	0.0079	5e-6	0.0066	0.0029

Table S4: Bonferroni corrected pairwise t-test results for 2D morphology body width analysis. Significant results marked in red.

Day	1			2			3		
	Tap water ctrl	fed <i>Utric.</i>	<i>Cer. ctrl</i>	Tap water ctrl	fed <i>Utric.</i>	<i>Cer. ctrl</i>	Tap water ctrl	fed <i>Utric.</i>	<i>Cer. ctrl</i>
fed <i>Utricularia</i>	0.34			1			1		
<i>Ceratophyllum ctrl</i>	1	0.04		1	1		0.056	0.0026	
unfed <i>Utricularia</i>	1	0.16	1	1	0.52	1	1	0.7674	0.2504
Day	4			5			6		
	Tap water ctrl	fed <i>Utric.</i>	<i>Cer. ctrl</i>	Tap water ctrl	fed <i>Utric.</i>	<i>Cer. ctrl</i>	Tap water ctrl	fed <i>Utric.</i>	<i>Cer. ctrl</i>
fed <i>Utricularia</i>	0.00024			7.9e-8			5.2e-8		
<i>Ceratophyllum ctrl</i>	0.06692	1		0.1841	0.0085		1	0.001	
unfed <i>Utricularia</i>	0.62437	0.09849	1	3.3e-6	1	0.1059	4.8e-7	1	0.004

Table S5: Mean number off eggs \pm SD for each treatment on day 3, 4, 5 and 6.

Treatment	Day 3	Day 4	Day 5	Day 6
tap water control	0 \pm 1.66	2 \pm 1.51	2 \pm 1.65	2 \pm 1.86
<i>Ceratophyllum</i>	0 \pm 1.20	0 \pm 1.18	1 \pm 1.71	2.5 \pm 1.73
fed <i>Utricularia</i>	0 \pm 1.11	1 \pm 1.00	0.5 \pm 1.14	1 \pm 0.68
unfed <i>Utricularia</i>	0 \pm 1.71	2 \pm 1.45	0 \pm 1.20	1 \pm 1.13