



Article

# Synthesis of Tin-Doped Three-Dimensional Flower-like Bismuth Tungstate with Enhanced Photocatalytic Activity


Xiaodong Zhu <sup>1</sup>, Fengqiu Qin <sup>1</sup>, Xiuping Zhang <sup>1</sup>, Yuanyuan Zhong <sup>1</sup>, Juan Wang <sup>1</sup>, Yu Jiao <sup>2,\*</sup>, Yuhao Luo <sup>3</sup> and Wei Feng <sup>1,\*</sup>

<sup>1</sup> School of Mechanical Engineering, Chengdu University, Chengdu 610106, China; mysumeiren@163.com (F.Q.); 18781235109@163.com (X.Z.); suzyy605@163.com (Y.Z.); wangjuan9760@163.com (J.W.)

<sup>2</sup> School of Science, Xichang University, Xichang 615013, China


<sup>3</sup> College of Materials and Chemistry & Chemical Engineering, Chengdu University of Technology, Chengdu 610051, China; lyh1609460550@163.com

\* Correspondence: jiaoyu@xcc.edu.cn (Y.J.); fengwei@cdu.edu.cn (W.F.)



**Figure S1.** EDS analysis of 1%Sn-Bi<sub>2</sub>WO<sub>6</sub> (a), 4%Sn-Bi<sub>2</sub>WO<sub>6</sub> (b) and 6%Sn-Bi<sub>2</sub>WO<sub>6</sub> (c).





**Figure S2.** XPS survey spectra of 1%Sn-Bi<sub>2</sub>WO<sub>6</sub>, 4%Sn-Bi<sub>2</sub>WO<sub>6</sub> and 6%Sn-Bi<sub>2</sub>WO<sub>6</sub>.