

Supplementary Material

Discovery of small molecule COX-1 and Akt inhibitors as anti-NSCLC agents endowed with anti-inflammatory action

Mehlika Dilek Altıntop¹, Gülsen Akalın Çiftçi^{2,3}, Nalan Yılmaz Savaş³, İpek Ertorun⁴, Betül Can⁴, Belgin Sever¹, Halide Edip Temel², Özkan Alataş⁴ and Ahmet Özdemir^{1,*}

¹ Department of Pharmaceutical Chemistry, Faculty of Pharmacy, Anadolu University, 26470 Eskişehir, Turkey; mdaltintop@anadolu.edu.tr (M.D.A.), belginsever@anadolu.edu.tr (B.S.)

² Department of Biochemistry, Faculty of Pharmacy, Anadolu University, 26470 Eskişehir, Turkey; gakalin@anadolu.edu.tr (G.A.Ç.), heincedal@anadolu.edu.tr (H.E.T.)

³ Graduate School of Health Sciences, Anadolu University, 26470 Eskişehir, Turkey; nalan_y@anadolu.edu.tr (N.Y.S.)

⁴ Department of Medical Biochemistry, Faculty of Medicine, Eskisehir Osmangazi University, 26480 Eskişehir, Turkey; erdoganipek@gmail.com (İ.E.), bcan@ogu.edu.tr (B.C.), oalatas@ogu.edu.tr (Ö.A.)

* Correspondence: mdaltintop@anadolu.edu.tr (M.D.A.); ahmeto@anadolu.edu.tr (A.Ö.); Tel.: +90-222-335-0580 (ext. 3772) (M.D.A.); Tel.: +90-222-335-0580 (ext. 3780) (A.Ö.).

List of Contents

Figure	Page
Figure S1. IR spectrum of compound 3a	S5
Figure S2. ^1H NMR spectrum of compound 3a	S6
Figure S3. ^{13}C NMR spectrum of compound 3a	S6
Figure S4. HRMS spectrum of compound 3a	S7
Figure S5. IR spectrum of compound 3b	S8
Figure S6. ^1H NMR spectrum of compound 3b	S9
Figure S7. ^{13}C NMR spectrum of compound 3b	S9
Figure S8. HRMS spectrum of compound 3b	S10
Figure S9. IR spectrum of compound 3c	S11
Figure S10. ^1H NMR spectrum of compound 3c	S12
Figure S11. ^{13}C NMR spectrum of compound 3c	S12
Figure S12. HRMS spectrum of compound 3c	S13
Figure S13. IR spectrum of compound 3d	S14
Figure S14. ^1H NMR spectrum of compound 3d	S15
Figure S15. ^{13}C NMR spectrum of compound 3d	S15
Figure S16. HRMS spectrum of compound 3d	S16
Figure S17. IR spectrum of compound 3e	S17
Figure S18. ^1H NMR spectrum of compound 3e	S18
Figure S19. ^{13}C NMR spectrum of compound 3e	S18
Figure S20. HRMS spectrum of compound 3e	S19
Figure S21. IR spectrum of compound 3f	S20
Figure S22. ^1H NMR spectrum of compound 3f	S21
Figure S23. ^{13}C NMR spectrum of compound 3f	S21
Figure S24. HRMS spectrum of compound 3f	S22
Figure S25. IR spectrum of compound 3g	S23
Figure S26. ^1H NMR spectrum of compound 3g	S24
Figure S27. ^{13}C NMR spectrum of compound 3g	S24
Figure S28. HRMS spectrum of compound 3g	S25
Figure S29. IR spectrum of compound 3h	S26
Figure S30. ^1H NMR spectrum of compound 3h	S27

Figure S31. ^{13}C NMR spectrum of compound 3h	S27
Figure S32. HRMS spectrum of compound 3h	S28
Figure S33. IR spectrum of compound 3i	S29
Figure S34. ^1H NMR spectrum of compound 3i	S30
Figure S35. ^{13}C NMR spectrum of compound 3i	S30
Figure S36. HRMS spectrum of compound 3i	S31
Figure S37. IR spectrum of compound 3j	S32
Figure S38. ^1H NMR spectrum of compound 3j	S33
Figure S39. ^{13}C NMR spectrum of compound 3j	S33
Figure S40. HRMS spectrum of compound 3j	S34
Figure S41. IR spectrum of compound 4a	S35
Figure S42. ^1H NMR spectrum of compound 4a	S36
Figure S43. ^{13}C NMR spectrum of compound 4a	S36
Figure S44. HRMS spectrum of compound 4a	S37
Figure S45. IR spectrum of compound 4b	S38
Figure S46. ^1H NMR spectrum of compound 4b	S39
Figure S47. ^{13}C NMR spectrum of compound 4b	S39
Figure S48. HRMS spectrum of compound 4b	S40
Figure S49. IR spectrum of compound 4c	S41
Figure S50. ^1H NMR spectrum of compound 4c	S42
Figure S51. ^{13}C NMR spectrum of compound 4c	S42
Figure S52. HRMS spectrum of compound 4c	S43
Figure S53. IR spectrum of compound 4d	S44
Figure S54. ^1H NMR spectrum of compound 4d	S45
Figure S55. ^{13}C NMR spectrum of compound 4d	S45
Figure S56. HRMS spectrum of compound 4d	S46
Figure S57. IR spectrum of compound 4e	S47
Figure S58. ^1H NMR spectrum of compound 4e	S48
Figure S59. ^{13}C NMR spectrum of compound 4e	S48
Figure S60. HRMS spectrum of compound 4e	S49
Figure S61. IR spectrum of compound 4f	S50
Figure S62. ^1H NMR spectrum of compound 4f	S51

Figure S63. ^{13}C NMR spectrum of compound 4f	S51
Figure S64. HRMS spectrum of compound 4f	S52
Figure S65. IR spectrum of compound 4g	S53
Figure S66. ^1H NMR spectrum of compound 4g	S54
Figure S67. ^{13}C NMR spectrum of compound 4g	S54
Figure S68. HRMS spectrum of compound 4g	S55

Figure S1. IR spectrum of compound **3a**




Figure S2. ^1H NMR spectrum of compound 3a




Figure S3. ^{13}C NMR spectrum of compound 3a




Figure S4. HRMS spectrum of compound **3a**

Formula Predictor Report - CON-1_2.lcd

Page 1 of 1

Data File: C:\LabSolutions\Data\Analiz\AOzdemir\CON-1_2.lcd


Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Use Adduct
H	1	0	30	O	2	1	4	S	2	0	2	Ru	2	0	0	H
C	4	15	25	F	1	0	0	Cl	1	0	0	Pd	2	0	0	
N	3	1	4	P	3	0	0	Br	1	0	0	I	3	0	0	

Error Margin (ppm): 10
 HC Ratio: unlimited
 Max Isotopes: 3
 MSn Iso RI (%): 10.00


DBE Range: 10.0 - 20.0
 Apply N Rule: yes
 Isotope RI (%): 1.00
 MSn Logic Mode: AND

Electron Ions: both
 Use MSn Info: yes
 Isotope Res: 9000
 Max Results: 500


Event#: 1 MS(E+) Ret. Time : 7.173 -> 7.720 Scan#: 1077 -> 1159



Measured region for 347.1864 m/z



C21 H22 N4 O [M+H]+ : Predicted region for 347.1866 m/z



Rank	Score	Formula (M)	Ion	Meas. m/z	Pred. m/z	Df. (mDa)	Df. (ppm)	Iso	DBE
1	51.62	C21 H22 N4 O	[M+H]+	347.1864	347.1866	-0.2	-0.58	51.62	13.0

Figure S5. IR spectrum of compound **3b**




Figure S6. ^1H NMR spectrum of compound **3b**




Figure S7. ^{13}C NMR spectrum of compound **3b**




Figure S8. HRMS spectrum of compound **3b**




Figure S9. IR spectrum of compound **3c**




Figure S10. ^1H NMR spectrum of compound **3c**




Figure S11. ^{13}C NMR spectrum of compound **3c**




Figure S12. HRMS spectrum of compound 3c

Formula Predictor Report - CON-3_7.lcd

Page 1 of 1

Data File: C:\LabSolutions\Data\Analiz\AOZdemir\CON-3_7.lcd


Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Use Adduct
H	1	0	30	O	2	1	4	S	2	0	2	Ru	2	0	0	H
C	4	15	25	F	1	0	0	Cl	1	0	0	Pd	2	0	0	
N	3	1	4	P	3	0	0	Br	1	0	0	I	3	0	0	

Error Margin (ppm): 10
 HC Ratio: unlimited
 Max Isotopes: 3
 MSn Iso RI (%): 10.00


DBE Range: 10.0 - 20.0
 Apply N Rule: yes
 Isotope RI (%): 1.00
 MSn Logic Mode: AND

Electron Ions: both
 Use MSn Info: yes
 Isotope Res: 9000
 Max Results: 500


Event#: 1 MS(E+) Ret. Time : 6.400 -> 6.840 Scan# : 961 -> 1027



Measured region for 361.2031 m/z



C22 H24 N4 O [M+H]+ : Predicted region for 361.2023 m/z



Rank	Score	Formula (M)	Ion	Meas. m/z	Pred. m/z	Df. (mDa)	Df. (ppm)	Iso	DBE
1	57.85	C22 H24 N4 O	[M+H]+	361.2031	361.2023	0.8	2.21	59.65	13.0

Figure S13. IR spectrum of compound **3d**




Figure S14. ^1H NMR spectrum of compound **3d**




Figure S15. ^{13}C NMR spectrum of compound **3d**




Figure S16. HRMS spectrum of compound 3d

Formula Predictor Report - CON-5_7.lcd

Page 1 of 1

Data File: C:\LabSolutions\Data\Analiz\AOzdemir\CON-5_7.lcd

Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Use Adduct
H	1	0	30	O	2	0	5	S	2	0	0	Ru	2	0	0	H
C	4	15	25	F	1	0	0	Cl	1	0	0	Pd	2	0	0	
N	3	1	5	P	3	0	0	Br	1	0	0	I	3	0	0	

Error Margin (ppm): 5

HC Ratio: unlimited

Max Isotopes: 3

MSn Iso RI (%): 10.00

DBE Range: 8.0 - 17.0

Apply N Rule: yes

Isotope RI (%): 1.00

MSn Logic Mode: AND


Electron Ions: both

Use MSn Info: yes


Isotope Res: 9000

Max Results: 500


Event#: 1 MS(E+) Ret. Time : 5.227 Scan# : 785



Measured region for 376.2148 m/z



C22 H25 N5 O [M+H]+ : Predicted region for 376.2132 m/z



Rank	Score	Formula (M)	Ion	Meas. m/z	Pred. m/z	Df. (mDa)	Df. (ppm)	Iso	DBE
1	0.00	C22 H25 N5 O	[M+H]+	376.2148	376.2132	1.6	4.25	0.00	13.0

Figure S17. IR spectrum of compound **3e**




Figure S18. ^1H NMR spectrum of compound **3e**




Figure S19. ^{13}C NMR spectrum of compound **3e**




Figure S20. HRMS spectrum of compound 3e

Formula Predictor Report - CON-7_8.lcd

Page 1 of 1

Data File: C:\LabSolutions\Data\Analiz\AOzdemir\CON-7_8.lcd


Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Use Adduct
H	1	0	30	O	2	0	5	S	2	0	1	Ru	2	0	0	H
C	4	15	25	F	1	0	0	Cl	1	0	0	Pd	2	0	0	
N	3	1	5	P	3	0	0	Br	1	0	0	I	3	0	0	

Error Margin (ppm): 5
 HC Ratio: unlimited
 Max Isotopes: 3
 MSn Iso RI (%): 10.00


DBE Range: 8.0 - 17.0
 Apply N Rule: yes
 Isotope RI (%): 1.00
 MSn Logic Mode: AND

Electron Ions: both
 Use MSn Info: yes
 Isotope Res: 9000
 Max Results: 500


Event#: 1 MS(E+) Ret. Time : 6.133 Scan# : 921



Measured region for 356.1071 m/z



C18 H17 N3 O3 S [M+H]⁺ : Predicted region for 356.1063 m/z



Rank	Score	Formula (M)	Ion	Meas. m/z	Pred. m/z	Df. (mDa)	Df. (ppm)	Iso	DBE
1	0.00	C18 H17 N3 O3 S	[M+H] ⁺	356.1071	356.1063	0.8	2.25	0.00	12.0

Figure S21. IR spectrum of compound **3f**




Figure S22. ^1H NMR spectrum of compound **3f**




Figure S23. ^{13}C NMR spectrum of compound **3f**




Figure S24. HRMS spectrum of compound 3f

Formula Predictor Report - CON-8_9.lcd

Page 1 of 1

Data File: C:\LabSolutions\Data\Analiz\AOzdemir\CON-8_9.lcd

Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Use Adduct
H	1	0	30	O	2	0	5	S	2	1	1	Ru	2	0	0	H
C	4	15	25	F	1	0	0	Cl	1	0	0	Pd	2	0	0	
N	3	1	5	P	3	0	0	Br	1	0	0	I	3	0	0	

Error Margin (ppm): 5

HC Ratio: unlimited

Max Isotopes: 3

MSn Iso RI (%): 10.00

DBE Range: 8.0 - 17.0

Apply N Rule: yes

Isotope RI (%): 1.00

MSn Logic Mode: AND


Electron Ions: both

Use MSn Info: yes


Isotope Res: 9000

Max Results: 500


Event#: 1 MS(E+) Ret. Time : 6.253 Scan# : 939



Measured region for 370.1202 m/z



C19 H19 N3 O3 S [M+H]+ : Predicted region for 370.1220 m/z



Rank	Score	Formula (M)	Ion	Meas. m/z	Pred. m/z	Df. (mDa)	Df. (ppm)	Iso	DBE
1	0.00	C19 H19 N3 O3 S	[M+H]+	370.1202	370.1220	-1.8	-4.86	0.00	12.0

Figure S25. IR spectrum of compound **3g**




Figure S26. ^1H NMR spectrum of compound **3g**




Figure S27. ^{13}C NMR spectrum of compound **3g**




Figure S28. HRMS spectrum of compound 3g

Formula Predictor Report - CON-9_8.lcd

Page 1 of 1

Data File: C:\LabSolutions\Data\Analiz\AOZdemir\CON-9_8.lcd


Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Use Adduct
H	1	0	30	O	2	1	4	S	2	0	2	Ru	2	0	0	H
C	4	15	25	F	1	0	0	Cl	1	0	0	Pd	2	0	0	
N	3	1	4	P	3	0	0	Br	1	0	0	I	3	0	0	

Error Margin (ppm): 10
 HC Ratio: unlimited
 Max Isotopes: 3
 MSn Iso RI (%): 10.00


DBE Range: 10.0 - 20.0
 Apply N Rule: yes
 Isotope RI (%): 1.00
 MSn Logic Mode: AND

Electron Ions: both
 Use MSn Info: yes
 Isotope Res: 9000
 Max Results: 500


Event#: 1 MS(E+) Ret. Time : 6.493 -> 6.827 Scan# : 975 -> 1025



Measured region for 377.1982 m/z



C22 H24 N4 O2 [M+H]+ : Predicted region for 377.1972 m/z



Rank	Score	Formula (M)	Ion	Meas. m/z	Pred. m/z	Df. (mDa)	Df. (ppm)	Iso	DBE
1	69.48	C22 H24 N4 O2	[M+H]+	377.1982	377.1972	1.0	2.65	72.47	13.0

Figure S29. IR spectrum of compound **3h**




Figure S30. ^1H NMR spectrum of compound **3h**




Figure S31. ^{13}C NMR spectrum of compound **3h**




Figure S32. HRMS spectrum of compound **3h**

Formula Predictor Report - CON-12_11.lcd

Page 1 of 1

Data File: C:\LabSolutions\Data\Analiz\AOzdemir\CON-12_11.lcd

Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Use Adduct
H	1	0	30	O	2	0	5	S	2	0	1	Ru	2	0	0	H
C	4	15	25	F	1	0	0	Cl	1	0	0	Pd	2	0	0	
N	3	1	5	P	3	0	0	Br	1	0	0	I	3	0	0	

Error Margin (ppm): 5

HC Ratio: unlimited

Max Isotopes: 3

MSn Iso RI (%): 10.00

DBE Range: 5.0 - 20.0

Apply N Rule: yes

Isotope RI (%): 1.00

MSn Logic Mode: AND


Electron Ions: both

Use MSn Info: yes


Isotope Res: 9000

Max Results: 500


Event#: 1 MS(E+) Ret. Time : 5.427 Scan# : 815



Measured region for 407.2071 m/z



C23 H26 N4 O3 [M+H]+ : Predicted region for 407.2078 m/z



Rank	Score	Formula (M)	Ion	Meas. m/z	Pred. m/z	Df. (mDa)	Df. (ppm)	Iso	DBE
1	0.00	C23 H26 N4 O3	[M+H]+	407.2071	407.2078	-0.7	-1.72	0.00	13.0

Figure S33. IR spectrum of compound **3i**




Figure S34. ^1H NMR spectrum of compound **3i**




Figure S35. ^{13}C NMR spectrum of compound **3i**




Figure S36. HRMS spectrum of compound 3i

Formula Predictor Report - CON-15_13.lcd

Page 1 of 1

Data File: C:\LabSolutions\Data\Analiz\AOzdemir\CON-15_13.lcd

Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Use Adduct
H	1	0	30	O	2	0	4	S	2	0	2	Ru	2	0	0	H
C	4	15	25	F	1	0	0	Cl	1	0	1	Pd	2	0	0	
N	3	1	6	P	3	0	0	Br	1	0	0	I	3	0	0	

Error Margin (ppm): 5

HC Ratio: unlimited

Max Isotopes: 3

MSn Iso RI (%): 10.00

DBE Range: 10.0 - 20.0

Apply N Rule: yes

Isotope RI (%): 1.00

MSn Logic Mode: AND


Electron Ions: both

Use MSn Info: yes


Isotope Res: 9000

Max Results: 500


Event#: 1 MS(E+) Ret. Time : 6.920 Scan# : 1039



Measured region for 331.1538 m/z



C20 H18 N4 O [M+H]+ : Predicted region for 331.1553 m/z



Rank	Score	Formula (M)	Ion	Meas. m/z	Pred. m/z	Df. (mDa)	Df. (ppm)	Iso	DBE
1	0.00	C20 H18 N4 O	[M+H]+	331.1538	331.1553	-1.5	-4.53	0.00	14.0

Figure S37. IR spectrum of compound **3j**




Figure S38. ^1H NMR spectrum of compound **3j**




Figure S39. ^{13}C NMR spectrum of compound **3j**




Figure S40. HRMS spectrum of compound 3j

Formula Predictor Report - CON-16_14.lcd

Page 1 of 1

Data File: C:\LabSolutions\Data\Analiz\AOzdemir\CON-16_14.lcd


Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Use Adduct
H	1	0	30	O	2	1	4	S	2	0	2	Ru	2	0	0	H
C	4	15	25	F	1	0	0	Cl	1	0	1	Pd	2	0	0	
N	3	1	6	P	3	0	0	Br	1	0	0	I	3	0	0	

Error Margin (ppm): 5
 HC Ratio: unlimited
 Max Isotopes: 3
 MSn Iso RI (%): 10.00


DBE Range: 10.0 - 20.0
 Apply N Rule: yes
 Isotope RI (%): 1.00
 MSn Logic Mode: AND

Electron Ions: both
 Use MSn Info: yes
 Isotope Res: 9000
 Max Results: 500


Event#: 1 MS(E+) Ret. Time : 6.227 > 6.240 - 6.453 > 6.680 Scan#: 935 > 937 - 969 -> 1003



Measured region for 347.1505 m/z



C20 H18 N4 O2 [M+H]+ : Predicted region for 347.1503 m/z



Rank	Score	Formula (M)	Ion	Meas. m/z	Pred. m/z	Df. (mDa)	Df. (ppm)	Iso	DBE
1	38.14	C20 H18 N4 O2	[M+H]+	347.1505	347.1503	0.2	0.58	38.14	14.0

Figure S41. IR spectrum of compound **4a**




Figure S42. ^1H NMR spectrum of compound **4a**




Figure S43. ^{13}C NMR spectrum of compound **4a**




Figure S44. HRMS spectrum of compound **4a**

Formula Predictor Report - KON-1_17.lcd

Page 1 of 1

Data File: C:\LabSolutions\Data\Analiz\AOzdemir\KON-1_17.lcd

Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Use Adduct
H	1	0	30	O	2	0	5	S	2	0	1	Ru	2	0	0	H
C	4	15	25	F	1	0	0	Cl	1	0	0	Pd	2	0	0	
N	3	1	5	P	3	0	0	Br	1	0	1	I	3	0	0	

Error Margin (ppm): 5

HC Ratio: unlimited

Max Isotopes: 3

MSn Iso RI (%): 10.00

DBE Range: 5.0 - 15.0

Apply N Rule: yes

Isotope RI (%): 1.00

MSn Logic Mode: AND


Electron Ions: both

Use MSn Info: yes


Isotope Res: 9000

Max Results: 500


Event#: 1 MS(E+) Ret. Time : 6.893 Scan#: 1035



Measured region for 403.0204 m/z



C17 H15 N4 O S Br [M+H]+ : Predicted region for 403.0223 m/z



Rank	Score	Formula (M)	Ion	Meas. m/z	Pred. m/z	Df. (mDa)	Df. (ppm)	Iso	DBE
1	14.06	C17 H15 N4 O S Br	[M+H]+	403.0204	403.0223	-1.9	-4.71	15.50	12.0

Figure S45. IR spectrum of compound **4b**




Figure S46. ^1H NMR spectrum of compound **4b**




Figure S47. ^{13}C NMR spectrum of compound **4b**




Figure S48. HRMS spectrum of compound **4b**

Formula Predictor Report - KON-2_18.lcd

Page 1 of 1

Data File: C:\LabSolutions\Data\Analiz\AOzdemir\KON-2_18.lcd


Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Use Adduct
H	1	0	30	O	2	0	4	S	2	0	1	Ru	2	0	0	H
C	4	15	25	F	1	0	3	Cl	1	0	0	Pd	2	0	0	
N	3	1	5	P	3	0	0	Br	1	0	0	I	3	0	0	

Error Margin (ppm): 5
 HC Ratio: unlimited
 Max Isotopes: 3
 MSn Iso RI (%): 10.00


DBE Range: 5.0 - 15.0
 Apply N Rule: yes
 Isotope RI (%): 1.00
 MSn Logic Mode: AND

Electron Ions: both
 Use MSn Info: yes
 Isotope Res: 9000
 Max Results: 500


Event#: 1 MS(E+) Ret. Time : 7.013 Scan# : 1053



Measured region for 393.0989 m/z



C18 H15 N4 O F3 S [M+H]+ : Predicted region for 393.0991 m/z



Rank	Score	Formula (M)	Ion	Meas. m/z	Pred. m/z	Df. (mDa)	Df. (ppm)	Iso	DBE
1	0.00	C18 H15 N4 O F3 S	[M+H]+	393.0989	393.0991	-0.2	-0.51	0.00	12.0

Figure S49. IR spectrum of compound **4c**




Figure S50. ^1H NMR spectrum of compound **4c**




Figure S51. ^{13}C NMR spectrum of compound **4c**




Figure S52. HRMS spectrum of compound **4c**




Figure S53. IR spectrum of compound **4d**




Figure S54. ^1H NMR spectrum of compound **4d**




Figure S55. ^{13}C NMR spectrum of compound **4d**




Figure S56. HRMS spectrum of compound **4d**

Formula Predictor Report - KON-4_20.lcd

Page 1 of 1

Data File: C:\LabSolutions\Data\Analiz\AOzdemir\KON-4_20.lcd

Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Use Adduct
H	1	0	30	O	2	0	4	S	2	0	2	Ru	2	0	0	H
C	4	15	25	F	1	0	0	Cl	1	0	0	Pd	2	0	0	
N	3	1	5	P	3	0	0	Br	1	0	0	I	3	0	0	

Error Margin (ppm): 5

HC Ratio: unlimited

Max Isotopes: 3

MSn Iso RI (%): 10.00

DBE Range: 5.0 - 15.0

Apply N Rule: yes

Isotope RI (%): 1.00

MSn Logic Mode: AND


Electron Ions: both

Use MSn Info: yes


Isotope Res: 9000

Max Results: 500


Event#: 1 MS(E+) Ret. Time : 7.000 Scan#: 1051



Measured region for 472.1452 m/z



C22 H25 N5 O3 S2 [M+H]+ : Predicted region for 472.1472 m/z



Rank	Score	Formula (M)	Ion	Meas. m/z	Pred. m/z	Df. (mDa)	Df. (ppm)	Iso	DBE
1	0.00	C22 H25 N5 O3 S2	[M+H]+	472.1452	472.1472	-2.0	-4.24	0.00	13.0

Figure S57. IR spectrum of compound **4e**




Figure S58. ^1H NMR spectrum of compound **4e**




Figure S59. ^{13}C NMR spectrum of compound **4e**




Figure S60. HRMS spectrum of compound **4e**

Formula Predictor Report - KON-5_2.lcd

Page 1 of 1

Data File: C:\LabSolutions\Data\Analiz\mdalintop\KON-5_2.lcd

Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Use Adduct
H	1	10	40	O	2	1	2	S	2	0	1	Ru	2	0	0	H
C	4	10	40	F	1	0	0	Cl	1	0	0	Pd	2	0	0	
N	3	2	6	P	3	0	0	Br	1	0	0	I	3	0	0	

Error Margin (ppm): 5

HC Ratio: unlimited

Max Isotopes: 3

MSn Iso RI (%): 10.00

DBE Range: 5.0 - 25.0

Apply N Rule: yes

Isotope RI (%): 1.00

MSn Logic Mode: AND


Electron Ions: both

Use MSn Info: yes


Isotope Res: 9000

Max Results: 200


Event#: 1 MS(E+) Ret. Time : 2.133 Scan# : 321



Measured region for 391.1334 m/z



C20 H18 N6 O S [M+H]+ : Predicted region for 391.1336 m/z



Rank	Score	Formula (M)	Ion	Meas. m/z	Pred. m/z	Df. (mDa)	Df. (ppm)	Iso	DBE
1	88.29	C20 H18 N6 O S	[M+H]+	391.1334	391.1336	-0.2	-0.51	88.29	15.0

Figure S61. IR spectrum of compound **4f**




Figure S62. ^1H NMR spectrum of compound **4f**




Figure S63. ^{13}C NMR spectrum of compound **4f**




Figure S64. HRMS spectrum of compound **4f**

Formula Predictor Report - KON-6_58.lcd

Page 1 of 1

Data File: C:\LabSolutions\LabSolutions\KON-6_58.lcd


Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Use Adduct
H	1	10	40	O	2	1	5	S	2	1	2	Ru	2	0	0	H
C	4	18	30	F	1	0	0	Cl	1	0	0	Pd	2	0	0	
N	3	4	7	P	3	0	0	Br	1	0	1	I	3	0	0	

Error Margin (ppm): 20
 HC Ratio: unlimited
 Max Isotopes: 3
 MSn Iso RI (%): 10.00


DBE Range: 10.0 - 21.0
 Apply N Rule: yes
 Isotope RI (%): 1.00
 MSn Logic Mode: AND

Electron Ions: both
 Use MSn Info: yes
 Isotope Res: 9000
 Max Results: 500


Event#: 1 MS(E+) Ret. Time : 2.200 > 2.453 Scan# : 331 > 369



Measured region for 369.0998 m/z



C18 H16 N4 O3 S [M+H]+ : Predicted region for 369.1016 m/z



Rank	Score	Formula (M)	Ion	Meas. m/z	Pred. m/z	Df. (mDa)	Df. (ppm)	Iso	DBE
1	0.00	C18 H16 N4 O3 S	[M+H]+	369.0998	369.1016	-1.8	-4.88	0.00	13.0

Figure S65. IR spectrum of compound **4g**




Figure S66. ^1H NMR spectrum of compound **4g**




Figure S67. ^{13}C NMR spectrum of compound **4g**




Figure S68. HRMS spectrum of compound **4g**

Formula Predictor Report - KON-7_59.lcd

Page 1 of 1

Data File: C:\LabSolutions\Data\Analiz\AOzdemir\KON-7_59.lcd


Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Elmt	Val.	Min	Max	Use Adduct
H	1	10	40	O	2	1	5	S	2	1	2	Ru	2	0	0	H
C	4	18	30	F	1	0	0	Cl	1	0	0	Pd	2	0	0	
N	3	4	7	P	3	0	0	Br	1	0	1	I	3	0	0	

Error Margin (ppm): 20
 HC Ratio: unlimited
 Max Isotopes: 3
 MSn Iso RI (%): 10.00


DBE Range: 13.0 - 21.0
 Apply N Rule: yes
 Isotope RI (%): 1.00
 MSn Logic Mode: AND

Electron Ions: both
 Use MSn Info: yes
 Isotope Res: 9000
 Max Results: 500


Event#: 1 MS(E+) Ret. Time : 3.733 > 3.867 Scan# : 561 > 581



Measured region for 431.1554 m/z



C24 H22 N4 O2 S [M+H]+ : Predicted region for 431.1536 m/z



Rank	Score	Formula (M)	Ion	Meas. m/z	Pred. m/z	Df. (mDa)	Df. (ppm)	Iso	DBE
1	0.00	C24 H22 N4 O2 S	[M+H]+	431.1554	431.1536	1.8	4.17	0.00	16.0