

Bio-active compound entrapped zinc-aminoclay loaded W/O Pickering emulsion for acne-inducing microbial treatment

Seong-Hyeon Kim¹, In-Sun Bae², Hyun Uk Lee³, Ju-Young Moon^{4*}, Young-Chul Lee^{1*}

¹ Department of BioNano Technology, Gachon University, 1342 Seongnam-Daero, Sujeong-Gu, Seongnam-Si, Gyeonggi-do 13120, Korea; shaera@gachon.ac.kr (S.-H.K.), dreamdb@gachon.ac.kr (Y.-C.L.)

² Swsonaki inc., Gwangyang frontier-valley 3rd, 30 Gaseok-Ro, Seo-Gu, Incheon, Korea; swsonaki@naver.com (I.-S.B.)

³ Research center for Materials Analysis, Korea Basic Science Institute, Daejeon 34133, Korea; leeho@kbsi.re.kr (H.U.L.)

⁴ Department of Beauty Design Management, Hansung University, 116 Samseongyoro-16gil, Seoul 02876, Korea; bora7033@naver.com (J.-Y.M.)

*Correspondence: bora7033@naver.com (J.-Y.M.); dreamdb@gachon.ac.kr (Y.-C.L.)

Keywords: Pickering emulsion, acne, antimicrobial, extended release, Zinc-aminoclay (ZnAC)

Opuntia humifusa

(SUPPLEMENTARY INFORMATION)




Figure S1. Standard curve of gallic acid for entrapment efficiency measurement of MA-OHE/ZnAC (A); and MA-OHE/ZnAC PE (B).




Figure S2. Standard curve of gallic acid for dissolution test of MA-OHE/ZnAC




Figure S3. Standard curve of MA-OHE/ZnAC PE for *in vitro* drug release kinetics