


## SUPPLEMENTARY INFORMATION

**Table S1.** List of primers used for amplification of six toxin-encoding transcripts


Specificity	5' → 3' Forward	5' → 3' Reverse
	primer sequence	primer sequence
SVSP	TCTTCTGAACCTGGTCATTGG or AGTCATTGGAGGTGATGAATG	TTTCCTGCAATAATGCTCTG or CGGGGGGCAAGTCTCAGTTGT
PII-SVMP	TCCAGCAAATCCAGCCTCC	AGGTGTAGCCACATCAAC
PI-SVMP	AGCTCTATAATCCTGGAATCTG	ACAGTATCTGTTCTCAAGCG
Asp49 PLA <sub>2</sub>	TGGACCACGTTAAACTCTGCAG	GGAGTCAGACCATGCTAA
Lys49 PLA <sub>2</sub> homologue	AACCTGTGGCAATTGGGGAAG	TTAGCATGGCTCTGCCTTCT
Disintegrin	GAAGAATGTGACTGTGGC	TCTGGGACAGTCAGCAG

## Uncropped gels


Relative to Figure 5




Relative to Figure 5




Relative to Figure 5




Relative to Figure 5



Relative to Figure 6



Relative to Figure 6



This belongs to  
acidic D49 phospholipases A2

