

Supplementary Information

Targeting SOX18 Transcription Factor Activity by Small-Molecule Inhibitor Sm4 in Non-Small Lung Cancer Cell Lines

Olga Rodak ^{1,*}, Monika Mrozowska ¹, Agnieszka Rusak ¹, Agnieszka Gomułkiewicz ¹, Aleksandra Piotrowska ¹, Mateusz Olbromski ^{1,*}, Marzenna Podhorska-Okolów ², Maciej Ugorski ³ and Piotr Dziegiel ^{1,4}

¹ Division of Histology and Embryology, Department of Human Morphology and Embryology, Wrocław Medical University, 50-368 Wrocław, Poland; monika.mrozowska@umw.edu.pl (M.M.); agnieszka.rusak@umw.edu.pl (A.R.); agnieszka.gomulkiewicz@umw.edu.pl (A.G.); aleksandra.piotrowska@umw.edu.pl (A.P.); piotr.dziegiel@umw.edu.pl (P.D.)

² Division of Ultrastructural Research, Department of Human Morphology and Embryology, Wrocław Medical University, 50-368 Wrocław, Poland; marzenna.podhorska-okolow@umw.edu.pl

³ Department of Biochemistry and Molecular Biology, Faculty of Veterinary Medicine, Wrocław University of Environmental and Life Sciences, 50-375 Wrocław, Poland; maciej.ugorski@upwr.edu.pl

⁴ Department of Physiotherapy, University School of Physical Education, 51-612 Wrocław, Poland

* Correspondence: olga.rodak@student.umw.edu.pl (O.R.); mateusz.olbromski@umw.edu.pl (M.O.)

LIST OF CONTENTS:

1. Figure S1
2. Figure S2




Figure S1. Cell cycle assay for IMR-90 cell line. No Statistical differences were observed in normal lung fibroblast cell line between control not treated and treated cells.




Figure S2. Correlation analysis of *SOX18* and *CDKN1A* mRNA levels. Positive correlation was obtained in both lung cancer subtype i.e.: (A) adenocarcinoma, (B) squamous cell carcinoma. The source of this data is publicly accesable OncoDb dataset (<https://oncodb.org/>).