

Supplementary Material

Article

The Adsorption of P2X2 Receptors Interacting with IgG Antibodies Revealed by Combined AFM Imaging and Mechanical Simulation


Eduardo A. Santander ^{1,+}, Graciela Bravo ^{1,2,+}, Yuan Chang-Halabi ¹, Gabriel J. Olguín-Orellana ¹, Pamela A. Naulin ¹, Mario J. Barrera ¹, Felipe A. Montenegro ¹, and Nelson P. Barrera ^{1,*}

¹ Laboratory of Nanophysiology and Structural Biology, Faculty of Biological Sciences, Pontificia Universidad Católica de Chile, Alameda 340, Santiago 8331150, Chile

² Department of Chemical and Bioprocess Engineering, School of Engineering, Pontificia Universidad Católica de Chile, Santiago 7820436, Chile

+ These authors contributed equally to this work.

* Correspondence: nbarrera@bio.puc.cl



Supplementary Figure S1. Adsorption analysis of anti-His6 IgG antibody by mechanical simulation under reduced number of interconnected nodes. **(A)** All-atom structural representation model of the IgG antibody (PDB ID: 1HZH) in the extended orientation, followed by the interconnected nodes model and the 3D sphere-like shape model used for simulation., **(B)** Snapshots of the adsorption process of IgG antibody model in extended orientation (top) and up-orientation (bottom). Corresponding time and AC values during adsorption simulations are indicated.