

Supplementary material for:

Review

The Anticancer Activities of Natural Terpenoids That Inhibit Both Melanoma and Non-Melanoma Skin Cancers

Ye Eun Yoon^{1,*}, Young Jae Jung¹ and Sung-Joon Lee^{2,3,*}

1 Department of Biotechnology, Graduate School of Life Sciences and Biotechnology, College of Life Sciences and Biotechnology, Korea University, Seoul 02855, Republic of Korea; lyjung51@korea.ac.kr

2 Department of Food Bioscience and Technology, College of Life Sciences and Biotechnology, Korea University, Seoul 02855, Republic of Korea

3 Interdisciplinary Program in Precision Public Health, BK21 Four Institute of Precision Public Health, Korea University, Seoul 02846, Republic of Korea

* Correspondence: yeeun916@korea.ac.kr (Y.E.Y.); junelee@korea.ac.kr (S.-J.L.)

Table S1. List of abbreviations

AhR	aryl hydrocarbon receptor
ALT	alanine aminotransferase
AST	aspartate aminotransferase
BCC	basal cell carcinoma
CMM	cutaneous malignant melanoma
COX-2	cyclooxygenase-2
DMBA	7, 12-dimethylbenz[a]anthracene
EMT	epithelial to mesenchymal transition
5-FU	5-fluorouracil
GM-CSF	granulocyte-macrophage colony-stimulating factor
GST	glutathione-S-transferase
HMG-CoA	3-hydroxy-3-methylglutaryl coenzyme A
HO-1	heme oxygenase-1
LOX5	lipoxygenase-5
LVEF	left ventricular ejection fraction
NMSC	non-melanoma skin cancer
NQO1	NAD(P)H:quinone oxidoreductase 1
Nrf2	nuclear factor E2-related factor 2
PCNA	proliferating cell nuclear antigen
PGE2	prostaglandin E2
PKC	protein kinase C
ROS	reactive oxygen species
SCC	squamous cell carcinoma
TPA	12-O-tetradecanoylphorbol-13-acetate
UA	ursolic acid
UGT	uridine 5'-diphospho-glucuronosyltransferase
UV	ultra violet