Figure S1



Figure S1. The Component-Target protein network. The blue circles represent the 14 candidate active compounds in ginkgo seed. The red rectangles represent the 164 potential hub genes of ginkgo seed against migraine.

Figure S2



Figure S2. Diagrams of protein–protein interaction (PPI) network and the screening process of core target.

Table S1. Docking results between target proteins and key pharmacological molecules.

MOL ID	Molecule Name	PTGS2	PPARG	TNF	ESR1	AKT1	BCL2	CASP3
MOL000358	beta-sitosterol	-3.97	-2.49	-3.17	-2.97	-4.02	-2.1	-3.47
MOL006821	(-)-epigallocatechin-3-gallate	-2.54	-0.1	-0.64	0.65	0.12	1.13	-0.61
MOL000392	formononetin	-4.75	-2.32	-3.35	-3.04	-3.28	-2.9	-3.36
MOL000354	isorhamnetin	-4.1	-2.19	-2.81	-1.81	-2.57	-1.59	-2.15
MOL000422	kaempferol	-2.96	-1.97	-3.17	-1.94	-2.3	-2.21	-2.51
MOL000098	quercetin	-2.0	-0.78	-2.48	-1.36	-2.0	-1.97	-1.75
MOL000449	stigmasterol	-2.88	-3.99	-4.14	-3.26	-3.88	-2.77	-3.41