**Table S1**. Clinical characteristics, medical history, anthropometric measurements, and hematological parameters in patients with rheumatoid arthritis.

| Variable | Remission-Low Group (n=31) | Moderate-High Group (n=32) | p-value |
|---|---|---|---|
| Hematological parameters | | | |
| Erythrocytes (10^6/L) | 4.71 ± 0.68 | 4.34 ± 0.35 | <0.01** [a] |
| Neutrophils (%) | 67.34 ± 7.9 | 65.63 ± 7.41 | 0.378 [a] |
| Lymphocytes (%) | 24.90 (0-33.4) | 27.3 (5.6-36.4) | 0.496 [b] |
| Monocytes (%) | 5.38 ± 1.85 | 5.93 ± 2.2 | 0.285 [a] |
| Eosinophils (%) | 1.73 ± 1.28 | 1.34 ± 1.81 | 0.324 [a] |
| Hemoglobin (g/dL) | 14.09 ± 2.04 | 12.63 ± 1.75 | <0.01** [a] |
| Hematocrit (%) | 42.13 ± 5.75 | 38.08 ± 4.36 | <0.01** [a] |
| MCV (fL) | 90.0 (67.6-102.3) | 89.2 (70.7-98.9) | 0.180 [b] |
| MCH (pg) | 30.03 ± 3.04 | 29.04 ± 2.99 | 0.200 [a] |
| MCHC (g/dL) | 33.44 ± 1.22 | 33.07 ± 1.32 | 0.262 [a] |
| Platelets (10^3/L) | 339.52 ± 281.17 | 311.91 ± 162.87 | 0.637 [a] |
| MPV (fL) | 9.8 (3.7-11.5) | 9.7 (7.7-101) | 0.983 [b] |

MCV = Mean Corpuscular Volume; MCH = Mean Corpuscular Hemoglobin; MCHC = Mean Corpuscular Hemoglobin Concentration; MPV= Mean Platelet Volume. ** Statistically significant value < 0.01. a. Student's t-test; mean and standard deviation; b. Mann-Whitney U test; median and range.