

**Supplementary Table S4.** Daytime-wise proportion of different resource-collecting task allocation categories on curry flowers.

Floral visitors	Daytime-wise (h) percentage of different categories						
	6.00-8.00	8.00-10.00	10.00-12.00	12.00-14.00	14.00-16.00	16.00-18.00	Overall
Floral visitors collected nectar and pollen grains							
▪ Diptera							
<i>Oplodontha viridula</i>	-	-	-	-	-	-	-
<i>Stomorphina discolor</i>	-	-	-	-	-	-	-
▪ Hymenoptera							
<i>Amegilla zonata</i>							
Nectar foragers	16.67 ± 6.17	20 ± 7.56	47.33 ± 9.61	69.33 ± 7.04	100	100	58.89 ± 34.69
Pollen foragers	0	0	0	0	0	0	0
Mixed foragers	83.33 ± 6.17	80 ± 7.56	52.67 ± 9.61	30.67 ± 7.04	0	0	41.11 ± 34.69
<i>Apis cerana</i>							
Nectar foragers	32 ± 11.46	38 ± 9.41	56 ± 9.86	72 ± 6.76	100	100	66.33 ± 28.22
Pollen foragers	0	0	0	0	0	0	0
Mixed foragers	68 ± 11.46	62 ± 9.41	44 ± 9.86	28 ± 6.76	0	0	33.67 ± 28.22
<i>Apis dorsata</i>							
Nectar foragers	70 ± 7.56	76 ± 9.86	82 ± 9.41	90.67 ± 7.04	100	100	86.44 ± 13.35
Pollen foragers	0	0	0	0	0	0	0
Mixed foragers	30 ± 7.56	24 ± 9.86	18 ± 9.41	9.33 ± 7.04	0	0	13.56 ± 13.35
<i>Apis florea</i>							
Nectar foragers	69 ± 11.01	73 ± 11.60	77 ± 9.49	88 ± 7.89	100	100	84.50 ± 14.78
Pollen foragers	0	0	0	0	0	0	0
Mixed foragers	31 ± 11.01	27 ± 11.60	23 ± 9.49	12 ± 7.89	0	0	15.50 ± 14.78
<i>Ceratina binghami</i>							
Nectar foragers	16.67 ± 9.58	21 ± 9.26	50 ± 9.93	72.33 ± 8.37	100	100	60 ± 36.62
Pollen foragers	0	0	0	0	0	0	0
Mixed foragers	83.33 ± 9.58	79 ± 9.26	50 ± 9.93	27.67 ± 8.37	0	0	40 ± 36.62
<i>Ceratina compacta</i>							
Nectar foragers	15 ± 9.74	18.67 ± 9.35	47.33 ± 10.26	70 ± 9.78	100	100	58.50 ± 37.84
Pollen foragers	0	0	0	0	0	0	0
Mixed foragers	85 ± 9.74	81.33 ± 9.35	52.67 ± 10.26	30 ± 9.78	0	0	41.50 ± 37.84
<i>Halictus acrocephalus</i>							
Nectar foragers	8 ± 7.75	12 ± 10.82	39.33 ± 9.61	64 ± 9.86	100	100	53.89 ± 38.44
Pollen foragers	0	0	0	0	0	0	0
Mixed foragers	92 ± 7.75	88 ± 10.82	60.67 ± 9.61	36 ± 9.86	0	0	46.11 ± 38.44
<i>Lasioglossum funebre</i>							
Nectar foragers	15.67 ± 9.26	19.33 ± 8.68	49 ± 8.27	71 ± 7.48	100	100	59.27 ± 36.91
Pollen foragers	0	0	0	0	0	0	0
Mixed foragers	84.33 ± 9.26	80.67 ± 8.68	51 ± 8.27	29 ± 7.48	0	0	40.83 ± 36.91
<i>Tetragonula iridipennis</i>							
Nectar foragers	9.33 ± 5.94	16.67 ± 6.17	39.33 ± 7.04	66 ± 9.86	100	100	55.22 ± 37.12
Pollen foragers	5.33 ± 7.43	5.33 ± 7.43	4.67 ± 6.40	0	0	0	2.56 ± 5.52
Mixed foragers	85.33 ± 9.90	78 ± 8.62	56 ± 11.21	34 ± 9.86	0	0	42.22 ± 35.15
Floral visitors collected only nectar							
Ancistroides folus, Anthene lycaenina, Appias libythea, Baoris farri, Catochrysops strato, Catopsilia Pomona, Chilades lajus, Chilades pandava, Danaus chrysippus, Danaus genutia, Euploea core, Eurema blanda, Eurema hecabe, Jamides bochus, Junonia almanac, Junonia atlites, Junonia iphita, Leptosia nina, Mycalesis perseus, Nomia iridescens, Pachlioapta hector, Papilio demoleus, Papilio polytes, Pareronia hippie, Rapala manea, Rapala varuna, Scolia soror, Sphecodes gibbus, Suastus gremius, Syntomoides imacon, Tarucus indica, Telicota colon, Tirumala limniace, Thyreus nitidulus							