

Table S1. Procedures and complications

Variable	DCM	ICM	TIC	P
All pulmonary veins isolated — no. (%)	56 (100)	68 (100)	59 (100)	1.00
Additional left atrial linear ablation — no. (%)	20 (35.7)	30 (44.1)	20 (34.5)	0.45
Total duration of radiofrequency ablation — min	86.7±24.4	89.1±22.6	93.0±33.6	0.49
Total duration of fluoroscopy — min	6.5±3.2	5.2±2.3	5.2±2.3	0.09
Total duration of procedure — min	174.6±51.6	173.5±39.70	176.9±43.2	0.94
Serious complications — no. (%)				
Tamponade	3 (5.4%)	4 (5.9%)	1 (1.9%)	0.47
stroke	0 (0%)	0 (0%)	0 (0%)	1.00
Repeat operations — no. (%)	14 (25.0)	14 (20.1)	12 (20.3)	0.79
Overall success — no. (%)	25 (52.1)	28 (50.0)	39 (66.1)	<0.01




Figure S1. A. HF hospitalization between baseline and after up-to 30-month follow-up; B. Resting heart rate between baseline and after up-to 30-month follow-up. \* P < .05; \*\*P < .01; \*\*\*P < .001;




Figure S2. The changes of the three groups at different follow-up times. A. Left ventricular ejection fraction (LVEF); B. Left ventricular end of diastolic dimension (LVEDD); C. Left atrial dimension (LAD);