



Table S1. Comparison of hemodynamical parameters. Values are median (IQR (range)), or mean (SD).

Variable	0h	10h	12h		<i>p</i> Value (Control vs Pre-op)
	Median (IQR) Mean (SD)	Median (IQR) Mean (SD)	Median (IQR) Mean (SD)	Median (IQR) Mean (SD)	
			control	pre-op	
TFC (kOhm ⁻¹)	35.00 (32.43–38.80)	33.1 (31.3–36.73)	32.6 (29.4–36.45)	32.9 (31.15–35.8)	0.5020
TFCI (kOhm ⁻¹ m ⁻¹)	19.82 (3.3)	18.86 (3.01)	17.8 (15.98–20.60)	19.25 (17.73–20.60)	0.2012
HI (Ohm s ²)	19.53 (5.82)	18.91 (5.79)	18.89 (5.80)	19.43 (5.41)	0.6317
STR	0.28 (0.26–0.32)	0.3 (0.27–0.33)	0.29 (0.27–0.31)	0.29 (0.26–0.32)	0.8837
STRI (s ⁻¹)	0.32 (0.29–0.38)	0.33 (0.28–0.39)	0.30 (0.26–0.34)	0.30 (0.27–0.35)	0.6760

TFC—thoracic fluid content; TFCI—thoracic fluid content index; HI—Heather index; STR—systolic time ratio; STRI—systolic time ratio index.