


Supplementary Table S1. LVA extension by CHA₂DS₂-VA score.

CHA ₂ DS ₂ -VA score	0	1	2	3 or 4	5	
	(n=244)	(n=156)	(n=97)	(n=52)	(n=4)	
Proportion of LVAs, (%)	9.1 [4.8–15.9]	9.8 [5.4–15.3]	9.1 [5.8–17.3]	12.0 [5.4–16.4]	19.1 [17.0–36.5]	0.198

LVAs; Low-voltage areas

Supplementary Table S2. Difference between sexes according to low-voltage area proportions by CHA₂DS₂-VA scores.

CHA ₂ DS ₂ -VA score	Male sex		Female sex		<i>p</i> -value
	Number of patients	Proportion of low-voltage areas (%)	Number of patients		
0	200	9.3 [4.9–15.9]	44	8.1 [4.8–15.8]	0.957
1	126	10.0 [4.7–15.0]	30	9.4 [5.8–17.8]	0.536
2	78	8.6 [5.8–14.8]	19	9.6 [6.5–26.9]	0.398
3 or 4	36	10.1 [4.7–15.1]	16	15.8 [9.2–32.1]	0.027
5	4	19.1 [17.0–36.5]	0		



Supplemental Figure S1. Flow chart for study enrollment.