

Table S1 (ex “Table, according to the reviewer’s suggestion”)**Table: values of antiphospholipid antibodies of aPLA + patients**

Patient No	LA			aCLA IgM	aCLA IgG	β2GPI IgM	β2GPI IgG
Sex (F/M)	beg	1.y	3.y	beg 1.y 3y	beg 1.y 3.y	beg 1.y 3.y	beg 1.y 3.y
1 F	1.08	1	2.1	25.9 3.2 0.1	15.4 4.1 0.7	5.3 38 6.2	12 9.8 2.8
2 F	0.98	1	0.9	3.1 0.6 2.8	4.2 0.1 3.5	- - -	- - -
3 F	1.1	0.8	1.4	14.6 12 8.1	9.7 4.9 7.4	31 36 -	2.4 4.6 -
4 M	0.81	0.9	0.8	33.5 7.9 2.1	57.5 11.8 14	6.1 4.3 -	5.8 9.2 -
5 F	5.69	1.7	1.38	18 7.4 16.3	9.8 16.8 10	8.3 14.6 6.2	3.4 5.4 4.8
6 F	0.9	0.9	1.7	51 48 51.9	5.9 6.2 3.3	11.2 12 11.8	8.5 6.9 5.6
7 F	1.11	0.9	0.9	4.7 200 22.5	8.6 4.6 15.8	6.3 200 14.3	7.2 2.9 6.3
8 F	1.32	2.04	1.3	5.5 6.4 -	32.8 16 -	33.2 26 26.7	21.2 19 6.3
9 F	1.47	1.65	1.4	24 23.1 25.6	13.5 16 14.2	9.1 11.2 5.4	24.4 26 28.3
10 F	2.6	2.1	1.9	20.4 13 14.3	29.6 18 19.2	9.8 6.8 8	16.3 12.3 4
11 M	1.1	1.5	1.6	23.5 18.5 6.5	7.5 6.2 4.8	- - -	- - -
12 F	1.8	2.34	2.8	120 62 24	110.9 51 21.4	38.4 9.2 5	19.2 4.3 6
13 M	0.9	1.8	2.1	20.7 13.7 14	50.7 25.6 28	19.6 12 14.2	4.7 5.4 7.8
14 M	0.96	1.1	0.8	10.7 12.6 11	17.5 16.8 18	3.5 4 3.6	6.1 4.2 5.6
15 M	2.3	3.1	0.6	- - -	- - -	- - -	- - -
16 F	0.8	1	0.9	17.1 8.4 12.6	12.6 10.8 18	6.4 18 19.2	4.2 5.1 4.4
17 M	1.1	0.8	1	6.2 12.2 18.4	16.2 22.2 22	18.2 19.2 18	21.8 16.2 25

beg - at the beginning, 1.y after one year of follow-up, 3.y after three years of follow-up

aCLA, β2GP (IgM, IgG) - PLU/ml, - not measured