Supplementary Table S1. Search threads.

Search thread 1	(“postpartum depression” OR (“postpartum” AND “depression”)) OR “maternal mental health” OR “maternal behavior” OR (“well*being” AND postpartum) AND (“epidemiology” OR “incidence”) AND (“risk factors” OR “risks” OR “pathophysiology”) AND (“diagnosis” OR “symptoms” OR “instrument”) AND (“child” OR “newborn” OR “kid”) AND (“management” OR “intervention”)
Search thread 2	(“postpartum depression” OR (“perinatal” AND “depression”) OR “maternal mental health” OR “maternal” AND “mental health” OR (“well*being” AND postpartum)) AND (“epidemiology” OR “prevalence”) AND (“risk factors” OR “pathology”) AND (“diagnosis” OR “symptoms” OR “scoring”) AND (“child” OR “newborn” OR “kid”) AND (“management” OR “intervention”)
Search thread 3	(“postpartum depression” OR (“perinatal” AND “depression”) OR “maternal mental health” OR “maternal” AND “mental health” OR (“well*being” AND postpartum)) AND (“epidemiology” OR “prevalence”) AND (“risk factors” OR “pathology”) AND (“diagnosis” OR “symptoms” OR “scoring”) AND (“management” OR “intervention” OR “ECT” OR “medication” OR “cognitive-behavioral therapy” OR “interpersonal therapy”)