Journal of Xenobiotics

MDPI

Supplementary Materials: Fungal Transformation and Oxalate-Mediated Mineralization of Heavy Metal Oxides by *Aspergillus aculeatus*

Thanakorn Sawangchart, Sutee Chutipaijit, Bunyarit Meksiriporn, Worapat Narueban, Worrathon Tilokkarn, Pattareewan Imsuwan and Thanawat Sutjaritvorakul

Table S1 Solubilization index (SI) values of fungal isolates for each tested metal oxide (mean ± SD, n = 3).

Fungal Isolate	ZnO	Pb_3O_4	Cu_2O	MoO_3
PTW1	2.00 ± 0.00	2.00 ± 0.00	1.72 ± 0.09	1.42 ± 0.36
PTW2	2.00 ± 0.00	1.78 ± 0.07	1.12 ± 0.20	1.00 ± 0.00
PTW3	1.62 ± 0.07	1.65 ± 0.23	1.56 ± 0.19	1.00 ± 0.00
PTW4	2.00 ± 0.00	2.00 ± 0.00	1.84 ± 0.15	1.39 ± 0.36
PTW5	1.66 ± 0.07	1.00 ± 0.00	1.00 ± 0.00	1.00 ± 0.00




Figure S1 Original uncropped SEM image corresponding to Figure 3A

https://doi.org/10.3390/jox16020044




Figure S2 Original uncropped SEM image corresponding to Figure 3B




Figure S3 Original uncropped SEM image corresponding to Figure 3C




Figure S4 Original uncropped SEM image corresponding to Figure 3D




Figure S5 Original uncropped SEM image corresponding to Figure 3E




Figure S6 Original uncropped SEM image corresponding to Figure 3F




Figure S7 Original uncropped SEM image corresponding to Figure 4A




Figure S8 Original uncropped SEM image corresponding to Figure 4B




Figure S9 Original uncropped SEM image corresponding to Figure 4C