Table S1. Characteristics and clinical experiences of 30 experts in the field of psychopharmacology

Expert	Degree	Clinical Experience in treating schizophrenia (y)	Proportion of prescription of long-acting antipsychotics (%)	Proportion of AOM when using long-acting antipsychotics (%)
1	Lecturer	20	45%	50%
2	Medical doctor	30	15%	40%
3	Associate professor	33	30%	40%
4	Assistant professor	21	10%	40%
5	Assistant professor	19	30%	30%
6	Assistant professor	14	20%	50%
7	Professor	28	25%	50%
8	Associate professor	25	40%	60%
9	Medical doctor	25	15%	40%
10	Assistant professor	19	35%	50%
11	Medical doctor	20	20%	55%

12	Medical doctor	26	20%	80%
13	Associate professor	20	20%	50%
14	lecturer	13	30%	75%
15	Associate professor	23	40%	30%
16	Associate professor	23	50%	35%
17	Assistant professor	35	25%	30%
18	Professor	22	50%	30%
19	Assistant professor	30	15%	34%
20	lecturer	20	25%	40%
21	Professor	46	35%	17%
22	Professor	30	20%	15%
23	Medical doctor	34	10%	50%
24	Medical doctor	16	40%	20%
25	Associate professor	20	25%	15%
26	Assistant professor	20	15%	50%

27	lecturer	10	80%	10%
28	Medical doctor	26	30%	50%
29	Associate professor	20	15%	40%
30	Professor	28	35%	40%

Abbreviation: AOM: aripiprazole long-acting once-monthly