Supplementary Tables

Table S1: Auditory word-picture matching scenarios and ordinal accuracy predictions for the Consonant Length Experiment. Summary of the 24 scenarios created by crossing NeutralizedC + NeutralizedV, NeutralizedC + PreciseV, PreciseC + NeutralizedV, or PreciseC + PreciseV perceptual representations with Neutralized, Ambiguous, "Not X", Precise, Fuzzy Word, Word Length phonolexical representations. Each Condition (Fam = input contains the familiar category, New = input contains the new category) is followed by the corresponding input, percept, phonolexical representation (LexRep) and ordinal accuracy prediction. Importantly, the accuracy predictions are relative, rather than absolute. To create stylized figures of the predictions we imposed a range of .75-1.0 for performance on match trials, and a range of 0.0-.75 for performance on mismatch trials. We assigned the following accuracy proportions for match trials: easy to accept = .95, easy-ish to accept = .90, difficult to accept = .80, and mismatch trials: easy to reject = .70, difficult-ish to reject = .45, difficult to reject = .35. * indicates "Not", as in *k = "Not k".

Scenario 1A: NeutralizedC + NeutralizedV Perceptual Representation, Neutralized Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[teki]	/teki/	Easy to accept(1)
MismatchC (Fam)	[teki]	[teki]	/teki/	Difficult to reject(2)
MismatchC (New)	[tek:i]	[teki]	/teki/	Difficult to reject(2)
MismatchV (Fam)	[te:ki]	[teki]	/teki/	Difficult to reject(2)
MismatchV (New)	[te:k:i]	[teki]	/teki/	Difficult to reject(2)



Scenario 1B: NeutralizedC + PreciseV Perceptual Representation, Neutralized Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[teki]	/teki/	Easy to accept(1)
MismatchC (Fam)	[teki]	[teki]	/teki/	Difficult to reject(3)
MismatchC (New)	[tek:i]	[teki]	/teki/	Difficult to reject(3)
MismatchV (Fam)	[te:ki]	[te:ki]	/teki/	Easy to reject(2)
MismatchV (New)	[te:k:i]	[te:ki]	/teki/	Easy to reject(2)



Scenario 1C: PreciseC + NeutralizedV Perceptual Representation, Neutralized Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[tek:i]	/teki/	Easy to accept(1)
MismatchC (Fam)	[teki]	[teki]	/teki/	Difficult to reject(3)
MismatchC (New)	[tek:i]	[tek:i]	/teki/	Easy to reject(2)
MismatchV (Fam)	[te:ki]	[teki]	/teki/	Difficult to reject(3)
MismatchV (New)	[te:k:i]	[tek:i]	/teki/	Easy to reject(2)



Scenario 1D: PreciseC + PreciseV Perceptual Representation, Neutralized Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[tek:i]	/teki/	Difficult to accept(2)
MismatchC (Fam)	[teki]	[teki]	/teki/	Difficult to reject(4)
MismatchC (New)	[tek:i]	[tek:i]	/teki/	Easy to reject(3)
MismatchV (Fam)	[te:ki]	[te:ki]	/teki/	Easy to reject(3)
MismatchV (New)	[te:k:i]	[te:k:i]	/teki/	Easy to reject(3)



Scenario 2A: NeutralizedC + NeutralizedV Perceptual Representation, Ambiguous Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[teki]	/te?i/	Easy-ish to accept(2)
MismatchC (Fam)	[teki]	[teki]	/te?i/	Difficult-ish to reject(3)
MismatchC (New)	[tek:i]	[teki]	/teki/	Difficult to reject(4)
MismatchV (Fam)	[te:ki]	[teki]	/teki/	Difficult to reject(4)
MismatchV (New)	[te:k:i]	[teki]	/te?i/	Difficult-ish to reject(3)



Scenario 2B: NeutralizedC + PreciseV Perceptual Representation, Ambiguous Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[teki]	/te?i/	Easy-ish to accept(2)
MismatchC (Fam)	[teki]	[teki]	/te?i/	Difficult-ish to reject(4)
MismatchC (New)	[tek:i]	[teki]	/teki/	Difficult to reject(5)
MismatchV (Fam)	[te:ki]	[te:ki]	/teki/	Easy to reject(3)
MismatchV (New)	[te:k:i]	[te:ki]	/te?i/	Easy to reject(3)



Scenario 2C: PreciseC + NeutralizedV Perceptual Representation, Ambiguous Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[tek:i]	/te?i/	Easy-ish to accept(2)
MismatchC (Fam)	[teki]	[teki]	/te?i/	Difficult-ish to reject(4)
MismatchC (New)	[tek:i]	[tek:i]	/teki/	Easy to reject(3)
MismatchV (Fam)	[te:ki]	[teki]	/teki/	Difficult to reject(5)
MismatchV (New)	[te:k:i]	[tek:i]	/te?i/	Difficult-ish to reject(4)



Scenario 2D: PreciseC + PreciseV Perceptual Representation, Ambiguous Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[tek:i]	/te?i/	Easy-ish to accept(2)
MismatchC (Fam)	[teki]	[teki]	/te?i/	Difficult-ish to reject(4)
MismatchC (New)	[tek:i]	[tek:i]	/teki/	Easy to reject(3)
MismatchV (Fam)	[te:ki]	[te:ki]	/teki/	Easy to reject(3)
MismatchV (New)	[te:k:i]	[te:k:i]	/te?i/	Easy to reject(3)



Scenario 3A: NeutralizedC + NeutralizedV Perceptual Representation, Not X Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[teki]	/te[*k]i/	Difficult to accept(2)
MismatchC (Fam)	[teki]	[teki]	/te[*k]i/	Easy to reject(3)
MismatchC (New)	[tek:i]	[teki]	/teki/	Difficult to reject(4)
MismatchV (Fam)	[te:ki]	[teki]	/teki/	Difficult to reject(4)
MismatchV (New)	[te:k:i]	[teki]	/te[*k]i/	Easy to reject(3)



Scenario 3B: NeutralizedC + PreciseV Perceptual Representation, Not X Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[teki]	/te[*k]i/	Difficult to accept(2)
MismatchC (Fam)	[teki]	[teki]	/te[*k]i/	Easy to reject(3)
MismatchC (New)	[tek:i]	[teki]	/teki/	Difficult to reject(4)
MismatchV (Fam)	[te:ki]	[te:ki]	/teki/	Easy to reject(3)
MismatchV (New)	[te:k:i]	[te:ki]	/te[*k]i/	Easy to reject(3)



Scenario 3C: PreciseC + NeutralizedV Perceptual Representation, Not X Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[tek:i]	/te[*k]i/	Easy to accept(1)
MismatchC (Fam)	[teki]	[teki]	/te[*k]i/	Easy to reject(2)
MismatchC (New)	[tek:i]	[tek:i]	/teki/	Easy to reject(2)
MismatchV (Fam)	[te:ki]	[teki]	/teki/	Difficult to reject(3)
MismatchV (New)	[te:k:i]	[tek:i]	/te[*k]i/	Difficult to reject(3)



Scenario 3D: PreciseC + PreciseV Perceptual Representation, Not X Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[tek:i]	/te[*k]i/	Easy to accept(1)
MismatchC (Fam)	[teki]	[teki]	/te[*k]i/	Easy to reject(2)
MismatchC (New)	[tek:i]	[tek:i]	/teki/	Easy to reject(2)
MismatchV (Fam)	[te:ki]	[te:ki]	/teki/	Easy to reject(2)
MismatchV (New)	[te:k:i]	[te:k:i]	/te[*k]i/	Easy to reject(2)



Scenario 4A: NeutralizedC + NeutralizedV Perceptual Representation, Precise Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[teki]	/tek:i/	Difficult to accept(2)
MismatchC (Fam)	[teki]	[teki]	/tek:i/	Easy to reject(3)
MismatchC (New)	[tek:i]	[teki]	/teki/	Difficult to reject(4)
MismatchV (Fam)	[te:ki]	[teki]	/teki/	Difficult to reject(4)
MismatchV (New)	[te:k:i]	[teki]	/tek:i/	Easy to reject(3)



Scenario 4B: NeutralizedC + PreciseV Perceptual Representation, Precise Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[teki]	/tek:i/	Difficult to accept(2)
MismatchC (Fam)	[teki]	[teki]	/tek:i/	Easy to reject(3)
MismatchC (New)	[tek:i]	[teki]	/teki/	Difficult to reject(4)
MismatchV (Fam)	[te:ki]	[te:ki]	/teki/	Easy to reject(3)
MismatchV (New)	[te:k:i]	[te:ki]	/tek:i/	Easy to reject(3)



Scenario 4C: PreciseC + NeutralizedV Perceptual Representation, Precise Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[tek:i]	/tek:i/	Easy to accept(1)
MismatchC (Fam)	[teki]	[teki]	/tek:i/	Easy to reject(2)
MismatchC (New)	[tek:i]	[tek:i]	/teki/	Easy to reject(2)
MismatchV (Fam)	[te:ki]	[teki]	/teki/	Difficult to reject(3)
MismatchV (New)	[te:k:i]	[tek:i]	/tek:i/	Difficult to reject(3)



Scenario 4D: PreciseC + PreciseV Perceptual Representation, Precise Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[tek:i]	/tek:i/	Easy to accept(1)
MismatchC (Fam)	[teki]	[teki]	/tek:i/	Easy to reject(2)
MismatchC (New)	[tek:i]	[tek:i]	/teki/	Easy to reject(2)
MismatchV (Fam)	[te:ki]	[te:ki]	/teki/	Easy to reject(2)
MismatchV (New)	[te:k:i]	[te:k:i]	/tek:i/	Easy to reject(2)



Scenario 5A: NeutralizedC + NeutralizedV Perceptual Representation, FuzzyWord Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[teki]	/(teki)?/	Easy-ish to accept(2)
MismatchC (Fam)	[teki]	[teki]	/(teki)?/	Difficult-ish to reject(3)
MismatchC (New)	[tek:i]	[teki]	/teki/	Difficult to reject(4)
MismatchV (Fam)	[te:ki]	[teki]	/teki/	Difficult to reject(4)
MismatchV (New)	[te:k:i]	[teki]	/(teki)?/	Difficult-ish to reject(3)



Scenario 5B: NeutralizedC + PreciseV Perceptual Representation, FuzzyWord Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[teki]	/(teki)?/	Easy-ish to accept(2)
MismatchC (Fam)	[teki]	[teki]	/(teki)?/	Difficult-ish to reject(4)
MismatchC (New)	[tek:i]	[teki]	/teki/	Difficult to reject(5)
MismatchV (Fam)	[te:ki]	[te:ki]	/teki/	Easy to reject(3)
MismatchV (New)	[te:k:i]	[te:ki]	/(teki)?/	Difficult-ish to reject(4)



Scenario 5C: PreciseC + NeutralizedV Perceptual Representation, FuzzyWord Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[tek:i]	/(teki)?/	Easy-ish to accept(2)
MismatchC (Fam)	[teki]	[teki]	/(teki)?/	Difficult-ish to reject(4)
MismatchC (New)	[tek:i]	[tek:i]	/teki/	Easy to reject(3)
MismatchV (Fam)	[te:ki]	[teki]	/teki/	Difficult to reject(5)
MismatchV (New)	[te:k:i]	[tek:i]	/(teki)?/	Difficult-ish to reject(4)



Scenario 5D: PreciseC + PreciseV Perceptual Representation, FuzzyWord Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[tek:i]	/(teki)?/	Easy-ish to accept(2)
MismatchC (Fam)	[teki]	[teki]	/(teki)?/	Difficult-ish to reject(4)
MismatchC (New)	[tek:i]	[tek:i]	/teki/	Easy to reject(3)
MismatchV (Fam)	[te:ki]	[te:ki]	/teki/	Easy to reject(3)
MismatchV (New)	[te:k:i]	[te:k:i]	/(teki)?/	Difficult-ish to reject(4)



Scenario 6A: NeutralizedC + NeutralizedV Perceptual Representation, WordLength Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[teki]	/teki_long/	Difficult to accept(2)
MismatchC (Fam)	[teki]	[teki]	/teki_long/	Easy to reject(3)
MismatchC (New)	[tek:i]	[teki]	/teki/	Difficult to reject(4)
MismatchV (Fam)	[te:ki]	[teki]	/teki/	Difficult to reject(4)
MismatchV (New)	[te:k:i]	[teki]	/teki_long/	Easy to reject(3)



Scenario 6B: NeutralizedC + PreciseV Perceptual Representation, WordLength Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[teki]	/teki_long/	Difficult to accept(2)
MismatchC (Fam)	[teki]	[teki]	/teki_long/	Easy to reject(3)
MismatchC (New)	[tek:i]	[teki]	/teki/	Difficult to reject(4)
MismatchV (Fam)	[te:ki]	[te:ki]	/teki/	Easy to reject(3)
MismatchV (New)	[te:k:i]	[te:ki]	/teki_long/	Difficult to reject(4)



Scenario 6C: PreciseC + NeutralizedV Perceptual Representation, WordLength Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[tek:i]	/teki_long/	Easy to accept(1)
MismatchC (Fam)	[teki]	[teki]	/teki_long/	Easy to reject(2)
MismatchC (New)	[tek:i]	[tek:i]	/teki/	Easy to reject(2)
MismatchV (Fam)	[te:ki]	[teki]	/teki/	Difficult to reject(3)
MismatchV (New)	[te:k:i]	[tek:i]	/teki_long/	Difficult to reject(3)



Scenario 6D: PreciseC + PreciseV Perceptual Representation, WordLength Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[tek:i]	[tek:i]	/teki_long/	Easy to accept(1)
MismatchC (Fam)	[teki]	[teki]	/teki_long/	Easy to reject(2)
MismatchC (New)	[tek:i]	[tek:i]	/teki/	Easy to reject(2)
MismatchV (Fam)	[te:ki]	[te:ki]	/teki/	Easy to reject(2)
MismatchV (New)	[te:k:i]	[te:k:i]	/teki_long/	Difficult to reject(3)



Table S2: Auditory word-picture matching scenarios and ordinal accuracy predictions in the Vowel Length Experiment. Summary of the 24 scenarios created by crossing NeutralizedC + NeutralizedV, NeutralizedC + PreciseV, PreciseC + NeutralizedV, or PreciseC + PreciseV perceptual representations with Neutralized, Ambiguous, "Not X", Precise, Fuzzy Word, Word Length phonolexical representations. Each Condition (Fam = input contains the familiar category, New = input contains the new category) is followed by the corresponding input, percept, phonolexical representation (LexRep) and ordinal accuracy prediction. Importantly, the accuracy predictions are relative, rather than absolute. To create stylized figures of the predictions we imposed a range of .75-1.0 for performance on match trials, and a range of 0.0-.75 for performance on mismatch trials. We assigned the following accuracy proportions for match trials: easy to accept = .95, easy-ish to accept = .90, difficult to accept = .80, and mismatch trials: easy to reject = .70, difficult-ish to reject = .45, difficult to reject = .35. * indicates "Not", as in *e = "Not e".

Scenario 1A: NeutralizedC + NeutralizedV Perceptual Representation, Neutralized Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[teki]	/teki/	Easy to accept(1)
MismatchC (Fam)	[tek:i]	[teki]	/teki/	Difficult to reject(2)
MismatchC (New)	[te:k:i]	[teki]	/teki/	Difficult to reject(2)
MismatchV (Fam)	[teki]	[teki]	/teki/	Difficult to reject(2)
MismatchV (New)	[te:ki]	[teki]	/teki/	Difficult to reject(2)



Scenario 1B: NeutralizedC + PreciseV Perceptual Representation, Neutralized Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[te:ki]	/teki/	Difficult to accept(2)
MismatchC (Fam)	[tek:i]	[teki]	/teki/	Difficult to reject(4)
MismatchC (New)	[te:k:i]	[te:ki]	/teki/	Easy to reject(3)
MismatchV (Fam)	[teki]	[teki]	/teki/	Difficult to reject(4)
MismatchV (New)	[te:ki]	[te:ki]	/teki/	Easy to reject(3)



Scenario 1C: PreciseC + NeutralizedV Perceptual Representation, Neutralized Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[teki]	/teki/	Easy to accept(1)
MismatchC (Fam)	[tek:i]	[tek:i]	/teki/	Easy to reject(2)
MismatchC (New)	[te:k:i]	[tek:i]	/teki/	Easy to reject(2)
MismatchV (Fam)	[teki]	[teki]	/teki/	Difficult to reject(3)
MismatchV (New)	[te:ki]	[teki]	/teki/	Difficult to reject(3)



Scenario 1D: PreciseC + PreciseV Perceptual Representation, Neutralized Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[te:ki]	/teki/	Difficult to accept(2)
MismatchC (Fam)	[tek:i]	[tek:i]	/teki/	Easy to reject(3)
MismatchC (New)	[te:k:i]	[te:k:i]	/teki/	Easy to reject(3)
MismatchV (Fam)	[teki]	[teki]	/teki/	Difficult to reject(4)
MismatchV (New)	[te:ki]	[te:ki]	/teki/	Easy to reject(3)



Scenario 2A: NeutralizedC + NeutralizedV Perceptual Representation, Ambiguous Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[teki]	/t?ki/	Easy-ish to accept(2)
MismatchC (Fam)	[tek:i]	[teki]	/teki/	Difficult to reject(4)
MismatchC (New)	[te:k:i]	[teki]	/t?ki/	Difficult-ish to reject(3)
MismatchV (Fam)	[teki]	[teki]	/t?ki/	Difficult-ish to reject(3)
MismatchV (New)	[te:ki]	[teki]	/teki/	Difficult to reject(4)



Scenario 2B: NeutralizedC + PreciseV Perceptual Representation, Ambiguous Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[te:ki]	/t?ki/	Easy-ish to accept(2)
MismatchC (Fam)	[tek:i]	[teki]	/teki/	Difficult to reject(5)
MismatchC (New)	[te:k:i]	[te:ki]	/t?ki/	Difficult-ish to reject(4)
MismatchV (Fam)	[teki]	[teki]	/t?ki/	Difficult-ish to reject(4)
MismatchV (New)	[te:ki]	[te:ki]	/teki/	Easy to reject(3)



Scenario 2C: PreciseC + NeutralizedV Perceptual Representation, Ambiguous Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[teki]	/t?ki/	Easy-ish to accept(2)
MismatchC (Fam)	[tek:i]	[tek:i]	/teki/	Easy to reject(3)
MismatchC (New)	[te:k:i]	[tek:i]	/t?ki/	Easy to reject(3)
MismatchV (Fam)	[teki]	[teki]	/t?ki/	Difficult-ish to reject(4)
MismatchV (New)	[te:ki]	[teki]	/teki/	Difficult to reject(5)



Scenario 2D: PreciseC + PreciseV Perceptual Representation, Ambiguous Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[te:ki]	/t?ki/	Easy-ish to accept(2)
MismatchC (Fam)	[tek:i]	[tek:i]	/teki/	Easy to reject(3)
MismatchC (New)	[te:k:i]	[te:k:i]	/t?ki/	Easy to reject(3)
MismatchV (Fam)	[teki]	[teki]	/t?ki/	Difficult-ish to reject(4)
MismatchV (New)	[te:ki]	[te:ki]	/teki/	Easy to reject(3)



Scenario 3A: NeutralizedC + NeutralizedV Perceptual Representation, Not X Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[teki]	/t[*e]ki/	Difficult to accept(2)
MismatchC (Fam)	[tek:i]	[teki]	/teki/	Difficult to reject(4)
MismatchC (New)	[te:k:i]	[teki]	/t[*e]ki/	Easy to reject(3)
MismatchV (Fam)	[teki]	[teki]	/t[*e]ki/	Easy to reject(3)
MismatchV (New)	[te:ki]	[teki]	/teki/	Difficult to reject(4)



Scenario 3B: NeutralizedC + PreciseV Perceptual Representation, Not X Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[te:ki]	/t[*e]ki/	Easy to accept(1)
MismatchC (Fam)	[tek:i]	[teki]	/teki/	Difficult to reject(3)
MismatchC (New)	[te:k:i]	[te:ki]	/t[*e]ki/	Difficult to reject(3)
MismatchV (Fam)	[teki]	[teki]	/t[*e]ki/	Easy to reject(2)
MismatchV (New)	[te:ki]	[te:ki]	/teki/	Easy to reject(2)



Scenario 3C: PreciseC + NeutralizedV Perceptual Representation, Not X Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[teki]	/t[*e]ki/	Difficult to accept(2)
MismatchC (Fam)	[tek:i]	[tek:i]	/teki/	Easy to reject(3)
MismatchC (New)	[te:k:i]	[tek:i]	/t[*e]ki/	Easy to reject(3)
MismatchV (Fam)	[teki]	[teki]	/t[*e]ki/	Easy to reject(3)
MismatchV (New)	[te:ki]	[teki]	/teki/	Difficult to reject(4)



Scenario 3D: PreciseC + PreciseV Perceptual Representation, Not X Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[te:ki]	/t[*e]ki/	Easy to accept(1)
MismatchC (Fam)	[tek:i]	[tek:i]	/teki/	Easy to reject(2)
MismatchC (New)	[te:k:i]	[te:k:i]	/t[*e]ki/	Easy to reject(2)
MismatchV (Fam)	[teki]	[teki]	/t[*e]ki/	Easy to reject(2)
MismatchV (New)	[te:ki]	[te:ki]	/teki/	Easy to reject(2)



Scenario 4A: NeutralizedC + NeutralizedV Perceptual Representation, Precise Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[teki]	/te:ki/	Difficult to accept(2)
MismatchC (Fam)	[tek:i]	[teki]	/teki/	Difficult to reject(4)
MismatchC (New)	[te:k:i]	[teki]	/te:ki/	Easy to reject(3)
MismatchV (Fam)	[teki]	[teki]	/te:ki/	Easy to reject(3)
MismatchV (New)	[te:ki]	[teki]	/teki/	Difficult to reject(4)



Scenario 4B: NeutralizedC + PreciseV Perceptual Representation, Precise Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[te:ki]	/te:ki/	Easy to accept(1)
MismatchC (Fam)	[tek:i]	[teki]	/teki/	Difficult to reject(3)
MismatchC (New)	[te:k:i]	[te:ki]	/te:ki/	Difficult to reject(3)
MismatchV (Fam)	[teki]	[teki]	/te:ki/	Easy to reject(2)
MismatchV (New)	[te:ki]	[te:ki]	/teki/	Easy to reject(2)



Scenario 4C: PreciseC + NeutralizedV Perceptual Representation, Precise Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[teki]	/te:ki/	Difficult to accept(2)
MismatchC (Fam)	[tek:i]	[tek:i]	/teki/	Easy to reject(3)
MismatchC (New)	[te:k:i]	[tek:i]	/te:ki/	Easy to reject(3)
MismatchV (Fam)	[teki]	[teki]	/te:ki/	Easy to reject(3)
MismatchV (New)	[te:ki]	[teki]	/teki/	Difficult to reject(4)



Scenario 4D: PreciseC + PreciseV Perceptual Representation, Precise Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[te:ki]	/te:ki/	Easy to accept(1)
MismatchC (Fam)	[tek:i]	[tek:i]	/teki/	Easy to reject(2)
MismatchC (New)	[te:k:i]	[te:k:i]	/te:ki/	Easy to reject(2)
MismatchV (Fam)	[teki]	[teki]	/te:ki/	Easy to reject(2)
MismatchV (New)	[te:ki]	[te:ki]	/teki/	Easy to reject(2)



Scenario 5A: NeutralizedC + NeutralizedV Perceptual Representation, FuzzyWord Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[teki]	/(teki)?/	Easy-ish to accept(2)
MismatchC (Fam)	[tek:i]	[teki]	/teki/	Difficult to reject(4)
MismatchC (New)	[te:k:i]	[teki]	/(teki)?/	Difficult-ish to reject(3)
MismatchV (Fam)	[teki]	[teki]	/(teki)?/	Difficult-ish to reject(3)
MismatchV (New)	[te:ki]	[teki]	/teki/	Difficult to reject(4)



Scenario 5B: NeutralizedC + PreciseV Perceptual Representation, FuzzyWord Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[te:ki]	/(teki)?/	Easy-ish to accept(2)
MismatchC (Fam)	[tek:i]	[teki]	/teki/	Difficult to reject(5)
MismatchC (New)	[te:k:i]	[te:ki]	/(teki)?/	Difficult-ish to reject(4)
MismatchV (Fam)	[teki]	[teki]	/(teki)?/	Difficult-ish to reject(4)
MismatchV (New)	[te:ki]	[te:ki]	/teki/	Easy to reject(3)



Scenario 5C: PreciseC + NeutralizedV Perceptual Representation, FuzzyWord Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[teki]	/(teki)?/	Easy-ish to accept(2)
MismatchC (Fam)	[tek:i]	[tek:i]	/teki/	Easy to reject(3)
MismatchC (New)	[te:k:i]	[tek:i]	/(teki)?/	Difficult-ish to reject(4)
MismatchV (Fam)	[teki]	[teki]	/(teki)?/	Difficult-ish to reject(4)
MismatchV (New)	[te:ki]	[teki]	/teki/	Difficult to reject(5)



Scenario 5D: PreciseC + PreciseV Perceptual Representation, FuzzyWord Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[te:ki]	/(teki)?/	Easy-ish to accept(2)
MismatchC (Fam)	[tek:i]	[tek:i]	/teki/	Easy to reject(3)
MismatchC (New)	[te:k:i]	[te:k:i]	/(teki)?/	Difficult-ish to reject(4)
MismatchV (Fam)	[teki]	[teki]	/(teki)?/	Difficult-ish to reject(4)
MismatchV (New)	[te:ki]	[te:ki]	/teki/	Easy to reject(3)



Scenario 6A: NeutralizedC + NeutralizedV Perceptual Representation, WordLength Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[teki]	/teki_long/	Difficult to accept(2)
MismatchC (Fam)	[tek:i]	[teki]	/teki/	Difficult to reject(4)
MismatchC (New)	[te:k:i]	[teki]	/teki_long/	Easy to reject(3)
MismatchV (Fam)	[teki]	[teki]	/teki_long/	Easy to reject(3)
MismatchV (New)	[te:ki]	[teki]	/teki/	Difficult to reject(4)



Scenario 6B: NeutralizedC + PreciseV Perceptual Representation, WordLength Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[te:ki]	/teki_long/	Easy to accept(1)
MismatchC (Fam)	[tek:i]	[teki]	/teki/	Difficult to reject(3)
MismatchC (New)	[te:k:i]	[te:ki]	/teki_long/	Difficult to reject(3)
MismatchV (Fam)	[teki]	[teki]	/teki_long/	Easy to reject(2)
MismatchV (New)	[te:ki]	[te:ki]	/teki/	Easy to reject(2)



Scenario 6C: PreciseC + NeutralizedV Perceptual Representation, WordLength Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[teki]	/teki_long/	Difficult to accept(2)
MismatchC (Fam)	[tek:i]	[tek:i]	/teki/	Easy to reject(3)
MismatchC (New)	[te:k:i]	[tek:i]	/teki_long/	Difficult to reject(4)
MismatchV (Fam)	[teki]	[teki]	/teki_long/	Easy to reject(3)
MismatchV (New)	[te:ki]	[teki]	/teki/	Difficult to reject(4)



Scenario 6D: PreciseC + PreciseV Perceptual Representation, WordLength Phonolexical Representation

Condition	Input	Percept	LexRep	Ordinal Prediction
Match (Fam)	[teki]	[teki]	/teki/	Easy to accept(1)
Match (New)	[te:ki]	[te:ki]	/teki_long/	Easy to accept(1)
MismatchC (Fam)	[tek:i]	[tek:i]	/teki/	Easy to reject(2)
MismatchC (New)	[te:k:i]	[te:k:i]	/teki_long/	Difficult to reject(3)
MismatchV (Fam)	[teki]	[teki]	/teki_long/	Easy to reject(2)
MismatchV (New)	[te:ki]	[te:ki]	/teki/	Easy to reject(2)

