

Supplementary Material

Antibacterial Films Based on Polylactide with the Addition of Quercetin and Poly(Ethylene Glycol)

Ewa Olewnik-Kruszkowska ^{1,*}, Magdalena Gierszewska ¹, Agnieszka Richert ², Sylwia Grabska-Zielińska ¹, Anna Rudawska ³ and Mohamed Bouaziz ⁴


¹ Faculty of Chemistry, Chair of Physical Chemistry and Physicochemistry of Polymers, Nicolaus Copernicus University in Toruń, Gagarin 7 Street, 87-100 Toruń, Poland; mgd@umk.pl (M.G.); sylwia.gz@umk.pl (S.G.-Z.)

² Faculty of Biological and Veterinary Sciences, Chair of Genetics, Nicolaus Copernicus University in Toruń, Lwowska 1 Street, 87-100 Toruń, Poland; a.richert@umk.pl

³ Faculty of Mechanical Engineering, Department of Production Engineering, Lublin University of Technology, 20-618 Lublin, Poland; a.rudawska@pollub.pl

⁴ Electrochemistry and Environmental Laboratory, National Engineering School of Sfax, University of Sfax, BP1173, Sfax 3038, Tunisia; mohamed.bouaziz@fsg.rnu.tn

* Correspondence: olewnik@umk.pl; Tel.: +48-56-611-2210






Figure S1. Photos of Bacteria (a) *E. coli* and (b) *S. aureus* growth in direct contact with samples containing 5% wt. of PEG.




Figure 2. Photos of Bacteria (a) *E. coli* and (b) *S. aureus* growth in direct contact with samples containing 10 wt.% of PEG.