

Density-Controlled Growth of ZnO Nanowalls for High-Performance Photocatalysts

Yu-Cheng Chang ^{1,*}, Ying-Ru Lin ^{1,2}, Sheng-Wen Chen ¹ and Chia-Man Chou ^{3,4,5,*}

¹ Department of Materials Science and Engineering, Feng Chia University, Taichung 407102, Taiwan

² Department of Materials Science and Engineering, National Yang Ming Chiao Tung University, Hsinchu 30010, Taiwan

³ Department of Surgery, Taichung Veterans General Hospital, Taichung 40705, Taiwan

⁴ College of Medicine, National Yang Ming Chiao Tung University, Taipei 11221, Taiwan

⁵ Department of Post-Baccalaureate Medicine, National Chung Hsing University, Taichung 40227, Taiwan

* Correspondence: yuchchang@fcu.edu.tw (Y.-C.C.); cmchou@vghtc.gov.tw (C.-M.C.)




Figure S1. The diameter and length of ZnO nanowires were plotted as a function of the different concentrations of ZnO precursors.




Figure S2. The cross-sectional FESEM images of the ZnO nanowalls synthesized at the different concentrations of ZnO precursors. The concentrations of ZnO precursors are (a) 50 and (b) 75 mM, respectively.