

Table S1. Plants from the Mangroves, Tidal Rivers, and the Seashores of Asia and the Pacific

FAMILY Genus, species (synonym)	Distribution	Medicinal use (country) ref.
SUBCLASS LYCOPODIIDAE		
LYCOPDIACEAE <i>Lycopodium carinatum</i> Desv. ex Poir ( <i>Phlegmariurus carinatus</i> (Desv. ex Poir.) Ching).	India, Bangladesh, Southeast Asia, China, Papua, Pacific	
SUBCLASS POLYPODIIDAE		
ASPLENIACEAE <i>Asplenium macrophyllum</i> Sw. ( <i>Asplenium capuronii</i> Tardieu)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
BLECHNACEAE <i>Stenochlaena palustris</i> (Burm. f.) Bedd ( <i>Polypodium palustre</i> Burm. f., <i>Pteris scandens</i> (Willd.) Roxb.)	India, Bangladesh, Southeast Asia, Papua, Australia	
DAVALLIACEAE <i>Davallia denticulata</i> (Burm. f.) Mett. ex Kuhn( <i>Adiantum denticulatum</i> Burm. f.)	India, Bangladesh, Southeast Asia, Papua, Australia	
<i>Davallia parvula</i> Wall. ex Hook. & Grev. ( <i>Humata parvula</i> (Wall. ex Hook. & Grev.) Mett.)	Malaysia, Indonesia, Papua	
<i>Davallia angustata</i> Wall. ex Hook. & Grev. ( <i>Humata angustata</i> (Wall. ex Hook. & Grev.) J. Sm., <i>Pachypleura angustata</i> (Wall. ex Hook. & Grev.) J. Sm.)	Thailand, Vietnam, Malaysia, Indonesia	
DRYOPTERIDACEAE <i>Elaphoglossum amblyphyllum</i> P.R. Bell.	Malaysia, Indonesia	
HYMENOPHYLLACEAE <i>Hymenophyllum holochilum</i> (Bosch) C. Chr.( <i>Didymoglossum holochilum</i> Bosch)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
NEPHROLEPIDACEAE <i>Nephrolepis acutifolia</i> (Desv.) Christ	Southeast Asia, Papua, Australia, Pacific	Diarrhoea (Indonesia) [264]
<i>Nephrolepis biserrata</i> (Sw.) Schott ( <i>Aspidium biserratum</i> Sw.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	Wounds (Indonesia) [264]

<i>Nephrolepis falcata</i> (Cav.) C. Chr. ( <i>Tectaria falcata</i> Cav.)	the Philippines	
POLYPODIACEAE <i>Ctenopteris moultonii</i> (Copel.) C. Christ. & Tardieu ( <i>Polypodium moultonii</i> Copel., <i>Ctenopterella blechnoides</i> (Grev.) Parris)	Thailand, Malaysia, Indonesia	
<i>Drynaria rigidula</i> (Sw.) Bedd. ( <i>Polypodium rigidulum</i> Sw.)	Malaysia, Thailand, Indonesia, Papua	Gonorrhoea (Indonesia) [279]
<i>Drynaria quercifolia</i> (L.) J. Sm. ( <i>Polypodium quercifolium</i> L.)	India, Bangladesh, Malaysia, Thailand, Indonesia, Papua, Australia	Cough (India) [293]
<i>Drynaria sparsisora</i> (Desv.) T. Moore ( <i>Polypodium sparsisorum</i> Desv.)	Malaysia, Thailand, Indonesia, Papua, Australia	
<i>Drymoglossum piloselloides</i> (L.) Presl ( <i>Pteris piloselloides</i> L., <i>Pyrrosia piloselloides</i> (L.) M.G. Price)	India, Bangladesh, Southeast Asia, China, Japan, Papua	Smallpox (the Philippines) [278]
<i>Loxogramme involuta</i> (D. Don) C. Presl ( <i>Grammitis involuta</i> D. Don, <i>Gymnogramma involuta</i> (D. Don) Hook.)	Bangladesh, Myanmar, Thailand, Cambodia, Vietnam, China	
<i>Microsorum punctatum</i> (L.) Copel. ( <i>Acrostichum punctatum</i> L.)	India, Bangladesh, Southeast Asia, Papua, Australia	
<i>Myrmecophila sinuosa</i> (Hook.) Nakai ex H. Itô ( <i>Lecanopteris sinuosa</i> (Wall. ex Hook.) Copel., <i>Polypodium sinuosum</i> Hook.)	Southeast Asia, Papua, Australia	
<i>Photinopteris speciosa</i> (Bl.) C. Presl ( <i>Drynaria speciosa</i> (Bl.) Christenb., <i>Photinopteris acuminata</i> (Willd.) C.V. Morton)	Southeast Asia, China	
<i>Phymatosorus scolopendria</i> (Burm. f.) Pic. Serm.  ( <i>Microsorum scolopendria</i> (Burm.f.) Copel., <i>Phymatodes scolopendria</i> (Burm. f.) Ching, <i>Polypodium scolopendria</i> Burm. f.)	Southeast Asia, Papua, Australia, Pacific	Wounds (Samoa) [278]
<i>Platycerium coronarium</i> (O.F. Müll.) Desv. ( <i>Osmunda coronaria</i> O.F. Müll.)	Southeast Asia	

<i>Pyrrosia lanceolata</i> (L.) Farw. ( <i>Acrostichum lanceolatum</i> L.)	Southeast Asia, Papua, Australia, Pacific	
<i>Pyrrosia longifolia</i> (Burm. f.) C.V. Morton ( <i>Acrostichum longifolium</i> Burm. f.)	Southeast Asia, Papua, Australia Pacific	
PTERIDACEAE <i>Acrostichum aureum</i> L. ( <i>Acrostichum inaequale</i> Willd., <i>Chrysodium aureum</i> (L.) Mett.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	Fever (Fiji) [292]
<i>Acrostichum speciosum</i> Willd. ( <i>Acrostichum aureum</i> var. <i>speciosum</i> (Willd.) T. Moore)	Southeast Asia, Papua, Australia	
<i>Vittaria elongata</i> Sw. ( <i>Haplopteris elongata</i> (Sw.) E.H. Crane)	India, Bangladesh, Southeast Asia, China, Papua, Australia	
SUBCLASS CYCADIIDAE		
CYCADACEAE <i>Cycas rumphii</i> Miq.	Indonesia, Papua, Australia	Wounds (Indonesia) [277]
PODOCARPACEAE		
<i>Podocarpus polystachyus</i> R. Br. ex Endl. ( <i>Margbensonia polystachyus</i> (R. Br. ex Endl.) A.E Bobrov & Melikyan, <i>Nageia polystachia</i> (R. Br. ex Endl.) Kuntze)	Thailand, Malaysia, Indonesia, the Philippines	
SUBCLASS MAGNOLIIDAE-MONOCOTS		
ARACEAE <i>Aglaonema griffithii</i> Schott ( <i>Aglaodorum griffithii</i> (Schott) Schott)	Thailand, Malaysia, Vietnam, Indonesia	
<i>Cryptocoryne ciliata</i> (Roxb.) Fisch. ex Schott ( <i>Ambrosina ciliata</i> Roxb.)	India, Bangladesh, Southeast Asia, Papua	
<i>Lasia spinosa</i> (L.) Thwaites ( <i>Dracontium spinosum</i> L.)	India, Bangladesh, Southeast Asia, China, Papua	Tuberculosis (China) [280]
ARECACEAE <i>Calamus erinaceus</i> (Becc.) J. Dransf. ( <i>Daemonorops erinacea</i> Becc.)	Southeast Asia	
<i>Oncosperma tigillarium</i> (Jack) Ridl.	Southeast Asia	

( <i>Areca tigillaria</i> Jack, <i>Oncosperma filamentosa</i> Bl.)		
<i>Phoenix paludosa</i> Roxb.	India, Bangladesh, Southeast Asia	
<i>Saribus rotundifolius</i> (Lam.) Bl. ( <i>Corypha rotundifolia</i> Lam.)	Indonesia, Papua	
CYPERACEAE		
<i>Baumea juncea</i> (R. Br.) Palla ( <i>Cladium junceum</i> R. Br.)	Australia, New Caledonia	
<i>Cyperus elatus</i> L. ( <i>Cyperus distans</i> L.f.)	India, Bangladesh, Southeast Asia, Papua	
<i>Cyperus javanicus</i> Houtt. ( <i>Cyperus pennatus</i> Lam.)	India, Bangladesh, Southeast Asia, Papua, Pacific	
<i>Cyperus malaccensis</i> Lam. ( <i>Cyperus fortunei</i> Steud.)	India, Bangladesh, Southeast Asia, Papua	
<i>Cyperus stolonifer</i> Retz. ( <i>Cyperus tuberosus</i> Bojer)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Cyperus tagetum</i> Roxb.	India	
<i>Cyperus scariosus</i> R. Br.	Papua, Australia	
<i>Eleocharis dulcis</i> (Burm. f.) Trin. ex Hensch. ( <i>Scirpus spiralis</i> Rottb.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Fimbristylis cymosa</i> R. Br. ( <i>Fimbristylis spathacea</i> Roth)	India, Bangladesh, Southeast Asia, Papua, Australia	
<i>Fimbristylis ferruginea</i> (L.) Vahl ( <i>Scirpus debilis</i> Lam., <i>Scirpus ferrugineus</i> L.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Fimbristylis littoralis</i> Gaudich.	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Fimbristylis polytrichoides</i> (Retz.) R.Br. ( <i>Scirpus polytrichoides</i> Retz.)	India, Bangladesh, Southeast Asia, Papua, Australia	
<i>Fimbristylis subspicata</i> Nees	Japan, Vietnam	
<i>Rhynchospora corymbosa</i> (L.) Britton	India, Bangladesh, Southeast Asia, Papua, Australia	

( <i>Scirpus corymbosus</i> L.)		
<i>Scirpus grossus</i> L.f. ( <i>Actinoscirpus grossus</i> (L. f.) Goetgh. & D.A. Simpson)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	Leucorrhea (Bangladesh) [284]
<i>Scirpus kimonensis</i> N.K. Khoi	Vietnam	
FLAGELLARIACEAE <i>Flagellaria indica</i> L. ( <i>Flagellaria minor</i> Bl., <i>Flagellaria philippinensis</i> Elmer)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
JUNCAGINACEAE <i>Triglochin striata</i> Ruiz & Pavon ( <i>Triglochin decipiens</i> R. Br., <i>Triglochin decipiens</i> R. Br., <i>Triglochin montevidensis</i> Spreng.)	Australia	
ORCHIDACEAE <i>Aerides odoratum</i> Reinw. ex Bl.	Southeast Asia, China	Pneumonia (Bangladesh) [283]
<i>Bulbophyllum xylocarpi</i> J.J. Sm.	Southeast Asia, China	
<i>Cymbidium finlaysonianum</i> Wall. ex Lindl. ( <i>Cymbidium aloifolium</i> (L.) Sw., <i>Cymbidium pendulum</i> (Roxb.) Sw., <i>Cymbidium pendulum</i> var. <i>brevilabre</i> Lindl., <i>Cymbidium tricolor</i> Miq.)	Southeast Asia	
<i>Dendrobium aloefolium</i> (Bl.) Rchb.f.	Southeast Asia, Papua	
<i>Dendrobium moschatum</i> (Buch.-Ham.) Sw. ( <i>Epidendrum moschatum</i> Buch.-Ham.)	India, Bangladesh, Myanmar, Cambodia, Laos, China, Laos, Thailand, Vietnam	Otitis (India) [282]
<i>Dendrobium pachyphyllum</i> (Kuntze) Bakh. f. ( <i>Callista pachyphylla</i> Kuntze)	Southeast Asia	
<i>Dendrobium subulatum</i> (Bl.) Lindl. ( <i>Onychium subulatum</i> Bl.)	Thailand, Malaysia, Indonesia	
<i>Dockrillia teretifolia</i> (R.Br.) Brieger ( <i>Dendrobium teretifolium</i> R. Br.)	Indonesia, Papua, Australia	
<i>Oberonia iridifolia</i> Lindl. ( <i>Oberonia ensiformis</i> (Sm.) Lindl..)	India, Bangladesh, Southeast Asia	

<i>Oberonia anceps</i> Lindl. ( <i>Oberonia lycopodioides</i> (J.Koenig) Ormerod)	Southeast Asia	Boils(Indonesia) [268]
<i>Oberonia laeta</i> J.J. Sm.	Malaysia, Indonesia	
<b><i>Oberonia rhizophoreti</i> Schltr.</b> ( <i>Oberonia marina</i> J.B.Comber)	Malaysia, Indonesia	
PANDANACEAE		
<i>Pandanus affinis</i> Kurz ( <i>Benstonea affinis</i> (Kurz) Callm. & Buerki)	Vietnam, Malaysia, Indonesia, the Philippines	
<i>Pandanus klossii</i> Ridl.	Malaysia	
<b><i>Nypa fruticans</i> Wurm.</b> ( <i>Cocos nypa</i> Lour., <i>Nipa litoralis</i> Blanco)	India, Bangladesh, Southeast Asia, Papua, Australia	
<i>Pandanus tectorius</i> Parkinson	Indonesia, The Philippines, Papua, Australia, Pacific	Boils (Pacific) [281]
<i>Pandanus tonkinensis</i> B.C Stone	Vietnam	
POACEAE		
<i>Fimbristylis cymosa</i> R.Br.	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	Dysentery (India) [275]
<i>Fimbristylis ferruginea</i> (L.) Vahl ( <i>Scirpus ferrugineus</i> L., <i>Fimbristylis sieberiana</i> Kunth)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Fimbristylis polytrichoides</i> (Retz.) Vahl ( <i>Scirpus polytrichoides</i> Retz.)	India, Bangladesh, Southeast Asia, China, Papua, Australia, Pacific	
<i>Fimbristylis sericea</i> R.Br. ( <i>Scirpus sericeus</i> Poir.)	India, Bangladesh, Southeast Asia, China, Japan, Australia, Pacific	
<i>Leptochloa fusca</i> (L.) Kunth ( <i>Diplachne fusca</i> (L.) P.Beauv. ex Roem. & Schult., <i>Diplachne malabarica</i> (L.) Merr., <i>Festuca fusca</i> L., <i>Panicum malabaricum</i> (L.) Merr.)	India, Bangladesh, Southeast Asia, China, Japan, Papua, Australia, Pacific	
<i>Paspalum vaginatum</i> Sw. ( <i>Panicum littorale</i> (R.Br.) Kuntze, <i>Panicum vaginatum</i> Nees <i>Paspalum dissectum</i> (L.) L., <i>Digitaria foliosa</i> Lag.)	Pacific	
<i>Phragmites vallatoria</i> Veldkamp		

( <i>Phragmites karka</i> (Retz.) Trin. ex Steud.)  <i>Sporobolus virginicus</i> (L.) Kunth ( <i>Agrostis virginica</i> L.)  RUPPIACEAE <i>Ruppia maritima</i> L.  TACCACEAE <i>Tacca leontopetaloides</i> (L.) Kuntze ( <i>Leontice leontopetaloides</i> L.)	India, Bangladesh, Southeast Asia, China, Japan, Papua, Australia, Pacific  India, Bangladesh, Southeast Asia, China, Japan, Papua, Australia, Pacific  India, Bangladesh, Myanmar, Thailand, Malaysia, Australia  India, Bangladesh, Myanmar, Thailand, Malaysia, Indonesia, Papua, Australia	
SUBCLASS MAGNOLIIDAE-DICOTS  ACANTHACEAE <b><i>Acanthus ebracteatus</i> Vahl</b> ( <i>Acanthus ilicifolius</i> L. var. <i>ebracteatus</i> (Vahl) Benoist, <i>Dilivaria ebracteata</i> (Vahl) Persoon.)	India, Myanmar, Cambodia, Thailand, Vietnam, Malaysia, Indonesia, Papua, Australia, Pacific	Otitis (Palau)[268]
<b><i>Acanthus ilicifolius</i> L.</b> ( <i>Acanthus xiamensis</i> R.T. Zhang, <i>Dilivaria ilicifolia</i> (L.) Juss.)	Tropical Asia Pacific	Fever (India)[268]
<b><i>Acanthus volubilis</i> Wall.</b> ( <i>Dilivaria volubilis</i> (Wall.) Nees)	India, Bangladesh, Myanmar, Thailand, Malaysia	Boils (India)[268]
<i>Hygrophila phlomoides</i> Nees	Bangladesh, Myanmar, Thailand, Vietnam, Malaysia, the Philippines	<u>Sores (Myanmar)</u> [268]
AEGICERATACEAE <b><i>Aegiceras corniculatum</i> (L.) Blanco</b>	India, Bangladesh, Southeast Asia, Papua, Australia	Otitis (India)[268]
<b><i>Aegiceras floridum</i> Roemer &amp; Schultes</b>	the Philippines, Indonesia, Papua	
AIZOACEAE  <i>Sesuvium portulacastrum</i> (L.) L. ( <i>Portulaca portulacastrum</i> L.)	Tropical Asia, Pacific	<u>Wounds(India)</u> [268]
ANACARDIACEAE <b><i>Gluta velutina</i> Bl.</b>	Bangladesh, Myanmar, Thailand, Malaysia, Indonesia, Vietnam	

ANNONACEAE		
<i>Annona palustris</i> L.	India, China, Australia	
( <i>Annona glabra</i> L.)		
APOCYNACEAE		
<i>Carissa papuana</i> Markgr.	Papua	
<i>Cerbera floribunda</i> K. Schum. ( <i>Cerbera batjanica</i> Teijsm. & Binn. ex Valeton)	Indonesia, Papua, Australia	
<i>Cerbera manghas</i> L. ( <i>Cerbera forsteri</i> Seem., <i>Cerbera lactaria</i> Buch.-Ham. ex D. Dietrich <i>Cerbera venenifera</i> (Poir.) Steud., <i>Elcana seminuda</i> Blanco, <i>Tabernaemontana obtusifolia</i> Poir., <i>Tanghinia venenifera</i> Poir.)	Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Cerbera odollam</i> Gaertn.	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Melodinus scandens</i> J.R.Forst. & G.Forst ( <i>Melodinus orientalis</i> Bl.)	Southeast Asia	
ARALIACEAE		
<i>Schefflera elliptica</i> (Bl.) Harms. ( <i>Sciadophyllum ellipticum</i> Bl.)	Andamans, Southeast Asia	
<i>Schefflera lanceolata</i> Ridl. ( <i>Heptapleurum lanceolatum</i> (Ridl.) Lowry & G.M. Plunkett)	Malaysia	
<i>Schefflera ridleyi</i> (King) Viguer ( <i>Schefflera musangensis</i> Hend., <i>Scheffleropsis polyandra</i> (Ridley) Ridley)	Southeast Asia	
ASCLEPIADACEAE		Ringworm (Thailand)[268]
<i>Dischidia bengalensis</i> Colebr.	India, Bangladesh, Southeast Asia, Papua	Cough (Malaysia)[268]
<i>Dischidia major</i> (Vahl) Merr. ( <i>Collyris major</i> Vahl)	India, Bangladesh, Southeast Asia, Australia	Wounds (the Philippines)[268]
<i>Dischidia nummularia</i> R.Br. ( <i>Collyris minor</i> Vahl, , <i>Dischidia minor</i> (Vahl) Merr., <i>Dischidia orbicularis</i> Decne.)	India, Bangladesh, Southeast Asia, Australia	Diarrhoea (Thailand) [265]

<i>Dischidia rafflesiana</i> Wall.	India, Bangladesh, Southeast Asia	
<i>Finlaysonia obovata</i> Wall. ( <i>Finlaysonia maritima</i> Backer, <i>Olus crepitans</i> Rumph., <i>Secamone maritima</i> Bl.)	India, Bangladesh, Southeast Asia	
<i>Gymnanthera nitida</i> R. Br. ( <i>Gymnanthera oblonga</i> (Burm. f.) P.S. Green)	China, Southeast Asia, Papua, Australia	Burns (Papua)[268]
<i>Hoya australis</i> R. Br. ex J. Traill	Indonesia, Papua, Australia, Pacific	
<i>Hoya coronaria</i> Bl.	Southeast Asia	Fever (Bangladesh)[268]
<i>Hoya parasitica</i> (Roxb.) Wall. ex Wight ( <i>Asclepias parasitica</i> Roxb., <i>Hoya hookeriana</i> Wight)	India, Bangladesh, Southeast Asia	Gonorrhea (India) [279]
<i>Pentatropis capensis</i> (L. f.) Bullock ( <i>Cynanchum capense</i> L. f.)	India, Bangladesh, Myanmar	
<i>Sarcolobus carinatus</i> Wall.	India, Bangladesh, Myanmar, Thailand, Malaysia	
<i>Sarcolobus globosus</i> Wall.	Malaysia, Indonesia	
AQUIFOLIACEAE <i>Ilex cymosa</i> Bl.	Southeast Asia	
<i>Ilex maingayi</i> Hook.f.	Malaysia	
ASTERACEAE <i>Pluchea indica</i> (L.) Less. ( <i>Baccharis indica</i> L., <i>Erigeron denticulatum</i> Burm. f.)	Tropical Asia and Pacific	Dysentery (Vietnam)[268]
AVICENNIACEAE <i>Avicennia alba</i> Bl. ( <i>Avicennia marina</i> (Forssk.) Vierh., <i>Avicennia officinalis</i> L., <i>Avicennia tomentosa</i> Jacq.)	India, Southeast Asia, Papua	Boils (Guinea) [291]
<i>Avicennia eucalyptifolia</i> (Valeton) Zipp. ex Moldenke ( <i>Avicennia officinalis</i> var. <i>eucalyptifolia</i> Valeton)	Papua, Solomons	Boils (Solomons) [281]

<i>Avicennia lanata</i> Ridl.	Malaysia, Indonesia, Papua	
<i>Avicennia officinalis</i> L. ( <i>Avicennia tomentosa</i> Jacq.)	India, Bangladesh, Southeast Asia, Papua, Solomons	Boils (Solomons) [281]
BIGNONIACEAE <i>Dolichandrone spathacea</i> (Burm. f.) Bedd. ( <i>Bignonia spathacea</i> L. f.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	Bronchitis (Indonesia)[268]
BORAGINACEAE <i>Cordia cochinchinensis</i> Gagnep.	Vietnam, Cambodia, Thailand	
<i>Cordia dichotoma</i> G. Forst. ( <i>Varronia sinensis</i> Lour.)	India, Bangladesh, Southeast Asia, Papua, Australia	Boils (the Philippines)[268]
CASUARINACEAE <i>Casuarina equisetifolia</i> L. ( <i>Casuarina litorea</i> L. ex Fosberg & Sachet).	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	Diarrhoea (India) [269]
CHENOPodiACEAE <i>Atriplex jubata</i> S. Moore	New Caledonia	
<i>Sarcocornia quinqueflora</i> (Bunge ex Ung.-Sternb.) ( <i>Salicornia quinqueflora</i> Bunge ex Ung.-Sternb.)	Australia	Infection (Pakistan)[268]
<i>Salicornia brachiata</i> Miq.	India, Bangladesh, Myanmar, Thailand	Hepatitis (India)[268]
<i>Suaeda maritima</i> (L.) Dumort. ( <i>Chenopodium australe</i> R. Br., <i>Chenopodium maritimum</i> L.)	India, Thailand, Vietnam, Korea, Japan	
CHRYSOBALANACEAE <i>Atuna racemosa</i> Raf.	Southeast Asia, Papua, Pacific	Diarrhoea (Indonesia) [267]
COMBRETACEAE <i>Combretum quadrangulare</i> Kurz	Myanmar, Thailand, Laos, Vietnam	Trush (the Philippines) [285]
<i>Lumnitzera littoralis</i> (Jack) Voigt ( <i>Lumnitzera purpurea</i> (Gaudich.) C. Presl)	India, Bangladesh, Southeast, Papua, Australia	
<i>Lumnitzera racemosa</i> Willd. ( <i>Laguncularia purpurea</i> Gaudich., <i>Lumnitzera rosea</i> (Gaudich.) C. Presl)	India, Bangladesh, Southeast, Papua, Australia	

<i>Terminalia catappa</i> L. ( <i>Myrobalanus catappa</i> (L.) Kuntze, <i>Terminalia latifolia</i> Blanco, <i>Terminalia moluccana</i> Lam.)	India, Bangladesh, Southeast, Papua, Australia	Bronchitis (India) [268]
CONVOLVULACEAE  <i>Ipomoea pes-caprae</i> (L.) R. Br. ( <i>Convolvulus bilobatus</i> Roxb., <i>Convolvulus brasiliensis</i> L.)	India, Bangladesh, Southeast Asia, Papua, Pacific	Diarrhoea (Cambodia)[268]
CLUSIACEAE  <i>Calophyllum inophyllum</i> L. ( <i>Calophyllum bintagor</i> Roxb.)	India, Bangladesh, Southeast Asia, Papua, Pacific	Gonorrhoea (Myanmar)[268]
EBENACEAE  <i>Diospyros areolata</i> King & Gamble	India, Bangladesh, Southeast Asia, Papua, Pacific	
<i>Diospyros compacta</i> (R. Br.) Kosterm. ( <i>Maba compacta</i> R. Br.)	Malaysia, Indonesia	
<i>Diospyros ferrea</i> (Willd.) Bakh. ( <i>Maba littorea</i> R. Br., <i>Maba ebenus</i> Wight)	Australia	
<i>Diospyros littorea</i> (R. Br.) Kosterm.  ( <i>Maba littorea</i> R. Br.)	India, Bangladesh, Southeast Asia, Papua	Diarrhoea (India)[268]
<i>Diospyros malabarica</i> (Descr.) Kostel	Southeast Asia, Papua	
<i>Diospyros maritima</i> Bl. ( <i>Diospyros kusanoi</i> Hayata, <i>Diospyros liukiuensis</i> Makino)	India, Bangladesh, Southeast Asia	
ERICACEAE  <i>Rhododendron brookeanum</i> Low ex Lindl. var. <i>brookeanum</i> ( <i>Azalea brookeana</i> Low ex Lindl.)	Southeast Asia, Taiwan, Papua, Australia	
EUPHORBIACEAE  <i>Blumeodendron tokbrai</i> (Bl.) Kurz ( <i>Elateriospermum tokbrai</i> Bl., <i>Mallotus tokbrai</i> (Bl.) Müll. Arg., <i>Rottlera tokbrai</i> (Bl.) Scheff.)	Borneo  Indonesia, Papua	

<i>Breynia racemosa</i> (Bl.) Muell. Arg.	Southeast Asia, Papua	Leprosy (Papua) [291]
<i>Croton heterocarpus</i> Müll. Arg. ( <i>Oxydectes heterocarpa</i> (Müll. Arg.) Kuntze)	Malaysia, Indonesia	
<i>Excoecaria agallocha</i> L. ( <i>Commia cochinchinensis</i> Lour.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Excoecaria indica</i> (Willd.) Müll. Arg. ( <i>Sapium indicum</i> Willd.)	India, Bangladesh, Southeast Asia, Papua	
<i>Suregada glomerulata</i> (Bl.) Baill.	Southeast Asia, Papua, Australia	Boils (Bangladesh)[268]
FABACEAE <i>Caesalpinia bonduc</i> (L.) Roxb. ( <i>Caesalpinia bonducella</i> (L.) Fleming, <i>Guilandina bonduc</i> L.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Canavalia cathartica</i> Thouars ( <i>Lablab microcarpus</i> DC.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Canavalia lineata</i> (Thunb.) DC. ( <i>Dolichos lineatus</i> Thunb.)	Bangladesh, Myanmar, Thailand, Vietnam, China, Korea, Japan	
<i>Canavalia maritima</i> Thouars ( <i>Canavalia obtusifolia</i> (Lam.) DC.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Cathormion umbellatum</i> (Vahl) Kosterm. ( <i>Albizia umbellata</i> (Vahl) E. J. M. Koenen)	India, Bangladesh, Southeast Asia, Papua, Australia	
<i>Cynometra iripa</i> Kostel.	India, Bangladesh, Southeast Asia, Papua, Australia	
<i>Cynometra ramiflora</i> Miq.	India, Bangladesh, Southeast Asia, Papua, Australia	
<i>Dalbergia candenatensis</i> (Dennst.) Prain ( <i>Cassia candenatensis</i> Dennst.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	Fever (Indonesia)[268]
<i>Derris heptaphylla</i> Merr.	India, Bangladesh, Southeast Asia, Papua	
<i>Derris pinnata</i> (Lour.) Prain ( <i>Dalbergia pinnata</i> (Lour.) Prain)	India, Bangladesh, Southeast Asia, China	
<i>Derris scandens</i> (Aubl.) Pittier ( <i>Deguelia scandens</i> Aubl.)	India, Bangladesh, Southeast Asia, Papua, Australia	

<i>Derris trifoliata</i> Lour. ( <i>Pongamia uliginosa</i> (Roxb. ex Willd.) DC., <i>Dalbergia heterophylla</i> Willd., <i>Deguelia uliginosa</i> (Roxb. ex Willd.) Baill.)	India, Bangladesh, Southeast Asia, Papua	UTI (Solomons) [286]
<i>Inocarpus fagifer</i> (Parkinson) Fosb ( <i>Inocarpus edulis</i> J.R. Forst. & G. Forst)	Southeast Asia, Papua, Pacific	Diarrhoea (Fiji) [270]
<i>Intsia bijuga</i> (Colebr.) Kuntze ( <i>Macrolobium bijugum</i> Colebr.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	Diarrhoea (India) [269]
<i>Pongamia pinnata</i> (L.) Pierre ( <i>Cytisus pinnatus</i> L., <i>Derris indica</i> (Lam.) Bennet, <i>Milletia pinnata</i> (Linnaeus) Panigrahi, <i>Pongamia glabra</i> Vent.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Serianthes grandiflora</i> Benth.  ( <i>Serianthes dilmyi</i> Fosberg)	Southeast Asia, Papua	
<i>Sindora siamensis</i> Teysm. ex Miq.	India, Bangladesh, Myanmar, Thailand, Cambodia, Vietnam	
<i>Wallaceodendron celebicum</i> Koord.	Indonesia, the Philippines	
<b>FLACOURTIACEAE</b> <i>Hydnocarpus ilicifolia</i> King	Thailand, Vietnam, Malaysia	
<i>Scolopia luzonensis</i> (Presl.) Warb.	Indonesia, the Philippines	
<i>Scolopia macrophylla</i> (W. & A.) Clos	Myanmar, Thailand, Cambodia, Vietnam, Malaysia, Indonesia	
<i>Xylosma suluense</i> Merr.	Malaysia, Indonesia, the Philippines	Fever (Samoa) [268]
<b>GENTIANACEAE</b> <i>Fagraea crenulata</i> Maingay ex C.B. Clarke	Vietnam, Thailand, Malaysia, Indonesia	
<i>Fagraea berteroana</i> A. Gray ex Benth.	Pacific	Dysentery (the Philippines)[268]
<b>GOODENIACEAE</b> <i>Scaevola hainanensis</i> Hance	Vietnam, China	
<i>Scaevola taccada</i> (Gaertn.) Roxb.	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	

( <i>Lobelia frutescens</i> Mill., <i>Lobelia taccada</i> Gaertn., <i>Scaevola piliplena</i> Miq., <i>Scaevola sericea</i> Vahl)		
HERNANDIACEAE		
<i>Hernandia ovigera</i> L. ( <i>Hernandia sonora</i> L.)	Southeast Asia, Papua, Australia, Pacific	UTI (Fiji)[268]
<i>Hernandia nymphaeifolia</i> (C. Presl) Kubitzki ( <i>Biasolettia nymphaeifolia</i> C. Presl, <i>Hernandia peltata</i> Meisn.)	Tropical Asia and Pacific	
ICACINACEAE		
<i>Merrilliodendron megacarpum</i> Sleumer ( <i>Stemonurus megacarpus</i> Hemsl.)	Indonesia, Philippines, Papua	Syphilis (Vietnam) [287]
LAURACEAE		
<i>Cassytha filiformis</i> L. ( <i>Calodium cochinchinense</i> Lour., <i>Cassytha zeylanica</i> Gaertn., <i>Cassytha dissitiflora</i> Meisn, <i>Cassytha aphylla</i> (Forssk.) Raeusch.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	Cholera (Bangladesh)[268]
LECYTHIDACEAE		
<i>Barringtonia acutangula</i> (L.) Gaertn. ( <i>Barringtonia luzonensis</i> (Presl) Vidal)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Barringtonia asiatica</i> (L.) Kurz ( <i>Barringtonia butonica</i> J.R. Forst., <i>Barringtonia speciosa</i> J.R. Forst. & G. Forst.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Barringtonia conoidea</i> Griff. ( <i>Barringtonia alata</i> Wall.)	Myanmar, Malaysia, Indonesia	Otitis (Palau)[268]
<i>Barringtonia macrostachya</i> Hook.f.	Southeast Asia, Papua	
<i>Barringtonia racemosa</i> (L.) Spreng ( <i>Barringtonia ceylanica</i> (Miers) Gardner ex C.B. Clarke, <i>Barringtonia elongata</i> Korth., <i>Barringtonia timorensis</i> Bl.)	India to Pacific	
LOPHOPYXIDACEAE		
<i>Lophopyxis maingayi</i> Hook.f.	Southeast Asia, Papua	
LORANTHACEAE		
	Indonesia	

<i>Amyema anisomeres</i> Danser	Southeast Asia	
<i>Amyema gravis</i> Danser ( <i>Loranthus obovatus</i> Schröt. & Back.)	Indonesia, Papua, Australia	Wounds (Malaysia)[268]
<i>Amyema mackayensis</i> (Blakely) Danser ( <i>Loranthus mackayensis</i> Blakely)	Bangladesh, Southeast Asia, China	
<i>Dendrophthoe pentandra</i> (L.) Miq. ( <i>Loranthus pentandrus</i> L.)	China, Southeast Asia, Papua	
<i>Macrosolen cochinchinensis</i> (Lour.) Tiegh. ( <i>Loranthus cochinchinensis</i> Lour.)	Bangladesh, Southeast Asia, China, Australia	
<i>Viscum ovalifolium</i> DC ( <i>Viscum pedunculatum</i> Barlow)	India	
<i>Viscum orientale</i> Willd.	India, Bangladesh, Southeast Asia, Papua, Australia	
<b>LYTHRACEAE</b>		
<i>Pemphis acidula</i> J.R. & G. Forst. ( <i>Lythrum pemphis</i> L.f., <i>Pemphis angustifolia</i> Roxb., <i>Pemphis setosa</i> Blanco)	Southeast Asia, Papua, Pacific	Diarrhoea (Bangladesh) [271]
<b>MALVACEAE</b>		
<i>Brownlowia argentata</i> Kurz	India, Bangladesh, Southeast Asia	Leprosy (New Guinea) [291]
<i>Brownlowia tresa</i> (L.) Kosterm ( <i>Glabraria tresa</i> L.)	Papua, Australia	Dysentery (the Philippines)[268]
<i>Camptostemon schultzii</i> Mast.	Indonesia, the Philippines, Papua	
<i>Camptostemon philippinense</i> (S. Vidal) Becc.	Bangladesh, Southeast Asia, China, Pacific	<i>Eye infection (Solomons)</i> [289]
<i>Cumingia philippinensis</i> S. Vidal		<i>Diarrhoea (India)</i> [272]
<i>Hibiscus tiliaceus</i> L. ( <i>Hibiscus boninensis</i> Nakai, <i>Hibiscus tortuosus</i> Roxb., <i>Talipariti tiliaceum</i> (L.) Fryxell)	Bangladesh, Vietnam, China, Malaysia	Colds (Solomons)[268]
<i>Kleinhovia hospita</i> L.	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	

<i>Malachra capitata</i> (L.) L. ( <i>Sida capitata</i> L.)		Post-partum (Vietnam) [272]
<i>Thespesia populnea</i> (L.) Soland. ex Correa ( <i>Hibiscus baccifer</i> Bl., <i>Hibiscus populneus</i> L., <i>Thespesia macrophylla</i> Bl., <i>Thespesia populneoides</i> (Roxb.) Kostel.)	Myanmar, Thailand, Cambodia, Vietnam Vietnam, Malaysia, Borneo Southeast Asia	
MELASTOMATACEAE		
<i>Melastoma saigonense</i> (Kuntze) Merr. ( <i>Osbeckia saigonensis</i> Kuntze)		Dysentery (India)[268]
<i>Ochthocharis borneensis</i> Bl.	India, Bangladesh, Southeast Asia, Papua	Dysentery (Yap)[268]
<i>Pachycentria constricta</i> (Bl.) Bl. ( <i>Melastoma constrictum</i> Bl.)		
MELIACEAE	India, Bangladesh, Southeast Asia, Papua, Pacific	Cholera (Myanmar)[268]
<i>Aglaia cucullata</i> Pellegr. ( <i>Amoora cucullata</i> Roxb., <i>Aphanamixis cucullata</i> (Roxb.) M.R. Almeida)		
<i>Xylocarpus granatum</i> J. Koenig ( <i>Carapa granatum</i> (J. Koenig) Alston, <i>Carapa obovata</i> Bl., <i>Xylocarpus obovatus</i> Juss)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Xylocarpus moluccensis</i> (Lam.) M. Roem. ( <i>Carapa moluccensis</i> Lam., <i>Xylocarpus mekongensis</i> Pierre)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	Diarrhoea (China)[269]
<i>Xylocarpus rumphii</i> (Kostel.) Mabb.	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
	Southeast Asia, China, Papua, Australia, Pacific	
MORACEAE		
<i>Ficus microcarpa</i> L.f. ( <i>Ficus littoralis</i> Bl., <i>Ficus retusa</i> L., <i>Ficus nitida</i> Thunb.)		
<i>Malaisia scandens</i> (Lour.) Planch ( <i>Caturus scandens</i> Lour., <i>Malaisia tortuosa</i> Blanco, <i>Trophis scandens</i> (Lour.) Hook. & Arn.)	Vietnam, China, Japan New Caledonia	
MYOPORACEAE		
<i>Myoporum bontioides</i> (Siebold & Zucc.) A. Gray ( <i>Polycoelium bontioides</i> (Siebold & Zucc.) A. DC.)	Sri Lanka, Southeast Asia, Papua	

<i>Myoporum tenuifolium</i> G.Forsl.	Papua	
MYRISTICACEAE <i>Horsfieldia irya</i> (Gaertn.) Warb.	Myanmar, Thailand, Cambodia, Vietnam	Wounds (Indonesia)[268]
<i>Myristica hollrungii</i> Warb.	Southeast Asia, Papua, Australia	
MYRSINACEAE <i>Rapanea porteriana</i> (Wall. ex A. DC.) Mez ( <i>Myrsine porteriana</i> Wall. ex A. DC.)	Southeast Asia, Papua, Australia, Pacific	
MYRTACEAE <i>Melaleuca cajuputi</i> Roxb.	Indonesia, the Philippines, Papua, Australia	
<i>Melaleuca quinquenervia</i> (Cav.) S.T. Blake ( <i>Metrosideros quinquenervia</i> Cav.)	Southeast Asia	
<i>Osbornia octodonta</i> F. Muell.	India, Sri Lanka, Bangladesh, Southeast Asia, Papua, Pacific	
OLACAEAE <i>Anacolosa frutescens</i> (Bl.) Bl. ( <i>Stemonurus frutescens</i> Bl.)	India, Sri Lanka, Bangladesh, Southeast Asia	Fever (China)[268]
<i>Olax imbricata</i> Roxb. ( <i>Olax wightiana</i> Wall. ex Wight & Arn., <i>Ximenia olacoides</i> Wight & Arn.)	India, Sri Lanka, Bangladesh, Southeast Asia	
<i>Olax scandens</i> Roxb.	India, Sri Lanka, Bangladesh, Southeast Asia, Papua, Pacific	Tonsilitis (Indonesia)[268]
<i>Strombosia ceylanica</i> Gardner		
<i>Ximenia americana</i> L. ( <i>Ximenia aculeata</i> Crantz, <i>Ximenia elliptica</i> G. Forst.)	India, Sri Lanka, Bangladesh, Southeast Asia	
PHYLLANTHACEAE		
<i>Glochidion littorale</i> Bl. ( <i>Bradleia littorea</i> (Bl.) Steud., <i>Diasperus littoralis</i> (Bl.) Kuntze, <i>Phyllanthus littoralis</i> (Bl.) Müll. Arg.)	Indonesia, Papua, Australia	
PLUMBAGINACEAE <i>Aegialitis annulata</i> R.Br.	India, Bangladesh, Myanmar, Thailand, Malaysia	Cough (Thailand)[268]
	Korea, Japan	

( <i>Aegialinites annulata</i> (R. Br.) C. Presl)		
<b><i>Aegialitis rotundifolia</i> Roxb.</b>	India, Bangladesh, Southeast Asia, Papua, Australia	
<i>Limonium tetragonum</i> (Thunb.) Bullock		Dysentery (Palau)[268]
RHIZOPHORACEAE	Indonesia, Papua, Australia	
<b><i>Bruguiera cylindrica</i> (L.) Bl.</b>		
( <i>Bruguiera caryophylloides</i> (Burm. f.) Bl., <i>Rhizophora cylindrica</i> L., <i>Rhizophora cylindrica</i> L.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	Burns (India)[268]
<b><i>Bruguiera exaristata</i> Ding Hou</b>	Southeast Asia, Papua, Australia	
	Malaysia	
<b><i>Bruguiera gymnorhiza</i> (L.) Savigny</b> ( <i>Rhizophora gymnorhiza</i> L.)	India, Bangladesh, Southeast Asia, Papua, Australia	Wounds (India)[268]
<b><i>Bruguiera hainesii</i> C.G.Rogers</b>		Fever (Malaysia)[268]
<b><i>Bruguiera paviflora</i> (Roxb.) Wight.</b>	India, Bangladesh, Southeast Asia, Papua, Australia	Sores (Australia) [280]
<b><i>Bruguiera sexangula</i> (Lour.) Poir.</b> ( <i>Bruguiera eriopetala</i> Wight & Arn., <i>Bruguiera sexangula</i> var. <i>rhyynchopetala</i> W.C. Ko, <i>Rhizophora sexangula</i> Lour.)	Indonesia, Papua, Australia	
<i>Carallia brachiata</i> (Lour.) Merr.	Indonesia, Papua, Australia	<u>Postpartum (Malaysia)</u> [268]
<i>Carallia suffruticosa</i> Ridl. ( <i>Carallia fascicularis</i> Guill)	Malaysia	
<b><i>Ceriops australis</i> (C.T. White)</b> <b>Ballment, T.J.Sm. &amp; J.A. Stoddart</b> ( <i>Ceriops tagal</i> var. <i>australis</i> C.T. White)	India, Southeast Asia, Papua, Australia	
<b><i>Ceriops decandra</i> (Griff.) Ding Hou</b>	India, Southeast Asia, Papua	Postpartum (Malaysia)[268]
<b><i>Ceriops tagal</i> (Perr.) C.B. Rob.</b> ( <i>Ceriops candolleana</i> Arn.)	Vietnam, China, Japan	
<i>Kandelia candel</i> (L.) Druce ( <i>Kandelia rheedi</i> Wight & Arn., <i>Rhizophora candel</i> L.)	Southeast Asia, China, Papua, Australia	

<i>Kandelia obovata</i> Sheue H.Y. Liu & J. Yong	Southeast Asia, China, Papua, Australia	
<b><i>Rhizophora apiculata</i> Bl.</b> ( <i>Rhizophora candelaria</i> DC., <i>Rhizophora conjugata</i> L., <i>Rhizophora mangle</i> L., <i>Rhizophora mucronata</i> Lam., <i>Rhizophora longissima</i> Blanco, <i>Rhizophora macrorrhiza</i> Griff.)	India, Bangladesh, Myanmar	Abscess (Cambodia)[268]
<b><i>Rhizophora stylosa</i> Griff.</b> ( <i>Rhizophora mucronata</i> var. <i>stylosa</i> (Griff.) Schimp.)	India, Bangladesh, Southeast Asia, Papua	
RUBIACEAE <i>Gardenia lucida</i> Roxb. ( <i>Gardenia resinifera</i> Roth)	Southeast Asia, Papua	Chancre (Palau)[268]
<i>Guettarda speciosa</i> L. ( <i>Matthiola speciosa</i> (L.) Kuntze)	Indonesia, Papua, Australia	
<i>Hydnophytum formicarum</i> Jack ( <i>Hydnophytum orbiculatum</i> Elmer, <i>Lasiostoma formicarum</i> (Jack) Spreng.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	
<i>Ixora timorensis</i> Decne.	Southeast Asia, Papua, Pacific	
<i>Morinda citrifolia</i> L. ( <i>Morinda bracteata</i> Roxb., <i>Morinda ligulata</i> Blanco, <i>Morinda multiflora</i> Roxb.)	Thailand, Cambodia, Vietnam, China, Japan	
<i>Myrmecodia tuberosa</i> Jack ( <i>Lasiostoma tuberosum</i> (Jack) Spreng.)	India, Bangladesh, Southeast Asia, Papua, Australia, Pacific	Dysentery (India) [270]
<i>Psychotria serpens</i> L. ( <i>Psychotria scandens</i> Hook. & Arn.)	India, Bangladesh, Southeast Asia, China, Papua, Australia	
<i>Scyphiphora hydrophyllacea</i> C.F. Gaertn.		
RUTACEAE <i>Acronychia pedunculata</i> (L.) Miq. ( <i>Acronychia laurifolia</i> Bl., <i>Acronychia apiculata</i> Miq., <i>Jambolifera pedunculata</i> L.)	India, Bangladesh, Myanmar, Thailand, Cambodia, Vietnam, Malaysia Vietnam	
<i>Atalantia monophylla</i> DC. ( <i>Limonia monophylla</i> L.)	India, Bangladesh, Southeast Asia, Papua	
<i>Limnocitrus littoralis</i> (Miq.) Swingle		Fever (Thailand)[268]

<i>Pleiospermium littorale</i> (Miq.) Tanaka	India, Cambodia , Southeast Asia	
<i>Merope angulata</i> Swingle	India, Bangladesh, Myanmar, Thailand	
SALVADORACEAE <i>Azima sarmentosa</i> (Bl.) B. & H. ( <i>Actegeton sarmentosa</i> Bl.)	India, Southeast Asia	
<i>Azima tetracantha</i> Lam.	India, Bangladesh, Southeast Asia, China, Papua, Australia, Pacific	
SAPINDACEAE <i>Allophylus cobbe</i> (L.) Raeusch ( <i>Rhus cobbe</i> L.)	Papua	
<i>Harpullia arborea</i> (Blanco) Radlk ( <i>Ptelea arborea</i> Blanco)	Papua	
<i>Harpullia crustacea</i> Radlk.	Papua	
<i>Harpullia hirsuta</i> Radlk.	Southeast Asia, Papua	
<i>Harpullia leptococca</i> Radlk.	Bangladesh, Nicobar Islands, Southeast Asia, Papua New, Guinea, Australia	
<i>Mischocarpus sundaicus</i> Bl.	Cambodia, Vietnam	
<i>Planchonella obovata</i> (R.Br.) Pierre. ( <i>Sersalisia obovata</i> R. Br.)	Bangladesh, Southeast Asia, Papua	Leprosy (India)[268]
SIMAROUBACEAE <i>Quassia harmandiana</i> (Pierre) Nooteboom ( <i>Samadera harmandiana</i> Pierre)	Pacific	
<i>Quassia indica</i> (Gaertn.) Nooteboom ( <i>Samadera indica</i> Gaertn., <i>Vittmania elliptica</i> Vahl)	Pacific	
SOLANACEAE <i>Solanum inamoenum</i> Benth.	India, Sri Lanka, Bangladesh, Myanmar	
<i>Solanum viride</i> R.Br.	Southeast Asia, Papua, Australia, Pacific Islands	
SONNERATIACEAE <i>Sonneratia apetala</i> Buch.-Ham.		
<i>Sonneratia griffithii</i> Kurtz.		

( <i>Chiratia leucantha</i> Montrouz., <i>Sonneratia acida</i> Benth., <i>Sonneratia alba</i> J. Smith, <i>Sonneratia caseolaris</i> (L.) Engl., <i>Sonneratia iriomotensis</i> Masam., <i>Sonneratia mossambicensis</i> Klotzsch ex Peters, <i>Sonneratia pagatpat</i> Blanco)	Southeast Asia, China India, Sri Lanka, Bangladesh, Southeast Asia, Papua	Diarrhoea (Bangladesh)[268]
<b><i>Sonneratia ovata</i> Back.</b>		
STERCULIACEAE <b><i>Heritiera littoralis</i> Aiton</b> ( <i>Balanopteris minor</i> Gaertn., <i>Balanopteris totila</i> Gaertn., <i>Heritiera minor</i> Roxb.)	India, Bangladesh, Myanmar, Myanmar, Malaysia Borneo	
<b><i>Heritiera fomes</i> Buch. Ham.</b>	Vietnam	
HERITIERACEAE <b><i>Heritiera globosa</i> Kostermans</b>		Tuberculosis (the Philippines)[268]
STYRACACEAE <i>Styrax agrestis</i> (Lour.) G. Don ( <i>Cyrtia agrestis</i> Lour., <i>Styrax rostratus</i> Hosok., <i>Styrax subcrenatus</i> Hand.-Mazz.)	India, Bangladesh, Southeast Asia, China, Papua, Australia, Pacific	Fever (Papua)[268]
SYMPLOCACEAE <i>Symplocos celastrifolia</i> Griff. ex Clarke	Papua	Abscess (Thailand)[268]
STERMONURACEAE <i>Stemonurus ammui</i> Sleumer	India, Bangladesh, Southeast Asia, China, Papua, Australia	
VERBENACEAE <i>Premna odorata</i> Blanco ( <i>Gumira odorata</i> (Blanco) Kuntze, <i>Premna vestita</i> Schauer)	India, Bangladesh, Southeast Asia, China, Papua, Australia, Pacific	
<i>Premna integrifolia</i> L. ( <i>Premna corymbosa</i> Rottler & Willd., <i>Premna serratifolia</i> L.)	India, Bangladesh, Southeast Asia, China, Papua, Australia, Pacific	
VITACEAE <i>Cayratia trifolia</i> (L.) Domin ( <i>Causonis trifolia</i> (L.) Mabb. & J.Wen, <i>Vitis trifolia</i> L.)		

Bold: true mangrove plants [3]