

Supplementary materials

Effect of Yttrium Doping on Glass Forming Ability, Thermal Stability and Corrosion Resistance of $\text{Zr}_{50.7}\text{Cu}_{28}\text{Ni}_9\text{Al}_{12.3}$ Bulk Metallic Glass

Yuzhao Zhou¹, Ling Zhao¹, Yuwei Qu^{1,2}, Liwei Hu^{1,2}, Li Qi^{2,*}, Fengsheng Qu¹, Shixiong He^{1,*} and Xue Liu^{1,*}

¹ Institute of Materials, China Academy of Engineering Physics, Mianyang 621908, China;
zhouyuzhao@yeah.net (Y.Z.); zhaoling_010@126.com (L.Z.); yuwei05010831@163.com (Y.Q.);
liwei_hu@iphy.ac.cn (L.H.); qufengsheng@163.com (F.Q.)

² State Key Laboratory of Metastable Materials Science and Technology, Yanshan University,
Qinhuangdao 066004, China

* Correspondence: xueliuthu@126.com (X.L.) ; qili@ysu.edu.cn (L.Q.); heshx2012@163.com (S.H.)




Figure S1. The enlarged DSC curves of the Y0, Y1, Y2 and Y3 alloys.




Figure S2. Kissinger plots of (a) Y0, (b) Y1, (c) Y2 and (d) Y3 alloys used to calculate the activation energies based on T_g , T_x and T_p .




Figure S3. Ozawa plots of (a) Y0, (b) Y1, (c) Y2 and (d) Y3 alloys used to calculate the activation energies based on T_g , T_x and T_p .