

Lentivan Protects against Nonalcoholic Fatty Liver Disease by Reducing Oxidative Stress and Apoptosis via the PPAR α Pathway

Tingyi Du ^{1,2}, Qin Fang ¹, Zhihao Zhang ¹, Chuanmeng Zhu ¹, Renfan Xu ³, Guangzhi Chen ^{1,*} and Yan Wang ^{1,*}

¹ Division of Cardiology, Department of Internal Medicine, Tongji Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030, China

² Department of Radiology, Zhongnan Hospital of Wuhan University, Wuhan 430071, China

³ Department of Medical Ultrasound, Tongji Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030, China

* Correspondence: chengz2003@163.com (G.C.);

newswangyan@tjh.tjmu.edu.cn (Y.W.);

Tel./Fax: +86-27-6937-8422 (G.C. & Y.W.)

Online supplemental data

SUPPLEMENTAL TABLES

Table S1. List of antibodies.

Antibody	Company	Catalog number
AMPK α	Abclonal	A12718
p-AMPK α	Abclonal	AP0116
BCL2	Proteintech	No. 66799-1-Ig
BAX	Proteintech	No. 60267-1-Ig
Caspase3	Abclonal	A2156
cleaved-Caspase3	Abclonal	A19654
CPT1 α	Abclonal	A5307
PPAR α	Abclonal	A6697
SOD1	Abclonal	A0274
SOD2	Abclonal	A1340
NOX2	Abclonal	A19701
NOX4	Abclonal	A11274
RXR α	Abclonal	A19105

Table S2. List of *p*rimers sequences.

Gene	Sequences
<i>Ppara</i> -F:	5' GGCAATGGCTTTATCACACG 3'
<i>Ppara</i> -R:	5' TGTCATCCAGTTCTAAGGCATTG 3'
<i>Chrebp</i> -F:	5' CTCAACTCCATACAACCCTCG 3'
<i>Chrebp</i> -R:	5' CGTCGGTTCCTCCATCTTGTT 3'
<i>Srebp1</i> -F:	5' GTTCCGGGGAACCTTTTCCT 3
<i>Srebp1</i> -R:	5' TGAGCTGGAGCATGTCTTCG 3'
<i>Cd36</i> -F:	5' AGCAGTGATTTGACTTGTGGC 3'
<i>Cd36</i> -R:	5' AAGGCTAGGAAACCATCCACC 3'
<i>Cpt1a</i> -F:	5' GAGAATGCCAGGAGGTCATAGAG 3'
<i>Cpt1a</i> -R:	5' AGTCTCTGTCCCTCCCTCTCG 3'
<i>Pparγ</i> -F:	5' ACCACTCGCATTCCTTGACA 3'
<i>Pparγ</i> -R:	5' TCGCACTTTGGTATTCTTGGAG 3'
<i>Acat</i> -F:	5' CATCCAAGGGGGTGAAGGAC 3'
<i>Acat</i> -R:	5' GGTGTTGCTCCTCTGCTCAT 3'
<i>Apob</i> -F:	5' TGCAGTCAACAGCAAGAGCA 3'
<i>Apob</i> -R:	5' CCTCCATCCTGAGTTGGACA 3'
<i>Mttp</i> -F:	5' AGAGCATCTTCCAGGGCAAA 3'
<i>Mttp</i> -R:	5' TATGCCCACTGGCTCGTTTT 3'
<i>Lxr</i> -F:	5' CAATGCCTGATGTTTCTCCTGAT 3'
<i>Lxr</i> -R:	5' GCTCTGCTGACTCCAACCCTAT 3'
<i>Fxr</i> -F:	5' ATTTACAGGCTACGGACGAGTTT 3'
<i>Fxr</i> -R:	5' GTAGAAGCCCAGGTTGGAATAGTA 3'
<i>Rxra</i> -F:	5' CACATTGGGCTTCGGGACT 3'
<i>Rxra</i> -R:	5' AGCGGTCCCCACAGATAGC 3'
<i>Sirt1</i> -F:	5' AGCGGCTTGAGGGTAATCAA 3'
<i>Sirt1</i> -R:	5' TTCGGGCCTCTCCGTATCAT 3'
<i>Gapdh</i> -F:	5' CAAAATGGTGAAGGTCGGTGTG 3'
<i>Gapdh</i> -R:	5' TGATGTTAGTGGGGTCTCGCTC 3'
<i>Tnfa</i> -F:	5' CAGGCGGTGCCTATGTCTC 3'
<i>Tnfa</i> -R:	5' CGATCACCCCGAAGTTCAGTAG 3'
<i>Il-6</i> -F:	5' TCTATAACCACTTCACAAGTCGGA 3'
<i>Il-6</i> -R:	5' GAATTGCCATTGCACAACCTCTT 3'
<i>Il-10</i> -F:	5' CAGCCGGGAAGACAATAACT 3'
<i>Il-10</i> -R:	5' GCATTAAGGAGTCGGTTAGCA 3'
<i>Fas</i> -F:	5' GGAGGTGG TGATAGCCGGTAT 3'
<i>Fas</i> -R:	5' TGGGTAATCCATAGAGCCCAG 3'

SUPPLEMENTAL FIGURES




Figure S1. Flow chart of the animal experiment.




Figure S2. Effects of different concentrations of LNT in PA-induced AML12. **(A)** TG content and **(B)** cell viability in AML-12 cells by PA and different concentrations of LNT treatment. Data are presented as the mean \pm SEM ($n = 3$ per group). * $p < 0.05$ compared with the Control group. # $p < 0.05$ compared with the PA group.




Figure S3. Effects of LNT on liver function in HFD-induced mice. (A) AST and ALT, and (B) ALP, TBIL, and BA levels in serum. Data are presented as the mean \pm SEM ($n = 8$ per group). * $p < 0.05$ compared with the Control group. # $p < 0.05$ compared with the HFD group.




Figure S4. Effects of LNT on inflammatory cytokines in HFD-induced mice. (A) Serum levels of TNF- α , IL-6, and IL-10 in four groups of mice. (B) Hepatic mRNA and (C) protein levels of TNF- α , IL-6, and IL-10. Data are presented as the mean \pm SEM ($n = 8$ per group). * $p < 0.05$ compared with the Control group. # $p < 0.05$ compared with the HFD group.




Figure S5. Effects of LNT on related genes in PA-induced AML12 cells. Representative Western blots and quantification of (A) AMPK α , p-AMPK α and (B) RXR α in AML-12 cells. Data are presented as the mean \pm SEM ($n = 3$ per group). * $p < 0.05$ compared with the Control group. # $p < 0.05$ compared with the PA group.