

Antibacterial Activity of a Novel Oligosaccharide from *Streptomyces californicus* against *Erwinia carotovora* subsp. *Carotovora*

Maysoon Abdulrahman Al-Zubairy ^{1,*}, Khaled Hussein ², Salwa H. Alkhyat ¹, Abdullah Yahya Al-Mahdi ³, Saeed Munassar Alghalibi ¹, Adel Ali Al-Gheethi ^{4,*}, Muhanna Mohammed Al-Shaibani ⁴, Hesham Ali El Enshasy ^{5,6}, Nik Marzuki Sidik ^{7,*}

¹ 1Microbiology Section, Biological Sciences Department, Faculty of Sciences, Sana'a University, Yemen

²Chemistry Department, Faculty of Sciences, Sana'a University, Yemen; drkhaled26@yahoo.com; alkhyat11@gmail.com; alghalibi@gmail.com

³Department of Microbiology, Faculty of Medicine, Lincoln University College, Selangor, Malaysia; drabdullahyahya@lincoln.edu.my

⁴Micro-Pollutant Research Centre (MPRC), Department of Civil Engineering, Faculty of Civil Engineering & Built Environment, Universiti Tun Hussein Onn Malaysia, 86400 Parit Raja, Batu Pahat, Johor, Malaysia

⁵Institute of Bioproducts Development (IBD), Universiti Teknologi Malaysia (UTM), Skudai 81310, Johor, Malaysia; henshasy@ibd.utm.my; hesham@utm.my

⁶City of Scientific Research and Technology Applications (SRTA), 21934 New Burg Al Arab, Alexandria, Egypt

⁷Faculty of Agro-Based Industry, Universiti Malaysia Kelantan, Jeli 17600, Kelantan, Malaysia

* Correspondence: adel@uthm.edu.my ; adelalghithi@gmail.com (AAG); alzubairymaysoon@yahoo.com (MAA); nikmarzuki@umk.edu.my (N.M.S.)

Supplementary data.




Figure S1: Effect different pH (A) and temperature (B) of *S. californicus* (22/30a) filtrate on the antibacterial activity against *E. carotovora* Erw5 and *E. carotovora* EMCC 1687.




Figure S2: Effect of carbon and nitrogen sources at different temperature on the antibacterial activity from *S. californicus* (22/30a) against of *E. carotovora Erw5* and *E. carotovora EMCC 1687*; A: carbon sources; B: nitrogen sources.




Figure S3: Assay of antibacterial activity of fractions of *S. californicus* (22/30a) against *E. carotovora* Erw₅ and *E. carotovora* EMCC 1687. A: fraction 41-50; B: *E.* fraction 4 and 6.




Figure S4: GC Chromatogram of fraction No. 6 (A), and Mass Spectrum of antibacterial agent fraction No. 6 [Ret. Time: 3.433] (B).