Supplementary Information

A New 1,3-Benzodioxole Compound from *Hypecoum erectum* and its Antioxidant Activity

Ning Xu [1,†],Wenli Bao[1,†], Jiletu Xin[1], Hua Xiao[1], Jiaqi Yu[1,*] and Liang Xu [1,*]

1 Inner Mongolia Key Laboratory of the Natural Products Chemistry and Functional Molecular Synthesis, Inner Mongolia Minzu University, Tongliao 028000, China

*Correspondence

† The authors contributed equally to this work

E-mail: xl405@imun.edu.cn (L. X.); jiaqiyu0126@163.com (J. Y.)

Table of Contents

Figure S1. ^{1}H-NMR (500 MHz, $CDCl_3$-d) spectrum of compound **1**

Figure S2. ^{13}C-NMR (125 MHz, $CDCl_3$-d) spectrum of compound **1**

Figure S3. HSQC spectrum of compound **1**

Figure S4. HMBC spectrum of compound **1**

Figure S5. ^{1}H-^{1}HCOSY spectrum of compound **1**

Figure S6. HRESIMS spectrum of compound **1**



Figure S1. ^{1}H-NMR (500 MHz, $CDCl_3$-d) spectrum of compound **1**



Figure S2. ^{13}C-NMR (125 MHz, $CDCl_3$-d) spectrum of compound 1



Figure S3. HSQC spectrum of compound **1**



Figure S4. HMBC spectrum of compound **1**



Figure S5. ^{1}H-^{1}HCOSY spectrum of compound **1**



Figure S6. HRESIMS spectrum of compound 1