

Supplementary materials


Supplemental Table S1




Table1 S1 Analysis of L9 (3)⁴ test results


Test No.	Factors				Hydrolysis degree (%)	ACE inhibition rate (%)
	A	B	C	D		
	Hydrolysis time	Hydrolysis temperature	Amount of enzyme added	Hydrolysis pH		
1	1	1	1	1	8.33	87.74
2	1	2	2	2	11.62	96.78
3	1	3	3	3	6.53	99.28
4	2	1	2	3	8.21	98.33
5	2	2	3	1	12.52	97.65
6	2	3	1	2	9.17	96.65
7	3	1	3	2	10.02	98.32
8	3	2	1	3	10.33	98.31
9	3	3	2	1	11.67	90.04
Hydrolysis degree (%)						
K ₁	26.48	26.56	27.83	32.52		
K ₂	29.90	34.47	31.50	30.81		
K ₃	32.02	27.37	29.07	25.07		
k ₁	8.83	8.85	9.28	10.84		
k ₂	9.97	11.49	10.50	10.27		
k ₃	10.67	9.12	9.69	8.36		
R	1.14	2.64	1.22	2.48		
Optimal value	A ₂	B ₂	C ₃	D ₁		
ACE inhibition rate (%)						
K ₁	283.8	284.39	282.7	275.43		
K ₂	292.63	292.74	285.15	291.75		
K ₃	286.67	285.97	295.25	295.92		
k ₁	94.60	94.80	94.23	91.81		
k ₂	97.54	97.58	95.05	97.25		
k ₃	95.56	95.32	98.42	98.64		
R	2.94	2.78	4.18	6.83		

Optimal value	A1	B3	C3	D3
------------------	----	----	----	----


Supplemental Figure







F



G

H




Figure S1. The ion flow diagram of polypeptide extraction from XSM. A. AEQPPLFDGT . B. GMVRELIVNVG. C. LCLELVNGVI. D. GGLPGFDPA. E. VTYPIIADPN. F. IMAVLAIVL. G. INPILPK. H. ETYFIVR. I. TVWPGIQPN. J. IAICNGVL.