

Supplementary Materials

One-Pot Synthesis, E-/Z-Equilibrium in Solution of 3-Hetarylaminomethylidenefuran-2(3H)-ones and the Way to Selective Synthesis of the E-Enamines

Alexandra S. Tikhomolova ^{1,*}, Vyacheslav S. Grinev ^{1,2} and Alevtina Yu. Yegorova ¹

¹ Institute of Chemistry, N.G. Chernyshevsky Saratov National Research State University, 83 Ulitsa Astrakhanskaya, Saratov 410012, Russia; grinevvs@sgu.ru (V.S.G.); yegorovaay@gmail.com (A.Y.Y.);

² Institute of Biochemistry and Physiology of Plants and Microorganisms—Subdivision of the Federal State Budgetary Research Institution Saratov Federal Scientific Centre of the Russian Academy of Sciences (IBPPM RAS), 13 Prospekt Entuziastov, Saratov 410049, Russia

* Correspondence: bondartsova.alexandra@yandex.ru

Table of content

The ¹ H & ¹³ C, NOESY NMR spectrum of compound 9a	S2
The ¹ H NMR spectrum of compound 9b	S3
The ¹ H & ¹³ C NMR spectrum of compound 9c	S4
The ¹ H & ¹³ C NMR spectrum of compound 9d	S5
The ¹ H & ¹³ C NMR spectrum of compound 9e	S6
The ¹ H & ¹³ C NMR spectrum of compound 9f	S7

Figure S1. ^1H & ^{13}C NMR of 9a





Figure S2. NOESY of 9a



¹H NMR of 9b




Figure S3. ^1H & ^{13}C NMR of 9c




Figure S4. ^1H & ^{13}C NMR of 9d




Figure S5. ^1H & ^{13}C NMR of 9e




Figure S6. ^1H & ^{13}C NMR of 9f

