

Supporting Information

Semi-Synthesis of Different Pyranoflavanoid Backbones and the Neurogenic Potential

**Corinna Urmann^{1,2,*}, Lara Bieler^{3,4}, Michael Hackl², Olivia Chia-Leeson²,
Sebastien Couillard-Despres^{3,4} and Herbert Riepl^{1,2,*}**

¹ Organic-Analytical Chemistry, Weihenstephan-Triesdorf University of Applied Sciences, 94315 Straubing, Germany

² TUM Campus Straubing for Biotechnology and Sustainability, Technical University of Munich, 94315 Straubing, Germany

³ Institute of Experimental Neuroregeneration, Spinal Cord Injury and Tissue Regeneration Center Salzburg, Paracelsus Medical University Salzburg, 5020 Salzburg, Austria

⁴ Austrian Cluster for Tissue Regeneration, 1200 Vienna, Austria

* Correspondence: corinna.urmann@tum.de (C.U.); herbert.riepl@hsbt.de (H.R.)

Content

1. NMR spectra of pyranochalcone (2).....	2
2. NMR spectra of pyranoflavanone (4)	3
3. NMR spectra of pyranoflavone (5).....	4
4. NMR spectra of pyranoaurone (6)	6
5. NMR spectra of pyranoflavonol (7)	8

Supporting Information -Semi-Synthesis of Different Pyranoflavanoid Backbones and the Neurogenic Potential

1. NMR spectra of pyranochalcone (2)




Figure S1. (a) ^1H -NMR and (b) ^{13}C -NMR of pyranochalcone (2).

Supporting Information -Semi-Synthesis of Different Pyranoflavanoid Backbones and the Neurogenic Potential

2. NMR spectra of pyranoflavanone (4)





Figure S2. (a) ^1H -NMR and (b) ^{13}C -NMR of pyranoflavanone (4).

Supporting Information -Semi-Synthesis of Different Pyranoflavanoid Backbones and the Neurogenic Potential

3. NMR spectra of pyranoflavone (5)



Supporting Information -Semi-Synthesis of Different Pyranoflavanoid Backbones and the Neurogenic Potential





Figure S3. (a) ^1H -NMR, (b) ^{13}C -NMR, (c) HSQC and (d) HMBC of pyranoflavone (5).

Supporting Information -Semi-Synthesis of Different Pyranoflavanoid Backbones and the Neurogenic Potential

4. NMR spectra of pyranoaurone (6)



Supporting Information -Semi-Synthesis of Different Pyranoflavanoid Backbones and the Neurogenic Potential





Figure S4. (a) ^1H -NMR, (b) ^{13}C -NMR, (c) HSQC and (d) HMBC of pyranoaurone (6).

Supporting Information -Semi-Synthesis of Different Pyranoflavanoid Backbones and the Neurogenic Potential

5. NMR spectra of pyranoflavanol (7)



Supporting Information -Semi-Synthesis of Different Pyranoflavanoid Backbones and the Neurogenic Potential




Figure S5. (a) ¹H-NMR, (b) ¹³C-NMR, (c) HSQC and (d) HMBC of pyranoflavanol (7).