*nanomaterials*

MDPI

*Article*

# A Scalable Solution Route to Porous Networks of Nanostructured Black Tungsten

**V. Vinay K. Doddapaneni [1], Kijoon Lee [2,3], Tyler T. Colbert [1], Saereh Mirzababaei [2,3], Brian K. Paul [2,3], Somayeh Pasebani [2,3] and Chih-Hung Chang [1,*]**

[1] School of Chemical, Biological, and Environmental Engineering, Oregon State University, Corvallis, OR 97331, USA; doddapav@oregonstate.edu (V.V.K.D.); tycolbert94@gmail.com (T.T.C.)
[2] School of Mechanical, Industrial, and Manufacturing Engineering, Oregon State University, Corvallis, OR 97331, USA; leekij@oregonstate.edu (K.L.); mirzabas@oregonstate.edu (S.M.); brian.paul@oregonstate.edu (B.K.P.); somayeh.pasebani@oregonstate.edu (S.P.)
[3] Advanced Technology and Manufacturing Institute (ATAMI), Corvallis, OR 97330, USA
* Correspondence: chih-hung.chang@oregonstate.edu; Tel.: +1-541-737-8548

**Citation:** Doddapaneni, V.V.K.; Lee, K.; Colbert, T.T.; Mirzababaei, S.; Paul, B.K.; Pasebani, S.; Chang, C-H. A Scalable Solution Route to Porous Networks of Nanostructured Black Tungsten. *Nanomaterials* **2021**, *11*, x. https://doi.org/10.3390/nano11092304

Academic Editor: Ion N. Mihailescu

Received: 18 August 2021
Accepted: 31 August 2021
Published: 5 September 2021




**Figure S1.** XRD of tungsten hexacarbonyl precursor.




**Figure S2.** STEM/EDS of cross-section.

**Table S1.** Elemental composition of Inconel 625 just below the interface.

| Elements | W | Ni | Cr | Mo | Fe | Ta | Nb | Si | O | C | Mn | Al | Co | Ti | Pt |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mass % | 2.96 | 56.39 | 13.93 | 5.66 | 4.27 | 3.77 | 2.03 | 0.41 | 3.11 | 4.27 | 1.01 | 0.64 | 0.8 | 0.29 | **0.62** |




**Figure S3.** Cross-section of the tungsten coating.