
Defective black TiO₂: effects of annealing atmospheres and urea addition on the properties and photocatalytic activities

Xu Zhang^{1,2}, Min Cai^{1,2}, Naxin Cui^{1,2}, Guifa Chen^{1,2}, Guoyan Zou^{1,2}, Li Zhou^{1,2,*}

¹ Institute of Eco-environmental and Plant Protection, Shanghai Academy of Agricultural Sciences, Shanghai, 201403, China; zouguoyan@263.net

² Shanghai Engineering Research Center of Low-carbon Agriculture, Shanghai, 201403, China; zouguoyan@263.net

* Correspondence: joly.zhouli@gmail.com; Tel.: +86-18817365817 (L.Z.)





Figure S1. Particle size distribution of (a) T-V; (b) U-T-V; (c) T-He; (d) U-T-He; (e) T-N₂; and (f) U-T-N₂.





Figure S2. HR-TEM images showing lattice fringes of (a) T-V; (b) U-T-V; (c) T-He; (d) U-T-He; (e) T-N₂; and (f) U-T-N₂.

Table S1. Element contents (wt%) of the as-prepared TiO₂ samples by SEM-EDS.

Samples Elements	T-V	U-T-V	T-He	U-T-He	T-N ₂	U-T-N ₂
C	2.02	3.53	2.91	2.45	2.48	1.75
N	0.91	0.86	1.40	1.26	0.96	1.79
O	21.62	26.83	28.56	24.99	23.50	27.21
Ti	75.45	68.77	67.13	71.30	73.06	69.25


Figure S3. (a) The adsorption capacity of as-prepared samples towards MB pollutant; (b) The fitting curves of $\ln(C_0/C_t)$ versus Time (h).