

Supplementary Materials

Synthesis of Novel Trisubstituted Olefin-type Probe Molecules Containing *N*-Heterocycles and Their Application in Detection of Malononitrile


Zhao-Hua Chen¹, Shi-Wei Yu¹, Wen-jin Xu¹, Miao-Xin Li¹, Yong Zeng¹, Si-Wei Deng¹, Jian-Yun Lin^{1,2,*} and Zhao-Yang Wang^{1*}

- 1 School of Chemistry, South China Normal University; GDMPA Key Laboratory for Process Control and Quality Evaluation of Chiral Pharmaceuticals; Guangzhou Key Laboratory of Analytical Chemistry for Biomedicine; Key Laboratory of Theoretical Chemistry of Environment, Ministry of Education, Guangzhou, Guangdong 510006, P. R. China; 2021022663@m.scnu.edu.cn (Z.-H.C.); 2021022671@m.scnu.edu.cn (S.-W.Y.); xwj31916850@163.com (W.-J.X.); limiaoxin1215@163.com (M.-X.L.); 2023022676@m.scnu.edu.cn (Y.Z.); dsw766817@163.com (S.-W.D.)
2 School of Mechanical and Automotive Engineering, South China University of Technology, Guangzhou 510640, P. R. China
* Correspondence: jianyunlin@outlook.com (J.-Y.L.); wangzy@scnu.edu.cn (Z.-Y.W.); Fax: (+86)-020-3931-0187; Tel: (+86)-020-3931-0258


Table of Contents

¹H NMR, ¹³C NMR and HR-MS Spectra for All Compounds 3a-3f.....[2-13]


¹H NMR, ¹³C NMR and HR-MS Spectra for All Compounds 3a-3f




¹H NMR spectrum of compound 3a




¹³C NMR spectrum of compound 3a




HR-MS of compound 3a





¹H NMR spectrum of compound **3b**




¹³C NMR spectrum of compound **3b**




HR-MS of compound **3b**







HR-MS of compound **3c**





¹H NMR spectrum of compound 3d




¹³C NMR spectrum of compound 3d




HR-MS of compound **3d**







HR-MS of compound **3e**



¹H NMR spectrum of compound 3f



¹³C NMR spectrum of compound 3f



HR-MS of compound **3f**