

Table S1. Detailed summary of results on determination of anti-*Borrelia* IgM and IgG antibodies obtained in serological tests in patients infected with the Epstein-Barr virus (EBV).

No. of patient	EBV qPCR (copies/mL)	Anti-EBV xMap Luminex (AU/mL)				Anti-Borrelia IIFT (titre)		Anti-Borrelia ELISA (RU/ml)		Anti-Borrelia EUROLINE RN-AT IB - IgM						Anti-Borrelia EUROLINE RN-AT IB - IgG																
		IgM VCA	IgG EAD	IgG VCA	IgG NAI	IgM	IgG	IgM	IgG	VlsE B.b	p41 Flagellin B.a	p39 BmpA B.a	OspC B.a	OspC B.b	OspC B.g	OspC B.sp	Result	VlsE B.a	VlsE B.b	VlsE B.g	Lipid B.a	Lipid B.b	P83 B.a	P41 Flagellin B.g	p39 BmpA B.g	OspC B.g	p58 (BB_A 34)	p21 (BB_K 53)	P20 (BB_Q 03)	p19 (BB_N 38)	p18 (BB_P 38)	Result
1.	17,568	5	10247	4006	3	-	1:100	5.073	18.248	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
2.	2,367,893	1098	93	1760	43	1:10	-	5.097	8.810	-	+	-	(+)	-	+	-	POS	-	-	-	-	-	-	-	-	-	-	-	NEG			
3.	27,690	33	400	3371	514	-	1:100	5.508	68.595	-	(+)	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
4.	17,800,568	1075	24	1493	15	1:10	-	17.315	5.982	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
5.	134,534	28	235	560	222	1:10	-	24.115	8.571	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
6.	4,235	51	167	3880	325	-	1:100	5.097	0.188	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
7.	1,003,456	18	120	2333	498	-	1:100	6.185	10.522	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
8.	5,467	40	154	2669	487	-	-	12.597	4.987	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
9.	75,430	52	390	2853	446	-	-	8.218	4.350	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	POS			
10.	1,342	47	385	3481	1205	1:10	-	186.688	6.022	-	+	-	(+)	-	+	-	POS	-	-	-	-	-	-	-	-	-	-	-	NEG			
11.	3,567,893	13	530	1541	457	-	1:100	3.016	16.535	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
12.	2,534	190	58	3475	33	1:10	1:320	4.976	9.168	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
13.	74,538	188	176	4328	592	1:10	1:100	1.636	4.549	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
14.	15,379	460	(107)	3654	42	1:10	-	1.927	4.190	-	+	-	-	-	-	-	NEG	-	-	-	-	(+)	+	-	-	-	-	-	NEG			
15.	7,980	21	284	3071	1399	1:10	-	10.806	7.615	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
16.	1,238	40	213	4378	1070	1:10	1:100	38.476	5.106	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
17.	178,903	19	354	4606	1930	-	-	12.040	12.553	-	+	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
18.	1,212,346	916	29	1234	16	1:10	1:100	5.484	45.297	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
19.	5,430,987	195	36	253	37	1:10	-	134.487	18.288	-	-	-	-	-	-	-	NEG	-	-	-	-	(+)	+	(+)	-	-	-	-	NEG			
20.	560	919	65	2565	40	1:10	1:320	7.298	8.173	-	+	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
21.	29,834	99	323	3335	1133	1:10	1:100	1.600	17.093	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	NEG			
22.	3,854	713	213	5108	209	1:10	1:100	2.435	17.929	-	-	-	-	-	(+)	-	BOR	-	-	-	-	(+)	-	-	-	-	-	-	NEG			
23.	17,345	983	46	2339	12	-	1:100	13.565	18.009	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	POS				
24.	67,389	680	34	2919	62	-	1:320	19.008	9.088	-	-	-	-	-	-	-	NEG	-	-	-	-	+ (++)	(+)	-	-	-	-	NEG				
25.	5,943	514	40	3029	64	-	1:100	4.976	5.027	-	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG				
26.	95,782	21	(115)	1746	203	-	1:100	4.250	9.168	-	+	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG				
27.	3,945	12	90	2802	1188	-	1:100	10.831	12.673	-	+	-	-	-	-	-	NEG	-	-	-	-	(+)	+	-	-	-	-	NEG				

Legend:

qPCR - quantitative polymerase chain reaction

Anti-EBV xMap Luminex: <100 AU/mL - negative result, 100 - 120 AU/mL - borderline result, ≥120 AU/mL - positive result.

Anti-Borrelia indirect immunofluorescence test (IIFT): IgM ≥1:10 titer - positive result; IgG ≥1:100 titer - positive result.

Anti-Borrelia enzyme-linked immunosorbent assay (ELISA): Ratio <16 RU/mL - negative result, 16 - 22 RU/mL - borderline result, ≥22 RU/mL - positive result.

Anti-Borrelia EUROLINE RN-AT immunoblot (IB): “-” negative result, “(+)” - borderline result, “+” positive result.

Positive results are marked in bold and borderline ones are additionally marked in parentheses.

B.a – *Borrelia afzelii*, B.b – *Borrelia burgdorferi*, B.g – *Borrelia garinii*, B.sp – *Borrelia spielmanii*.

Table S2. Detailed summary of results on determination of anti-*Borrelia* IgM and IgG antibodies obtained in serological tests in patients infected with cytomegalovirus (CMV).

No. of patient	CMV qPCR (copies/mL)	Anti-CMV ELISA (RU/mL)						Anti-Borrelia IIFT (titre)		Anti-Borrelia ELISA (RU/ml)		Anti-Borrelia EUROLINE RN-AT IB - IgM						Anti-Borrelia EUROLINE RN-AT IB - IgG																																		
		IgM		IgG		IgM		IgG		VlsE B.b		p41 Flagellin B.a		p39 BmpA B.a		OspC B.a		OspC B.b		OspC B.g		OspC B.sp		Result		VlsE B.a		VlsE B.b		VlsE B.g		Lipid B.a		p83 B.a		p41 Flagellin B.g		p39 BmpA B.g		OspC B.g		p58 (BB_A_34)		p21 (BB_K_53)		P20 (BB_Q_03)		P19 (BB_N_38)		P18 (BB_P_38)		Result
1.	7,160	1.3	34.45	1:10	-	2.677	1.250	-	-	-	-	+	+	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																
2.	121,822	6.6	>200	-	-	0.545	3.115	-	-	-	-	-	-	(+)	-	-	-	-	-	-	-	-	-	(+)	-	-	-	-	-	-	-	-	-	-	BOR																	
3.	18,684	2.1	85.34	-	-	12.766	0.625	-	-	-	-	-	-	(+)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																	
4.	3,160	1.1	53.78	-	-	3.210	3.075	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(+)	-	-	-	-	-	-	-	-	-	-	NEG																	
5.	1,600	0.6	48.01	-	1:100	0.364	6.858	-	+	-	(+)	-	(+)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																		
6.	3,040	1.0	32.80	-	-	1.636	3.314	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																	
7.	51,000	4.1	93.87	-	-	1.055	8.252	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																	
8.	1,937,095	5.4	>200	1:10	-	6.258	2.478	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																	
9.	1,078	0.2	27.96	-	-	215.17	0.969	-	-	-	+	-	+	-	+	+	+	+	POS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BOR																	
10.	51,842	3.9	22.16	-	-	1.200	1.219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																		
11.	3,675,025	3.3	>200	-	-	2.605	4.628	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																		
12.	403,169	5.7	21.91	-	-	1.018	0.656	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(+)	-	-	-	-	-	-	-	-	-	-	NEG																		
13.	2,900	0.3	86.23	-	-	0.836	4.628	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																		
14.	1,193	0.7	34.56	-	-	2.048	20.154	-	-	-	-	-	-	(+)	-	NEG	-	+	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	POS																		
15.	617,577	8.1	132.23	-	-	1.382	1.719	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																		
16.	5,126	1.2	28.56	-	-	1.018	2.040	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																		
17.	7,700	1.3	27.54	-	1:100	2.484	1.875	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(+)	-	(+)	-	-	-	-	-	-	-	NEG																			
18.	97,687	4.5	118.36	-	1:100	0.618	7.257	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																			
19.	32,219	1.6	95.05	1:10	-	111.41	2.438	-	-	-	-	-	-	(+)	+	POS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																		
20.	15,625	0.8	74.03	-	-	1.418	4.827	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																		
21.	69,770	1.1	59.36	-	-	0.655	1.500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																		
22.	28,330	1.4	35.62	-	-	2.871	0.344	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																		
23.	1,505,279	2.3	102.23	-	1:100	2.411	4.708	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																		
24.	85,093,861	4.3	184.34	1:10	-	5.145	3.155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																		
25.	13,114	1.7	47.06	-	-	1.600	5.425	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																		
26.	44,900	3.3	25.21	-	-	2.315	1.844	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG																		

Legend:

qPCR - quantitative polymerase chain reaction

Anti-CMV IgM enzyme-linked immunosorbent assay (ELISA): Ratio <0.8 RU/mL - negative result, 0.8 - 1.1 RU/mL - borderline result, ≥1.1 RU/mL - positive result.

Anti-CMV IgG ELISA: Ratio <16 RU/mL - negative result, 16 - 22 RU/mL - borderline result, ≥22 RU/mL - positive result.

Anti-*Borrelia* indirect immunofluorescence test (IIFT): IgM ≥1:10 titer - positive result; IgG ≥1:100 titer - positive result.

Anti-*Borrelia* ELISA: Ratio <16 RU/mL - negative result, 16 - 22 RU/mL - borderline result, ≥22 RU/mL - positive result.

Anti-*Borrelia* EUROLINE RN-AT immunoblot (IB): “-” negative result, “(+)” – borderline result, “+” positive result.

Positive results are marked in bold and borderline ones are additionally marked in parentheses.

B.a – *Borrelia afzelii*, B.b – *Borrelia burgdorferi*, B.g – *Borrelia garinii*, B.sp – *Borrelia spielmanii*.

Table S3. Detailed summary of results on determination of anti-*Borrelia* IgM and IgG antibodies obtained in serological tests in patients infected with the BK virus (BKV).

No. of patient	BKV qPCR (copies/mL)	Anti- <i>Borrelia</i> IIFT (titre)		Anti- <i>Borrelia</i> ELISA (RU/ml)		Anti- <i>Borrelia</i> EUROLINE RN-AT IB - IgM						Anti- <i>Borrelia</i> EUROLINE RN-AT IB - IgG															
		IgM	IgG	IgM	IgG	VlsE B.b	p41 Flagellin B.a	OspC B.a	OspC B.b	OspC B.g	OspC B.sp	Result	VlsE B.a	VlsE B.b	VlsE B.g	Lipid B.a	Lipid B.b	p83 B.a	p41 Flagellin B.g	p39 BmpA B.g	OspC B.g	p58 (BB_A_34)	p21 (BB_K_53)	P20 (BB_Q_03)	P19 (BB_N_38)	P18 (BB_P_38)	Result
1.	843,021	-	-	0.618	3.872	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG	
2.	12,170	-	-	0.836	2.080	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG	
3.	8,200	-	-	2.823	4.190	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG	
4.	15,802	1:10	-	212.34	50.833	-	+	-	(+)	-	+	POS	-	(+)	(+)	-	-	-	-	-	-	-	-	-	-	POS	
5.	1,299	-	-	6.403	5.544	-	-	-	-	-	(+)	NEG	-	-	+	-	-	-	-	-	-	-	-	-	-	BOR	
6.	8,802	-	1:100	2.750	6.022	-	-	-	+	+	-	POS	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG	
7.	920	-	-	0.655	0.625	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG	
8.	19,000	1:10	-	2.677	7.456	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	-	BOR		
9.	8,930	-	-	0.327	2.836	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG	
10.	4,800	-	-	0.545	1.063	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	-	-	NEG	
11.	16,718	1:10	-	2.169	2.717	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	-	BOR		
12.	16,000	-	-	0.821	3.792	-	-	-	-	-	-	NEG	-	(+)	-	-	-	-	(+)	-	-	-	-	-	-	BOR	
13.	3,100	1:10	-	2.266	1.906	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	-	POS		
14.	39,976,524	-	-	7.105	8.929	-	-	(+)	(+)	+	-	POS	-	-	(+)	-	-	-	-	-	-	-	-	-	BOR		
15.	174,384	-	-	1.782	4.469	-	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	-	-	NEG		
16.	5,588	-	-	4.081	6.022	-	(+)	-	-	-	-	POS	-	-	-	-	-	-	-	-	-	-	-	-	POS		

Legend:

qPCR - quantitative polymerase chain reaction

Anti-*Borrelia* indirect immunofluorescence test (IIFT): IgM ≥1:10 titer - positive result; IgG ≥1:100 titer - positive result.

Anti-*Borrelia* enzyme-linked immunosorbent assay (ELISA): Ratio <16 RU/mL - negative result, 16 - 22 RU/mL - borderline result, ≥22 RU/mL - positive result.

Anti-*Borrelia* EUROLINE RN-AT immunoblot (IB): “-” negative result, “(+)” – borderline result, “+” positive result.

Positive results are marked in bold and borderline ones are additionally marked in parentheses.

B.a – *Borrelia afzelii*, B.b – *Borrelia burgdorferi*, B.g – *Borrelia garinii*, B.sp – *Borrelia spielmanii*.

Table S4. Detailed summary of results on determination of anti-*Borrelia* IgM and IgG antibodies obtained in serological tests in healthy individuals.

No. of patient	Anti-EBV xMap Luminex (AU/ml)				Anti-CMV ELISA (RU/ml)		Anti-Borrelia IIFT (titre)		Anti-Borrelia ELISA (RU/mL)		Anti-Borrelia EUROLINE RN-AT IB - IgM						Anti-Borrelia EUROLINE RN-AT IB - IgG																
	EBV qPCR	CMV qPCR	BKV qPCR		IgM	IgG	IgM	IgG	IgM	IgG	VlsE B.b	p41 Flagellin B.a	p39 BmpA B.a	OspC B.a	OspC B.b	OspC B.g	OspC B.sp	Result	VlsE B.a	VlsE B.b	VlsE B.g	Lipid B.a	Lipid B.b	p83 B.a	p41 Flagellin B.g	p39 BmpA B.g	OspC B.g	p58 (BB_A 34)	p21 (BB_K 53)	P20 (BB_Q 03)	p19 (BB_N 38)	p18 (BB_P 38)	Result
	(copies/mL)				IgM VCA	IgG EAD	IgG VCA	IgG NAI	IgM	IgG																							
1.	0	0	0	12	37	28	99	0.2	3	-	-	5.173	1.438	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
2.	0	0	0	45	5	46	(105)	0.6	45	1:10	-	4.087	1.610	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
3.	0	0	0	3	25	84	18	0,1	68	-	-	5.408	3.295	-	(+)	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
4.	0	0	0	27	35	28	125	0.02	2	-	-	7.315	5.982	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
5.	0	0	0	51	16	65	159	0.23	15	-	-	4.115	6.571	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
6.	0	0	0	17	9	38	23	0.21	7	-	1:100	5.097	0.188	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
7.	0	0	0	68	43	(101)	56	0.17	2	-	-	6.185	0.252	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
8.	0	0	0	75	36	74	178	0,59	8	-	-	2.897	4.627	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
9.	0	0	0	57	7	12	9	0.32	10	-	-	8.318	4.780	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
10.	0	0	0	8	38	65	197	0.43	23	1:10	-	6.158	1.022	-	+	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
11.	0	0	0	53	11	42	11	0.2	(16)	-	-	10.123	12.040	-	-	-	-	-	NEG	-	-	-	(+)	-	-	-	-	-	-	NEG			
12.	0	0	0	42	19	59	65	0.32	20	-	-	4.378	1.956	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
13.	0	0	0	4	32	36	20	0.56	12	-	-	8.743	13.230	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
14.	0	0	0	27	45	74	47	0.11	31	-	-	1.005	3.567	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
15.	0	0	0	36	46	34	31	0.72	4	-	-	2.634	9.401	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
16.	0	0	0	12	63	56	42	0.17	15	-	1:100	7.835	16.012	-	(+)	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
17.	0	0	0	3	21	23	76	0.34	10	-	-	14.123	10.319	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
18.	0	0	0	56	27	2	35	0.55	14	-	-	12.105	7.324	-	-	(+)	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
19.	0	0	0	71	43	25	27	0.21	14	-	-	9.543	4.290	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			
20.	0	0	0	23	29	39	43	0.34	18	-	-	8.675	2.402	-	-	-	-	-	NEG	-	-	-	-	-	-	-	-	-	-	NEG			

Legend:

EBV - Epstein-Barr virus, CMV - cytomegalovirus, BKV - BK virus.

qPCR - quantitative polymerase chain reaction.

Anti-EBV xMap Luminex: <100 AU/mL - negative result, 100 - 120 AU/mL - borderline result, ≥120 AU/mL - positive result.

Anti-CMV IgM enzyme-linked immunosorbent assay (ELISA): Ratio <0.8 RU/mL - negative result, 0.8 - 1.1 RU/mL - borderline result, ≥1.1 RU/mL - positive result.

Anti-CMV IgG ELISA: Ratio <16 RU/ml - negative result, 16 - 22 RU/ml - borderline result, ≥22 RU/mL - positive result.

Anti-Borrelia indirect immunofluorescence test (IIFT): IgM ≥1:10 titer - positive result; IgG ≥1:100 titer - positive result.

Anti-Borrelia ELISA: Ratio <16 RU/mL - negative result, 16 - 22 RU/mL - borderline result, ≥22 RU/mL - positive result.

Anti-Borrelia EUROLINE RN-AT immunoblot (IB): „-“ negative result, „(+)“ - borderline result, „+“ positive result.

Positive results are marked in bold and borderline ones are additionally marked in parentheses.

B.a – *Borrelia afzelii*, B.b – *Borrelia burgdorferi*, B.g – *Borrelia garinii*, B.sp – *Borrelia spielmanii*.