

In Silico Design, Synthesis and Biological Evaluation of Anticancer Arylsulfonamide Endowed with Anti-Telomerase Activity

Giulia Culetta ^{1,2}, Mario Allegra ², Anna Maria Almerico ², Ignazio Restivo ² and Marco Tutone ^{2,*}

¹ Dipartimento di Scienze Chimiche, Biologiche, Farmaceutiche e Ambientali, Università di Messina, 98166 Messina, Italy; giulia.culetta@unime.it


² Dipartimento di Scienze e Tecnologie Biologiche Chimiche e Farmaceutiche, Università degli Studi di Palermo, 90123 Palermo, Italy; mario.allegra@unipa.it (M.A.); annamaria.almerico@unipa.it (A.M.A.); ignazio.restivo@unipa.it (I.R.)

* Correspondence: marco.tutone@unipa.it


^1H and ^{13}C NMR spectra of new derivatives synthesized and tested in this work

NMR spectra of derivative N-(2,5-Dimethoxybenzyl)-4-methylbenzenesulfonamide (1F)


^1H




^{13}C




NMR spectra of derivative N-(2,5-Dimethoxybenzyl)-4-nitrobenzenesulfonamide (1G)
¹H




¹³C




NMR spectra of derivative N-[4-(3,5-dimethylpyrazol-1-yl)phenyl]-4-methylbenzenesulfonamide (2A)
¹H




¹³C




NMR spectra of derivative N-[4-(3,5-dimethylpyrazol-1-yl)phenyl]-4-nitrobenzenesulfonamide (2B)
¹H



¹³C



NMR spectra of derivative N-[4-(3,5-dimethylpyrazol-1-yl)phenyl]-4-aminobenzenesulfonamide
(2C)
¹H



¹³C

