

Supplementary Materials

Chemical Constituents of *Callistemon subulatus* and Their Anti-pancreatic Cancer Activity Against Human PANC-1 Cell Line

**Juthamart Maneenet, Ahmed M. Tawila, Ashraf M. Omar, Nguyen Duy Phan, Chiharu Ojima,
Masahiro Kuroda, Mao Sato, Mio Mizoguchi, Ikue Takahashi and Suresh Awale ***

Natural Drug Discovery Laboratory, Institute of Natural Medicine, University of Toyama, 2630 Sugitani, Toyama 930-0194, Japan.

* Correspondence: suresh@inm.u-toyama.ac.jp; Tel: +81-76-434-7640. Fax: +81-76-434-7640.

Table of Contents

Figure S1. ^1H NMR spectrum of subulatone A (1)	3
Figure S2. ^{13}C NMR spectrum of subulatone A (1)	3
Figure S3. HMQC spectrum of subulatone A (1)	4
Figure S4. HMBC spectrum of subulatone A (1)	5
Figure S5. HRFABMS spectrum of subulatone A (1)	6
Figure S6. IR spectrum of subulatone A (1)	7
Figure S7. UV spectrum of subulatone A (1)	8
Figure S8. Three independent experiments on the effect of myrtucommulone A (2) on proteins related to the PI3K/Akt/mTOR and autophagy signaling pathways in NDM and DMEM.	9




Figure S1. ¹H NMR spectrum of subulatone A (**1**).




Figure S2. ¹³C NMR spectrum of subulatone A (**1**).




Figure S3. HMQC spectrum of subulatone A (**1**).




Figure S4. HMBC spectrum of subulatone A (**1**).





Figure S5. HRFABMS spectrum of subulatone A (**1**).







Figure S6. IR spectrum of subulatone A (1).



Peaks	1	2
λ_{\max} (nm)	286	238
Absorbance at λ_{\max}	2.60	1.35
Log [$\epsilon(M^{-1}cm^{-1})$]	4.21	4.48

Figure S7. UV spectrum of subulatone A (1).




Figure S8. Three independent experiments on the effect of myrtucommulone A (**2**) on proteins related to the PI3K/Akt/mTOR and autophagy signaling pathways in NDM and DMEM.